User Registration with valid Login and Password

Priority	Severity	Behavior	Type
High	–	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	–		

Preconditions

The user is not registered in the system

Postconditions

The created user deleted

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Input valid Login in the "Логин" field	Must contain 3 to 15 characters and can include letters, numbers, and symbols: _	Data entered in the field, no error messages
3	Input valid Password in the "Пароль" field	Must be at least 8 characters long, including at least one letter and one number	Data entered in the field, no error messages
4	Click "Зарегистрироваться" button		Registration successful

User Registration with unvalid Password

Priority	Severity	Behavior	Type
High	–	Negative	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	–		

Preconditions

The user is not registered in the system

Parameters

Name	Value
Password	6 characters long, including at least one letter and one number 7 characters long, including at least one letter and one number Any characters except for Arabic letters Any characters except for numbers Empty value

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Input valid Login in the "Логин" field	Must contain 3 to 15 characters and can include letters, numbers, and symbols: _	Data entered in the field, no error messages
3	Input unvalid Password in the "Пароль" field	Use Parameters	The user sees the message: "The username must contain 3 to 15 characters and can include letters, numbers, and symbols: _. The password must be at least 8 characters long, including at least one letter and one number"

G10-114 / Testing Documentation / Testing Documentation - Anna Zudilova / Registration and Authorization

User Logout

Priority	Severity	Behavior	Type
High	–	Positive	Other

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Preconditions

The user is loged in

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Click "Выйти" button		The user logs out of the system

The user is redirected to the login page or the homepage after Logout

Priority	Severity	Behavior	Type
High	-	Positive	Other

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Preconditions

The user is loged in

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Click "Выйти" button		The user is redirected to the login page or the homepage

User Log in with valid Login and Password

Priority	Severity	Behavior	Type
High	-	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Preconditions

The user is registered in the system

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Input valid Login in the "Логин" field	Must contain 3 to 15 characters and can include letters, numbers, and symbols: _	Data entered in the field, no error messages
3	Input valid Password in the "Пароль" field	Must be at least 8 characters long, including at least one letter and one number	Data entered in the field, no error messages
4	Click "Войти" button		Log in successful

User Log in with correct Login and incorrect Password

Priority	Severity	Behavior	Type
High	-	Not set	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Preconditions

The user is registered in the system

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Input valid Login in the "Логин" field	Must contain 3 to 15 characters and can include letters, numbers, and symbols: _	Data entered in the field, no error messages
3	Input incorrect Password in the "Пароль" field	Must be at least 8 characters long, including at least one letter and one number	Data entered in the field, no error messages
4	Click "Войти" button		Log in is failed, the message displayed is: "Incorrect username or password"

The user is redirected to the homepage after Log in

Priority	Severity	Behavior	Type
High	-	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Preconditions

The user is registered in the system

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Input valid Login in the "Логин" field	Must contain 3 to 15 characters and can include letters, numbers, and symbols: _	Data entered in the field, no error messages
3	Input valid Password in the "Пароль" field	Must be at least 8 characters long, including at least one letter and one number	Data entered in the field, no error messages
4	Click "Войти" button		The user is redirected to the homepage

G10-119 / Testing Documentation / Testing Documentation - Anna Zudilova / Registration and Authorization

Displaying authorization message when opening "Корзина" without Login

Priority	Severity	Behavior	Type
High	-	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Preconditions

The user is not loged in

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Click "Корзина" button		Displaying a message about the need for authorization

G10-120 / Testing Documentation / Testing Documentation - Anna Zudilova / Registration and Authorization

The authorization message when open "Корзина" without Login include a link to the login page (/login)

Priority	Severity	Behavior	Type
High	-	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Preconditions

The user is not loged in

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Click "Корзина" button		Displaying a message about the need for authorization, which include a link to the login page (/login)

After successful User Registration "Войти" button changes to "Выйти" button

Priority	Severity	Behavior	Type
High	-	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Preconditions

The user is not registered in the system

Postconditions

The created user deleted

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Input valid Login in the "Логин" field	Must contain 3 to 15 characters and can include letters, numbers, and symbols: _	Data entered in the field, no error messages
3	Input valid Password in the "Пароль" field	Must be at least 8 characters long, including at least one letter and one number	Data entered in the field, no error messages
4	Click "Зарегистрироватьс я" button		Registration successful, "Войти" button is changed to "Выйти" button

The User can change the quantity of a product before adding it to the cart

Priority	Severity	Behavior	Type
High	-	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Parameters

Name	Value
Quantity	1 2

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Input a number into the quantity selection field	Use Parameters	The quantity is displayed

After adding a product to the cart, a notification of successful adding is displayed

Priority	Severity	Behavior	Type
High	-	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Input a number into the quantity selection field	2	The quantity is displayed
3	Click "Добавить в корзину" button		The product is added to the cart and a notification of successful adding is displayed

After adding a product to the cart, the information about the number of products in the cart is updated

Priority	Severity	Behavior	Type
High	–	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	–		

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Input a number into the quantity selection field	2	The quantity is displayed
3	Click "Добавить в корзину" button		The product is added to the cart and the information about the number of products in the cart is updated

Pagination Navigation in the product list pages

Priority	Severity	Behavior	Type
High	–	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	–		

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Click the last pagination button on the page		The product list is updated
3	Click the middle pagination button on the page		The product list is updated
4	Click the first pagination button on the page		The product list is updated

Each product list page displays a fixed number of products

Priority	Severity	Behavior	Type
High	–	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Click the last pagination button on the page		The number of products displayed on the page is less than or equal to 6
3	Click the middle pagination button on the page		The number of products displayed on the page is less than or equal to 6
4	Click the first pagination button on the page		The number of products displayed on the page is less than or equal to 6

Product cards on catalog pages include an image, title, description, price, category, manufacturer, and free shipping information

Priority	Severity	Behavior	Type
High	–	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Check that all product cards on the page include an image		All product cards include an image
3	Check that all product cards on the page include a title		All product cards include a title
4	Check that all product cards on the page include a description		All product cards include a description

#	Step	Action	Expected Result
5	Check that all product cards on the page include price		All product cards include price
6	Check that all product cards on the page include a category		All product cards include a category
7	Check that all product cards on the page include a manufacturer		All product cards include a manufacturer
8	Check that all product cards on the page include a free shipping information		All product cards include a free shipping information

G10-138 / Testing Documentation / Testing Documentation - Anna Zudilova / Product Catalog

The error message when quantity of the product is incorrectly specified

Priority	Severity	Behavior	Type
High	-	Negative	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Parameters

Name	Value
Quantity	0 -1

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Input a number into the quantity selection field	Use Parameters	The User receives an error message

G10-139 / Testing Documentation / Testing Documentation - Anna Zudilova / Product Catalog

Sorting the product list

Priority	Severity	Behavior	Type
High	-	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Click the sorting dropdown		The dropdown is opened
3	Click A to Z sorting		The product list is updated according to the chosen sort order
4	Click Z to A sorting		The product list is updated according to the chosen sort order
5	Click low to high sorting		The product list is updated according to the chosen sort order
6	Click high to low sorting		The product list is updated according to the chosen sort order

Reset all selected filters with a single click

Priority	Severity	Behavior	Type
High	–	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone		
Actual	–		

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Input valid price in "Мин. цена" field		Data entered in the field
3	Choose any "Все категории" filter		Chosen filter is displayed
4	Choose any "Все производители" filter		Chosen filter is displayed
5	Click "Применить фильтры" button		The product list is updated according to the applied filters
6	Click "Сбросить фильтры" button		All selected filters are reset, the product list is updated with no filters

Filter the product list by price, category, manufacturer, and free shipping option

Priority	Severity	Behavior	Type
High	–	Positive	Functional

Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual

Status	Milestone
Actual	-

Preconditions

Use data from Test data for Filters

Steps to reproduce

#	Step	Action	Expected Result
1	Open example.com		The page is opened
2	Choose filters	Use data from Pre-conditions	Chosen filters are displayed
3	Click "Применить фильтры" button		The product list is updated according to the applied filters