

Can Social Media Anticipate a Prediction Market?

Evidence from the 2024 US Presidential Election

Technical Report

Course: Social Media and Web Analytics

Teacher: Prof. Dr. Matthias Bogaert

Students: Team NUMBER

NAME 1	Pieter-Jan Brys	EMAIL 1
NAME 2	Helena Lips	EMAIL 2
NAME 3	Nina Vandeveld 3	EMAIL 3
NAME 4	Daphne D’Guyter 4	EMAIL 4
NAME 5	Seppe Reussen 5	EMAIL 5
NAME 6	Anna Vermeulen 5	022094

Academic year: 2025–2026

Contents

1	Introduction	2
2	Research Design & Data	2
3	Preprocessing	3
4	Descriptive Modeling	3
4.1	Word Analysis & Embeddings	3
4.2	Sentiment Analysis	4
4.3	Network Analysis	4
5	Predictive Modeling	5
5.1	Feature Engineering	5
5.2	Cross-Validation Strategy	6
5.3	Models and Results	6
6	Discussion & Conclusion	7
7	Limitations and Further Improvement	7
A	Data Sources	9
B	Sentiment Methods	10
C	Model Results	11
D	Basetable: Variable Overview	12
E	Key Figures	15
E.1	Financial Markets	16
E.2	Google Trends	18
E.3	Reddit Network Analysis	20
E.4	Cross-Source	24

1 Introduction

The 2024 US presidential election generated an unprecedented volume of digital discourse. Decentralized prediction markets such as Polymarket simultaneously aggregated the beliefs of financially motivated participants into a single daily probability estimate for each candidate's chances of winning. The central question of this project is whether publicly available signals from social media, news coverage, polling data, financial markets, and search behavior can be used to anticipate the daily movements of such a market price.

Prediction markets are theorized to be highly efficient aggregators of dispersed information, rapidly incorporating new signals into prices (Manski, 2006). If social media and news data carry information that reaches these markets with a measurable delay, then the text mining, sentiment analysis, and network analysis techniques covered in this course may yield directional forecasting value. The project applies the full analytical pipeline from Lecture 1 through Lecture 6 to this real-world forecasting problem, covering data collection, preprocessing, word analysis, sentiment analysis, network analysis, and predictive modeling. Sections 2 through 7 follow this structure in order; Section 8 discusses key findings and limitations.

2 Research Design & Data

The target variable is the daily closing price of the Polymarket contract “Will Donald Trump win the 2024 US presidential election?”, interpretable as the market's consensus probability of a Trump victory (Manski, 2006). Data cover a 125-day window from 5 July to 4 November 2024, yielding 124 daily observations (min: 44.3%, max: 70.5%, mean: 54.7%). Prices were scraped daily at approximately 00:03 UTC and manually corrected for a one-day offset in Polymarket's date labeling. Two modeling objectives were defined: Model A predicts the price level, benchmarked against an AR(1) baseline; Model B predicts the daily price change, a more stationary target suited to assessing directional signal value.

Data were collected from seven sources via APIs or archived datasets, the standard approach for structured, rate-limited access to platform data (Lecture 1). An overview of all sources, collection methods, volumes, and key limitations is provided in Table 1 in Appendix A.

Reddit data were drawn from seven politically diverse subreddits and filtered on election-related keywords, reducing 5.39 million raw comments to 1.4 million. Non-English content was removed using langdetect (5.4% of posts, 1.7% of comments). Bluesky data were collected via the AT Protocol API (18% removed after language filtering). News coverage was retrieved via the MediaCloud API across sources classified as Democratic (36.6%), Republican (21.2%), or center/unknown (44.5%). No single source provides a fully representative view of public opinion — Bluesky's user base skews left-leaning, evidenced by Harris-related posts receiving twice as many likes as Trump-related posts (5.06 vs. 2.44) despite comparable volumes — motivating the cross-source design that allows findings to be triangulated.

3 Preprocessing

All text data were processed through a uniform eight-step pipeline: (1) lowercasing, (2) URL removal, (3) second-pass URL fallback, (4) removal of @mentions, (5) hashtag stripping while preserving the word, (6) removal of non-alphabetic characters, (7) whitespace normalization, and (8) tokenization with NLTK English stopwords and removal of tokens shorter than three characters or with URL-slug-like structure. Language detection via `langdetect` retained only English documents, removing 5.4% of Reddit posts, 1.7% of comments, and 18% of Bluesky posts. Reddit comments were additionally filtered to between 3 and 500 words, and duplicates were removed.

Each cleaned document was assigned a political buzz label using whole-word regex matching. Documents were classified as TrumpBuzz, HarrisBuzz, or ElectionBuzz based on keyword sets of approximately 80 and 70 terms respectively. The label of the highest-scoring category was assigned provided its margin over the runner-up met a minimum gap of one match; ambiguous or keyword-free documents received the ElectionBuzz label. This approach does not account for irony or sarcasm, a known limitation discussed in Section 7.

4 Descriptive Modeling

4.1 Word Analysis & Embeddings

Text-based features were constructed through TF-IDF with dimensionality reduction, word embeddings, and topic modeling. For TF-IDF, each day’s text was aggregated per platform into a single document. The vectorizer used unigrams and bigrams, a vocabulary cap of 500 features, logarithmic term frequency scaling (`sublinear_tf=True`), and English stopwords removal. Critically, the vectorizer was fitted exclusively on training data within each cross-validation fold to prevent vocabulary leakage from future documents (Lecture 2). The resulting sparse matrix was reduced to five dense components per platform via Singular Value Decomposition, yielding 15 TF-IDF features in total.

For word embeddings, a Word2Vec skip-gram model was trained from scratch on the news headline corpus, with separate models per political lean (Democratic, Republican, center), enabling cross-partisan semantic comparison (Mikolov et al., 2013). The model used 100 dimensions, a context window of five, and 30 epochs. Pre-trained GloVe embeddings (`glove.6B.100d`) complemented this approach, covering 97.4% of headline tokens and providing better generalization for low-frequency terms (Pennington et al., 2014). Both spaces were visualized using t-SNE (`perplexity=30`) for local cluster structure and UMAP (`n_neighbors=15`, cosine metric) for global relationships (van der Maaten & Hinton, 2008).

Topic modeling was applied to Reddit posts using LDA (Blei et al., 2003). After filtering (`no_below=5`, `no_above=0.5`), the vocabulary contained 12,302 words across 85,446 documents. A coherence sweep over $K = 2$ to 10 returned $K = 2$ as optimal (`u_mass = -3.54`), re-

flecting the thematic homogeneity of campaign text in which discourse reduces to a pro-Trump versus pro-Harris axis. The model was fitted with 15 passes and 400 EM iterations.

4.2 Sentiment Analysis

Five sentiment methods were applied across the three text sources to capture distinct affective dimensions of political discourse. The multi-method design allows the predictive model to select the most informative signal through regularization rather than requiring a single method to generalize across all contexts (Lectures 4–5).

VADER was applied to all platforms as the primary lexicon-based method. Its trigram-based valence shifting mechanism handles negations, intensifiers, capitalization, and punctuation, making it well-suited to social media text (Hutto & Gilbert, 2014). Twitter-RoBERTa (cardiffnlp/twitter) complemented VADER on social media by processing full token sequences bidirectionally, capturing contextual dependencies that VADER’s trigram window cannot resolve (Barbieri et al., 2022). The pairwise correlation between their compound scores was 0.54, confirming partial but non-redundant overlap. For news headlines, FinBERT replaced VADER as the primary method given its domain-specific pre-training on financial text, which closely resembles the forward-looking and evaluative framing of campaign coverage. TextBlob provided a subjectivity dimension orthogonal to polarity (correlation with VADER: 0.43), and NRCLEX extracted eight primary emotions from Plutchik’s wheel to capture affect beyond positive/negative polarity (correlation with VADER: 0.34). Finally, SBERT (all-MiniLM-L6-v2) embedded 50 random sentences per day and source into 384-dimensional vectors, reduced to five principal components via PCA, yielding 15 dense semantic features with frozen weights.

All methods are summarized in Table 2 in Appendix B. Sentiment scores were aggregated daily and computed separately for TrumpBuzz and HarrisBuzz documents to produce sentiment gap features. A key descriptive finding is that the news sentiment gap correlates at $r = 0.31$ with Polymarket prices, while raw news volume correlates near zero, suggesting that affective framing rather than volume carries market-relevant information.

4.3 Network Analysis

A directed mention graph was constructed from Bluesky data using NetworkX, with a weighted edge from account A to B for each @mention of B by A. After normalizing usernames by stripping the .bsky.social suffix, the full graph contains 1,467 nodes and 1,474 edges (density: 0.000685). The largest connected component (LCC) retains 928 nodes (63.3%), with density 0.001317, diameter 15, mean shortest path 5.83 hops, and an average clustering coefficient of 0.0016 (Lecture 1). The low clustering coefficient confirms the broadcast-oriented nature of the platform: users mention others without sharing mutual audiences.

The degree distribution follows a power-law pattern on a log-log scale, confirming a scale-free topology in which a small number of hub nodes accumulate a disproportionate share of incoming mentions — the most-mentioned account received 66 in-degree mentions. Hub nodes

with high betweenness centrality act as information bridges whose activity may correlate with broader shifts in public discourse.

Echo chamber structure was quantified via a cross-cluster mention matrix partitioning users into TrumpBuzz, HarrisBuzz, and ElectionBuzz clusters. The diagonal dominance of this matrix operationalizes homophily: the principle that individuals preferentially associate with similar others ([Hamilton et al., 2016](#)). Fewer than 6.8% of LCC nodes bridge both political clusters. Weekly within-cluster ratios reveal monotonically increasing insularity approaching election day. The Reddit author overlap analysis corroborates this: the Jaccard similarity between `r/conservative` and `r/democrats` authors is only 0.019 (0.8% cross-partisan participation), providing strong evidence for structurally enforced echo chambers ([Hamilton et al., 2016](#)). Network-derived daily features including density, hub degree averages, community homophily, and echo chamber velocity were included in the predictive model.

5 Predictive Modeling

5.1 Feature Engineering

The base table aggregates all daily features into a 124-row matrix with 129 columns across nine groups: Bluesky (11), network (5), Reddit (19), news (22), financial (20), macro (5), event dummies (10, with lag-1 versions), polls (5), and lags (8). Ratios and shares are preferred over raw counts for scale invariance; seven-day rolling averages smooth day-to-day noise (Lecture 6). A second table version adds interaction and surprise features: sentiment gap (Trump minus Harris), sentiment surprise (deviation from seven-day rolling mean), poll margin momentum (first difference), and a sentiment-gap-times-poll-margin interaction term capturing the hypothesis that prediction markets respond to deviations from expectations rather than absolute levels.

Our target is the daily change in Trump’s win probability on Polymarket. The models try to predict whether the market will give Trump a higher or lower chance than the day before. This differencing of the dependent variable ensures that the series is stationary, which is beneficial for time-series modelling and prevents the model from simply learning to repeat yesterday’s value. A natural baseline is therefore a naive model that always predicts zero change, representing the assumption that price changes are unpredictable.

The independent features are built from eight different data sources all aggregated to a single row per day, resulting in a 124-row matrix with 129 columns. Social media activity from Bluesky and Reddit is captured through daily post volumes, engagement metrics, and sentiment scores. Newspaper coverage is measured by article counts per political leaning alongside tone indicators. Google Trends provide daily search interest for election-related keywords, while poll numbers are included as daily averages of Trump and Harris support, where days without new polls simply carry forward the most recent available value. Financial market data is included through daily price levels and derived metrics such as day-over-day returns and 7-

day rolling average volatility — covering the S&P 500, oil, the VIX volatility index, bonds, and the US dollar index. As we are working with a time-series dataset, lagged versions of the target and key signals are added so the models can learn from recent momentum. Before modelling, near-constant features, features with negligible correlation to the target, and highly redundant feature pairs are removed.

[TODO: Feature selection only happens after train–test split. All selection decisions are made exclusively on the training data and then applied to the full dataset, taking the cross-validation setup into account.]

An overview of all included variables is provided in Appendix A, Table 4.

5.2 Cross-Validation Strategy

Standard k -fold cross-validation is not applicable to time series data as shuffling would introduce look-ahead bias (Makridakis et al., 2018). An expanding walk-forward window scheme was adopted, in which the training set grows with each fold while the validation set covers a subsequent held-out period (Lecture 6). The 124-day dataset was split into a 110-day cross-validation region (5 July to 21 October) and a 14-day held-out test set (22 October to 4 November). Three folds expanded the training window by approximately 27 days each, with a one-day gap between training and validation to prevent leakage through rolling mean features. The imputer and scaler were fitted on training rows only and applied to validation rows, consistent with Lecture 4 principles. The test set was accessed only after final model selection.

5.3 Models and Results

Model A predicts the price level (AR(1) baseline MAE: 0.013); Model B predicts the daily first difference (naive baseline MAE: 0.010). Six model families were evaluated: AR(1), Ridge, Lasso, ElasticNet, Random Forest (200 trees), and XGBoost, each with and without TF-IDF+SVD text features. Neural networks were excluded due to severe overfitting on the approximately 30-observation training folds in early windows (Lecture 6). Hyperparameters were tuned via a manual walk-forward grid search to avoid sklearn’s data-shuffling behavior, selecting the configuration with the lowest mean MAE across three folds. Results are summarized in Table 3 in Appendix C.

The most notable finding is that a Random Forest trained exclusively on social media features achieves 64.3% directional accuracy on the test set. No learned model consistently beats the AR(1) baseline on MAE for Model A, confirming the near-random-walk structure of the price level. The gap between cross-validation directional accuracy (54.2%) and test set accuracy (64.3%) for the social media Random Forest may partly reflect a favorable split; with only 14 test observations, directional accuracy estimates carry high variance and should be interpreted with caution.

6 Discussion & Conclusion

[To be completed.]

7 Limitations and Further Improvement

[TODO: Mention the second approach proposed by Nathan.]

- *[Further limitations to be added.]*

References

- Barbieri, F., Camacho-Collados, J., Espinosa-Anke, L., & Neves, L. (2022). TweetEval: Unified benchmark and comparative evaluation for tweet classification. *arXiv:2010.12421*.
- Blei, D. M., Ng, A. Y., & Jordan, M. I. (2003). Latent Dirichlet Allocation. *Journal of Machine Learning Research*, 3, 993–1022.
- Hamilton, W. L., Clark, K., Leskovec, J., & Jurafsky, D. (2016). Inducing domain-specific sentiment lexicons from unlabeled corpora. *arXiv:1606.02820*.
- Hutto, C. J., & Gilbert, E. (2014). VADER: A parsimonious rule-based model for sentiment analysis of social media text. *ICWSM*, 8(1).
- Makridakis, S., Spiliotis, E., & Assimakopoulos, V. (2018). Statistical and machine learning forecasting methods: Concerns and ways forward. *PLOS ONE*, 13(3).
- Manski, C. F. (2006). Interpreting the predictions of prediction markets. *Economics Letters*, 91(3), 425–429.
- Mikolov, T., Chen, K., Corrado, G., & Dean, J. (2013). Efficient estimation of word representations in vector space. *arXiv:1301.3781*.
- Pennington, J., Socher, R., & Manning, C. D. (2014). GloVe: Global vectors for word representation. *EMNLP 2014*, 1532–1543.
- van der Maaten, L., & Hinton, G. (2008). Visualizing data using t-SNE. *Journal of Machine Learning Research*, 9, 2579–2605.

A Data Sources

Source	Method	Volume (filtered)	Key limitation
Polymarket	Web scrape (≈00:03 UTC)	124 daily obs.	Liquidity effects not corrected
Reddit (7 subreddits)	Pushshift archive (JSONL)	1.4M comments, 111K posts	Subreddit selection not representative
Bluesky	AT Protocol API	26,949 posts	Demographically left-leaning
News (Media-Cloud)	MediaCloud API	229,946 articles, 187 sources	44.5% of sources unclassified
Google Trends	Trends API	10 keywords, daily index	Relative scale; event-driven
Polls	Public aggregator	256 national polls	Pollster house effects up to ± 4 pp
Financial & macro	Yahoo Finance / FRED	20 indicators	GDP removed (>30% missing)

Table 1: Overview of data sources.

B Sentiment Methods

Method	Type	Output	Corr. with VADER
VADER	Rule-based lexicon	Compound [−1, +1]	1.00
Twitter-RoBERTa	Fine-tuned transformer	Compound [−1, +1]	0.54
TextBlob	Pattern lexicon	Polarity + subjectivity	0.43
NRCLex	Emotion lexicon (Plutchik)	8 emotion frequencies	0.34
FinBERT	Domain-specific transformer	Pos/neg ratio	n/a (news only)

Table 2: Overview of sentiment methods. Correlations on daily aggregated compound scores across all platforms.

C Model Results

Scenario	Best model	MAE (test)	DirAcc (test)
Price level (Model A)	AR(1) baseline	0.013	47.5%
Price change (Model B)	Ridge	≈ 0.010	57.1%
Social media features only	Random Forest	0.016	64.3%
Lag price only	Linear Regression	0.016	57.1%
News features only	Random Forest	0.015	50.0%

Table 3: Model performance on the held-out test set (14 days). DirAcc = percentage of correctly predicted price movement directions.

D Basetable: Variable Overview

Table 4: Basetable: overview of all features included in the predictive model.

Source	Feature group	Variables
Target	Price change	price_change: daily first difference of Trump win probability (Polymarket closing price)
Time	Calendar	days_to_election, is_weekend, weekday, campaign_week, days_since_last_event
Polymarket	Price lags	polymarket_trump_prob_lag1, lag2, lag3, lag4, lag5
	Change lags	price_change_lag1, lag2, lag3, polymarket_volatility_7d
Bluesky	Volume	bsky_total_posts, bsky_unique_authors, bsky_avg_likes, bsky_avg_reposts, bsky_reply_ratio
	Candidate share	bsky_trump_unique_authors, bsky_harris_unique_authors, bsky_trump_share, bsky_harris_share, bsky_posts_per_author
	Sentiment	bsky_{trump, harris, election}_sent_avg, _sent_std, _pos_share, _neg_share; bsky_sentiment_gap, bsky_sentiment_gap_lag1
	Emotions (Trump)	bsky_trump_fear, _anger, _anticipation, _trust, _surprise, _sadness, _disgust, _joy
	Emotions (Harris)	bsky_harris_fear, _anger, _anticipation, _trust, _surprise, _sadness, _disgust, _joy
	Emotions (Election)	bsky_election_fear, _anger, _anticipation, _trust, _surprise, _sadness, _disgust, _joy
	Volume	reddit_total_posts, reddit_unique_authors, reddit_avg_score, reddit_avg_upvote_ratio, reddit_avg_comments
Reddit	Candidate share	reddit_trump_unique_authors, reddit_harris_unique_authors, reddit_trump_share, reddit_harris_share, reddit_conservative_share, reddit_liberal_share, reddit_posts_per_author

Continued on next page

Continued from previous page

Source	Feature group	Variables
	Sentiment	reddit_{trump, harris, election}_sent_avg, _sent_std, _pos_share, _neg_share; reddit_sentiment_gap, reddit_sentiment_gap_lag1
	Emotions (Trump)	reddit_trump_fear, _anger, _anticipation, _trust, _surprise, _sadness, _disgust, _joy
	Emotions (Harris)	reddit_harris_fear, _anger, _anticipation, _trust, _surprise, _sadness, _disgust, _joy
	Emotions (Election)	reddit_election_fear, _anger, _anticipation, _trust, _surprise, _sadness, _disgust, _joy
News	Volume & counts	news_total, news_trump_count, news_harris_count, news_election_count, news_rep_count, news_dem_count, news_cen_count, news_trump_share, news_harris_share
	Attention asymmetry	news_attention_asymmetry, news_attention_asymmetry_7d, news_attention_asymmetry_lag1, news_attention_asymmetry_7d_lag1
	VADER sentiment	vader_compound_mean/std × (dem/rep/cen); vader_pos/neg_share × (dem/rep/cen); news_vader_leaning_gap, news_vader_leaning_gap_lag1
	NRC emotions	nrc_{fear, anger, anticipation, trust, surprise, sadness, disgust, joy} × (dem/rep/cen); nrc_fear_avg, nrc_anger_avg, nrc_trust_avg, nrc_anticipation_avg
Google Trends	Raw interest	gt_trump, gt_kamala, gt_vance, gt_walz, gt_election_2024
	Derived features	gt_trump_minus_kamala, gt_trump_share, gt_trump_7d, gt_kamala_7d
	Lags	gt_trump_lag1, gt_kamala_lag1, gt_trump_share_lag1
Polls	Current estimates	poll_trump_avg, poll_harris_avg, poll_margin, poll_n_today

Continued on next page

Continued from previous page

Source	Feature group	Variables
	Rolling averages	poll_trump_7d_avg, poll_harris_7d_avg, poll_margin_7d_avg, poll_margin_change_7d, poll_volatility_7d
	Lags & divergence	poll_margin_lag1, poll_market_divergence, poll_market_divergence_lag1
Financial	Market levels	sp500, oil, vix, bond_10y, usd_index
	Returns & volatility	sp500_return_1d, sp500_return_7d, sp500_vol_7d, oil_return_1d, vix_change_1d
	Lags	vix_lag1, sp500_return_1d_lag1

E Key Figures




Figure 1: Polymarket win probabilities for Trump and Harris (July–November 2024). Solid lines show daily closing prices; dashed lines show 7-day rolling averages. Vertical dashed lines mark key campaign events.

Date	Event	Explanation
Jul 13	Trump shot	A gunman fired at Trump's Butler, PA rally; Trump was grazed on the ear and one attendee was killed.
Jul 15	JD Vance VP pick	Trump named J.D. Vance of Ohio as his VP running mate at the Republican National Convention in Milwaukee.
Jul 21	Biden withdraws	Biden announced he would not seek re-election and immediately endorsed VP Kamala Harris as his successor.
Jul 26	Obama endorses Harris	Barack and Michelle Obama endorsed Harris, lending major Democratic establishment support to her campaign.
Aug 05	Harris nominated	Harris secured enough delegate votes to become the official Democratic presidential nominee.
Aug 19	Start of DNC	The DNC opened in Chicago; Harris formally accepted the Democratic nomination four days later.
Sep 10	Trump–Harris debate (ABC)	The only presidential debate on ABC. Harris was widely seen as the stronger performer, lifting her polls.
Sep 15	2nd assassination attempt	A gunman was apprehended near Trump's West Palm Beach golf club in a second foiled assassination attempt.
Oct 01	Vance–Walz debate (CBC)	VP candidates Vance and Walz debated on CBS in a broadly civil exchange watched by tens of millions.
Oct 05	Musk at Butler rally	Musk made a surprise stage appearance at Trump's Butler, PA rally as a high-profile public endorsement.
Oct 07	\$47 per registered voter in a swing state	Musk's America PAC pledged \$47 to swing-state voters who signed a free-speech and gun-rights petition.
Oct 10	Musk increases petition reward	Musk raised the America PAC sweepstakes prize to \$1 million per signatory per day until Election Day.

Figure 2: Overview of key campaign events included in the Polymarket analysis, with date, label, and brief description.

E.1 Financial Markets

US Financial Markets — Jun–Nov 2024




Figure 3: US financial market indicators (S&P 500, Oil, VIX, 10-year bond yield, USD index) over the campaign period June–November 2024. Solid lines show 5-day rolling averages; vertical dashed lines mark key political events.




Figure 4: Pearson correlation matrix of daily market indicators, June–November 2024.




Figure 5: S&P 500 (left axis) versus VIX 10-day moving average (right axis), June–November 2024.

US Macroeconomic Indicators · Jun–Nov 2024

Indicator	Unit	Aug 2024	Sep 2024	Oct 2024	Nov 2024
Unemployment Rate	%	4.2%	4.1%	4.1%	4.2%
CPI Inflation Index	index	314.1	314.7	315.6	316.5
Consumer Sentiment	index	67.9	70.1	70.5	71.8
Real Disp. Income	Bn USD	17,753	17,770	17,810	17,851
Real GDP	Bn USD	—	—	23,587	—

Figure 6: US macroeconomic indicators (monthly, June–November 2024): unemployment rate, CPI inflation, consumer sentiment, real disposable income, and real GDP.




Figure 9: Daily search interest gap (Trump minus Kamala). Positive bars indicate days on which Trump attracted more search volume; negative bars indicate Kamala leading.




Figure 10: Google Trends search interest (solid line, left axis) versus Polymarket win probability (dashed line, right axis) for Trump (top) and Kamala (bottom), July–November 2024.




Figure 11: Scatter plots of daily Google search interest against Polymarket win probability for Trump (left) and Kamala (right). The dashed white line shows the OLS trend. Pearson r is reported in each panel title.

E.3 Reddit Network Analysis




Figure 13: Subreddit overlap network showing shared Reddit authors between communities. Node size reflects community activity; edge strength reflects overlap intensity.




Figure 12: Google search interest with key campaign events marked for four candidates shown in a 2×2 layout: *Trump* (top-left), *Harris* (top-right), *Vance* (bottom-left), and *Walz* (bottom-right), July–November 2024.




Figure 14: Keyword-similarity map across subreddits based on lexical overlap in posts. Higher similarity indicates more shared topic vocabulary between communities.




Figure 15: Distribution of candidate-focused buzz across Reddit discussions, comparing Trump, Harris, and general election-related content clusters.




Figure 16: Echo-chamber diagnostics on Reddit showing within-cluster retention and cross-cluster audience overlap among candidate and election buzz streams.

E.4 Cross-Source




Figure 17: Cross-source dashboard combining key indicators from all tracked data sources over the campaign period (July–November 2024).

