0353-1-B3 | Original context and matched observation fields

Tube 0353-1 / acquired: T1, T2, T3, T4



Figure 1. Temporal image correspondence for 0353-1-B3. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; one observation band is shown. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3, T3–T4. Existing RGB and geometry were reused; no new registration was fitted.

0353-2-B3 | Original context and matched observation fields

Tube 0353-2 / acquired: T1, T2, T3, T4



Figure 2. Temporal image correspondence for 0353-2-B3. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; one observation band is shown. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3, T3–T4. Existing RGB and geometry were reused; no new registration was fitted.

0353-2-LB2 | Original context and matched observation fields

Tube 0353-2 / acquired: T1, T2, T3, T4 / review required



Figure 3. Temporal image correspondence for 0353-2-LB2. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; 3 observation bands are joined in the archived order, with white non-data separator rows. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3, T3–T4. Review status: 2/3 observation bands remain flagged (dashed). Existing RGB and geometry were reused; no new registration was fitted.

0353-2-LB3 | Original context and matched observation fields

Tube 0353-2 / acquired: T1, T2, T3, T4



Figure 4. Temporal image correspondence for 0353-2-LB3. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; 3 observation bands are joined in the archived order, with white non-data separator rows. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3, T3–T4. Existing RGB and geometry were reused; no new registration was fitted.

0353-3-LB2 | Original context and matched observation fields

Tube 0353-3 / acquired: T1, T2, T3, T4



Figure 5. Temporal image correspondence for 0353-3-LB2. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; one observation band is shown. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3, T3–T4. Existing RGB and geometry were reused; no new registration was fitted.

0353-3-LB3 | Original context and matched observation fields

Tube 0353-3 / acquired: T1, T2, T3, T4 / review required



Figure 6. Temporal image correspondence for 0353-3-LB3. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; 2 observation bands are joined in the archived order, with white non-data separator rows. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3, T3–T4. Review status: 1/2 observation bands remain flagged (dashed). Existing RGB and geometry were reused; no new registration was fitted.

A017-1-B2 | Original context and matched observation fields

Tube A017-1 / acquired: T1, T2, T4



Figure 7. Temporal image correspondence for A017-1-B2. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; 3 observation bands are joined in the archived order, with white non-data separator rows. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T4 (T3 unavailable). Missing acquisition: T3. Existing RGB and geometry were reused; no new registration was fitted.

A017-1-Z2 | Original context and matched observation fields

Tube A017-1 / acquired: T1, T2, T4



Figure 8. Temporal image correspondence for A017-1-Z2. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; one observation band is shown. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T4 (T3 unavailable). Missing acquisition: T3. Existing RGB and geometry were reused; no new registration was fitted.

A017-2-2 | Original context and matched observation fields

Tube A017-2 / acquired: T1, T2, T3, T4 / review required



Figure 9. Temporal image correspondence for A017-2-2. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; 3 observation bands are joined in the archived order, with white non-data separator rows. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3, T3–T4. Review status: 1/3 observation bands remain flagged (dashed). Existing RGB and geometry were reused; no new registration was fitted.

A017-2-3 | Original context and matched observation fields

Tube A017-2 / acquired: T1, T2, T3, T4



Figure 10. Temporal image correspondence for A017-2-3. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; 3 observation bands are joined in the archived order, with white non-data separator rows. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3, T3–T4. Existing RGB and geometry were reused; no new registration was fitted.

A017-3-B3 | Original context and matched observation fields

Tube A017-3 / acquired: T1, T2, T3, T4 / review required



Figure 11. Temporal image correspondence for A017-3-B3. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; 2 observation bands are joined in the archived order, with white non-data separator rows. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3, T3–T4. Review status: 1/2 observation bands remain flagged (dashed). Existing RGB and geometry were reused; no new registration was fitted.

A017-3-Z2 | Original context and matched observation fields

Tube A017-3 / acquired: T1, T2, T3, T4 / review required



Figure 12. Temporal image correspondence for A017-3-Z2. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; one observation band is shown. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3, T3–T4. Review status: 1/1 observation bands remain flagged (dashed). Existing RGB and geometry were reused; no new registration was fitted.

Q1-1-B2 | Original context and matched observation fields

Tube Q1-1 / acquired: T1, T3, T4



Figure 13. Temporal image correspondence for Q1-1-B2. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; 2 observation bands are joined in the archived order, with white non-data separator rows. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T3 (T2 unavailable), T3–T4. Missing acquisition: T2. Existing RGB and geometry were reused; no new registration was fitted.

Q1-1-Z2 | Original context and matched observation fields

Tube Q1-1 / acquired: T1, T2, T3, T4 / review required



Figure 14. Temporal image correspondence for Q1-1-Z2. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; one observation band is shown. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3, T3–T4. Review status: 1/1 observation bands remain flagged (dashed). The T2–T3 link at Q1-1-Z2 remains a coarse, unverified candidate; the corrected identifier does not validate this link. Existing RGB and geometry were reused; no new registration was fitted.

Q1-1-Z3 | Original context and matched observation fields

Tube Q1-1 / acquired: T1, T2, T3 / review required



Figure 15. Temporal image correspondence for Q1-1-Z3. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; one observation band is shown. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3. Missing acquisition: T4. Review status: 1/1 observation bands remain flagged (dashed). Existing RGB and geometry were reused; no new registration was fitted.

Q1-2-B3 | Original context and matched observation fields

Tube Q1-2 / acquired: T1, T2, T3, T4



Figure 16. Temporal image correspondence for Q1-2-B3. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; 3 observation bands are joined in the archived order, with white non-data separator rows. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T3, T3–T4. Existing RGB and geometry were reused; no new registration was fitted.

Q1-2-Z2 | Original context and matched observation fields

Tube Q1-2 / acquired: T1, T3, T4 / review required



Figure 17. Temporal image correspondence for Q1-2-Z2. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; 2 observation bands are joined in the archived order, with white non-data separator rows. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T3 (T2 unavailable), T3–T4. Missing acquisition: T2. Review status: 1/2 observation bands remain flagged (dashed). Existing RGB and geometry were reused; no new registration was fitted.

Q1-2-Z3 | Original context and matched observation fields

Tube Q1-2 / acquired: T1, T2, T4 / review required



Figure 18. Temporal image correspondence for Q1-2-Z3. (A) Complete original RGB context with the saved observation polygons. (B) Corresponding common fields at the saved T1 pixel scale; one observation band is shown. Cyan outlines identify observation regions; gold boxes mark an identical local window in the T1 reference coordinates, projected onto each original frame. Observed-date links: T1–T2, T2–T4 (T3 unavailable). Missing acquisition: T3. Review status: 1/1 observation bands remain flagged (dashed). Existing RGB and geometry were reused; no new registration was fitted.