ReDI SCHOOL

Final Project

Week 10

Agenda

1. Recap (Objects & Loops)
2. Final Project Goals Recap
3. Project Work



Recap - Objects

Object properties can be both primitive values, other objects, and functions.

```
const person = {
  firstName: 'Emilia',
  lastName: 'Doe',
  age: 55,
  hasSiblings: false,
  mother: {
    firstName: 'Aisha',
    lastName: 'Lee',
    age: 81,
    hasSiblings: true,
  },
  fullName: function () {
    return this.firstName + ' ' + this.lastName;
  },
};
```



Recap - Objects

How to access an object property

The syntax for accessing the property of an object is:

```
objectName.property; // person.age
```

OR

```
objectName['property']; // person["age"]
```

OR

```
objectName[expression]; // x = "age"; person[x]
```



Recap - For loop

Loops are handy, if you want to run the same code over and over again, each time with a different value. Let's take a look at the first loop type:

```
for (initialization; condition; finalExpression) {
  // the code to run
}
```

initialization - This expression runs before the execution of the first loop, and is usually used to create a counter.

condition - This expression is checked each time before the loop runs. If it evaluates to true, the statement or code in the loop is executed. If it evaluates to false, the loop stops. And if this expression is omitted, it automatically evaluates to true.

finalExpression - This expression is executed after each iteration of the loop. This is usually used to increment a counter, but can be used to decrement a counter instead.



Recap - For loop

There are two ways to fix this code: set condition to either i < arr.length or i <= arr.length - 1.

```
for (let i = 0; i < arr.length; i++) {
  console.log(arr[i]);
}
```

```
for (let i = 0; i <= arr.length - 1; i++) {
  console.log(arr[i]);
}
```



Recap - For-of loop

The JavaScript **for-of** statement loops through the values of an iterable object.

It lets you loop over iterable data structures such as Arrays, Strings, Maps, NodeLists, and more:

```
const listContainer = document.getElementById('List-container');
const carBrands = ['BMW', 'Volvo', 'Saab', 'Ford', 'Fiat', 'Audi'];

for (let x of carBrands) {
  const node = document.createElement('li');
  node.innerHTML = x;
  listContainer.appendChild(node);
}
```



Recap - For-in loop

The JavaScript for in statement loops through the properties of an Object:

- The for in loop iterates over a person object
- Each iteration returns a key (x)
- The key is used to access the value of the key
- The value of the key is person[x]

```
const person = {
  firstName: 'John',
  lastName: 'Doe',
  age: 25,
};

let text = '';
for (let x in person) {
  text += person[x];
}
```



Break



Final Project Goals Recap



Final Project Purpose

Create a portfolio-worthy project with all the tools and knowledge shared throughout the course so that you start accumulating coding experience for your front-end career.



Final Project Learning goals

- Reinforce and practice all the knowledge shared in the course
- Use all the concepts you have been through and put all of them together to create something beautiful
- Have your first strong project to show to your future employees
- Get support from your teachers and assistants to help you and guide you through the process so you can successfully create a project you are proud of
- Support and get support from your colleagues that have been through the same curriculum and are probably your very first colleagues.



Final Project core concepts

- HTML elements
- CSS rules and specificity
- Variables
- DOM Manipulation
- Event Listeners
- Functions
- Control flow
- Arrays
- Objects
- Loops



Let’s see what you’ve got!

