

Cucumber Report

18 Dec 2023, 00:08:38

Start : Dec 18, 12:08:11.325 am

End : Dec 18, 12:08:37.194 am

Duration : 25.869 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktop Test</u>	25.869 s	1	0	1	0	7	6	1	0

#	Feature Name	Scenario Name
1	<u>Desktop Test</u>	<u>Verify the products are added to shopping cart successfully</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@author_Annapoorna-Somayaji	1	0	1	0	1	0	1	0
@onlythistest	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Desktop Test</u>	1	0	1	0	25.869 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktop Test</u>	<u>Verify the products are added to shopping cart successfully</u>	7	6	1	0	25.866 s

Desktop Test

FAILED	DURATION - 25.869 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 12:08:11.325 am // 12:08:37.194 am /					

Verify the products are added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 25.866 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:08:11.328 am // 12:08:37.194 am /				
Desktop Test				
@author_Annapoorna-Somayaji @onlythistest				

#	Step / Hook Details	Status	Duration
1	Given User navigates to homepage	PASSED	0.002 s
2	When User mouse hovers and clicks "Desktops" tab and clicks	PASSED	0.191 s
3	And User select "Show AllDesktops"	PASSED	0.557 s
4	And User selects "£Pound Sterling" from currency drop down	PASSED	0.701 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.378 s
6	And User selects "<product>" from product list	PASSED	0.231 s
7	Then User can view "<product>" text	FAILED	20.083 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//div[@class='col-sm-4'])[2]/h1"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ec920bca40be698e6e535532f8cca9ad, findElement {using=xpath, value=(//div[@class='col-sm-4'])[2]/h1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\annus\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56392/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ec920bca40be698e6e535532f8cca9ad</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.getText(Unknown Source) at com.tutorialsninja.utilities.Utility.getTextFromElement(Utility.java:43) at com.tutorialsninja.pages.desktops_and_products.DesktopsProductsPage.getProductNameHeadingText(DesktopsProductsPage.java:55) at com.tutorialsninja.steps.DesktopTestStepDefinition.userCanViewText(DesktopTestStepDefinition.java:121) at ?.User can view "<product"> text(file:///C:/Users/annus/IdeaProjects/tutorialsninja-cucumber/src/test/resources/features/desktoptest.feature:27)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.154 s
	Verify the products are added to shopping cart successfully		
	