Start: Dec 18, 6:12:01.899 pm End: Dec 18, 6:12:39.643 pm **Duration: 37.744 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 3 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 10 75 % 100 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Test</u>	37.744 s	1	0	1	0	4	3	1	0

FAIL & SKIP SCENARIOS -- 3 --

7	# Feature Name	Scenario Name
-	1 <u>User Test</u>	Verify that the admin can add user successfully


TAG	Scenario			Feature					
Name	T	P	F	S	T	P	F	S	
@author_Annapoorna-Somayaji	1	0	1	0	1	0	1	0	
@onlythistest	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>User Test</u>	1	0	1	0	37.744 s


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Test</u>	Verify that the admin can add user successfully	4	3	1	0	37.737 s

DETAILED SECTION -- 7

User Test



Verify that the admin can add user successfully



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User has logged in as Admin using the following credentials and Add User page	PASSED	3.933 s
	Admin admin123		
3	And User adds a user with "Admin","Peter Anderson", "Peter.Anderson", "Enabled","Password1", "Password1"	PASSED	2.256 s
4	Then User can view success message "Successfully Saved"	FAILED	20.077 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='oxd-toast-content oxd-toast-contentsuccess']/p[2]"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [7dc98e4028a7e38640b8aa2402fb154e, findElement {using=xpath, value=//div[@class='oxd-toast-content oxd-toast-contentsuccess']/p[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617, userDataDir: C:\Users\annus\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60229}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60229/devtoo, se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: 7dc98e4028a7e38640b8aa2402fb154e		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)		
	at com.orangehrmlive.demo.utilities.Utility.getTextFromElement(Utility.java:68)		
	at com.orangehrmlive.demo.pages.AddUserPage.getSuccessToasterMessageText(AddUserPage.java:128)		
	at com.orangehrmlive.demo.steps.UserTestStepDefinition.userCanViewSuccessMessage(UserTestStepDefinition.java:108)		
	at ?.User can view success message "Successfully Saved"(file:///C:/Users/annus/IdeaProjects/orange-hrm-cucumber/src/test/resources/		
	features/usertest.feature:30)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.318 s
	Verify that the admin can add user successfully		
	C 17 C 1		