

Cucumber Report

17 Dec 2023, 23:48:45

Start : Dec 17, 11:48:19.599 pm

End : Dec 17, 11:48:44.556 pm

Duration : 24.957 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktop Test</u>	24.957 s	1	0	1	0	7	4	1	2

#	Feature Name	Scenario Name
1	<u>Desktop Test</u>	<u>Verify the products are added to shopping cart successfully</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@author_Annapoorna-Somayaji	1	0	1	0	1	0	1	0
@onlythistest	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Desktop Test</u>	1	0	1	0	24.957 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktop Test</u>	<u>Verify the products are added to shopping cart successfully</u>	7	4	1	2	24.954 s

Desktop Test

FAILED	DURATION - 24.957 s	Scenarios		Steps	
/ 11:48:19.599 pm // 11:48:44.556 pm /		Total - 1		Total - 7	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

Verify the products are added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 24.954 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 11:48:19.602 pm // 11:48:44.556 pm /</div>				
<div>Desktop Test</div>				
<div>@author_Annapoorna-Somayaji @onlythistest</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigates to homepage	PASSED	0.001 s
2	When User mouse hovers and clicks "Desktops" tab and clicks	PASSED	0.180 s
3	And User select "Show AllDesktops "	PASSED	0.072 s
4	And User selects "£Pound Sterling" from currency drop down	PASSED	0.200 s
5	And User selects sort by position "Name (A - Z)"	FAILED	20.075 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#input-sort"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b27485a2e7e9ddeab3156b84d7bbfe20, findElement {using=id, value=input-sort}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\annus\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55089}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55089/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b27485a2e7e9ddeab3156b84d7bbfe20 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.tutorialsninja.utilities.Utility.selectByVisibleTextFromDropDown(Utility.java:115) at com.tutorialsninja.pages.desktops_and_products.DesktopsPage.selectSortByName(DesktopsPage.java:49) at com.tutorialsninja.steps.DesktopTestStepDefinition.userSelectsSortByPosition(DesktopTestStepDefinition.java:26) at ?.User selects sort by position "Name (A - Z)"(file:///C:/Users/annus/IdeaProjects/tutorialsninja-cucumber/src/test/resources/features/desktoptest.feature:25) * Not displayable characters are replaced by '?'. </pre>		
6	And User selects "<product>" from product list	SKIPPED	0.000 s
7	Then User can view "<product"> text	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.245 s
	Verify the products are added to shopping cart successfully		
	