

Cucumber Report

18 Dec 2023, 00:51:40

Start : Dec 18, 12:50:42.589 am

End : Dec 18, 12:51:36.914 am

Duration : 54.325 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 6
SKIPPED - 0


PASSED - 60
FAILED - 6
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktop Test</u>	54.325 s	6	0	6	0	66	60	6	0

#	Feature Name	Scenario Name
1	<u>Desktop Test</u>	<u>Verify the products are added to shopping cart successfully</u>
2		<u>Verify the products are added to shopping cart successfully</u>
3		<u>Verify the products are added to shopping cart successfully</u>
4		<u>Verify the products are added to shopping cart successfully</u>
5		<u>Verify the products are added to shopping cart successfully</u>
6		<u>Verify the products are added to shopping cart successfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@author_Annapoorna-Somayaji	6	0	6	0	1	0	1	0
@onlythistest	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Desktop Test</u>	6	0	6	0	54.325 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktop Test</u>	<u>Verify the products are added to shopping cart successfully</u>	11	10	1	0	7.437 s
2		<u>Verify the products are added to shopping cart successfully</u>	11	10	1	0	6.846 s
3		<u>Verify the products are added to shopping cart successfully</u>	11	10	1	0	6.939 s
4		<u>Verify the products are added to shopping cart successfully</u>	11	10	1	0	11.086 s
5		<u>Verify the products are added to shopping cart successfully</u>	11	10	1	0	8.225 s
6		<u>Verify the products are added to shopping cart successfully</u>	11	10	1	0	13.743 s


Desktop Test

FAILED	DURATION - 54.325 s	Scenarios		Steps	
/ 12:50:42.589 am // 12:51:36.914 am /		Total - 6		Total - 66	
		Pass - 0		Pass - 60	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 0	



Verify the products are added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 7.437 s</div>		<div></div> <table><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>0.0</td></tr><tr><td>2</td><td>0.2</td></tr><tr><td>3</td><td>0.6</td></tr><tr><td>4</td><td>0.7</td></tr><tr><td>5</td><td>0.4</td></tr><tr><td>6</td><td>0.8</td></tr><tr><td>7</td><td>0.1</td></tr><tr><td>8</td><td>0.05</td></tr><tr><td>9</td><td>0.25</td></tr><tr><td>10</td><td>0.35</td></tr><tr><td>11</td><td>0.05</td></tr></tbody></table>	Step	Count	1	0.0	2	0.2	3	0.6	4	0.7	5	0.4	6	0.8	7	0.1	8	0.05	9	0.25	10	0.35	11	0.05	<div>Steps</div> <div>Total - 11</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 0</div> <div></div>
Step	Count																										
1	0.0																										
2	0.2																										
3	0.6																										
4	0.7																										
5	0.4																										
6	0.8																										
7	0.1																										
8	0.05																										
9	0.25																										
10	0.35																										
11	0.05																										
/ 12:50:42.594 am // 12:50:50.031 am /																											
Desktop Test																											
@author_Annapoorna-Somayaji @onlythistest																											


#	Step / Hook Details	Status	Duration
1	Given User navigates to homepage	PASSED	0.001 s
2	When User mouse hovers and clicks "Desktops" tab and clicks	PASSED	0.185 s
3	And User select "Show AllDesktops"	PASSED	0.557 s
4	And User selects "£Pound Sterling" from currency drop down	PASSED	0.684 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.362 s
6	And User selects "HTC Touch HD" from product list	PASSED	0.830 s
7	And User selects "1" from Quantity	PASSED	0.095 s
8	And User clicks on Add to cart button	PASSED	0.054 s
9	Then User can view "Success: You have added HTC Touch HD to your shopping cart!" message	PASSED	0.231 s
10	And User clicks on "shopping cart" link into success message	PASSED	0.350 s
11	Then User can view "Shopping Cart" , "HTC Touch HD", "Product 1", "£74.73"	FAILED	0.039 s
	java.lang.AssertionError: Navigated to wrong page. expected [Shopping Cart] but found [Shopping Cart (0.15kg)] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150)		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.tutorialsninja.steps.DesktopTestStepDefinition.userCanView(DesktopTestStepDefinition.java:157) at ?.User can view "Shopping Cart" ,"HTC Touch HD","Product 1","£74.73"(file:///C:/Users/annus/IdeaProjects/tutorialsninja-cucumber/src/test/resources/features/desktoptest.feature:49) * Not displayable characters are replaced by '?'.		
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.168 s
	Verify the products are added to shopping cart successfully		
			



Verify the products are added to shopping cart successfully

FAILED DURATION - 6.846 s / 12:50:50.045 am // 12:50:56.891 am / Desktop Test @author_Annapoorna-Somayaji @onlythistest		Steps Total - 11 Pass - 10 Fail - 1 Skip - 0	
--	--	--	---


#	Step / Hook Details	Status	Duration
1	Given User navigates to homepage	PASSED	0.000 s
2	When User mouse hovers and clicks "Desktops" tab and clicks	PASSED	0.161 s
3	And User select "Show AllDesktops"	PASSED	0.570 s
4	And User selects "£Pound Sterling" from currency drop down	PASSED	0.700 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.355 s
6	And User selects "iPhone" from product list	PASSED	1.193 s
7	And User selects "1" from Quantity	PASSED	0.095 s
8	And User clicks on Add to cart button	PASSED	0.047 s
9	Then User can view "Success: You have added iPhone to your shopping cart!" message	PASSED	0.230 s
10	And User clicks on "shopping cart" link into success message	PASSED	0.362 s

#	Step / Hook Details	Status	Duration
11	<p>Then User can view "Shopping Cart" ,"iPhone","Product 11","£75.46"</p> <pre>java.lang.AssertionError: Navigated to wrong page. expected [Shopping Cart] but found [Shopping Cart (10.00kg)] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.tutorialsninja.steps.DesktopTestStepDefinition.userCanView(DesktopTestStepDefinition.java:157) at ?.User can view "Shopping Cart" ,"iPhone","Product 11","£75.46"(file:///C:/Users/annus/IdeaProjects/tutorialsninja-cucumber/src/test/resources/features/desktoptest.feature:49) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.028 s
	<p>AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Verify the products are added to shopping cart successfully</p> 	PASSED	0.161 s



Verify the products are added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 6.939 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:50:56.898 am // 12:51:03.837 am /				
Desktop Test				
@author_Annapoorna-Somayaji @onlythistest				


#	Step / Hook Details	Status	Duration
1	Given User navigates to homepage	PASSED	0.002 s
2	When User mouse hovers and clicks "Desktops" tab and clicks	PASSED	0.177 s
3	And User select "Show AllDesktops"	PASSED	0.580 s
4	And User selects "£Pound Sterling" from currency drop down	PASSED	0.734 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.365 s
6	And User selects "iPod Classic" from product list	PASSED	1.061 s

#	Step / Hook Details	Status	Duration
7	And User selects "1" from Quantity	PASSED	0.117 s
8	And User clicks on Add to cart button	PASSED	0.062 s
9	Then User can view "Success: You have added iPod Classic to your shopping cart!" message	PASSED	0.238 s
10	And User clicks on "shopping cart" link into success message	PASSED	0.382 s
11	Then User can view "Shopping Cart" ,"iPod Classic","Product 20","£74.73"	FAILED	0.034 s
	<pre>java.lang.AssertionError: Navigated to wrong page. expected [Shopping Cart] but found [Shopping Cart (1.00kg)] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.tutorialsninja.steps.DesktopTestStepDefinition.userCanView(DesktopTestStepDefinition.java:157) at ?.User can view "Shopping Cart" ,"iPod Classic","Product 20","£74.73"(file:///C:/Users/annus/IdeaProjects/tutorialsninja-cucumber/src/test/resources/features/desktoptest.feature:49) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.165 s
	Verify the products are added to shopping cart successfully		
			



Verify the products are added to shopping cart successfully


<div>FAILED</div> <div>DURATION - 11.086 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:51:03.847 am // 12:51:14.933 am /				
Desktop Test				
@author_Annapoorna-Somayaji @onlythistest				

#	Step / Hook Details	Status	Duration
1	Given User navigates to homepage	PASSED	0.000 s
2	When User mouse hovers and clicks "Desktops" tab and clicks	PASSED	0.218 s

#	Step / Hook Details	Status	Duration
3	And User select "Show AllDesktops"	PASSED	0.673 s
4	And User selects "£Pound Sterling" from currency drop down	PASSED	0.793 s
5	And User selects sort by position "Name (A - Z)"	PASSED	1.338 s
6	And User selects "MacBook" from product list	PASSED	2.040 s
7	And User selects "1" from Quantity	PASSED	0.122 s
8	And User clicks on Add to cart button	PASSED	0.097 s
9	Then User can view "Success: You have added MacBook to your shopping cart!" message	PASSED	0.260 s
10	And User clicks on "shopping cart" link into success message	PASSED	0.421 s
11	Then User can view "Shopping Cart" ,"MacBook","Product 16","£368.73"	FAILED	0.072 s
	java.lang.AssertionError: Navigated to wrong page. expected [Shopping Cart] but found [Shopping Cart (0.00kg)] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.tutorialsninja.steps.DesktopTestStepDefinition.userCanView(DesktopTestStepDefinition.java:157) at ?.User can view "Shopping Cart" ,"MacBook","Product 16","£368.73"(file:///C:/Users/annus/IdeaProjects/tutorialsninja-cucumber/src/test/resources/features/desktoptest.feature:49) * Not displayable characters are replaced by '?'.		
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.200 s
	Verify the products are added to shopping cart successfully		
			

Verify the products are added to shopping cart successfully

FAILED DURATION - 8.225 s / 12:51:14.940 am // 12:51:23.165 am / Desktop Test @author_Annapoorna-Somayaji @onlythistest		Steps Total - 11 Pass - 10 Fail - 1 Skip - 0	
--	--	---	---

#	Step / Hook Details	Status	Duration
1	Given User navigates to homepage	PASSED	0.000 s
2	When User mouse hovers and clicks "Desktops" tab and clicks	PASSED	0.157 s
3	And User select "Show AllDesktops"	PASSED	0.535 s
4	And User selects "£Pound Sterling" from currency drop down	PASSED	0.688 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.356 s
6	And User selects "MacBook Air" from product list	PASSED	2.009 s
7	And User selects "1" from Quantity	PASSED	0.091 s
8	And User clicks on Add to cart button	PASSED	0.048 s
9	Then User can view "Success: You have added MacBook Air to your shopping cart!" message	PASSED	0.226 s
10	And User clicks on "shopping cart" link into success message	PASSED	0.351 s
11	Then User can view "Shopping Cart" ,"MacBook Air","Product 17","£736.23"	FAILED	0.034 s
	<pre>java.lang.AssertionError: Navigated to wrong page. expected [Shopping Cart] but found [Shopping Cart (0.00kg)] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.tutorialsninja.steps.DesktopTestStepDefinition.userCanView(DesktopTestStepDefinition.java:157) at ?.User can view "Shopping Cart" ,"MacBook Air","Product 17","£736.23"(file:///C:/Users/annus/IdeaProjects/tutorialsninja-cucumber/src/test/resources/features/desktoptest.feature:49) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.143 s
	Verify the products are added to shopping cart successfully		
			

Verify the products are added to shopping cart successfully

FAILED	DURATION - 13.743 s		Steps Total - 11 Pass - 10 Fail - 1 Skip - 0	
/ 12:51:23.171 am // 12:51:36.914 am /				
Desktop Test				
@author_Annapoorna-Somayaji @onlythistest				

#	Step / Hook Details	Status	Duration
1	Given User navigates to homepage	PASSED	0.000 s
2	When User mouse hovers and clicks "Desktops" tab and clicks	PASSED	0.184 s
3	And User select "Show AllDesktops"	PASSED	1.625 s
4	And User selects "£Pound Sterling" from currency drop down	PASSED	1.001 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.489 s
6	And User selects "Sony VAIO" from product list	PASSED	2.153 s
7	And User selects "1" from Quantity	PASSED	0.287 s
8	And User clicks on Add to cart button	PASSED	0.060 s
9	Then User can view "Success: You have added Sony VAIO to your shopping cart!" message	PASSED	0.241 s
10	And User clicks on "shopping cart" link into success message	PASSED	1.086 s
11	Then User can view "Shopping Cart" ,"Sony VAIO","Product 19","£736.23"	FAILED	0.415 s
	java.lang.AssertionError: Navigated to wrong page. expected [Shopping Cart] but found [Shopping Cart (0.00kg)] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.tutorialsninja.steps.DesktopTestStepDefinition.userCanView(DesktopTestStepDefinition.java:157) at ?.User can view "Shopping Cart" ,"Sony VAIO","Product 19","£736.23"(file:///C:/Users/annus/IdeaProjects/tutorialsninja-cucumber/src/test/resources/features/desktoptest.feature:49) * Not displayable characters are replaced by '?'.		
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.213 s
	Verify the products are added to shopping cart successfully		

#	Step / Hook Details	Status	Duration
	 A screenshot of the Qafox.com website showing a shopping cart. The cart is currently empty, displaying 'Shopping Cart (0.00kg)'. Below the title, there is a table with columns for 'Item', 'Description', 'Price', 'Quantity', 'Subtotal', and 'Total'. The table shows one item, 'QAF001', with a price of '1.000000', a quantity of '1', and a subtotal of '1.000000'. The total price is '1.000000'. Below the table, there is a section titled 'What would you like to do next?' with a link to 'View Cart' and a link to 'Checkout'.		