

Cucumber Report

18 Dec 2023, 00:12:41

Start : Dec 18, 12:12:34.275 am

End : Dec 18, 12:12:40.743 am

Duration : 6.468 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktop Test</u>	6.468 s	1	0	1	0	7	6	1	0

#	Feature Name	Scenario Name
1	<u>Desktop Test</u>	<u>Verify the products are added to shopping cart successfully</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@author_Annapoorna-Somayaji	1	0	1	0	1	0	1	0
@onlythistest	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Desktop Test</u>	1	0	1	0	6.468 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktop Test</u>	<u>Verify the products are added to shopping cart successfully</u>	7	6	1	0	6.466 s

Desktop Test

FAILED	DURATION - 6.468 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 12:12:34.275 am // 12:12:40.743 am /					

Verify the products are added to shopping cart successfully

FAILED	DURATION - 6.466 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 12:12:34.277 am // 12:12:40.743 am /				
Desktop Test				
@author_Annapoorna-Somayaji @onlythistest				

#	Step / Hook Details	Status	Duration		
1	Given User navigates to homepage	PASSED	0.000 s		
2	When User mouse hovers and clicks "Desktops" tab and clicks	PASSED	0.196 s		
3	And User select "Show AllDesktops"	PASSED	0.578 s		
4	And User selects "£Pound Sterling" from currency drop down	PASSED	0.704 s		
5	And User selects sort by position "Name (A - Z)"	PASSED	0.369 s		
6	And User selects "<product>" from product list	PASSED	0.404 s		
7	Then User can view "<product"> text	FAILED	0.010 s		
	<table><tr><td>product</td></tr><tr><td>HTC Touch HD</td></tr></table>			product	HTC Touch HD
product					
HTC Touch HD					
	io.cucumber.core.exception.CucumberException: Step [User can view {string}> text] is defined with 1 parameters at 'com.tutorialsninja.steps.DesktopTestStepDefinition.userCanViewText(java.lang.String)'. However, the gherkin step has 2 arguments: * "<product" * Table: product HTC Touch HD Step text: User can view "<product"> text at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)				

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.149 s
	Verify the products are added to shopping cart successfully		

#	Step / Hook Details	Status	Duration
			