Cucumber Report

| Start : Dec 18, 7:49:21.906 pm	End : Dec 18, 7:49:50.408 pm	Duration : 28.502 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User Test	*28.502 s*	1	0	1	0	6	4	1	1

#	*Feature Name*	*Scenario Name*
1	*User Test*	*Verify the admin can deleter the user successfully*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@author_Annapoorna-Somayaji	1	0	1	0	1	0	1	0
@onlythistest	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	User Test	1	0	1	0	28.502 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	User Test	Verify the admin can deleter the user successfully	6	4	1	1	28.497 s

User Test

FAILED	DURATION - 28.502 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 7:49:21.906 pm // 7:49:50.408 pm /					

Verify the admin can deleter the user successfully

FAILED	DURATION - 28.497 s		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 7:49:21.911 pm // 7:49:50.408 pm /				
User Test				
@author_Annapoorna-Somayaji @onlythistest				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When When User logins with valid email and password Admin admin123	PASSED	1.463 s
3	And User clicks on Admin tab	PASSED	1.568 s
4	And User searches with "Peter.Anderson","Admin", "Enabled"	PASSED	0.863 s
5	And User deletes the user in the search result	FAILED	20.377 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='oxd-icon bi-trash']"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [27dd9c987ebeba93477a6afad48b0527, findElement {using=xpath, value=//i[@class='oxd-icon bi-trash']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\annus\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60554}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60554/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		

#	Step / Hook Details	Status	Duration

	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27dd9c987ebeba93477a6afad48b0527
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	    at com.orangehrmlive.demo.utilities.Utility.clickOnElement(Utility.java:54)
	    at com.orangehrmlive.demo.pages.ViewSystemUsersPage.clickOnDeleteIcon(ViewSystemUsersPage.java:167)
	    at com.orangehrmlive.demo.steps.UserTestStepDefinition.userDeletesTheUserInTheSearchResult(UserTestStepDefinition.java:137)
	    at ?.User deletes the user in the search result(file:///C:/Users/annus/IdeaProjects/orange-hrm-cucumber/src/test/resources/features/usertest.feature:58)
	* Not displayable characters are replaced by '?'.		

6	Then User can view "Successfully eleted" message	SKIPPED	0.002 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify the admin can deleter the user successfully 	PASSED	0.370 s