

Cucumber Report

28 Jan 2024, 22:37:57

Start : Jan 28, 10:37:30.117 pm

End : Jan 28, 10:37:56.474 pm

Duration : 26.357 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Functionality</u>	14.525 s	1	0	1	0	4	2	1	1
<u>Search Functionality</u>	11.781 s	2	1	1	0	8	4	0	4

#	Feature Name	Scenario Name
1	<u>Login Functionality</u>	<u>Verify that the user cannot login with blank credentials</u>
2	<u>Search Functionality</u>	<u>User should be able to enter search terms and view corresponding results</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	3	1	2	0	2	0	2	0
@author_Annapoorna	3	1	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	Login Functionality	1	0	1	0	14.525 s
2	Search Functionality	2	1	1	0	11.781 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	<u>Verify that the user cannot login with blank credentials</u>	4	2	1	1	14.521 s
2	<u>Search Functionality</u>	<u>User should be able to enter search terms and view corresponding results</u>	4	0	0	4	3.361 s
3		<u>User should be able to enter search terms and view corresponding results</u>	4	4	0	0	8.397 s

Login Functionality

FAILED	DURATION - 14.525 s	Scenarios		Steps	
/ 10:37:30.117 pm // 10:37:44.642 pm /		Total - 1	1	Total - 4	4
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	



Verify that the user cannot login with blank credentials

<div>FAILED</div> <div>DURATION - 14.521 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 10:37:30.121 pm // 10:37:44.642 pm /				
Login Functionality				
@regression @author_Annapoorna				



#	Step / Hook Details	Status	Duration
1	Given I navigate to homepage	PASSED	0.004 s
2	When I navigate to login page	PASSED	5.463 s
3	And I login with blank username "Hello" and password "how" credentials	FAILED	4.177 s
	<p>org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.id: field-username For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy32.sendKeys(Unknown Source)</p> <p>at com.virgingames.utility.Utility.sendTextToElement(Utility.java:62)</p> <p>at com.virgingames.pages.QuickLoginPage.enterUserName(QuickLoginPage.java:27)</p> <p>at com.virgingames.steps.LoginSteps.iLoginWithBlankUsernameAndPasswordCredentials(LoginSteps.java:32)</p> <p>at ?.I login with blank username "Hello" and password "how" credentials(file:///C:/Users/annus/IdeaProjects/virgingames/src/test/resources/</p>		

#	Step / Hook Details	Status	Duration
	features/login.feature:10) * Not displayable characters are replaced by '?'. 4 Then I should be able to view the error message "Both your username and password are required"		
	AFTER - com.virgingames.steps.Hooks.tearDown(io.cucumber.java.Scenario)	SKIPPED	0.001 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.227) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbc66fff0a071b0aa212f6ec6e167798, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.227, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\lannus\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58225}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58225/devtoo..., se:cdpVersion: 120.0.6099.227, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbc66fff0a071b0aa212f6ec6e167798 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.virgingames.utility.Utility.getScreenShot(Utility.java:261) at com.virgingames.steps.Hooks.tearDown(Hooks.java:26)	FAILED	0.046 s

Search Functionality

FAILED	DURATION - 11.781 s	Scenarios		Steps	
/ 10:37:44.693 pm // 10:37:56.474 pm /		Total - 2		Total - 8	
		Pass - 1		Pass - 4	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 4	

User should be able to enter search terms and view corresponding results

<div>FAILED</div> <div>DURATION - 3.361 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 10:37:44.699 pm // 10:37:48.060 pm /				
Search Functionality				
@regression @author_Annapoorna				

#	Step / Hook Details	Status	Duration
	BEFORE - com.virgingames.steps.Hooks.setUp() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.227) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fa65b592dada8b09746f896666eb9abb, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.227, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\annus\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58286}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:58286/devtoo..., se.cdpVersion: 120.0.6099.227, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fa65b592dada8b09746f896666eb9abb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1123) at com.virgingames.browserfactory.ManageBrowser.selectBrowser(ManageBrowser.java:86) at com.virgingames.steps.Hooks.setUp(Hooks.java:19)	FAILED	3.357 s

#	Step / Hook Details	Status	Duration
1	Given I navigate to homepage	SKIPPED	0.000 s
2	When I enter navigate to search option	SKIPPED	0.000 s
3	And I enter search terms from sheet name "Sheet1" and row number "0"	SKIPPED	0.000 s
4	Then I am able to view search results containing all the letters in the search term from sheet name "Sheet1" and row number "0" in the result	SKIPPED	0.000 s
	<p>AFTER - com.virgingames.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.227) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fa65b592dada8b09746f896666eb9abb, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.227, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\lannus\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58286}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58286/devtoo..., se:cdpVersion: 120.0.6099.227, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fa65b592dada8b09746f896666eb9abb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.virgingames.utility.Utility.getScreenShot(Utility.java:261) at com.virgingames.steps.Hooks.tearDown(Hooks.java:26) </pre>	FAILED	0.000 s

User should be able to enter search terms and view corresponding results


PASSED

DURATION - 8.397 s

/ 10:37:48.077 pm // 10:37:56.474 pm /

Search Functionality

@regression @author_Annapoorna




Steps

Total - 4

Pass - 4

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given I navigate to homepage	PASSED	0.003 s
2	When I enter navigate to search option	PASSED	0.564 s
3	And I enter search terms from sheet name "Sheet1" and row number "1"	PASSED	1.459 s
4	Then I am able to view search results containing all the letters in the search term from sheet name "Sheet1" and row number "1" in the result	PASSED	0.576 s