

TESTES E VALIDAÇÕES DE REDES

No switch:

show vlan brief

```
SW-CORE-SP>enable
SW-CORE-SP#show vlan brief
```

VLAN	Name	Status	Ports
1	default	active	Fa0/2, Fa0/5, Fa0/6, Fa0/8 Fa0/9, Fa0/10, Fa0/11, Fa0/12 Fa0/13, Fa0/14, Fa0/15, Fa0/16 Fa0/17, Fa0/18, Fa0/19, Fa0/20 Fa0/21, Fa0/22, Fa0/23, Gig0/1
10	USUARIOS	active	
20	DESENVOLVIMENTO_QA	active	
30	TI_SUPORTE	active	
40	SERVIDORES	active	Fa0/24
50	IOT	active	
60	VISITANTES	active	
1002	fddi-default	active	
1003	token-ring-default	active	
1004	fddinet-default	active	
1005	trnet-default	active	

```
SW-CORE-SP#
```

show interfaces status

```
SW-CORE-SP#show interfaces status
```

Port	Name	Status	Vlan	Duplex	Speed	Type
Fa0/1		connected	routed	a-full	a-100	10/100BaseTX
Fa0/2		notconnect	1	auto	auto	10/100BaseTX
Fa0/3		connected	trunk	a-full	a-100	10/100BaseTX
Fa0/4		connected	trunk	a-full	a-100	10/100BaseTX
Fa0/5		notconnect	1	auto	auto	10/100BaseTX
Fa0/6		notconnect	1	auto	auto	10/100BaseTX
Fa0/7		connected	trunk	a-full	a-100	10/100BaseTX
Fa0/8		notconnect	1	auto	auto	10/100BaseTX
Fa0/9		notconnect	1	auto	auto	10/100BaseTX
Fa0/10		notconnect	1	auto	auto	10/100BaseTX
Fa0/11		notconnect	1	auto	auto	10/100BaseTX
Fa0/12		notconnect	1	auto	auto	10/100BaseTX
Fa0/13		notconnect	1	auto	auto	10/100BaseTX
Fa0/14		notconnect	1	auto	auto	10/100BaseTX
Fa0/15		notconnect	1	auto	auto	10/100BaseTX
Fa0/16		notconnect	1	auto	auto	10/100BaseTX
Fa0/17		notconnect	1	auto	auto	10/100BaseTX
Fa0/18		notconnect	1	auto	auto	10/100BaseTX
Fa0/19		notconnect	1	auto	auto	10/100BaseTX
Fa0/20		notconnect	1	auto	auto	10/100BaseTX
Fa0/21		notconnect	1	auto	auto	10/100BaseTX

```
--More--
```

show ip interface brief

```
SW-CORE-SP#show ip interface brief
```

Interface	IP-Address	OK?	Method	Status	Protocol
FastEthernet0/1	10.10.254.1	YES	manual	up	up
FastEthernet0/2	unassigned	YES	unset	down	down
FastEthernet0/3	unassigned	YES	unset	up	up
FastEthernet0/4	unassigned	YES	unset	up	up
FastEthernet0/5	unassigned	YES	unset	down	down
FastEthernet0/6	unassigned	YES	unset	down	down
FastEthernet0/7	unassigned	YES	unset	up	up
FastEthernet0/8	unassigned	YES	unset	down	down
FastEthernet0/9	unassigned	YES	unset	down	down
FastEthernet0/10	unassigned	YES	unset	down	down
FastEthernet0/11	unassigned	YES	unset	down	down
FastEthernet0/12	unassigned	YES	unset	down	down
FastEthernet0/13	unassigned	YES	unset	down	down
FastEthernet0/14	unassigned	YES	unset	down	down
FastEthernet0/15	unassigned	YES	unset	down	down
FastEthernet0/16	unassigned	YES	unset	down	down
FastEthernet0/17	unassigned	YES	unset	down	down
FastEthernet0/18	unassigned	YES	unset	down	down
FastEthernet0/19	unassigned	YES	unset	down	down
FastEthernet0/20	unassigned	YES	unset	down	down
FastEthernet0/21	unassigned	YES	unset	down	down

```
--More--
```

No roteador:

show ip interface brief

```
R-SP#show ip interface brief
Interface          IP-Address      OK? Method Status      Protocol
GigabitEthernet0/0  10.10.255.1     YES manual up          up
GigabitEthernet0/1  172.16.1.1      YES manual up          up
GigabitEthernet0/2  unassigned      YES unset  administratively down down
Vlan1              unassigned      YES unset  administratively down down
R-SP#
```

show ip route

```
R-SP#show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
       D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2, E - EGP
       i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
       * - candidate default, U - per-user static route, o - ODR
       P - periodic downloaded static route

Gateway of last resort is not set

    10.0.0.0/8 is variably subnetted, 21 subnets, 6 masks
O       10.10.10.0/25 [110/2] via 10.10.255.2, 00:08:24, GigabitEthernet0/0
O       10.10.20.0/26 [110/2] via 10.10.255.2, 00:08:24, GigabitEthernet0/0
O       10.10.30.0/27 [110/2] via 10.10.255.2, 00:08:24, GigabitEthernet0/0
O       10.10.40.0/28 [110/2] via 10.10.255.2, 00:08:24, GigabitEthernet0/0
O       10.10.50.0/28 [110/2] via 10.10.255.2, 00:08:24, GigabitEthernet0/0
O       10.10.60.0/26 [110/2] via 10.10.255.2, 00:08:24, GigabitEthernet0/0
O       10.10.254.0/30 [110/2] via 10.10.255.2, 00:08:24, GigabitEthernet0/0
C       10.10.255.0/30 is directly connected, GigabitEthernet0/0
L       10.10.255.1/32 is directly connected, GigabitEthernet0/0
O       10.20.10.0/27 [110/3] via 172.16.1.2, 00:08:14, GigabitEthernet0/1
O       10.20.20.0/27 [110/3] via 172.16.1.2, 00:08:14, GigabitEthernet0/1
--More--
```

show ip ospf neighbor

```
R-SP#show ip ospf neighbor

Neighbor ID      Pri   State           Dead Time   Address        Interface
11.11.11.11      1     FULL/DR         00:00:32   10.10.255.2   GigabitEthernet0/0
2.2.2.2          1     FULL/DR         00:00:32   172.16.1.2    GigabitEthernet0/1
R-SP#
```

Nos PCs:

ipconfig

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ipconfig

FastEthernet0 Connection: (default port)

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: FE80::201:63FF:FED6:6B6
    IPv6 Address . . . . .: ::
    IPv4 Address . . . . .: 10.10.10.10
    Subnet Mask . . . . .: 255.255.255.128
    Default Gateway . . . . .: ::
                                   10.10.10.1

Bluetooth Connection:

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: ::
    IPv6 Address . . . . .: ::
    IPv4 Address . . . . .: 0.0.0.0
    Subnet Mask . . . . .: 0.0.0.0
    Default Gateway . . . . .: ::
                                   0.0.0.0

C:\>
```

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ipconfig

FastEthernet0 Connection: (default port)

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: FE80::201:42FF:FE42:9D
    IPv6 Address . . . . .: ::
    IPv4 Address . . . . .: 10.10.20.10
    Subnet Mask . . . . .: 255.255.255.192
    Default Gateway . . . . .: ::
                                   10.10.20.1

Bluetooth Connection:

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: ::
    IPv6 Address . . . . .: ::
    IPv4 Address . . . . .: 0.0.0.0
    Subnet Mask . . . . .: 0.0.0.0
    Default Gateway . . . . .: ::
                                   0.0.0.0

C:\>|
```