

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ CSS

```
<!DOCTYPE html>
<html lang="fr">
  <head>
    <meta charset="UTF-8">
    <link rel="icon" href="/favicon.png">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="Découvrez le portfolio dynamique d'une développeuse web junior passionnée. Explorez ses réalisations,
compétences et projets avec une présentation créative et professionnelle.">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link
      href="https://fonts.googleapis.com/css2?
family=Montserrat&Alternates:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900&di
splay=swap"
      rel="stylesheet">
```

Check

Press the Message Filtering button to collapse the filtering options and error/warning/info counts.

Message Filtering

Errors (30) · [Hide all errors](#) · [Show all errors](#)

- 1
- Attribute not allowed on element at this point. (25) · [Hide all](#) · [Show all](#)
- 1.1

☒

Attribute @click not allowed on element img at this point.
- 1.2

☒

Attribute v-for not allowed on element li at this point.
- 1.3

☒

Attribute :key not allowed on element li at this point.
- 1.4

☒

Attribute :class not allowed on element li at this point.

- 1.5 ☒ Attribute `@click` not allowed on element `li` at this point.
- 1.6 ☒ Attribute `:href` not allowed on element `a` at this point. (3)
- 1.7 ☒ Attribute `v-for` not allowed on element `div` at this point.
- 1.8 ☒ Attribute `:key` not allowed on element `div` at this point.
- 1.9 ☒ Attribute `@click` not allowed on element `div` at this point. (2)
- 1.10 ☒ Attribute `:src` not allowed on element `img` at this point. (2)
- 1.11 ☒ Attribute `:alt` not allowed on element `img` at this point.
- 1.12 ☒ Attribute `v-if` not allowed on element `div` at this point.
- 1.13 ☒ Attribute `@click.stop` not allowed on element `div` at this point.
- 1.14 ☒ Attribute `@click` not allowed on element `button` at this point. (4)
- 1.15 ☒ Attribute `v-model` not allowed on element `input` at this point. (3)
- 1.16 ☒ Attribute `v-model` not allowed on element `textarea` at this point.
- 2 Element `<div>` is missing required attribute `id`. (4) · [Hide all](#) · [Show all](#)
 - 2.1 ☒ Element `img` is missing required attribute `src`. (2)
 - 2.2 ☒ Element `a` is missing required attribute `href`. (2)
- 3 ☒ An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

Warnings (18) · [Hide all warnings](#) · [Show all warnings](#)

- 1 Attribute `<div>` is not serializable as XML 1.0. (18) · [Hide all](#) · [Show all](#)
 - 1.1 ☒ Attribute `@click` is not serializable as XML 1.0. (8)
 - 1.2 ☒ Attribute `:key` is not serializable as XML 1.0. (2)
 - 1.3 ☒ Attribute `:class` is not serializable as XML 1.0.
 - 1.4 ☒ Attribute `:href` is not serializable as XML 1.0. (3)
 - 1.5 ☒ Attribute `:src` is not serializable as XML 1.0. (2)
 - 1.6 ☒ Attribute `:alt` is not serializable as XML 1.0.
 - 1.7 ☒ Attribute `@click.stop` is not serializable as XML 1.0.

1. **Warning** Attribute `@click` is not serializable as XML 1.0.

[From line 18, column 11; to line 18, column 80](#)

```
↵
```

2. **Error** Attribute `@click` not allowed on element `img` at this point.

[From line 18, column 11; to line 18, column 80](#)

```
↵
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

3. **Warning** Attribute `:key` is not serializable as XML 1.0.

[From line 23, column 11; to line 28, column 11](#)

```
<li v-for="(title, index) in titles" :key="index"
:class="{ active: activeIndex === index }" @click="updateActive(index)"
>
```

4. **Warning** Attribute `:class` is not serializable as XML 1.0.

[From line 23, column 11; to line 28, column 11](#)

```
<li v-for="(title, index) in titles" :key="index"
:class="{ active: activeIndex === index }" @click="updateActive(index)"
>
```

5. **Warning** Attribute `@click` is not serializable as XML 1.0.

[From line 23, column 11; to line 28, column 11](#)

```
<li v-for="(title, index) in titles" :key="index"
:class="{ active: activeIndex === index }" @click="updateActive(index)"
>
```

6. **Error** Attribute `v-for` not allowed on element `li` at this point.

[From line 23, column 11; to line 28, column 11](#)

```
<li v-for="(title, index) in titles" :key="index"
:class="{ active: activeIndex === index }" @click="updateActive(index)"
>
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

7. **Error** Attribute `:key` not allowed on element `li` at this point.

[From line 23, column 11; to line 28, column 11](#)

```
<li v-for="(title, index) in titles" :key="index"  
:class="{ active: activeIndex === index }" @click="updateActive(index)" >
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

8. **Error** Attribute `:class` not allowed on element `li` at this point.

[From line 23, column 11; to line 28, column 11](#)

```
<li v-for="(title, index) in titles" :key="index"  
:class="{ active: activeIndex === index }" @click="updateActive(index)" >
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

9. **Error** Attribute `@click` not allowed on element `li` at this point.

[From line 23, column 11; to line 28, column 11](#)

```
<li v-for="(title, index) in titles" :key="index"  
:class="{ active: activeIndex === index }" @click="updateActive(index)" >
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

10. **Warning** Attribute `:href` is not serializable as XML 1.0.

[From line 29, column 13; to line 29, column 34](#)

```
<a :href="title.href">{{ tit
```

11. **Error** Attribute `:href` not allowed on element `a` at this point.

[From line 29, column 13; to line 29, column 34](#)

```
<a :href="title.href">{{ tit
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

12. **Warning** Attribute `:key` is not serializable as XML 1.0.

[From line 74, column 7; to line 79, column 7](#)

```
s">␣␣␣<div␣␣␣class="div"␣␣␣v-for="creation in creations"␣␣␣:key="creation.id"␣␣␣  
@click="openModal(creation)"␣␣␣>
```

13. **Warning** Attribute `@click` is not serializable as XML 1.0.

[From line 74, column 7; to line 79, column 7](#)

```
s">␣␣␣<div␣␣␣class="div"␣␣␣v-for="creation in creations"␣␣␣:key="creation.id"␣␣␣  
@click="openModal(creation)"␣␣␣>
```

14. **Error** Attribute `v-for` not allowed on element `div` at this point.

[From line 74, column 7; to line 79, column 7](#)

```
s">␣␣␣<div␣␣␣class="div"␣␣␣v-for="creation in creations"␣␣␣:key="creation.id"␣␣␣
```

```
@click="openModal(creation)"</pre>
```

Attributes for element `div`:

[Global attributes](#)

15. **Error** Attribute `:key` not allowed on element `div` at this point.

[From line 74, column 7; to line 79, column 7](#)

```
s"><div class="div" v-for="creation in creations" :key="creation.id"
```

```
@click="openModal(creation)">
```

Attributes for element `div`:

[Global attributes](#)

16. **Error** Attribute `@click` not allowed on element `div` at this point.

[From line 74, column 7; to line 79, column 7](#)

```
s"><div class="div" v-for="creation in creations" :key="creation.id"
```

```
@click="openModal(creation)">
```

Attributes for element `div`:

[Global attributes](#)

17. **Warning** Attribute `:src` is not serializable as XML 1.0.

[From line 82, column 11; to line 82, column 78](#)

```

```

18. **Warning** Attribute `:alt` is not serializable as XML 1.0.

[From line 82, column 11; to line 82, column 78](#)

```

```

19. **Error** Attribute `:src` not allowed on element `img` at this point.

[From line 82, column 11; to line 82, column 78](#)

```
↵
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

20. **Error** Attribute `:alt` not allowed on element `img` at this point.

[From line 82, column 11; to line 82, column 78](#)

```
↵
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

21. **Error** Element `img` is missing required attribute `src`.

[From line 82, column 11; to line 82, column 78](#)

```

```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

22. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 82, column 11; to line 82, column 78](#)

```

```

23. **Warning** Attribute `@click` is not serializable as XML 1.0.

[From line 86, column 5; to line 86, column 70](#)

```
/div> <div v-if="isModalOpen" class="modal-overlay" @click="closeModal">
```

24. **Error** Attribute `v-if` not allowed on element `div` at this point.

[From line 86, column 5; to line 86, column 70](#)

```
/div> <div v-if="isModalOpen" class="modal-overlay" @click="closeModal">
```

Attributes for element `div`:

[Global attributes](#)

25. **Error** Attribute `@click` not allowed on element `div` at this point.

[From line 86, column 5; to line 86, column 70](#)

```
/div> <div v-if="isModalOpen" class="modal-overlay" @click="closeModal">
```

Attributes for element `div`:

[Global attributes](#)

26. **Warning** Attribute `@click.stop` is not serializable as XML 1.0.

[From line 87, column 7; to line 87, column 37](#)

```
l"> <div class="modal" @click.stop>
```

27. **Error** Attribute `@click.stop` not allowed on element `div` at this point.

[From line 87, column 7; to line 87, column 37](#)

```
1">↵      <div class="modal" @click.stop>↵
```

Attributes for element `div`:

[Global attributes](#)

28. **Warning** Attribute `@click` is not serializable as XML 1.0.

[From line 89, column 11; to line 89, column 38](#)

```
<button @click="closeModal">X</but
```

29. **Error** Attribute `@click` not allowed on element `button` at this point.

[From line 89, column 11; to line 89, column 38](#)

```
<button @click="closeModal">X</but
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

30. **Warning** Attribute `@click` is not serializable as XML 1.0.

[From line 93, column 11; to line 93, column 41](#)

```
<button @click="previousImage">↵
```

31. **Error** Attribute `@click` not allowed on element `button` at this point.

[From line 93, column 11; to line 93, column 41](#)

```
<button @click="previousImage">↵
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

32. **Warning** Attribute `:src` is not serializable as XML 1.0.

[From line 97, column 13; to line 97, column 52](#)

```
↵
```

33. **Error** Attribute `:src` not allowed on element `img` at this point.

[From line 97, column 13; to line 97, column 52](#)

```
↵
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

34. **Error** Element `img` is missing required attribute `src`.

[From line 97, column 13; to line 97, column 52](#)

```
↵
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

35. **Warning** Attribute `@click` is not serializable as XML 1.0.

[From line 99, column 11; to line 99, column 37](#)

```
<button @click="nextImage">↵
```

36. **Error** Attribute `@click` not allowed on element `button` at this point.

[From line 99, column 11; to line 99, column 37](#)

```
<button @click="nextImage">↵
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

37. **Warning** Attribute `:href` is not serializable as XML 1.0.

[From line 110, column 11; to line 110, column 65](#)

```
<a :href="selectedCreation.lienGithub" target="_blank">{{↵
```

38. **Error** Attribute `:href` not allowed on element `a` at this point.

[From line 110, column 11; to line 110, column 65](#)

```
<a :href="selectedCreation.lienGithub" target="_blank">{{↵
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

39. **Error** Element `a` is missing required attribute `href`.

[From line 110, column 11; to line 110, column 65](#)

```
<a :href="selectedCreation.lienGithub" target="_blank">{{↵
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

40. **Warning** Attribute `:href` is not serializable as XML 1.0.

[From line 116, column 11; to line 116, column 67](#)

```
<a :href="selectedCreation.pageInternet" target="_blank">{{↵
```

41. **Error** Attribute `:href` not allowed on element `a` at this point.

[From line 116, column 11; to line 116, column 67](#)

```
<a :href="selectedCreation.pageInternet" target="_blank">{{↵
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

42. **Error** Element [a](#) is missing required attribute [href](#).

[From line 116, column 11; to line 116, column 67](#)

```
<a :href="selectedCreation.pageInternet" target="_blank">{{↵
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

43. **Error** Attribute [v-model](#) not allowed on element [input](#) at this point.

[From line 131, column 11; to line 131, column 77](#)

```
<input type="text" id="Name" placeholder="John Doe" v-model="name">↵
```

Attributes for element [input](#):

[Global attributes](#)

accept	when type is file
alt	when type is image
autocomplete	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , range , or color
autofocus	
checked	when type is checkbox or radio
dirname	when type is text or search
disabled	
form	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image
height	when type is image
list	when type is text , search , url , tel , email , date , month , week , time , datetime-local , number , range , or color
max	when type is date , month , week , time , datetime-local , number , or range
maxlength	when type is text , search , url , tel , email , or password
min	when type is date , month , week , time , datetime-local , number , or range
multiple	when type is email or file
name	
pattern	when type is text , search , url , tel , email , or password
placeholder	when type is text , search , url , tel , email , password , or number
readonly	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , or number
required	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , checkbox , radio , or file

size	when type is text , search , url , tel , email , or password
src	when type is image
step	when type is date , month , week , time , datetime-local , number , or range
type	
value	when type is not file or image
width	when type is image

44. **Error** **Attribute** `v-model` **not allowed on element** `input` **at this point.**

[From line 133, column 11; to line 133, column 76](#)

```
<input type="text" id="Email" placeholder="Email" v-model="email"></input>
```

Attributes for element `input`:

[Global attributes](#)

accept	when type is file
alt	when type is image
autocomplete	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , range , or color
autofocus	
checked	when type is checkbox or radio
dirname	when type is text or search
disabled	
form	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image

height	when type is image
list	when type is text , search , url , tel , email , date , month , week , time , datetime-local , number , range , or color
max	when type is date , month , week , time , datetime-local , number , or range
maxlength	when type is text , search , url , tel , email , or password
min	when type is date , month , week , time , datetime-local , number , or range
multiple	when type is email or file
name	
pattern	when type is text , search , url , tel , email , or password
placeholder	when type is text , search , url , tel , email , password , or number
readonly	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , or number
required	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , checkbox , radio , or file
size	when type is text , search , url , tel , email , or password
src	when type is image
step	when type is date , month , week , time , datetime-local , number , or range
type	
value	when type is not file or image
width	when type is image

45. **Error** Attribute `v-model` not allowed on element `input` at this point.

[From line 135, column 11; to line 135, column 78](#)

```
<input type="text" id="Object" placeholder="Objet" v-model="object"></pre>

```

Attributes for element `input`:

[Global attributes](#)

accept	when type is file
alt	when type is image

autocomplete	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , range , or color
autofocus	
checked	when type is checkbox or radio
dirname	when type is text or search
disabled	
form	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image
height	when type is image
list	when type is text , search , url , tel , email , date , month , week , time , datetime-local , number , range , or color
max	when type is date , month , week , time , datetime-local , number , or range
maxlength	when type is text , search , url , tel , email , or password
min	when type is date , month , week , time , datetime-local , number , or range
multiple	when type is email or file
name	
pattern	when type is text , search , url , tel , email , or password
placeholder	when type is text , search , url , tel , email , password , or number
readonly	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , or number
required	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , checkbox , radio , or file
size	when type is text , search , url , tel , email , or password
src	when type is image

step	when type is date , month , week , time , datetime-local , number , or range
type	
value	when type is not file or image
width	when type is image

46. **Error** Attribute `v-model` not allowed on element `textarea` at this point.

[From line 137, column 11; to line 137, column 73](#)

```
<textarea id="message" placeholder="Message" v-model="message"></text
```

Attributes for element [textarea](#):

[Global attributes](#)

[autocomplete](#) — Hint for form autofill feature

[cols](#) — Maximum number of characters per line

[dirname](#) — Name of form control to use for sending the element's [directionality](#) in [form submission](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[maxlength](#) — Maximum [length](#) of value

[minlength](#) — Minimum [length](#) of value

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[placeholder](#) — User-visible label to be placed within the form control

[readonly](#) — Whether to allow the value to be edited by the user

[required](#) — Whether the control is required for [form submission](#)

[rows](#) — Number of lines to show

[wrap](#) — How the value of the form control is to be wrapped for [form submission](#)

47. **Warning** Attribute `@click` is not serializable as XML 1.0.

[From line 138, column 13; to line 138, column 79](#)

```
<button type="button" value="Envoyer" id="send" @click="sendEmail">Envoye
```

48. **Error** Attribute `@click` not allowed on element `button` at this point.

[From line 138, column 13; to line 138, column 79](#)

```
<button type="button" value="Envoyer" id="send" @click="sendEmail">Envoye
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

Document checking completed.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="fr">↵
3.   <head>↵
4.     <meta charset="UTF-8">↵
5.     <link rel="icon" href="/favicon.png">↵
```

```
6.     <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
7.     <meta name="description" content="Découvrez le portfolio dynamique d'une développeuse web junior
passionnée. Explorez ses réalisations, compétences et projets avec une présentation créative et
professionnelle.">↵
8.     <link rel="preconnect" href="https://fonts.googleapis.com">↵
9.     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↵
10.    <link↵
11.      href="https://fonts.googleapis.com/css2?
family=Montserrat+Alternates:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1
,300;1,400;1,500;1,600;1,700;1,800;1,900&display=swap">↵
12.      rel="stylesheet">↵
13.    <title>Portfolio - A.Villette</title>↵
14.  </head>↵
15.  <body>↵
16.    <header>↵
17.      <figure class="logo">↵
18.        ↵
19.      </figure>↵
20.      <h1>Anne Villette - Développeuse Web Junior</h1>↵
21.      <nav id="nav">↵
22.        <ul>↵
23.          <li↵
24.            v-for="(title, index) in titles"↵
25.            :key="index"↵
26.            :class="{ active: activeIndex === index }"↵
27.            @click="updateActive(index)"↵
28.          >↵
29.            <a :href="title.href">{{ title.label }}</a>↵
30.          </li>↵
31.        </ul>↵
32.      </nav>↵
33.    </header>↵
34.    <main>↵
35.      <section id="presentation">↵
36.        <figure>↵
37.          ↵
38.        </figure>↵
39.        <div>↵
40.          <h2>Présentation</h2>↵
41.          <p>↵
42.            Forte d'une solide expérience dans le domaine de la comptabilité, je suis actuellement en↵
43.            transition vers une carrière dans le développement informatique. Mon parcours professionnel↵
44.            m'a permis de développer une expertise pointue dans la gestion précise des données, la↵
45.            résolution de problèmes complexes et la collaboration interfonctionnelle. En tant que↵
46.            comptable, j'ai acquis une sensibilité particulière à l'importance de l'exactitude et de la↵
47.            fiabilité des informations, des compétences qui sont tout aussi cruciales dans le↵
48.            développement logiciel.↵
49.          </p>↵
50.          <p>↵
51.            Passionnée par la technologie et son potentiel pour résoudre des défis complexes, je suis↵
```



```
52.         animée par la volonté d'appliquer mes compétences comptables au monde du développement. Je↵
53.         suis convaincue que cette fusion entre mon expérience comptable et mon intérêt pour la↵
54.         programmation peut donner naissance à des solutions innovantes et efficaces.↵
55.     </p>↵
56.     <p>↵
57.         Mon approche méthodique, forgée par des années de travail dans le domaine financier, me↵
58.         permet d'aborder la programmation avec rigueur et précision. Je suis déterminé(e) à tirer↵
59.         parti de cette expérience pour contribuer de manière significative à des projets de↵
60.         développement, en mettant en avant la création de solutions robustes et orientées vers les↵
61.         besoins réels des utilisateurs.↵
62.     </p>↵
63.     <p>↵
64.         Cette transition représente pour moi bien plus qu'un simple changement de carrière ; c'est↵
65.         l'occasion de combiner mes compétences existantes avec ma passion grandissante pour la↵
66.         technologie, afin de m'engager dans un domaine en constante évolution où je pourrai↵
67.         continuer à apprendre et à évoluer en tant que professionnel↵
68.     </p>↵
69. </div>↵
70. </section>↵
71. <section id="projects">↵
72.     <h2>Mes créations</h2>↵
73.     <div class="creations">↵
74.         <div↵
75.             class="div"↵
76.             v-for="creation in creations"↵
77.             :key="creation.id"↵
78.             @click="openModal(creation)"↵
79.         >↵
80.             <h3>{{ creation.name }}</h3>↵
81.             <figure>↵
82.                 ↵
83.             </figure>↵
84.         </div>↵
85.     </div>↵
86.     <div v-if="isModalOpen" class="modal-overlay" @click="closeModal">↵
87.         <div class="modal" @click.stop>↵
88.             <div class="Section1">↵
89.                 <button @click="closeModal">X</button>↵
90.                 <h2>{{ selectedCreation.name }}</h2>↵
91.             </div>↵
92.             <div class="Section2">↵
93.                 <button @click="previousImage">↵
94.                     ↵
95.                 </button>↵
96.                 <figure>↵
97.                     ↵
98.                 </figure>↵
99.                 <button @click="nextImage">↵
100.                     ↵
101.                 </button>↵
```

```
102.     </div>↵
103.     <p><strong>Description: </strong>{{ selectedCreation.description }}</p>↵
104.     <p>↵
105.         <strong>Technologies utilisées: </strong>{{ selectedCreation.technologies.join(', ') }}↵
106.     </p>↵
107.     <p><strong>Date de création: </strong>{{ selectedCreation.dateCreation }}</p>↵
108.     <p>↵
109.         <strong>Lien Github: </strong>↵
110.         <a :href="selectedCreation.lienGithub" target="_blank">{{↵
111.             selectedCreation.lienGithub↵
112.         }}</a>↵
113.     </p>↵
114.     <p>↵
115.         <strong>Lien site internet/ Pdf: </strong>↵
116.         <a :href="selectedCreation.pageInternet" target="_blank">{{↵
117.             selectedCreation.pageInternet↵
118.         }}</a>↵
119.     </p>↵
120. </div>↵
121. </div>↵
122. </section>↵
123. <section id="formulaire">↵
124.     <h2>Formulaire de contact</h2>↵
125.     <div class="container">↵
126.         <figure>↵
127.             ↵
128.         </figure>↵
129.         <div class="sous-container">↵
130.             <label for="Name">Nom & Prénom: </label>↵
131.             <input type="text" id="Name" placeholder="John Doe" v-model="name">↵
132.             <label for="Email">Email: </label>↵
133.             <input type="text" id="Email" placeholder="Email" v-model="email">↵
134.             <label for="Object">Objet: </label>↵
135.             <input type="text" id="Object" placeholder="Objet" v-model="object">↵
136.             <label for="message">Message: </label>↵
137.             <textarea id="message" placeholder="Message" v-model="message"></textarea>↵
138.             <button type="button" value="Envoyer" id="send" @click="sendEmail">Envoyer</button>↵
139.         </div>↵
140.     </div>↵
141. </section>↵
142. </main>↵
143. <footer>↵
144.     <div>↵
145.         <a href="https://github.com/nnannou" target="_blank">↵
146.             ↵
147.         </a>↵
148.         <a href="https://fr.linkedin.com/" target="_blank">↵
149.             ↵
150.         </a>↵
151.         <a href="https://twitter.com/?lang=fr" target="_blank">
```

```
152.         >↵
153.     </a>↵
154. </div>↵
155. <div>↵
156.     <p><small>&copy; Anne Villette. Tous droit réservés.</small></p>↵
157.     <p>↵
158.         <small>Dernière mise à jour : <time datetime="2024-05-10"> 10 mai 2024</time></small>↵
159.     </p>↵
160. </div>↵
161. </footer>↵
162. <div id="app"></div>↵
163. <script type="module" src="/src/main.js"></script>↵
164. </body>↵
165. </html>
```

Used the HTML parser.

Total execution time 18 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.5.11