Plant Disease Classification — Experiments

This report tracks 4 experiments for plant disease classification using EfficientNet-B3 as the primary backbone. We compare architectures (EfficientNet-B0, EfficientNet-B3, ResNet-50) and loss functions (with/without label smoothing) on an 82-class dataset of 7,783 training images. The primary metric is validation accuracy; mAP is reported separately in the technical report.

Anna Hakobyan

Created on April 17, 2026 | Updated on April 18, 2026








train/loss
4
3
2
1
Step
0
10
20


val/acc
0.6
0.4
0.2
Step
0
10
20


val/loss
6
5
4
3
2
1
Step
0
10
20


Validation accuracy across runs
0.6
0.4
0.2
Step
0
10
20

Search configs

diff only

	efficientnet_b3...	resnet50_ablation	efficientnet_b0...	effi
META				
args	[]	[]	[]	[]
codePath				
colab				
cpuCount	2	2	2	2
cpuCountLogical	4	4	4	4
executable				
git				
gpu	Tesla T4	Tesla T4	Tesla T4	Tesl
gpuCount	2	2	2	2
os	Linux-6.6.113+-x...	Linux-6.6.113+-x...	Linux-6.6.113+-x...	Linu

Created with ❤️ on Weights & Biases.

https://wandb.ai/hakobyananna2002-no-company/plant-disease/reports/Plant-Disease-Classification-Experiments--VmlldzoxNjU2ODgwMQ