

Technical Documentation

Leads Management System

Version - [1.0]

Date - 3rd April 2025

Prepared by : Saoud Ahmed

Background	3
Purpose	3
Technology Stack	3
Setup Instructions	3
Module Requirements	3
Functional Requirements	3
Non-Functional Requirements	4
Module/Feature Implementation Details - Code Documentation	4
Function/Class Descriptions	4
Folder Structure Explanation	4
Module Name - Database Schema Documentation	6
Schema Description	6
Module API Contracts - API Documentation	7
Endpoints & Methods	7
Request/Response Formats	7
Testing/Error Handling	8
Common API Errors:	8
Deployment Guide	8
Deployment Instructions	8
Time Estimation	8
Links	9

Background

Purpose

The Leads Managements System is a full stack application designed to store , display and manage leads efficiently. The frontend built with ReactJS provides an interactive user interface, allowing users to submit , display and manage lead information. The backend leverages Java Spring Boot with Restful APIs for handling data and its retrieval from database

Technology Stack

- **Frontend:** ReactJS, TailwindCSS, JavaScript
- **Backend:** Java, Spring Boot, Spring Data JPA (Hibernate)
- **Database:** H2 (In-Memory Database)
- **Dependencies and Tools:** React Hooks, Fetch API

Setup Instructions

- **Frontend**
 - a. Clone the Github Repository
 - b. Move to leadsmgmt Directory
 - c. Open Directory inside an IDE / VS code
 - d. Run “npm install” inside terminal
 - e. Run “npm run dev” to run frontend locally
- **Backend**
 - Open Project on IntelliJ Community Edition
 - Navigate to ./src/main/java/com/example/leads
 - Open file “ LeadsBackendApplication.java “
 - Press the Play/Run icon on the top right
 - Or
 - Right click on the file and Click on Run application
 - (Ensure Dependencies are Installed and Working)

Module Requirements

Functional Requirements

- Submit lead data via frontend form to backend API
- Retrieve all stored leads in the database
- Delete leads by UUID
- Input Validation on fields present inside form
- Pagination Support in table view of data

Non-Functional Requirements

- Response UI with easy to navigate form design
- Graceful error handling with appropriate feedback
- Code maintainability and Readability

Module/Feature Implementation Details - Code Documentation


Function/Class Descriptions

- **Frontend**
 - App (App.tsx)
 - Entry point rendering only LeadsHero Component
 - LeadsHero (LeadsHero.jsx)
 - Combines LeadsInputForm and LeadsDisplayTable components, applying Flexbox layout to present the UI clearly
 - LeadsInputForm (LeadsInputForm.jsx)
 - Communicates with backendAPI
 - Handles insertion and deletion of leads
 - LeadsDisplayTable (LeadsDisplayTable.jsx)
 - Fetches and displays leads from the backend API in a paginated table format
 - ConfirmationDialog (ConfirmationDialog.jsx)
 - Reusable Dialog Modal for confirming actions
- **Backend**
 - Main Application (LeadsBackendApplication.java)
 - Entry Point for the Spring Boot application
 - REST Controller (LeadController.java)
 - Manages HTTP Endpoints (GET, POST, DELETE) for leads
 - Service Layer (LeadService.java)
 - Contains Business Logic for CRUD operations interfacing with the repository layer
 - Repository (LeadRepository.java)
 - Leverages Hibernate by extending JPA operations for database
 - Entity Model (Lead.java)
 - Defines database schema and object mapping for leads

Folder Structure Explanation


- Frontend/
 - Components/
 - LeadsInputForm.jsx
 - LeadsHero.jsx
 - LeadsDisplayTable.jsx

- ConfirmationDialog.jsx
- App.tsx
- public
- styles
- assets



- Backend/
 - src/
 - main/
 - java/
 - com/
 - example/
 - leads/
 - config/
 - CorsConfig.java
 - controller/

- LeadController.java
- model/
 - Lead.java
- repository/
 - LeadRepository.java
- service/
 - LeadRepository.java
- LeadsBackendApplication.java



Module Name - Database Schema Documentation

Schema Description

Column	Type	Description
id	UUID	Primary key, auto-generated UUID
full_name	VARCHAR	Lead's full name (Required)
email	VARCHAR	Email Address (Unique, Required)
phone	VARCHAR	Contact Information
company_name	VARCHAR	Company Name
notes	TEXT	Additional notes
created_at	TIMESTAMP	Timestamp when lead is created

Module API Contracts - API Documentation

Endpoints & Methods

- GET /leads ({getLeads})
 - Retrieves all records from the database
- POST /leads ({submitLead(data)})
 - Saves a new lead into the database
- DELETE /leads/{id}
 - Deletes a lead based on UUID entered

Request/Response Formats

- GET /leads ({getLeads})
 - Response
 - [
 - {
 - "id": "0151-159125-21512151",
 - "fullName": "Saoud Ahmed",
 - "email": "saoud@ontimeits.com",
 - "phone": "1234567890",
 - "companyName": "OnTime its.",
 - "notes": "Interview",

- "createdAt": "2025-03-07T13:31:59"
- }
-]
- POST /leads ({submitLead(data)})
 - {
 - "fullName": "Saoud Ahmed",
 - "email": "saoud@ontimeits.com",
 - "phone": "1234567890",
 - "companyName": "Ontime its.",
 - "notes": "Interview",
 - }
 -]
- DELETE /leads/{id}
 - String Response returned " Lead Deleted "

Testing/Error Handling

Common API Errors:

- Localhost:5173 cannot resolve, something went wrong
- Incorrect Setting of CORS
- Attempting to delete non existing lead
- Frontend - Backend Connection errors

Deployment Guide

Deployment Instructions

- Local Deployment
 - Open frontend on VScode
 - Enter "npm install" in terminal
 - Once completed , enter "npm run dev"
 - Switch to intelliJ
 - Navigate to ./src/main/java/com/example/leads
 - Run intelliJ compiler
 - Both frontend and backend deployed

Time Estimation

Task	Your Estimated Time	My Estimated Time	Actual Time
Setup React & Install Dependencies	1 hour	<1 hour	1.5 hours
Build Form & Validation	2 hours	1-2 hours	1 hour
Create API Endpoints (Java)	3-4 hours	3-4 hours	3 hours
Implement Database Model	2 hours	1-2 hours	1 hour
Connect Frontend to Backend	2-3 hours	1-2 hours	3 hours
Display Leads in Table/List	2 hours	1 hour	1 hour
Testing & Debugging	2 hours	2-3 hours	2 hours
Documentation Writing	1-2 hours	2-3 hours	1.5 hours

Links

- [Github](https://github.com/AnnedithB/LMSCompleteProject) : <https://github.com/AnnedithB/LMSCompleteProject>
- [Vercel](http://leads-management-system-tau.vercel.app/) : <http://leads-management-system-tau.vercel.app/>