

DFM10 Source-Level Training Data Quality Audit

Danish Foundation Models / HRM-Text data pipeline

27 August 2026

Audit method

This report aggregates the completed source-level audit in `logs/data_audits/dfm10_source_quality_a4b_20260826/dfm10_source_quality_audit.jsonl`. The inventory covers 177 logical sources and 17,455 exact prompt/assistant examples visible to the DFM10 training pipeline. Sampling was deterministic (seed 20260826), uniform within each source's eligible rows, and capped at 100 examples per source; sources with fewer eligible examples contribute all available examples. The report therefore estimates per-source quality, not token-weighted corpus quality.

Each example was judged by Gemma 4 26B-A4B-it using an explicit JSON schema on three 1–5 dimensions: language quality, instruction/answer coherence, and training value. The judge also supplied issue lists and a binary *usable-for-training* decision. The run contains zero judge errors. These are model-based screening results, not substitutes for human review, provenance review, contamination analysis, or task-specific correctness tests.

The severity index ranks the table as

$$100 \left[0.50(1 - u) + 0.15 \frac{5 - L}{4} + 0.20 \frac{5 - C}{4} + 0.15 \frac{5 - V}{4} \right],$$

where u is usable rate and L, C, V are the three mean scores. Thus unusable examples dominate, coherence is next, and language/training-value deficits break ties. Bands are critical ≥ 50 , high ≥ 30 , moderate ≥ 15 , and low < 15 . Qualitative findings report the two most frequent issue categories per source and the percentage of sampled rows exhibiting each category.

The two decision columns are deliberately independent. **LLM role** is based only on task semantics: **SFT** denotes ordinary supervised post-training, **Aux-SFT** denotes reconstruction objectives useful as narrow post-training auxiliaries, and **Midtrain** denotes continuation data better suited to continued pretraining or midtraining. It does not encode quality. **Quality** is based only on audit measurements: **Use** requires at least 80% usable rows, mean coherence at least 4.0, and mean training value at least 3.5; **Filter** denotes an intermediate source; and **Repair** applies below 50% usability or 3.0 mean coherence. It does not encode training stage. Both assessments are independent of HRM's recurrent architecture.

Aggregate results

Across all judgments, 86.2% were marked usable. Mean language, coherence, and training-value scores were 4.87, 4.49, and 4.28. Source counts by severity were: 8 critical, 11 high, 39 moderate, and 119 low. Training roles were: 169 SFT, 6 Aux-SFT, and 2 Midtrain. Quality dispositions were: 135 Use, 32 Filter, and 10 Repair.

The strongest immediate exclusions are the sources at the top of the table. In particular, the Arabic and Ukrainian machine-translation conversions show systematic target mismatch; DBC has a prompt/target language-policy defect; GovReport targets are frequently unsupported by truncated prompts; and Scientific-Summaries contains widespread truncated targets. These are actionable conversion or source-filtering defects rather than evidence that the underlying task families are intrinsically unsuitable.

All audited sources, most severe first

Rank	Source	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
1	oliverkinch/machine-translation-da-a-r	100	7	96	3.27	1.29	1.27	85.5	SFT	Repair	translation mismatch or failure (96%); ungrounded or hallucinated content (94%)
2	oliverkinch/machine-translation-da-u-k	100	23	82	3.59	1.93	1.89	70.8	SFT	Repair	translation mismatch or failure (82%); ungrounded or hallucinated content (76%)
3	oliverkinch/dst-table-prompts-bt	100	26	99	4.39	2.50	2.14	62.5	SFT	Repair	scraping, OCR, or encoding noise (94%); instruction or output-format mismatch (84%)
4	dfm-agreement/dbc	100	27	97	3.84	3.08	2.37	60.3	SFT	Repair	instruction or output-format mismatch (80%); prompt/target language mismatch (58%)
5	ccdv/govreport-summarization	100	27	89	4.93	2.78	2.20	58.4	SFT	Repair	ungrounded or hallucinated content (73%); instruction or output-format mismatch (39%)
6	laion/Scientific-Summaries	100	20	92	4.59	3.37	3.54	55.2	SFT	Repair	truncated or incomplete target (92%); instruction or output-format mismatch (24%)
7	schneiderkamplab/sapient-synth-flan-dialog-zsopt-data-grecc-ii	100	34	84	4.58	2.84	2.70	54.0	SFT	Repair	truncated or incomplete target (72%); instruction or output-format mismatch (67%)
8	schneiderkamplab/sapient-synth-platypus-scibench	100	38	77	4.92	2.72	2.59	51.7	SFT	Repair	instruction or output-format mismatch (34%); low-value, ambiguous, or overly narrow signal (23%)
9	nvidia/Nemotron-SFT-SWE-v2	100	47	65	4.72	3.17	2.88	44.7	SFT	Repair	truncated or incomplete target (58%); instruction or output-format mismatch (57%)
10	oliverkinch/danish-university-portals-bt	100	47	84	4.25	3.49	3.15	43.8	SFT	Repair	instruction or output-format mismatch (46%); truncated or incomplete target (41%)
11	GEM/wiki_cat_sum	100	57	98	4.17	3.77	2.95	38.5	SFT	Filter	ungrounded or hallucinated content (64%); scraping, OCR, or encoding noise (28%)
12	oliverkinch/danmarks-statistik-bt	100	61	84	4.97	3.20	3.13	35.6	SFT	Filter	instruction or output-format mismatch (47%); ungrounded or hallucinated content (17%)
13	schneiderkamplab/sapient-synth-flan-dialog-fsopt-data-grecc-ii	100	62	84	4.46	3.62	3.36	34.1	SFT	Filter	truncated or incomplete target (61%); instruction or output-format mismatch (48%)
14	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task871-msmarco-question-generation	89	63	96	4.70	3.66	3.07	33.6	SFT	Filter	instruction or output-format mismatch (52%); truncated or incomplete target (17%)
15	allenai/code_meta_reasoning	100	60	53	4.83	3.64	3.58	32.8	SFT	Filter	instruction or output-format mismatch (42%); ungrounded or hallucinated content (30%)
16	oliverkinch/da-instruct-dynaword	100	62	74	4.41	3.73	3.67	32.6	SFT	Filter	truncated or incomplete target (47%); instruction or output-format mismatch (38%)
17	alexandrainst/dacoref	100	65	92	4.99	3.76	2.92	31.5	SFT	Filter	incorrect answer or reasoning (33%); low-value, ambiguous, or overly narrow signal (22%)
18	oliverkinch/tidsskrift-dk-bt	100	64	68	4.30	3.91	3.71	30.9	SFT	Filter	instruction or output-format mismatch (32%); truncated or incomplete target (24%)
19	oliverkinch/eur-lex-bt	100	64	66	4.86	3.52	3.71	30.8	SFT	Filter	instruction or output-format mismatch (41%); truncated or incomplete target (15%)
20	oliverkinch/doab-da-bt	100	68	84	4.67	3.68	3.52	29.4	SFT	Filter	instruction or output-format mismatch (46%); truncated or incomplete target (24%)
21	oliverkinch/dynaword-bt	100	70	70	4.55	3.93	3.69	27.0	SFT	Filter	instruction or output-format mismatch (35%); truncated or incomplete target (29%)
22	nvidia/OpenMathInstruct-2	100	68	37	4.98	3.78	3.75	26.9	SFT	Filter	instruction or output-format mismatch (22%); incorrect answer or reasoning (20%)
23	schneiderkamplab/opus-da-en-permissive	100	75	49	4.21	4.01	3.73	25.2	SFT	Filter	translation mismatch or failure (40%); incorrect answer or reasoning (21%)
24	facebook/asset	100	75	89	4.55	4.15	3.23	25.1	SFT	Filter	instruction or output-format mismatch (26%); grammar or fluency defect (13%)
25	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task871-msmarco-question-generation	100	74	79	4.71	4.02	3.49	24.6	SFT	Filter	instruction or output-format mismatch (43%); truncated or incomplete target (26%)
26	oliverkinch/da-instruct-dynaword-contemporary	100	75	71	4.42	4.11	3.80	23.6	SFT	Filter	instruction or output-format mismatch (36%); truncated or incomplete target (29%)
27	alexandrainst/nordjylland-news-summarization	100	76	74	4.86	4.07	3.55	22.6	SFT	Filter	instruction or output-format mismatch (45%); ungrounded or hallucinated content (17%)
28	danish-foundation-models/kaenguruen	100	76	37	4.99	4.01	3.91	21.1	SFT	Filter	incorrect answer or reasoning (16%); instruction or output-format mismatch (9%)

Continued on next page

Rank	Source	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
29	allenai/IF_sft_data_verified	100	76	58	4.86	4.14	3.87	21.1	SFT	Filter	instruction or output-format mismatch (39%); incorrect answer or reasoning (11%)
30	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task264-paper-reviews-accept-reject	100	80	90	4.99	4.06	3.35	20.9	SFT	Filter	incorrect answer or reasoning (21%); instruction or output-format mismatch (7%)
31	schneiderkamplab/sapient-synth-flan-dialog-zsopt-data-qrecc	100	77	71	4.94	4.25	3.66	20.5	SFT	Filter	ungrounded or hallucinated content (36%); instruction or output-format mismatch (19%)
32	alexandrainst/multi-zebra-logic	100	76	52	4.58	4.49	3.84	20.5	SFT	Filter	ungrounded or hallucinated content (29%); incorrect answer or reasoning (15%)
33	grammarly/coedit	100	79	80	4.66	4.41	3.50	20.3	SFT	Filter	instruction or output-format mismatch (25%); grammar or fluency defect (16%)
34	oliverkinch/eur-lex-sum-instruct	24	75	38	4.92	4.12	4.17	20.3	SFT	Filter	instruction or output-format mismatch (29%); ungrounded or hallucinated content (17%)
35	oliverkinch/machine-translation-dan	100	78	43	4.58	4.18	4.03	20.3	SFT	Filter	translation mismatch or failure (39%); ungrounded or hallucinated content (18%)
36	schneiderkamplab/sapient-synth-flan-flan-fsnoopt-data-aeslc-1.0.0	100	78	49	4.78	4.20	3.92	19.9	SFT	Filter	instruction or output-format mismatch (24%); truncated or incomplete target (12%)
37	oliverkinch/da-instruct-dynaword-contemporary-hq	100	78	56	4.81	4.11	4.09	19.6	SFT	Filter	instruction or output-format mismatch (28%); truncated or incomplete target (26%)
38	allenai/Dolci-Instruct-SFT-Tool-Use	100	75	34	4.94	4.30	4.19	19.3	SFT	Filter	tool-call or agent-trajectory defect (29%); instruction or output-format mismatch (24%)
39	allenai/tulu-3-sft-personas-algebra	100	77	41	4.93	4.20	4.16	18.9	SFT	Filter	instruction or output-format mismatch (26%); truncated or incomplete target (17%)
40	MegaScience/TextbookReasoning	100	79	44	4.90	4.19	3.95	18.9	SFT	Filter	instruction or output-format mismatch (20%); truncated or incomplete target (7%)
41	allenai/SciRIFF-train-mix	100	82	72	4.64	4.26	3.75	18.7	SFT	Use	instruction or output-format mismatch (26%); grammar or fluency defect (11%)
42	Muennighoff/natural-instructions	100	79	49	4.84	4.26	3.96	18.7	SFT	Filter	instruction or output-format mismatch (20%); incorrect answer or reasoning (11%)
43	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task264-paper-reviews-accept-reject	100	80	64	5.00	4.22	3.76	18.6	SFT	Use	instruction or output-format mismatch (17%); incorrect answer or reasoning (17%)
44	danish-foundation-models/laerebogen	100	80	51	4.84	4.39	3.94	17.6	SFT	Use	instruction or output-format mismatch (17%); ungrounded or hallucinated content (11%)
45	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task266-paper-reviews-reviewer-perspective	100	81	54	5.00	4.20	3.93	17.5	SFT	Use	incorrect answer or reasoning (19%); grammar or fluency defect (4%)
46	zai-org/DeepDive	100	80	47	5.00	4.15	4.14	17.5	SFT	Use	tool-call or agent-trajectory defect (46%); truncated or incomplete target (28%)
47	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task1374-newscom-m-translation	100	78	29	4.80	4.44	4.23	17.4	SFT	Filter	translation mismatch or failure (26%); instruction or output-format mismatch (22%)
48	schneiderkamplab/sapient-synth-flan-flan-zsopt-data-aeslc-1.0.0	100	84	87	4.96	4.29	3.53	17.2	SFT	Use	instruction or output-format mismatch (23%); ungrounded or hallucinated content (9%)
49	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task266-paper-reviews-reviewer-perspective	100	81	45	5.00	4.19	4.04	17.1	SFT	Use	incorrect answer or reasoning (18%); instruction or output-format mismatch (16%)
50	allenai/tulu-3-sft-personas-math	100	81	43	4.99	4.22	4.11	16.8	SFT	Use	instruction or output-format mismatch (23%); incorrect answer or reasoning (21%)
51	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1376-newscom-m-translation	100	82	30	4.64	4.33	4.21	16.7	SFT	Use	translation mismatch or failure (27%); instruction or output-format mismatch (21%)
52	oliverkinch/da-instruct-dynaword-hq	100	83	55	4.74	4.23	4.14	16.5	SFT	Use	instruction or output-format mismatch (23%); truncated or incomplete target (20%)
53	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task618-amazonreview-summary-text-generation	100	81	40	4.97	4.35	4.06	16.4	SFT	Use	instruction or output-format mismatch (19%); truncated or incomplete target (13%)
54	danish-foundation-models/ai_arena_undetected	100	83	45	4.55	4.49	4.04	16.3	SFT	Use	ungrounded or hallucinated content (17%); incorrect answer or reasoning (13%)
55	schneiderkamplab/sapient-synth-flan-flan-fsopt-data-aeslc-1.0.0	100	85	60	4.83	4.29	3.91	15.8	SFT	Use	instruction or output-format mismatch (18%); truncated or incomplete target (13%)

Continued on next page

Rank	Source	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
56	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1374-newscom-m-translation	100	82	36	4.74	4.48	4.23	15.5	SFT	Use	translation mismatch or failure (31%); truncated or incomplete target (23%)
57	schneiderkamplab/sapient-synth-flan-flan-zsnopt-data-aeslc-1.0.0	100	87	85	5.00	4.29	3.59	15.3	SFT	Use	instruction or output-format mismatch (21%); ungrounded or hallucinated content (7%)
58	allenai/RLVR-MATH	100	83	22	5.00	4.19	4.33	15.1	SFT	Use	incorrect answer or reasoning (11%); instruction or output-format mismatch (9%)
59	dfm-agreement/hc-andersen-modernization	100	83	29	4.88	4.35	4.30	14.8	SFT	Use	ungrounded or hallucinated content (25%); instruction or output-format mismatch (22%)
60	AI-MO/NuminaMath-1.5	100	84	33	4.81	4.36	4.25	14.7	SFT	Use	incorrect answer or reasoning (18%); ungrounded or hallucinated content (13%)
61	nvidia/AceReason-1.1-SFT	100	83	31	5.00	4.36	4.31	14.3	SFT	Use	incorrect answer or reasoning (11%); ungrounded or hallucinated content (7%)
62	alexandrinst/scandi-qa	100	85	49	4.91	4.41	4.16	13.9	SFT	Use	instruction or output-format mismatch (17%); incorrect answer or reasoning (14%)
63	kobprof/skolegpt-instruct	100	85	51	4.84	4.48	4.14	13.9	SFT	Use	instruction or output-format mismatch (22%); ungrounded or hallucinated content (10%)
64	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1370-newscom-m-classification	100	84	18	4.98	4.32	4.36	13.9	SFT	Use	incorrect answer or reasoning (18%); ungrounded or hallucinated content (5%)
65	allenai/Dolci-Instruct-SFT-Tool-Use-SA	100	86	50	4.90	4.44	4.13	13.4	SFT	Use	tool-call or agent-trajectory defect (30%); instruction or output-format mismatch (21%)
66	oliverkinch/instruct-bt	100	89	71	4.75	4.41	3.95	13.3	SFT	Use	instruction or output-format mismatch (23%); truncated or incomplete target (9%)
67	sapientinc/HRM-Text-data-io-cleaned-20260515	100	86	38	4.83	4.44	4.24	13.3	SFT	Use	instruction or output-format mismatch (15%); incorrect answer or reasoning (10%)
68	schneiderkamplab/sapient-synth-flan-flan-zsopt-data-opinion-abstracts-rotten-tomatoes	100	87	71	4.99	4.53	3.95	12.8	SFT	Use	ungrounded or hallucinated content (24%); instruction or output-format mismatch (12%)
69	allenai/tulu-v2-sft-long-mixture	100	89	69	4.78	4.52	3.96	12.6	SFT	Use	instruction or output-format mismatch (25%); ungrounded or hallucinated content (8%)
70	schneiderkamplab/sapient-synth-flan-dialog-fsopt-data-grecc	100	89	77	4.97	4.52	3.93	12.0	SFT	Use	instruction or output-format mismatch (21%); ungrounded or hallucinated content (18%)
71	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task589-amazonfood-summary-text-generation	100	88	60	5.00	4.55	4.00	12.0	SFT	Use	instruction or output-format mismatch (26%); truncated or incomplete target (4%)
72	allenai/tulu-v2-sft-mixture	100	90	68	4.79	4.50	4.02	12.0	SFT	Use	instruction or output-format mismatch (25%); truncated or incomplete target (14%)
73	schneiderkamplab/sapient-synth-flan-flan-zsnopt-data-opinion-abstracts-rotten-tomatoes	100	90	64	5.00	4.56	4.08	10.7	SFT	Use	ungrounded or hallucinated content (24%); instruction or output-format mismatch (16%)
74	allenai/Dolci-Instruct-SFT-No-Tools	100	89	33	4.90	4.55	4.38	10.4	SFT	Use	instruction or output-format mismatch (14%); incorrect answer or reasoning (10%)
75	nvidia/Nemotron-SFT-Multilingual-v1	100	91	57	4.59	4.61	4.52	9.8	SFT	Use	translation mismatch or failure (14%); instruction or output-format mismatch (13%)
76	schneiderkamplab/sapient-synth-flan-flan-zsopt-data-opinion-abstracts-idebate	100	94	73	4.99	4.55	3.94	9.3	SFT	Use	instruction or output-format mismatch (12%); truncated or incomplete target (5%)
77	giannor/dala_tv2r_it	100	88	31	5.00	4.85	4.50	8.6	SFT	Use	incorrect answer or reasoning (16%); grammar or fluency defect (10%)
78	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task908-dialogre-identify-familial-relationships	100	91	36	5.00	4.63	4.40	8.6	SFT	Use	instruction or output-format mismatch (8%); incorrect answer or reasoning (5%)
79	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task589-amazonfood-summary-text-generation	100	92	33	5.00	4.58	4.41	8.3	SFT	Use	instruction or output-format mismatch (18%); truncated or incomplete target (5%)
80	allenai/tulu-3-sft-mixture	100	93	45	4.92	4.62	4.31	8.3	SFT	Use	instruction or output-format mismatch (13%); incorrect answer or reasoning (7%)
81	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task906-dialogre-identify-names	100	91	19	5.00	4.59	4.56	8.2	SFT	Use	incorrect answer or reasoning (11%); ungrounded or hallucinated content (3%)

Continued on next page

Rank	Source	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
82	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task908-dialogre-identify-familial-relationships	72	90	21	5.00	4.67	4.56	8.2	SFT	Use	low-value, ambiguous, or overly narrow signal (8%); incorrect answer or reasoning (7%)
83	dfm-agreement/lexdk	100	92	30	4.96	4.64	4.41	8.2	SFT	Use	instruction or output-format mismatch (13%); scraping, OCR, or encoding noise (10%)
84	allenai/tulu-3-sft-personas-instruction-following	100	91	28	4.98	4.63	4.55	8.1	SFT	Use	instruction or output-format mismatch (15%); incorrect answer or reasoning (3%)
85	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task906-dialogre-identify-names	100	91	20	5.00	4.65	4.53	8.0	SFT	Use	incorrect answer or reasoning (9%); ungrounded or hallucinated content (4%)
86	danish-foundation-models/dfm-dynanstruct	100	92	34	4.97	4.65	4.43	8.0	SFT	Use	instruction or output-format mismatch (11%); incorrect answer or reasoning (5%)
87	croco-munin/apertus-8b-da-simpo-full-50k	100	92	32	4.88	4.64	4.54	8.0	SFT	Use	instruction or output-format mismatch (14%); ungrounded or hallucinated content (9%)
88	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task907-dialogre-identify-relationships	50	92	40	5.00	4.70	4.34	8.0	SFT	Use	incorrect answer or reasoning (10%); low-value, ambiguous, or overly narrow signal (8%)
89	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task634-allegro-reviews-classification	100	92	31	5.00	4.68	4.44	7.7	SFT	Use	incorrect answer or reasoning (9%); instruction or output-format mismatch (4%)
90	open-thoughts/OpenThoughts2-1M	100	91	19	4.99	4.65	4.63	7.7	SFT	Use	instruction or output-format mismatch (7%); incorrect answer or reasoning (7%)
91	synquid/wiki-instruct-da	100	93	34	4.65	4.76	4.59	7.5	SFT	Use	grammar or fluency defect (14%); truncated or incomplete target (9%)
92	schneiderkamplab/sapient-synth-flan-flan-fsopt-data-opinion-abstracts-idebate	100	94	44	4.94	4.64	4.35	7.5	SFT	Use	instruction or output-format mismatch (13%); truncated or incomplete target (7%)
93	HuggingFaceH4/no-robots	100	95	62	4.85	4.76	4.16	7.4	SFT	Use	instruction or output-format mismatch (8%); repetition or excessive verbosity (6%)
94	allenai/RLVR-GSM	100	91	10	4.99	4.67	4.68	7.4	SFT	Use	incorrect answer or reasoning (7%); instruction or output-format mismatch (6%)
95	schneiderkamplab/sapient-synth-flan-flan-zsnoopt-data-opinion-abstracts-idebate	100	96	63	4.98	4.70	4.14	6.8	SFT	Use	ungrounded or hallucinated content (5%); instruction or output-format mismatch (5%)
96	allenai/Dolci-Instruct-SFT	100	94	26	4.97	4.67	4.51	6.6	SFT	Use	instruction or output-format mismatch (12%); truncated or incomplete target (6%)
97	schneiderkamplab/sapient-synth-platypus-reclor	100	95	63	5.00	4.77	4.22	6.6	SFT	Use	incorrect answer or reasoning (4%); instruction or output-format mismatch (3%)
98	google/multilingual_gsm_symbolic	100	92	10	4.95	4.76	4.70	6.5	SFT	Use	incorrect answer or reasoning (8%); instruction or output-format mismatch (6%)
99	schneiderkamplab/danish-dynaword-span-filling	100	94	29	4.76	4.76	4.75	6.0	Aux-SFT	Use	instruction or output-format mismatch (9%); grammar or fluency defect (7%)
100	schneiderkamplab/transformations-english-english	100	92	15	5.00	4.72	4.83	6.0	SFT	Use	instruction or output-format mismatch (9%); truncated or incomplete target (3%)
101	schneiderkamplab/common-pile-paragraph-reordering	100	93	10	4.95	4.79	4.72	5.8	Aux-SFT	Use	instruction or output-format mismatch (7%); incorrect answer or reasoning (6%)
102	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task902-deceptive-opinion-spam-classification	100	100	95	5.00	5.00	3.51	5.6	SFT	Use	low-value, ambiguous, or overly narrow signal (18%); instruction or output-format mismatch (2%)
103	allenai/verifiable-reasoning-filtered-o4-mini	100	94	18	5.00	4.71	4.70	5.6	SFT	Use	instruction or output-format mismatch (6%); low-value, ambiguous, or overly narrow signal (2%)
104	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task618-amazonreview-summary-text-generation	100	95	23	4.96	4.74	4.61	5.4	SFT	Use	instruction or output-format mismatch (8%); truncated or incomplete target (6%)
105	glaiveai/glaive-function-calling-v2	100	95	32	5.00	4.78	4.52	5.4	SFT	Use	tool-call or agent-trajectory defect (17%); instruction or output-format mismatch (6%)
106	Team-ACE/ToolACE	100	94	16	4.97	4.75	4.77	5.2	SFT	Use	tool-call or agent-trajectory defect (8%); instruction or output-format mismatch (6%)
107	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task907-dialogre-identify-relationships	100	95	23	5.00	4.84	4.65	4.6	SFT	Use	instruction or output-format mismatch (4%); incorrect answer or reasoning (2%)

Continued on next page

Rank	Source	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
108	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task1309-amazonreview-summary-classification	100	95	18	5.00	4.82	4.68	4.6	SFT	Use	truncated or incomplete target (8%); low-value, ambiguous, or overly narrow signal (8%)
109	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task902-deceptive-opinion-spam-classification	100	98	74	5.00	4.98	4.08	4.5	SFT	Use	instruction or output-format mismatch (5%); repetition or excessive verbosity (3%)
110	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task590-amazonfood-summary-correction-classification	100	95	14	5.00	4.82	4.73	4.4	SFT	Use	truncated or incomplete target (4%); incorrect answer or reasoning (3%)
111	schneiderkamplab/common-pile-prefix-continuation	100	97	38	4.62	4.91	4.74	4.3	Midtrain	Use	scraping, OCR, or encoding noise (25%); grammar or fluency defect (13%)
112	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task634-allegro-reviews-classification	100	96	18	4.97	4.81	4.66	4.3	SFT	Use	instruction or output-format mismatch (5%); incorrect answer or reasoning (4%)
113	schneiderkamplab/sapient-synth-flan-flan-fsnoopt-data-opinion-abstracts-idebate	100	97	25	4.95	4.76	4.65	4.2	SFT	Use	truncated or incomplete target (9%); instruction or output-format mismatch (5%)
114	giannor/gec_dala_tv2r_it	100	95	7	4.98	4.82	4.81	4.2	SFT	Use	instruction or output-format mismatch (5%); incorrect answer or reasoning (4%)
115	schneiderkamplab/danish-dynaword-prefix-continuation	100	96	18	4.80	4.87	4.81	4.1	Midtrain	Use	truncated or incomplete target (9%); grammar or fluency defect (5%)
116	schneiderkamplab/sapient-synth-flan-flan-fsopt-data-opinion-abstracts-rotten-tomatoes	100	96	13	5.00	4.79	4.77	3.9	SFT	Use	instruction or output-format mismatch (6%); ungrounded or hallucinated content (4%)
117	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task1376-newscom-m-translation	100	96	10	4.91	4.88	4.79	3.7	SFT	Use	translation mismatch or failure (6%); instruction or output-format mismatch (5%)
118	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task1373-newscom-m-translation	100	97	21	4.97	4.88	4.63	3.6	SFT	Use	translation mismatch or failure (9%); instruction or output-format mismatch (3%)
119	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task1371-newscom-m-translation	100	97	23	4.92	4.92	4.63	3.6	SFT	Use	translation mismatch or failure (7%); instruction or output-format mismatch (5%)
120	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task590-amazonfood-summary-correction-classification	100	97	28	5.00	4.88	4.63	3.5	SFT	Use	incorrect answer or reasoning (4%); instruction or output-format mismatch (3%)
121	schneiderkamplab/sapient-synth-tasks-source-reclor	100	96	21	5.00	4.93	4.75	3.3	SFT	Use	incorrect answer or reasoning (5%); truncated or incomplete target (1%)
122	schneiderkamplab/sapient-synth-flan-flan-fsnoopt-data-opinion-abstracts-rotten-tomatoes	100	97	19	5.00	4.84	4.74	3.3	SFT	Use	instruction or output-format mismatch (8%); ungrounded or hallucinated content (3%)
123	allenai/tulu-3-sft-personas-code	100	97	17	4.98	4.86	4.76	3.2	SFT	Use	instruction or output-format mismatch (6%); incorrect answer or reasoning (4%)
124	schneiderkamplab/dfm8-synthetic-native-tool-calling	100	98	19	4.99	4.81	4.69	3.2	SFT	Use	tool-call or agent-trajectory defect (11%); instruction or output-format mismatch (5%)
125	oliverkinch/danish-qa	100	98	19	4.98	4.84	4.73	2.9	SFT	Use	incorrect answer or reasoning (2%); truncated or incomplete target (2%)
126	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1373-newscom-m-translation	100	97	6	4.95	4.89	4.85	2.8	SFT	Use	translation mismatch or failure (5%); instruction or output-format mismatch (4%)
127	schneiderkamplab/sapient-synth-tasks-source-pragmeval-sarcasm	100	98	43	5.00	5.00	4.53	2.8	SFT	Use	low-value, ambiguous, or overly narrow signal (2%); incorrect answer or reasoning (2%)
128	schneiderkamplab/dfm8-openhermes-en	100	99	37	4.99	4.96	4.55	2.4	SFT	Use	instruction or output-format mismatch (6%); low-value, ambiguous, or overly narrow signal (5%)
129	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task635-allegro-reviews-answer-generation	100	97	4	5.00	4.93	4.86	2.4	SFT	Use	instruction or output-format mismatch (3%); truncated or incomplete target (2%)
130	Salesforce/xlam-function-calling-60k	100	97	3	4.97	4.92	4.91	2.4	SFT	Use	incorrect answer or reasoning (3%); tool-call or agent-trajectory defect (3%)
131	synquid/translation-100k	100	98	10	4.90	4.91	4.87	2.3	SFT	Use	translation mismatch or failure (10%); instruction or output-format mismatch (4%)

Continued on next page

Rank	Source	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
132	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1371-newscom-m-translation	100	98	10	4.95	4.92	4.81	2.3	SFT	Use	truncated or incomplete target (3%); translation mismatch or failure (3%)
133	oliverkinch/multi-wiki-qa-high-quality-subset	100	98	8	4.96	4.89	4.86	2.2	SFT	Use	truncated or incomplete target (3%); scraping, OCR, or encoding noise (1%)
134	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task1375-newscom-m-translation	100	99	25	4.94	4.94	4.70	2.1	SFT	Use	translation mismatch or failure (6%); instruction or output-format mismatch (3%)
135	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task672-amazon-yelp-summarization	100	97	5	5.00	4.95	4.91	2.1	SFT	Use	ungrounded or hallucinated content (3%); instruction or output-format mismatch (2%)
136	nvidia/Nemotron-SFT-Instruction-Following-Chat-v2	100	99	21	5.00	4.94	4.66	2.1	SFT	Use	instruction or output-format mismatch (8%); low-value, ambiguous, or overly narrow signal (2%)
137	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task1377-newscom-m-translation	100	99	21	4.96	4.93	4.72	2.1	SFT	Use	translation mismatch or failure (7%); repetition or excessive verbosity (3%)
138	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task870-msmarco-answer-generation	100	98	11	5.00	4.91	4.84	2.1	SFT	Use	truncated or incomplete target (2%); incorrect answer or reasoning (2%)
139	allenai/verifiable-reasoning-filtered-gpt-41	100	98	6	4.99	4.88	4.90	2.0	SFT	Use	instruction or output-format mismatch (4%); incorrect answer or reasoning (2%)
140	schneiderkamplab/danish-dynaword-paragraph-reordering	100	98	12	4.89	4.95	4.93	1.9	Aux-SFT	Use	grammar or fluency defect (5%); scraping, OCR, or encoding noise (4%)
141	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1377-newscom-m-translation	100	98	7	4.99	4.97	4.91	1.5	SFT	Use	translation mismatch or failure (5%); instruction or output-format mismatch (2%)
142	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task870-msmarco-answer-generation	100	99	15	5.00	4.94	4.82	1.5	SFT	Use	instruction or output-format mismatch (4%); incorrect answer or reasoning (3%)
143	synquid/wildchat-100k-qwen-messages	100	99	16	4.98	4.95	4.84	1.4	SFT	Use	instruction or output-format mismatch (5%); ungrounded or hallucinated content (2%)
144	schneiderkamplab/transformations-danish-danish	100	99	8	4.99	4.92	4.88	1.4	SFT	Use	instruction or output-format mismatch (6%); scraping, OCR, or encoding noise (1%)
145	schneiderkamplab/dfm8-synthetic-multipleturn-danish-english-chat	100	99	13	5.00	4.95	4.85	1.3	SFT	Use	instruction or output-format mismatch (2%); ungrounded or hallucinated content (1%)
146	schneiderkamplab/dfm8-synthetic-danish-summarization-rewrite-controls	100	100	29	5.00	5.00	4.68	1.2	SFT	Use	instruction or output-format mismatch (6%); low-value, ambiguous, or overly narrow signal (3%)
147	schneiderkamplab/transformations-danish-english	100	99	8	5.00	4.96	4.88	1.2	SFT	Use	instruction or output-format mismatch (2%); translation mismatch or failure (2%)
148	schneiderkamplab/dfm8-synthetic-constrained-format-following	100	99	13	5.00	4.97	4.87	1.1	SFT	Use	ungrounded or hallucinated content (5%); instruction or output-format mismatch (2%)
149	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task903-deceptive-opinion-spam-classification	100	100	29	5.00	5.00	4.70	1.1	SFT	Use	low-value, ambiguous, or overly narrow signal (6%)
150	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task909-dialogre-prevalent-speakers	100	99	3	5.00	4.92	4.94	1.1	SFT	Use	low-value, ambiguous, or overly narrow signal (2%); instruction or output-format mismatch (2%)
151	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1309-amazonreview-summary-classification	100	99	7	5.00	4.96	4.90	1.1	SFT	Use	instruction or output-format mismatch (2%); truncated or incomplete target (2%)
152	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task909-dialogre-prevalent-speakers	100	99	5	5.00	4.96	4.92	1.0	SFT	Use	instruction or output-format mismatch (2%); incorrect answer or reasoning (1%)
153	alexandrinst/dane	100	100	17	5.00	4.94	4.82	1.0	SFT	Use	instruction or output-format mismatch (2%); low-value, ambiguous, or overly narrow signal (2%)
154	schneiderkamplab/dfm8-openhermes-danish	100	100	15	4.98	4.96	4.84	0.9	SFT	Use	instruction or output-format mismatch (2%); translation mismatch or failure (2%)
155	nvidia/Nemotron-SFT-Agent-ic-v2	100	99	3	5.00	4.95	4.97	0.9	SFT	Use	truncated or incomplete target (2%); instruction or output-format mismatch (1%)
156	allenai/big-reasoning-traces	100	100	10	4.99	4.94	4.88	0.8	SFT	Use	instruction or output-format mismatch (3%); low-value, ambiguous, or overly narrow signal (1%)
157	synquid/ibench-train	100	100	12	4.97	4.98	4.88	0.7	SFT	Use	low-value, ambiguous, or overly narrow signal (3%); instruction or output-format mismatch (2%)

Continued on next page

Rank	Source	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
158	schneiderkamplab/common-pile-denoising	100	100	12	4.97	4.98	4.90	0.6	Aux-SFT	Use	truncated or incomplete target (7%); instruction or output-format mismatch (2%)
159	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task903-deceptive-opinion-spam-classification	100	100	14	5.00	5.00	4.86	0.5	SFT	Use	instruction or output-format mismatch (1%)
160	common-pile/axiv_papers_filtered	100	100	7	4.95	4.97	4.96	0.5	SFT	Use	repetition or excessive verbosity (2%); grammar or fluency defect (2%)
161	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1375-newscom-m-translation	100	100	12	4.99	5.00	4.88	0.5	SFT	Use	translation mismatch or failure (7%); low-value, ambiguous, or overly narrow signal (2%)
162	schneiderkamplab/common-pile-span-filling	100	100	9	4.96	4.99	4.96	0.3	Aux-SFT	Use	grammar or fluency defect (4%); truncated or incomplete target (1%)
163	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task635-allegro-reviews-answer-generation	100	100	6	5.00	4.97	4.95	0.3	SFT	Use	instruction or output-format mismatch (2%); repetition or excessive verbosity (1%)
164	schneiderkamplab/sapient-synth-flan-niv2-zsot-data-task672-amazon-yelp-summarization	100	100	5	5.00	4.99	4.95	0.2	SFT	Use	instruction or output-format mismatch (3%)
165	schneiderkamplab/transformations-english-danish	100	100	2	4.99	4.99	4.98	0.2	SFT	Use	truncated or incomplete target (1%); translation mismatch or failure (1%)
166	synquid/danish-verifiable-reasoning	100	100	3	5.00	4.97	5.00	0.2	SFT	Use	instruction or output-format mismatch (1%); repetition or excessive verbosity (1%)
167	schneiderkamplab/sapient-synth-flan-niv2-zsot-data-task265-paper-reviews-language-identification	100	100	2	5.00	5.00	4.96	0.2	SFT	Use	low-value, ambiguous, or overly narrow signal (1%)
168	oliverkinch/autodata-da-sft	100	100	2	5.00	4.99	4.98	0.1	SFT	Use	ungrounded or hallucinated content (1%)
169	schneiderkamplab/danish-dynaword-denoising	100	100	2	4.98	4.99	5.00	0.1	Aux-SFT	Use	instruction or output-format mismatch (1%); truncated or incomplete target (1%)
170	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task265-paper-reviews-language-identification	100	100	2	5.00	5.00	4.98	0.1	SFT	Use	low-value, ambiguous, or overly narrow signal (2%); instruction or output-format mismatch (1%)
171	synquid/mt-da-deepseek	100	100	1	5.00	5.00	4.99	0.0	SFT	Use	Scattered judge complaints without a recurring taxonomy category (1% of rows).
172	allenai/open_math_2_50k_r1-original	100	100	0	5.00	5.00	5.00	0.0	SFT	Use	No issue identified in the sample.
173	nvidia/Nemotron-Terminal-Corpus	100	100	0	5.00	5.00	5.00	0.0	SFT	Use	No issue identified in the sample.
174	oliverkinch/danish-summarization	100	100	0	5.00	5.00	5.00	0.0	SFT	Use	No issue identified in the sample.
175	schneiderkamplab/dfm8-synthetic-code-debugging	100	100	0	5.00	5.00	5.00	0.0	SFT	Use	No issue identified in the sample.
176	schneiderkamplab/dfm8-synthetic-strict-math-answer-contract	100	100	0	5.00	5.00	5.00	0.0	SFT	Use	No issue identified in the sample.
177	schneiderkamplab/sapient-synth-flan-niv2-zsot-data-task1370-newscom-m-classification	20	100	0	5.00	5.00	5.00	0.0	SFT	Use	No issue identified in the sample.

Interpretation limits

The 100-example cap gives useful source-level triage but wide uncertainty for rare defects and heterogeneous sources. Issue percentages can overlap because a single row may exhibit multiple problems. The training-role and quality assessments are pipeline decision aids, not license, privacy, or safety determinations. Before exclusion or high-repeat sampling, inspect the underlying rows and validate any converter repair on a fresh holdout sample.