

DFM10 Source-Level Training Data Quality Audit

Danish Foundation Models / HRM-Text data pipeline

27 August 2026

Audit method

This report aggregates the completed source-level audits:

- `logs/data_audits/dfm10_source_quality_a4b_20260826/dfm10_source_quality_audit.jsonl`
- `logs/data_audits/dfm10_folketing_quality_a4b_20260827/folketing_quality_audit.jsonl`

The inventory covers 178 logical sources and 17,555 exact prompt/assistant examples visible to the DFM10 training pipeline. Sampling was deterministic (seed 20260826), uniform within each source’s eligible rows, and capped at 100 examples per source; sources with fewer eligible examples contribute all available examples. The report therefore estimates per-source quality, not token-weighted corpus quality.

The Folketing source is the documented exception: its 100 rows are stratified equally across four task families and sampled from accepted rows in completed acceptance-audit hash partitions 0–5. Partitions 6–7 and the merged accepted tree were not complete, so this is an unbiased accepted-row subset of the six complete partitions rather than a claim that the full acceptance campaign was consolidated.

Each example was judged by Gemma 4 26B-A4B-it using an explicit JSON schema on three 1–5 dimensions: language quality, instruction/answer coherence, and training value. The judge also supplied issue lists and a binary *usable-for-training* decision. The run contains zero judge errors. These are model-based screening results, not substitutes for human review, provenance review, contamination analysis, or task-specific correctness tests.

The severity index ranks the table as

$$100 \left[0.50(1 - u) + 0.15 \frac{5 - L}{4} + 0.20 \frac{5 - C}{4} + 0.15 \frac{5 - V}{4} \right],$$

where u is usable rate and L, C, V are the three mean scores. Thus unusable examples dominate, coherence is next, and language/training-value deficits break ties. Bands are critical ≥ 50 , high ≥ 30 , moderate ≥ 15 , and low < 15 . Qualitative findings report the two most frequent issue categories per source and the percentage of sampled rows exhibiting each category.

The two decision columns are deliberately independent. **LLM role** is based only on task semantics: **SFT** denotes ordinary supervised post-training, **Aux-SFT** denotes reconstruction objectives useful as narrow post-training auxiliaries, and **Midtrain** denotes continuation data better suited to continued pretraining or midtraining. **Mixed** denotes a source, currently Folketing, that contains both auxiliary SFT and midtraining task families. It does not encode quality. **Quality** is based only on audit measurements: **Use** requires at least 80% usable rows, mean coherence at least 4.0, and mean training value at least 3.5; **Filter** denotes an intermediate source; and **Repair** applies below 50% usability or 3.0 mean coherence. It does not encode training stage. Both assessments are independent of HRM’s recurrent architecture.

The compact **Category** labels follow the eight functional categories in the DFM-Mimir technical report: Danish instruction & knowledge (Danish), English instruction (English), Sapient mixed (Sapient), Math & reasoning (Math/reason.), Mimir synthetic (Synthetic), Agentic & tool use (Agent/tool), Machine translation (Translation), and Science & summarization (Sci./summary). Each source receives its dominant intended category. See <https://arxiv.org/html/2608.13517>.

Aggregate results

Across all judgments, 86.2% were marked usable. Mean language, coherence, and training-value scores were 4.87, 4.49, and 4.28. Source counts by severity were: 8 critical, 11 high, 39 moderate, and 120 low. Training roles were: 169 SFT, 6 Aux-SFT, and 2 Midtrain. Quality dispositions were: 136 Use, 32 Filter, and 10 Repair. The role counts also include 1 Mixed source. Category counts were: Agent/tool 11, Danish 36, English 17, Math/reason. 15, Sapient 71, Sci./summary 8, Synthetic 15, Translation 5.

The strongest immediate exclusions are the sources at the top of the table. In particular, the Arabic and Ukrainian machine-translation conversions show systematic target mismatch; DBC has a prompt/target language-policy defect; GovReport targets are frequently unsupported by truncated prompts; and Scientific-Summaries contains widespread truncated targets. These are actionable conversion or source-filtering defects rather than evidence that the underlying task families are intrinsically unsuitable.

All audited sources, most severe first

Rank	Source	Category	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
1	oliverkinch/machine-translati on-da-ar	Translation	100	7	96	3.27	1.29	1.27	85.5	SFT	Repair	translation mismatch or failure (96%); ungrounded or hallucinated content (94%)
2	oliverkinch/machine-translati on-da-uk	Translation	100	23	82	3.59	1.93	1.89	70.8	SFT	Repair	translation mismatch or failure (82%); ungrounded or hallucinated content (76%)
3	oliverkinch/dst-table-prompts -bt	Danish	100	26	99	4.39	2.50	2.14	62.5	SFT	Repair	scraping, OCR, or encoding noise (94%); instruction or output-format mismatch (84%)
4	dfm-agreement/dbc	Danish	100	27	97	3.84	3.08	2.37	60.3	SFT	Repair	instruction or output-format mismatch (80%); prompt/target language mismatch (58%)
5	ccdv/govreport-summarization	Sci./summary	100	27	89	4.93	2.78	2.20	58.4	SFT	Repair	ungrounded or hallucinated content (73%); instruction or output-format mismatch (39%)
6	laion/Scientific-Summaries	Sci./summary	100	20	92	4.59	3.37	3.54	55.2	SFT	Repair	truncated or incomplete target (92%); instruction or output-format mismatch (24%)
7	schneiderkamplab/sapient-synth -flan-dialog-zsopt-data-qrecc -ii	Sapient	100	34	84	4.58	2.84	2.70	54.0	SFT	Repair	truncated or incomplete target (72%); instruction or output-format mismatch (67%)
8	schneiderkamplab/sapient-synth -platypus-scibench	Sapient	100	38	77	4.92	2.72	2.59	51.7	SFT	Repair	instruction or output-format mismatch (34%); low-value, ambiguous, or overly narrow signal (23%)
9	nvidia/Nemotron-SFT-SWE-v2	Agent/tool	100	47	65	4.72	3.17	2.88	44.7	SFT	Repair	truncated or incomplete target (58%); instruction or output-format mismatch (57%)
10	oliverkinch/danish-universit y-portals-bt	Danish	100	47	84	4.25	3.49	3.15	43.8	SFT	Repair	instruction or output-format mismatch (46%); truncated or incomplete target (41%)
11	GEM/wiki_cat_sum	Sci./summary	100	57	98	4.17	3.77	2.95	38.5	SFT	Filter	ungrounded or hallucinated content (64%); scraping, OCR, or encoding noise (28%)
12	oliverkinch/danmarks-statistik -bt	Danish	100	61	84	4.97	3.20	3.13	35.6	SFT	Filter	instruction or output-format mismatch (47%); ungrounded or hallucinated content (17%)
13	schneiderkamplab/sapient-synth -flan-dialog-fsopt-data-qrecc -ii	Sapient	100	62	84	4.46	3.62	3.36	34.1	SFT	Filter	truncated or incomplete target (61%); instruction or output-format mismatch (48%)
14	schneiderkamplab/sapient-synth -flan-niv2-zsopt-data-task871 -msmarco-question-generation	Sapient	89	63	96	4.70	3.66	3.07	33.6	SFT	Filter	instruction or output-format mismatch (52%); truncated or incomplete target (17%)
15	allenai/code_meta_reasoning	Math/reason.	100	60	53	4.83	3.64	3.58	32.8	SFT	Filter	instruction or output-format mismatch (42%); ungrounded or hallucinated content (30%)
16	oliverkinch/da-instruct-dynaw ord	Danish	100	62	74	4.41	3.73	3.67	32.6	SFT	Filter	truncated or incomplete target (47%); instruction or output-format mismatch (38%)
17	alexandrinst/dacoref	Danish	100	65	92	4.99	3.76	2.92	31.5	SFT	Filter	incorrect answer or reasoning (33%); low-value, ambiguous, or overly narrow signal (22%)
18	oliverkinch/tidsskrift-dk-bt	Danish	100	64	68	4.30	3.91	3.71	30.9	SFT	Filter	instruction or output-format mismatch (32%); truncated or incomplete target (24%)
19	oliverkinch/eur-lex-bt	Danish	100	64	66	4.86	3.52	3.71	30.8	SFT	Filter	instruction or output-format mismatch (41%); truncated or incomplete target (15%)

Continued on next page

Rank	Source	Category	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
20	oliverkinch/doab-da-bt	Danish	100	68	84	4.67	3.68	3.52	29.4	SFT	Filter	instruction or output-format mismatch (46%); truncated or incomplete target (24%)
21	oliverkinch/dynaword-bt	Danish	100	70	70	4.55	3.93	3.69	27.0	SFT	Filter	instruction or output-format mismatch (35%); truncated or incomplete target (29%)
22	nvidia/OpenMathInstruct-2	Math/reason.	100	68	37	4.98	3.78	3.75	26.9	SFT	Filter	instruction or output-format mismatch (22%); incorrect answer or reasoning (20%)
23	schneiderkamplab/opus-da-en-permissive	Translation	100	75	49	4.21	4.01	3.73	25.2	SFT	Filter	translation mismatch or failure (40%); incorrect answer or reasoning (21%)
24	facebook/asset	English	100	75	89	4.55	4.15	3.23	25.1	SFT	Filter	instruction or output-format mismatch (26%); grammar or fluency defect (13%)
25	schneiderkamplab/sapient-synth-flan-niv2-fs-opt-data-task871-msmarco-question-generation	Sapient	100	74	79	4.71	4.02	3.49	24.6	SFT	Filter	instruction or output-format mismatch (43%); truncated or incomplete target (26%)
26	oliverkinch/da-instruct-dynaword-contemporary	Danish	100	75	71	4.42	4.11	3.80	23.6	SFT	Filter	instruction or output-format mismatch (36%); truncated or incomplete target (29%)
27	alexandrainst/nordjylland-new-s-summarization	Sci./summary	100	76	74	4.86	4.07	3.55	22.6	SFT	Filter	instruction or output-format mismatch (45%); ungrounded or hallucinated content (17%)
28	danish-foundation-models/kaen-guruen	Danish	100	76	37	4.99	4.01	3.91	21.1	SFT	Filter	incorrect answer or reasoning (16%); instruction or output-format mismatch (9%)
29	allenai/IF_sft_data_verified	English	100	76	58	4.86	4.14	3.87	21.1	SFT	Filter	instruction or output-format mismatch (39%); incorrect answer or reasoning (11%)
30	schneiderkamplab/sapient-synth-flan-niv2-zs-opt-data-task264-paper-reviews-accept-reject	Sapient	100	80	90	4.99	4.06	3.35	20.9	SFT	Filter	incorrect answer or reasoning (21%); instruction or output-format mismatch (7%)
31	schneiderkamplab/sapient-synth-flan-dialog-zs-opt-data-grecc	Sapient	100	77	71	4.94	4.25	3.66	20.5	SFT	Filter	ungrounded or hallucinated content (36%); instruction or output-format mismatch (19%)
32	alexandrainst/multi-zebra-log-ic	Danish	100	76	52	4.58	4.49	3.84	20.5	SFT	Filter	ungrounded or hallucinated content (29%); incorrect answer or reasoning (15%)
33	grammarly/coedit	English	100	79	80	4.66	4.41	3.50	20.3	SFT	Filter	instruction or output-format mismatch (25%); grammar or fluency defect (16%)
34	oliverkinch/eur-lex-sum-instruct	Danish	24	75	38	4.92	4.12	4.17	20.3	SFT	Filter	instruction or output-format mismatch (29%); ungrounded or hallucinated content (17%)
35	oliverkinch/machine-translation-da-en	Translation	100	78	43	4.58	4.18	4.03	20.3	SFT	Filter	translation mismatch or failure (39%); ungrounded or hallucinated content (18%)
36	schneiderkamplab/sapient-synth-flan-flan-fsnopt-data-aeslc-1.0.0	Sapient	100	78	49	4.78	4.20	3.92	19.9	SFT	Filter	instruction or output-format mismatch (24%); truncated or incomplete target (12%)
37	oliverkinch/da-instruct-dynaword-contemporary-hq	Danish	100	78	56	4.81	4.11	4.09	19.6	SFT	Filter	instruction or output-format mismatch (28%); truncated or incomplete target (26%)
38	allenai/Dolci-Instruct-SFT-Tool-Use	Agent/tool	100	75	34	4.94	4.30	4.19	19.3	SFT	Filter	tool-call or agent-trajectory defect (29%); instruction or output-format mismatch (24%)
39	allenai/tulu-3-sft-personas-algebra	Math/reason.	100	77	41	4.93	4.20	4.16	18.9	SFT	Filter	instruction or output-format mismatch (26%); truncated or incomplete target (17%)
40	MegaScience/TextbookReasoning	Math/reason.	100	79	44	4.90	4.19	3.95	18.9	SFT	Filter	instruction or output-format mismatch (20%); truncated or incomplete target (7%)
41	allenai/SciRIFF-train-mix	Sci./summary	100	82	72	4.64	4.26	3.75	18.7	SFT	Use	instruction or output-format mismatch (26%); grammar or fluency defect (11%)
42	Muennighoff/natural-instructions	English	100	79	49	4.84	4.26	3.96	18.7	SFT	Filter	instruction or output-format mismatch (20%); incorrect answer or reasoning (11%)
43	schneiderkamplab/sapient-synth-flan-niv2-fs-opt-data-task264-paper-reviews-accept-reject	Sapient	100	80	64	5.00	4.22	3.76	18.6	SFT	Use	instruction or output-format mismatch (17%); incorrect answer or reasoning (17%)
44	danish-foundation-models/laerebogen	Danish	100	80	51	4.84	4.39	3.94	17.6	SFT	Use	instruction or output-format mismatch (17%); ungrounded or hallucinated content (11%)
45	schneiderkamplab/sapient-synth-flan-niv2-zs-opt-data-task266-paper-reviews-reviewer-perspective	Sapient	100	81	54	5.00	4.20	3.93	17.5	SFT	Use	incorrect answer or reasoning (19%); grammar or fluency defect (4%)
46	zai-org/DeepDive	Agent/tool	100	80	47	5.00	4.15	4.14	17.5	SFT	Use	tool-call or agent-trajectory defect (46%); truncated or incomplete target (28%)
47	schneiderkamplab/sapient-synth-flan-niv2-zs-opt-data-task1374-newscomm-translation	Sapient	100	78	29	4.80	4.44	4.23	17.4	SFT	Filter	translation mismatch or failure (26%); truncated or incomplete target (22%)

Continued on next page

Rank	Source	Category	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
48	schneiderkamplab/sapient-synth-flan-flan-zsopt-data-aeslc-1.0.0	Sapient	100	84	87	4.96	4.29	3.53	17.2	SFT	Use	instruction or output-format mismatch (23%); ungrounded or hallucinated content (9%)
49	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task266-paper-reviews-reviewer-perspective	Sapient	100	81	45	5.00	4.19	4.04	17.1	SFT	Use	incorrect answer or reasoning (18%); instruction or output-format mismatch (16%)
50	allenai/tulu-3-sft-personas-math	Math/reason.	100	81	43	4.99	4.22	4.11	16.8	SFT	Use	instruction or output-format mismatch (23%); incorrect answer or reasoning (21%)
51	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1376-newscomm-translation	Sapient	100	82	30	4.64	4.33	4.21	16.7	SFT	Use	translation mismatch or failure (27%); instruction or output-format mismatch (21%)
52	oliverkinch/da-instruct-dynaword-hq	Danish	100	83	55	4.74	4.23	4.14	16.5	SFT	Use	instruction or output-format mismatch (23%); truncated or incomplete target (20%)
53	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task618-amazonreview-summary-text-generation	Sapient	100	81	40	4.97	4.35	4.06	16.4	SFT	Use	instruction or output-format mismatch (19%); truncated or incomplete target (13%)
54	danish-foundation-models/ai_arena_udtraek	Danish	100	83	45	4.55	4.49	4.04	16.3	SFT	Use	ungrounded or hallucinated content (17%); incorrect answer or reasoning (13%)
55	schneiderkamplab/sapient-synth-flan-flan-fsopt-data-aeslc-1.0.0	Sapient	100	85	60	4.83	4.29	3.91	15.8	SFT	Use	instruction or output-format mismatch (18%); truncated or incomplete target (13%)
56	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1374-newscomm-translation	Sapient	100	82	36	4.74	4.48	4.23	15.5	SFT	Use	translation mismatch or failure (31%); truncated or incomplete target (23%)
57	schneiderkamplab/sapient-synth-flan-flan-zsnopt-data-aeslc-1.0.0	Sapient	100	87	85	5.00	4.29	3.59	15.3	SFT	Use	instruction or output-format mismatch (21%); ungrounded or hallucinated content (7%)
58	allenai/RLVR-MATH	Math/reason.	100	83	22	5.00	4.19	4.33	15.1	SFT	Use	incorrect answer or reasoning (11%); instruction or output-format mismatch (9%)
59	dfm-agreement/hc-andersen-modernization	Danish	100	83	29	4.88	4.35	4.30	14.8	SFT	Use	ungrounded or hallucinated content (25%); instruction or output-format mismatch (22%)
60	AI-MQ/NuminaMath-1.5	Math/reason.	100	84	33	4.81	4.36	4.25	14.7	SFT	Use	incorrect answer or reasoning (18%); ungrounded or hallucinated content (13%)
61	nvidia/AceReason-1.1-SFT	English	100	83	31	5.00	4.36	4.31	14.3	SFT	Use	incorrect answer or reasoning (11%); ungrounded or hallucinated content (7%)
62	alexandrinst/scandi-qa	Danish	100	85	49	4.91	4.41	4.16	13.9	SFT	Use	instruction or output-format mismatch (17%); incorrect answer or reasoning (14%)
63	kobprof/skolegpt-instruct	Danish	100	85	51	4.84	4.48	4.14	13.9	SFT	Use	instruction or output-format mismatch (22%); ungrounded or hallucinated content (10%)
64	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1370-newscomm-classification	Sapient	100	84	18	4.98	4.32	4.36	13.9	SFT	Use	incorrect answer or reasoning (18%); ungrounded or hallucinated content (5%)
65	allenai/Dolci-Instruct-SFT-Tool-Use-SA	Agent/tool	100	86	50	4.90	4.44	4.13	13.4	SFT	Use	tool-call or agent-trajectory defect (30%); instruction or output-format mismatch (21%)
66	oliverkinch/instruct-bt	Danish	100	89	71	4.75	4.41	3.95	13.3	SFT	Use	instruction or output-format mismatch (23%); truncated or incomplete target (9%)
67	sapientinc/HRM-Text-data-io-cleaned-20260515	Sapient	100	86	38	4.83	4.44	4.24	13.3	SFT	Use	instruction or output-format mismatch (15%); incorrect answer or reasoning (10%)
68	dfm-agreement/rigsarkivet-folketinget-14004	Synthetic	100	87	41	4.38	4.59	4.48	12.8	Mixed	Use	scraping, OCR, or encoding noise (38%); instruction or output-format mismatch (13%)
69	schneiderkamplab/sapient-synth-flan-flan-zsopt-data-opinion-abstracts-rotten-tomatoes	Sapient	100	87	71	4.99	4.53	3.95	12.8	SFT	Use	ungrounded or hallucinated content (24%); instruction or output-format mismatch (12%)
70	allenai/tulu-v2-sft-long-mixture	English	100	89	69	4.78	4.52	3.96	12.6	SFT	Use	instruction or output-format mismatch (25%); ungrounded or hallucinated content (8%)
71	schneiderkamplab/sapient-synth-flan-dialog-fsopt-data-grecc	Sapient	100	89	77	4.97	4.52	3.93	12.0	SFT	Use	instruction or output-format mismatch (21%); ungrounded or hallucinated content (18%)
72	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task589-amazonfood-summary-text-generation	Sapient	100	88	60	5.00	4.55	4.00	12.0	SFT	Use	instruction or output-format mismatch (26%); truncated or incomplete target (4%)

Continued on next page

Rank	Source	Category	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
73	allenai/tulu-v2-sft-mixture	English	100	90	68	4.79	4.50	4.02	12.0	SFT	Use	instruction or output-format mismatch (25%); truncated or incomplete target (14%)
74	schneiderkamplab/sapient-synth-flan-flan-zsnoopt-data-opinion-abstracts-rotten-tomatoes	Sapient	100	90	64	5.00	4.56	4.08	10.7	SFT	Use	ungrounded or hallucinated content (24%); instruction or output-format mismatch (16%)
75	allenai/Dolci-Instruct-SFT-No-Tools	Agent/tool	100	89	33	4.90	4.55	4.38	10.4	SFT	Use	instruction or output-format mismatch (14%); incorrect answer or reasoning (10%)
76	nvidia/Nemotron-SFT-Multilingual-v1	English	100	91	57	4.59	4.61	4.52	9.8	SFT	Use	translation mismatch or failure (14%); instruction or output-format mismatch (13%)
77	schneiderkamplab/sapient-synth-flan-flan-zsnoopt-data-opinion-abstracts-idebate	Sapient	100	94	73	4.99	4.55	3.94	9.3	SFT	Use	instruction or output-format mismatch (12%); truncated or incomplete target (5%)
78	giannor/dala_tv2r_it	Danish	100	88	31	5.00	4.85	4.50	8.6	SFT	Use	incorrect answer or reasoning (16%); grammar or fluency defect (10%)
79	schneiderkamplab/sapient-synth-flan-niv2-fsnopt-data-task908-dialogre-identify-familial-relationships	Sapient	100	91	36	5.00	4.63	4.40	8.6	SFT	Use	instruction or output-format mismatch (8%); incorrect answer or reasoning (5%)
80	schneiderkamplab/sapient-synth-flan-niv2-fsnopt-data-task589-amazonfood-summary-text-generation	Sapient	100	92	33	5.00	4.58	4.41	8.3	SFT	Use	instruction or output-format mismatch (18%); truncated or incomplete target (5%)
81	allenai/tulu-3-sft-mixture	English	100	93	45	4.92	4.62	4.31	8.3	SFT	Use	instruction or output-format mismatch (13%); incorrect answer or reasoning (7%)
82	schneiderkamplab/sapient-synth-flan-niv2-fsnopt-data-task906-dialogre-identify-names	Sapient	100	91	19	5.00	4.59	4.56	8.2	SFT	Use	incorrect answer or reasoning (11%); ungrounded or hallucinated content (3%)
83	schneiderkamplab/sapient-synth-flan-niv2-zsnoopt-data-task908-dialogre-identify-familial-relationships	Sapient	72	90	21	5.00	4.67	4.56	8.2	SFT	Use	low-value, ambiguous, or overly narrow signal (8%); incorrect answer or reasoning (7%)
84	dfm-agreement/lexdk	Danish	100	92	30	4.96	4.64	4.41	8.2	SFT	Use	instruction or output-format mismatch (13%); scraping, OCR, or encoding noise (10%)
85	allenai/tulu-3-sft-personas-instruction-following	English	100	91	28	4.98	4.63	4.55	8.1	SFT	Use	instruction or output-format mismatch (15%); incorrect answer or reasoning (3%)
86	schneiderkamplab/sapient-synth-flan-niv2-zsnoopt-data-task906-dialogre-identify-names	Sapient	100	91	20	5.00	4.65	4.53	8.0	SFT	Use	incorrect answer or reasoning (9%); ungrounded or hallucinated content (4%)
87	danish-foundation-models/dfm-dyna-instruct	Danish	100	92	34	4.97	4.65	4.43	8.0	SFT	Use	instruction or output-format mismatch (11%); incorrect answer or reasoning (5%)
88	croco-munin/apertus-8b-da-simpo-full-50k	Danish	100	92	32	4.88	4.64	4.54	8.0	SFT	Use	instruction or output-format mismatch (14%); ungrounded or hallucinated content (9%)
89	schneiderkamplab/sapient-synth-flan-niv2-zsnoopt-data-task907-dialogre-identify-relationships	Sapient	50	92	40	5.00	4.70	4.34	8.0	SFT	Use	incorrect answer or reasoning (10%); low-value, ambiguous, or overly narrow signal (8%)
90	schneiderkamplab/sapient-synth-flan-niv2-fsnopt-data-task634-allegro-reviews-classification	Sapient	100	92	31	5.00	4.68	4.44	7.7	SFT	Use	incorrect answer or reasoning (9%); instruction or output-format mismatch (4%)
91	open-thoughts/OpenThoughts2-1M	English	100	91	19	4.99	4.65	4.63	7.7	SFT	Use	incorrect answer or reasoning (7%); instruction or output-format mismatch (7%)
92	synquid/wiki-instruct-da	Danish	100	93	34	4.65	4.76	4.59	7.5	SFT	Use	grammar or fluency defect (14%); truncated or incomplete target (9%)
93	schneiderkamplab/sapient-synth-flan-flan-fsnopt-data-opinion-abstracts-idebate	Sapient	100	94	44	4.94	4.64	4.35	7.5	SFT	Use	instruction or output-format mismatch (13%); truncated or incomplete target (7%)
94	HuggingFaceH4/no-robots	English	100	95	62	4.85	4.76	4.16	7.4	SFT	Use	instruction or output-format mismatch (8%); repetition or excessive verbosity (6%)
95	allenai/RLVR-GSM	English	100	91	10	4.99	4.67	4.68	7.4	SFT	Use	incorrect answer or reasoning (7%); instruction or output-format mismatch (6%)

Continued on next page

Rank	Source	Category	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
96	schneiderkamplab/sapient-synth-flan-flan-zsnoopt-data-opinion-abstracts-idebate	Sapient	100	96	63	4.98	4.70	4.14	6.8	SFT	Use	ungrounded or hallucinated content (5%); instruction or output-format mismatch (5%)
97	allenai/Dolci-Instruct-SFT	English	100	94	26	4.97	4.67	4.51	6.6	SFT	Use	instruction or output-format mismatch (12%); truncated or incomplete target (6%)
98	schneiderkamplab/sapient-synth-platypus-reclor	Sapient	100	95	63	5.00	4.77	4.22	6.6	SFT	Use	incorrect answer or reasoning (4%); instruction or output-format mismatch (3%)
99	google/multilingual_gsm_symbolic	Math/reason.	100	92	10	4.95	4.76	4.70	6.5	SFT	Use	incorrect answer or reasoning (8%); instruction or output-format mismatch (6%)
100	schneiderkamplab/danish-dynaword-span-filling	Synthetic	100	94	29	4.76	4.76	4.75	6.0	Aux-SFT	Use	instruction or output-format mismatch (9%); grammar or fluency defect (7%)
101	schneiderkamplab/transformations-english-english	Synthetic	100	92	15	5.00	4.72	4.83	6.0	SFT	Use	instruction or output-format mismatch (9%); truncated or incomplete target (3%)
102	schneiderkamplab/common-pile-paragraph-reordering	Synthetic	100	93	10	4.95	4.79	4.72	5.8	Aux-SFT	Use	instruction or output-format mismatch (7%); incorrect answer or reasoning (6%)
103	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task902-deceptive-opinion-spam-classification	Sapient	100	100	95	5.00	5.00	3.51	5.6	SFT	Use	low-value, ambiguous, or overly narrow signal (18%); instruction or output-format mismatch (2%)
104	allenai/verifiable-reasoning-filtered-o4-mini	Math/reason.	100	94	18	5.00	4.71	4.70	5.6	SFT	Use	instruction or output-format mismatch (6%); low-value, ambiguous, or overly narrow signal (2%)
105	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task618-amazonreview-summary-text-generation	Sapient	100	95	23	4.96	4.74	4.61	5.4	SFT	Use	instruction or output-format mismatch (8%); truncated or incomplete target (6%)
106	glaiveai/glaive-function-calling-v2	Agent/tool	100	95	32	5.00	4.78	4.52	5.4	SFT	Use	tool-call or agent-trajectory defect (17%); instruction or output-format mismatch (6%)
107	Team-ACE/ToolACE	Agent/tool	100	94	16	4.97	4.75	4.77	5.2	SFT	Use	tool-call or agent-trajectory defect (8%); instruction or output-format mismatch (6%)
108	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task907-dialogre-identify-relationships	Sapient	100	95	23	5.00	4.84	4.65	4.6	SFT	Use	instruction or output-format mismatch (4%); incorrect answer or reasoning (2%)
109	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task1309-amazonreview-summary-classification	Sapient	100	95	18	5.00	4.82	4.68	4.6	SFT	Use	truncated or incomplete target (8%); low-value, ambiguous, or overly narrow signal (8%)
110	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task902-deceptive-opinion-spam-classification	Sapient	100	98	74	5.00	4.98	4.08	4.5	SFT	Use	instruction or output-format mismatch (5%); repetition or excessive verbosity (3%)
111	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task590-amazonfood-summary-correction-classification	Sapient	100	95	14	5.00	4.82	4.73	4.4	SFT	Use	truncated or incomplete target (4%); incorrect answer or reasoning (3%)
112	schneiderkamplab/common-pile-prefix-continuation	Synthetic	100	97	38	4.62	4.91	4.74	4.3	Midtrain	Use	scraping, OCR, or encoding noise (25%); grammar or fluency defect (13%)
113	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task634-allegro-reviews-classification	Sapient	100	96	18	4.97	4.81	4.66	4.3	SFT	Use	instruction or output-format mismatch (5%); incorrect answer or reasoning (4%)
114	schneiderkamplab/sapient-synth-flan-flan-fsnoopt-data-opinion-abstracts-idebate	Sapient	100	97	25	4.95	4.76	4.65	4.2	SFT	Use	truncated or incomplete target (9%); instruction or output-format mismatch (5%)
115	giannor/gec_dala_tv2r_it	Danish	100	95	7	4.98	4.82	4.81	4.2	SFT	Use	instruction or output-format mismatch (5%); incorrect answer or reasoning (4%)
116	schneiderkamplab/danish-dynaword-prefix-continuation	Synthetic	100	96	18	4.80	4.87	4.81	4.1	Midtrain	Use	truncated or incomplete target (9%); grammar or fluency defect (5%)
117	schneiderkamplab/sapient-synth-flan-flan-fsopt-data-opinion-abstracts-rotten-tomatoes	Sapient	100	96	13	5.00	4.79	4.77	3.9	SFT	Use	instruction or output-format mismatch (6%); ungrounded or hallucinated content (4%)

Continued on next page

Rank	Source	Category	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
118	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task137-6-newscomm-translation	Sapient	100	96	10	4.91	4.88	4.79	3.7	SFT	Use	translation mismatch or failure (6%); instruction or output-format mismatch (5%)
119	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task137-3-newscomm-translation	Sapient	100	97	21	4.97	4.88	4.63	3.6	SFT	Use	translation mismatch or failure (9%); instruction or output-format mismatch (3%)
120	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task137-1-newscomm-translation	Sapient	100	97	23	4.92	4.92	4.63	3.6	SFT	Use	translation mismatch or failure (7%); instruction or output-format mismatch (5%)
121	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task590-amazonfood-summary-correction-classification	Sapient	100	97	28	5.00	4.88	4.63	3.5	SFT	Use	incorrect answer or reasoning (4%); low-value, ambiguous, or overly narrow signal (3%)
122	schneiderkamplab/sapient-synth-tasksource-reclor	Sapient	100	96	21	5.00	4.93	4.75	3.3	SFT	Use	incorrect answer or reasoning (5%); truncated or incomplete target (1%)
123	schneiderkamplab/sapient-synth-flan-flan-fsnoopt-data-opinion-abstracts-rotten-tomatoes	Sapient	100	97	19	5.00	4.84	4.74	3.3	SFT	Use	instruction or output-format mismatch (8%); ungrounded or hallucinated content (3%)
124	allenai/tulu-3-sft-personas-code	English	100	97	17	4.98	4.86	4.76	3.2	SFT	Use	instruction or output-format mismatch (6%); incorrect answer or reasoning (4%)
125	schneiderkamplab/dfm8-synthetic-native-tool-calling	Agent/tool	100	98	19	4.99	4.81	4.69	3.2	SFT	Use	tool-call or agent-trajectory defect (11%); instruction or output-format mismatch (5%)
126	oliverkinch/danish-qa	Danish	100	98	19	4.98	4.84	4.73	2.9	SFT	Use	incorrect answer or reasoning (2%); truncated or incomplete target (2%)
127	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task137-3-newscomm-translation	Sapient	100	97	6	4.95	4.89	4.85	2.8	SFT	Use	translation mismatch or failure (5%); instruction or output-format mismatch (4%)
128	schneiderkamplab/sapient-synth-tasksource-pragmeval-sarcasm	Sapient	100	98	43	5.00	5.00	4.53	2.8	SFT	Use	low-value, ambiguous, or overly narrow signal (2%); incorrect answer or reasoning (2%)
129	schneiderkamplab/dfm8-openhermes-en	English	100	99	37	4.99	4.96	4.55	2.4	SFT	Use	instruction or output-format mismatch (6%); low-value, ambiguous, or overly narrow signal (5%)
130	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task635-allegro-reviews-answer-generation	Sapient	100	97	4	5.00	4.93	4.86	2.4	SFT	Use	instruction or output-format mismatch (3%); truncated or incomplete target (2%)
131	Salesforce/xlam-function-calling-60k	Agent/tool	100	97	3	4.97	4.92	4.91	2.4	SFT	Use	tool-call or agent-trajectory defect (3%); incorrect answer or reasoning (3%)
132	synquid/translation-100k	Translation	100	98	10	4.90	4.91	4.87	2.3	SFT	Use	translation mismatch or failure (10%); instruction or output-format mismatch (4%)
133	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task137-1-newscomm-translation	Sapient	100	98	10	4.95	4.92	4.81	2.3	SFT	Use	truncated or incomplete target (3%); translation mismatch or failure (3%)
134	oliverkinch/multi-wiki-qa-high-quality-subset	Danish	100	98	8	4.96	4.89	4.86	2.2	SFT	Use	truncated or incomplete target (3%); incorrect answer or reasoning (1%)
135	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task137-5-newscomm-translation	Sapient	100	99	25	4.94	4.94	4.70	2.1	SFT	Use	translation mismatch or failure (6%); instruction or output-format mismatch (3%)
136	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task672-amazon-yelp-summarization	Sapient	100	97	5	5.00	4.95	4.91	2.1	SFT	Use	ungrounded or hallucinated content (3%); instruction or output-format mismatch (2%)
137	nvdiia/Nemotron-SFT-Instruction-Following-Chat-v2	English	100	99	21	5.00	4.94	4.66	2.1	SFT	Use	instruction or output-format mismatch (8%); low-value, ambiguous, or overly narrow signal (2%)
138	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task137-7-newscomm-translation	Sapient	100	99	21	4.96	4.93	4.72	2.1	SFT	Use	translation mismatch or failure (7%); repetition or excessive verbosity (3%)
139	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task870-msmarco-answer-generation	Sapient	100	98	11	5.00	4.91	4.84	2.1	SFT	Use	truncated or incomplete target (2%); incorrect answer or reasoning (2%)
140	allenai/verifiable-reasoning-filtered-gpt-41	Math/reason.	100	98	6	4.99	4.88	4.90	2.0	SFT	Use	instruction or output-format mismatch (4%); incorrect answer or reasoning (2%)

Continued on next page

Rank	Source	Category	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
141	schneiderkamplab/danish-dynaword-paragraph-reordering	Synthetic	100	98	12	4.89	4.95	4.93	1.9	Aux-SFT	Use	grammar or fluency defect (5%); scraping, OCR, or encoding noise (4%)
142	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1377-newscomm-translation	Sapient	100	98	7	4.99	4.97	4.91	1.5	SFT	Use	translation mismatch or failure (5%); truncated or incomplete target (2%)
143	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task870-msmarco-answer-generation	Sapient	100	99	15	5.00	4.94	4.82	1.5	SFT	Use	instruction or output-format mismatch (4%); incorrect answer or reasoning (3%)
144	synquid/wildchat-100k-qwen-mesages	Danish	100	99	16	4.98	4.95	4.84	1.4	SFT	Use	instruction or output-format mismatch (5%); ungrounded or hallucinated content (2%)
145	schneiderkamplab/transformatio ns-danish-danish	Synthetic	100	99	8	4.99	4.92	4.88	1.4	SFT	Use	instruction or output-format mismatch (6%); scraping, OCR, or encoding noise (1%)
146	schneiderkamplab/dfm8-synthetic-multiturn-danish-english-chat	Synthetic	100	99	13	5.00	4.95	4.85	1.3	SFT	Use	instruction or output-format mismatch (2%); incorrect answer or reasoning (1%)
147	schneiderkamplab/dfm8-synthetic-danish-summarization-rewrite-controls	Sci./summary	100	100	29	5.00	5.00	4.68	1.2	SFT	Use	instruction or output-format mismatch (6%); low-value, ambiguous, or overly narrow signal (3%)
148	schneiderkamplab/transformatio ns-danish-english	Synthetic	100	99	8	5.00	4.96	4.88	1.2	SFT	Use	translation mismatch or failure (2%); instruction or output-format mismatch (2%)
149	schneiderkamplab/dfm8-synthetic-constrained-format-following	Synthetic	100	99	13	5.00	4.97	4.87	1.1	SFT	Use	ungrounded or hallucinated content (5%); instruction or output-format mismatch (2%)
150	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task903-deceptive-opinion-spam-classification	Sapient	100	100	29	5.00	5.00	4.70	1.1	SFT	Use	low-value, ambiguous, or overly narrow signal (6%)
151	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task909-dialogre-prevalent-speakers	Sapient	100	99	3	5.00	4.92	4.94	1.1	SFT	Use	low-value, ambiguous, or overly narrow signal (2%); instruction or output-format mismatch (2%)
152	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1309-amazonreview-summary-classification	Sapient	100	99	7	5.00	4.96	4.90	1.1	SFT	Use	instruction or output-format mismatch (2%); truncated or incomplete target (2%)
153	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task909-dialogre-prevalent-speakers	Sapient	100	99	5	5.00	4.96	4.92	1.0	SFT	Use	instruction or output-format mismatch (2%); incorrect answer or reasoning (1%)
154	alexandrinst/dane	Danish	100	100	17	5.00	4.94	4.82	1.0	SFT	Use	instruction or output-format mismatch (2%); low-value, ambiguous, or overly narrow signal (2%)
155	schneiderkamplab/dfm8-openhermes-da	Danish	100	100	15	4.98	4.96	4.84	0.9	SFT	Use	instruction or output-format mismatch (2%); translation mismatch or failure (2%)
156	nvidia/Nemotron-SFT-Agent- v2	Agent/tool	100	99	3	5.00	4.95	4.97	0.9	SFT	Use	truncated or incomplete target (2%); tool-call or agent-trajectory defect (1%)
157	allenai/big-reasoning-traces	Math/reason.	100	100	10	4.99	4.94	4.88	0.8	SFT	Use	instruction or output-format mismatch (3%); low-value, ambiguous, or overly narrow signal (1%)
158	synquid/ifbench-train	Danish	100	100	12	4.97	4.98	4.88	0.7	SFT	Use	low-value, ambiguous, or overly narrow signal (3%); instruction or output-format mismatch (2%)
159	schneiderkamplab/common-pile-denoising	Synthetic	100	100	12	4.97	4.98	4.90	0.6	Aux-SFT	Use	truncated or incomplete target (7%); instruction or output-format mismatch (2%)
160	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task903-deceptive-opinion-spam-classification	Sapient	100	100	14	5.00	5.00	4.86	0.5	SFT	Use	instruction or output-format mismatch (1%)
161	common-pile/arxiv_papers_filtered	Sci./summary	100	100	7	4.95	4.97	4.96	0.5	SFT	Use	repetition or excessive verbosity (2%); grammar or fluency defect (2%)
162	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task1375-newscomm-translation	Sapient	100	100	12	4.99	5.00	4.88	0.5	SFT	Use	translation mismatch or failure (7%); low-value, ambiguous, or overly narrow signal (2%)
163	schneiderkamplab/common-pile-span-filling	Synthetic	100	100	9	4.96	4.99	4.96	0.3	Aux-SFT	Use	grammar or fluency defect (4%); truncated or incomplete target (1%)

Continued on next page

Rank	Source	Category	<i>n</i>	Usable%	Issue%	Lang.	Coher.	Value	Sev.	LLM role	Quality	Recurring qualitative findings
164	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task635-allegro-reviews-answer-generation	Sapient	100	100	6	5.00	4.97	4.95	0.3	SFT	Use	instruction or output-format mismatch (2%); repetition or excessive verbosity (1%)
165	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task672-amazon-yelp-summarization	Sapient	100	100	5	5.00	4.99	4.95	0.2	SFT	Use	instruction or output-format mismatch (3%)
166	schneiderkamplab/transformation-english-danish	Synthetic	100	100	2	4.99	4.99	4.98	0.2	SFT	Use	truncated or incomplete target (1%); translation mismatch or failure (1%)
167	synquid/danish-verifiable-reasoning	Math/reason.	100	100	3	5.00	4.97	5.00	0.2	SFT	Use	instruction or output-format mismatch (1%); repetition or excessive verbosity (1%)
168	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task265-paper-reviews-language-identification	Sapient	100	100	2	5.00	5.00	4.96	0.2	SFT	Use	low-value, ambiguous, or overly narrow signal (1%)
169	oliverkinch/autodata-da-sft	Danish	100	100	2	5.00	4.99	4.98	0.1	SFT	Use	ungrounded or hallucinated content (1%)
170	schneiderkamplab/danish-dynaword-denoising	Synthetic	100	100	2	4.98	4.99	5.00	0.1	Aux-SFT	Use	truncated or incomplete target (1%); instruction or output-format mismatch (1%)
171	schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task265-paper-reviews-language-identification	Sapient	100	100	2	5.00	5.00	4.98	0.1	SFT	Use	low-value, ambiguous, or overly narrow signal (2%); instruction or output-format mismatch (1%)
172	synquid/mt-da-deepseek	Danish	100	100	1	5.00	5.00	4.99	0.0	SFT	Use	Scattered judge complaints without a recurring taxonomy category (1% of rows). No issue identified in the sample.
173	allenai/open_math_2_50k_r1-original	Math/reason.	100	100	0	5.00	5.00	5.00	0.0	SFT	Use	No issue identified in the sample.
174	nvidia/Nemotron-Terminal-Corpus	Agent/tool	100	100	0	5.00	5.00	5.00	0.0	SFT	Use	No issue identified in the sample.
175	oliverkinch/danish-summarization	Sci/summary	100	100	0	5.00	5.00	5.00	0.0	SFT	Use	No issue identified in the sample.
176	schneiderkamplab/dfm8-synthetic-code-debugging	Math/reason.	100	100	0	5.00	5.00	5.00	0.0	SFT	Use	No issue identified in the sample.
177	schneiderkamplab/dfm8-synthetic-strict-math-answer-contract	Math/reason.	100	100	0	5.00	5.00	5.00	0.0	SFT	Use	No issue identified in the sample.
178	schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task1370-newscomm-classification	Sapient	20	100	0	5.00	5.00	5.00	0.0	SFT	Use	No issue identified in the sample.

Repair and filtering plan

The following table covers every source whose current quality disposition is Filter or Repair. Row counts are the full eligible source counts observed by the DFM10 sampler, not the 100-row report samples. GPU-hour estimates are deliberately coarse B200-equivalent planning ranges: full A4B re-audit assumes 10,000–40,000 judged rows per GPU-hour and LLM repair/regeneration assumes 2,000–4,000 rows per GPU-hour. Across the 42 affected sources, full-row re-audit of 147,266,048 eligible rows is approximately 3.7k–14.7k GPU-hours. Processing all 35,263,154 rows in the 14 sources marked for LLM repair would add approximately 8.8k–17.6k GPU-hours. “repair CPU” means the proposed converter/filter work is deterministic and does not itself require GPUs; its engineering and human-review time is not included. Estimates exclude server startup, data conversion, human labeling, and repeat audits after additional failures.

Source	Eligible rows	Quality	Recommended repair/filter	Estimated B200 GPU-hours
oliverkinch/machine-translation-da-ar	5,589,698	Repair	Regenerate from the original source with explicit language-direction checks; reject language-ID, semantic-similarity, and round-trip failures.	audit ~140–559; repair ~1.4k–2.8k
oliverkinch/machine-translation-da-uk	3,452,880	Repair	Regenerate from the original source with explicit language-direction checks; reject language-ID, semantic-similarity, and round-trip failures.	audit ~86–345; repair ~863–1.7k
oliverkinch/dst-table-prompts-bt	3,039	Repair	Repair table serialization and backtranslation, remove OCR/metadata fragments, and require that the target is derivable from the serialized table.	audit ~<0.1–0.3; repair ~0.8–1.5

Continued on next page

Source	Eligible rows	Quality	Recommended repair/filter	Estimated B200 GPU-hours
dfm-agreement/dbc	11,886,836	Repair	Make the instruction language follow the target abstract language, or retain only Danish targets; then validate prompt/target language agreement.	audit ~297–1.2k; repair CPU
ccdv/govreport-summarization	4,152	Repair	Rebuild from complete reports that fit context, or derive summaries grounded in retained chunks; drop targets containing unsupported facts.	audit ~0.1–0.4; repair CPU
laion/Scientific-Summaries	2,288,807	Repair	Reject truncated targets and rebuild only examples with complete source/summary boundaries and grounding checks.	audit ~57–229; repair CPU
schneiderkamplab/sapient-synth-flan-dialog-zsopt-data-qrecc-ii	3,090	Repair	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows and regenerate from the intact seed.	audit ~<0.1–0.3; repair ~0.8–1.5
schneiderkamplab/sapient-synth-platypus-scibench	744	Repair	Validate the declared output contract, reject prompt/target mismatches, and re-audit a stratified holdout before restoring sampling weight.	audit ~<0.1–<0.1; repair CPU
nvidia/Nemotron-SFT-SWE-v2	7,968,199	Repair	Use context-aware complete trajectory windows with an answer inside each window; drop orphaned or mid-action targets and validate tool/patch structure.	audit ~199–797; repair CPU
oliverkinch/danish-university-portals-bt	4,505	Repair	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows and regenerate from the intact seed.	audit ~0.1–0.5; repair ~1.1–2.3
GEM/wiki_cat_sum	153,911	Filter	Filter with source-grounding or entailment checks and reject unsupported answers; regenerate only where an authoritative source target is available.	audit ~3.8–15; repair CPU
oliverkinch/danmarks-statistik-bt	7,154	Filter	Filter with source-grounding or entailment checks and reject unsupported answers; regenerate only where an authoritative source target is available.	audit ~0.2–0.7; repair CPU
schneiderkamplab/sapient-synth-flan-dialog-fsopt-data-qrecc-ii	5,679	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows and regenerate from the intact seed.	audit ~0.1–0.6; repair ~1.4–2.8
schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task871-msmarco-question-generation	89	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows and regenerate from the intact seed.	audit ~<0.1–<0.1; repair ~<0.1–<0.1
allenai/code_meta_reasoning	889,847	Filter	Filter with source-grounding or entailment checks and reject unsupported answers; regenerate only where an authoritative source target is available.	audit ~22–89; repair CPU
oliverkinch/da-instruct-dynaword	39,847	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows.	audit ~1.0–4.0; repair CPU
alexandrainst/dacoref	2,686	Filter	Run task-specific answer verification (execution, symbolic checking, labels, or reference matching) and retain only verified prompt/answer pairs.	audit ~<0.1–0.3; repair CPU
oliverkinch/tidsskrift-dk-bt	62,934	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows and regenerate from the intact seed.	audit ~1.6–6.3; repair ~16–31
oliverkinch/eur-lex-bt	2,657	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows and regenerate from the intact seed.	audit ~<0.1–0.3; repair ~0.7–1.3
oliverkinch/doab-da-bt	123	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows and regenerate from the intact seed.	audit ~<0.1–<0.1; repair ~<0.1–<0.1
oliverkinch/dynaword-bt	31,100	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows and regenerate from the intact seed.	audit ~0.8–3.1; repair ~7.8–16
nvidia/OpenMathInstruct-2	25,023,006	Filter	Run task-specific answer verification (execution, symbolic checking, labels, or reference matching) and retain only verified prompt/answer pairs.	audit ~626–2.5k; repair CPU
schneiderkamplab/opus-da-en-permissive	58,521,992	Filter	Apply source/target language identification and semantic-alignment filtering; regenerate only failed pairs if source text and licensing permit.	audit ~1.5k–5.9k; repair CPU
facebook/asset	2,359	Filter	Filter malformed rows with language/fluency checks and rewrite only otherwise valuable examples with a provenance-preserving repair pass.	audit ~<0.1–0.2; repair CPU
schneiderkamplab/sapient-synth-flan-niv2-fsopt-data-task871-msmarco-question-generation	158	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows and regenerate from the intact seed.	audit ~<0.1–<0.1; repair ~<0.1–<0.1
oliverkinch/da-instruct-dynaword-contemporary	8,271	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows.	audit ~0.2–0.8; repair CPU
alexandrainst/nordjylland-news-summarization	75,210	Filter	Filter with source-grounding or entailment checks and reject unsupported answers; regenerate only where an authoritative source target is available.	audit ~1.9–7.5; repair CPU
danish-foundation-models/kaenguru	212	Filter	Run task-specific answer verification (execution, symbolic checking, labels, or reference matching) and retain only verified prompt/answer pairs.	audit ~<0.1–<0.1; repair CPU
allenai/IF_sft_data_verified	31,593	Filter	Run task-specific answer verification (execution, symbolic checking, labels, or reference matching) and retain only verified prompt/answer pairs.	audit ~0.8–3.2; repair CPU
schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task264-paper-reviews-accept-reject	141	Filter	Run task-specific answer verification (execution, symbolic checking, labels, or reference matching) and retain only verified prompt/answer pairs.	audit ~<0.1–<0.1; repair CPU
schneiderkamplab/sapient-synth-flan-dialog-zsopt-data-qrecc	10,663	Filter	Filter with source-grounding or entailment checks and reject unsupported answers; regenerate only where an authoritative source target is available.	audit ~0.3–1.1; repair CPU
alexandrainst/multi-zebra-logic	768	Filter	Filter with source-grounding or entailment checks and reject unsupported answers; regenerate only where an authoritative source target is available.	audit ~<0.1–<0.1; repair CPU
grammarly/coedit	70,783	Filter	Filter malformed rows with language/fluency checks and rewrite only otherwise valuable examples with a provenance-preserving repair pass.	audit ~1.8–7.1; repair CPU
oliverkinch/eur-lex-sum-instruct	24	Filter	Filter with source-grounding or entailment checks and reject unsupported answers; regenerate only where an authoritative source target is available.	audit ~<0.1–<0.1; repair CPU
oliverkinch/machine-translation-da-en	26,095,982	Filter	Regenerate from the original source with explicit language-direction checks; reject language-ID, semantic-similarity, and round-trip failures.	audit ~652–2.6k; repair ~6.5k–13.0k

Continued on next page

Source	Eligible rows	Quality	Recommended repair/filter	Estimated B200 GPU-hours
schneiderkamplab/sapient-synth-flan-flan-fsnoopt-data-aeslc-1.0.0	11,220	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows and regenerate from the intact seed.	audit ~0.3–1.1; repair ~2.8–5.6
oliverkinch/da-instruct-dynaword-contemporary-hq	11,303	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows.	audit ~0.3–1.1; repair CPU
allenai/Dolci-Instruct-SFT-Tool-Use	1,076,189	Filter	Normalize native tool schemas/calls/results, reject unresolved references and invalid JSON, and retain only trajectories passing deterministic execution-shape checks.	audit ~27–108; repair CPU
allenai/tulu-3-sft-personas-algebra	20,000	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows.	audit ~0.5–2.0; repair CPU
MegaScience/TextbookReasoning	1,177,718	Filter	Enforce complete target boundaries and prompt/target length contracts; drop incomplete rows.	audit ~29–118; repair CPU
Muennighoff/natural-instructions	2,729,763	Filter	Run task-specific answer verification (execution, symbolic checking, labels, or reference matching) and retain only verified prompt/answer pairs.	audit ~68–273; repair CPU
schneiderkamplab/sapient-synth-flan-niv2-zsopt-data-task1374-newscomm-translation	716	Filter	Apply source/target language identification and semantic-alignment filtering; regenerate only failed pairs if source text and licensing permit.	audit ~<0.1–<0.1; repair CPU

Interpretation limits

The 100-example cap gives useful source-level triage but wide uncertainty for rare defects and heterogeneous sources. Issue percentages can overlap because a single row may exhibit multiple problems. The training-role and quality assessments are pipeline decision aids, not license, privacy, or safety determinations. Before exclusion or high-repeat sampling, inspect the underlying rows and validate any converter repair on a fresh holdout sample.