Styling HTML Elements

Karen Menezes

FRONT END DEVELOPER

blog.karenmenezes.com

Overview

HTML elements

- Typography

- Images

- Buttons

- Forms

Common HTML Elements

Layout ·····▶ **html, body, header, section, footer**

Typography ·····▶ **heading, p, ul, ol, code, a, em**

Forms ·····▶ **input, textarea, select, button**

Media & Embeds ·····▶ **img, video, iframe**

Tables ·····▶ **tbody, thead, tr, td**

Demo

Text elements: Demo and documentation

Typography: HTML Elements

Headings	Paragraphs
Lists	**Links**

Demo

Images: Demo and documentation

Demo

Buttons: Demo and documentation

Sass mixins

Button Styles

Colors

Types

Sizes

Button

Solid

Default

Hollow

Small

Extra Small

Full width

```scss
// Sass mixins

@mixin name <parameters…> {

  // Add styles

}


@mixin btn ($color-bg) {

  background-color: $color-bg;

}


@mixin btn ($color-bg: orange) {

  background-color: $color-bg;

}
```

◄ Mixin syntax

◄ Button mixin with single parameter for background color

◄ Define default values to make parameters optional

Demo

Forms: Basic styles

Form Styles

Label

Name

1   TREE/S

Upload image

Submit

Labels and Inputs

```
<div class="field">

  <label for="foo" class="label">Label</label>

  <input type="text" class="form-text" id="foo">

</div>
```

Demo

Forms: Input groups

Input Groups

```html
<div class="input-group">

  <input type="text" class="input-group-text" id="foo-group">

  <label for="foo-group" class="input-group-label">Label</label>

</div>
```

Demo

Forms: Custom file upload

Demo

Reset styles

Summary

Styling HTML elements with globals

Sass mixins

Reset classes

Style Guide: Anatomy

States

Globals

Components

HTML Elements