# Guidelines and Global Styles



Karen Menezes
FRONT END DEVELOPER
blog.karenmenezes.com

### Overview



#### Code guidelines and best practices

#### **Global styles**

- Colors
- Spacing
- Media queries and grids
- Alignment
- Icons
- Typography helpers



<|i>



```
class="list-each">
```

```
class="list-each">
```



```
class="list-each">
```





Sass maps

**Colors: Demo and documentation** 



```
// Sass Maps
$map: (
 "key1":value1,
 "key2":value2
$colors: (
 "green": #3ABB8D,
 "blue": #313C5A
@each $name, $value in $colors {
 .#{$name} {
  color: $value;
```

■ Map syntax

**◄** Create map of colors

■ Use @each loop to generate classes named green and blue






**Spacing: Demo and documentation** 



## Spacing Helpers







Media queries: Demo and documentation

**Grid: Demo and documentation** 

Sass: @for rule



## Grid: Anatomy

```
<div class="container">
 <div class="row flex flex-wrap">
  <div class="col col-12 col-6-sm col-3-lg">
  </div>
  <div class="col col-12 col-6-sm col-3-lg">
  </div>
 <div>
</div>
```



```
// Sass @for rule
@for $i from 1 through 2 {
 .box-#{$i} {
  height: (10 * $i) * 1px;
// Compiles to
.box-1 {
 height: 10px;
.box-2 {
 height: 20px;
```

- **◄** Similar to a JavaScript for loop
- @for <\$variable> from <start> through <end> code goes here...

■ Loops through each iteration and stops when it hits <end>



Alignment: Demo and documentation



## Alignment

**Auto margins** 

Inline block alignment

**Absolute positioning** 

Flexbox





**Icons: Demo and documentation** 

**Logo: Demo and documentation** 



## Icons






**Typography: Demo and documentation** 



## Style Guide: Anatomy





## Summary



**Guidelines and best practices** 

Sass maps and loops

Demos and documentation for globals

