




Customizing the fields in User stories Reviewer Agent:

Original flow:




Add the input schema so that the user can pass endpoint url, body, method and headers as part of the api request.







Second_groq_component:



Copying_curl:



Importing_in_postman:



Postman interface showing a REST client request configuration for a POST endpoint. The URL is `http://localhost:7860/api/v1/run/40566024-cb8c-43f9-9c1c-4d6caba251a9`. The request headers are configured with `Content-Type: application/json` and `x-api-key: sk-SwfFv7W7J7aJuiNTLyDguTE7ayVVv5UFCdredzxwvc`. The response status is **403 Forbidden** (14 ms, 171 B). The response body is a JSON object:



```
{
  "detail": "Invalid or missing API key"
}
```

The interface includes a sidebar with collections (API_Assessment, GenAI-May, JIRA, JIRA_Marathon, JiraCollection, Langflow_phase2_May, OAuth generation, OAuth generation Copy, ServiceNow) and environments. The bottom status bar shows the system clock (07:05, 04-06-2026) and weather (30°C Mostly sunny).

Postman interface showing a REST client request configuration for a POST endpoint. The URL is `http://localhost:7860/api/v1/run/40566024-cb8c-43f9-9c1c-4d6caba251a9`. The request headers are configured with `Content-Type: application/json` and `x-api-key: sk-SwfFv7W7J7aJuiNTLyDguTE7ayVVv5UFCdredzxwvc`. The response status is **403 Forbidden** (14 ms, 171 B). The response body is a JSON object:

```
{
  "detail": "Invalid or missing API key"
}
```

The interface includes a sidebar with collections (API_Assessment, GenAI-May, JIRA, JIRA_Marathon, JiraCollection, Langflow_phase2_May, OAuth generation, OAuth generation Copy, ServiceNow) and environments. The bottom status bar shows the system clock (07:05, 04-06-2026) and weather (30°C Mostly sunny).



API_response:

```

{
  "session_id": "40566024-cb8c-43f9-9c1c-4d6caba251a9",
  "outputs": [
    {
      "inputs": {
        "input_value": "hello world!"
      },

```

```

"outputs": [
  {
    "results": {
      "text": {
        "text_key": "text",
        "data": {
          "text": "***User Story Review and
Analysis**\n\n**Input User Story:**\n\n```\n\n  \"userStory\":
{\n    \"title\": \"Digital Prescription Approval\", \n    \"description\": \"As a
doctor, I want to review and approve patient prescriptions digitally before they
reach the pharmacy, ensuring safety and compliance.\", \n    \"acceptanceCriteria\":
[\n      \"The system should allow doctors to review prescriptions
digitally.\", \n      \"The system should ensure compliance with HIPAA
regulations.\", \n      \"The system should notify doctors of any prescription
errors.\", \n    ]\n  }\n\n```\n\n**Parameter Scores (out of 20)**\n\n| Parameter |
Description | Score (out of 20) |\n| --- | --- | --- |\n| Clarity | The story is
straightforward but lacks detailed acceptance criteria. | 16 |\n| Completeness |
Preconditions not clearly mentioned. | 14 |\n| Business Value Alignment | Strong
healthcare relevance and compliance focus. | 19 |\n| Testability | Can be tested
through prescription workflow automation. | 17 |\n| Technical Feasibility |
Technically feasible with EHR integration. | 18 |\n\n**Overall Quality Score (out
of 100):** 84 / 100\n\n**Improvement Areas:**\n\n1. **Add explicit acceptance
criteria for prescription error handling**: Specify the exact steps for handling
prescription errors, such as notification to doctors, patient notification, and
error logging.\n2. **Specify validation rules for dosage and duplicate drugs**:
Define the rules for validating prescription dosages and preventing duplicate
drugs.\n3. **Include system actor details for approval workflow**: Identify the
roles and responsibilities of system actors involved in the approval workflow, such
as doctors, pharmacists, and administrators.\n\n**Recommendations:**\n\n* Review
the acceptance criteria to ensure they are comprehensive and unambiguous.\n*
Consider adding preconditions to the story, such as \"The doctor has access to the
patient's medical history\" or \"The prescription is within the doctor's scope of
practice\".\n* Ensure that the story aligns with relevant healthcare standards and
regulations, such as HIPAA and PoPIA.\n* Consider adding test cases to ensure that
the system can handle edge cases, such as duplicate prescriptions or invalid
dosages.\n\n**Conclusion:**\n\nThe user story is well-structured and clearly
communicates the business value and compliance focus. However, there are areas for
improvement to ensure completeness, testability, and technical feasibility. By
addressing these areas, the story can be further refined to ensure that it meets
the needs of the cross-functional team and aligns with digital health
standards.\n\n**HTML Output:**\n\n<div style=\"font-family: Arial; font-size:
14px;\">\n  <h2>User Story Review and Analysis</h2>\n  <h3>Input User
Story:</h3>\n  <pre>\n{\n  \"userStory\": {\n    \"title\": \"Digital Prescription
Approval\", \n    \"description\": \"As a doctor, I want to review and approve
patient prescriptions digitally before they reach the pharmacy, ensuring safety and
compliance.\", \n    \"acceptanceCriteria\": [\n      \"The system should allow
doctors to review prescriptions digitally.\", \n      \"The system should ensure
compliance with HIPAA regulations.\", \n      \"The system should notify doctors of
any prescription errors.\", \n    ]\n  }\n}\n  </pre>\n  <h3>Parameter Scores (out of
20)</h3>\n  <table border=\"1\" cellpadding=\"5\"
cellspacing=\"0\">\n    <tr>\n      <th>Parameter</th>\n      <th>Description</th>\n

```

```

n      <th>Score (out of
20)</th>\n      </tr>\n      <tr>\n          <td>Clarity</td>\n          <td>The story is
straightforward but lacks detailed acceptance
criteria.</td>\n          <td>16</td>\n      </tr>\n      <tr>\n          <td>Completeness</td>
\n          <td>Preconditions not clearly
mentioned.</td>\n          <td>14</td>\n      </tr>\n      <tr>\n          <td>Business Value
Alignment</td>\n          <td>Strong healthcare relevance and compliance
focus.</td>\n          <td>19</td>\n      </tr>\n      <tr>\n          <td>Testability</td>\n          <td>Can be tested through prescription workflow
automation.</td>\n          <td>17</td>\n      </tr>\n      <tr>\n          <td>Technical
Feasibility</td>\n          <td>Technically feasible with EHR
integration.</td>\n          <td>18</td>\n      </tr>\n  </table>\n  <h3>Overall Quality
Score (out of 100):</h3>\n  <p>84 / 100</p>\n  <h3>Improvement
Areas:</h3>\n  <ol>\n      <li>Add explicit acceptance criteria for prescription
error handling.</li>\n      <li>Specify validation rules for dosage and duplicate
drugs.</li>\n      <li>Include system actor details for approval
workflow.</li>\n  </ol>\n</div>",

    "files": [],
    "sender": null,
    "sender_name": null,
    "session_id": "",
    "context_id": "",
    "timestamp": "2026-06-04 07:39:09 UTC",
    "flow_id": "40566024-cb8c-43f9-9c1c-4d6caba251a9",
    "error": false,
    "edit": false,
    "properties": {
        "text_color": null,
        "background_color": null,
        "edited": false,
        "source": {
            "id": null,
            "display_name": null,
            "source": null
        },
        "icon": null,
        "allow_markdown": false,
        "positive_feedback": null,
        "state": "complete",
        "targets": [],
        "usage": null,
        "build_duration": null
    },
    "category": "message",
    "content_blocks": [],
    "duration": null,
    "session_metadata": null
},
"default_value": "",
"text": "***User Story Review and Analysis**\n\n**Input
User Story:**\n\n```\njson\n{\n  \"userStory\": {\n    \"title\": \"Digital

```

Prescription Approval\", \n \"description\": \"As a doctor, I want to review and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety and compliance.\", \n \"acceptanceCriteria\": [\n \"The system should allow doctors to review prescriptions digitally.\", \n \"The system should ensure compliance with HIPAA regulations.\", \n \"The system should notify doctors of any prescription errors.\" \n] \n } \n } \n \\n`\\n\\n**Parameter Scores (out of 20)** \n \n | Parameter | Description | Score (out of 20) | \n | --- | --- | --- | \n | \n | Clarity | The story is straightforward but lacks detailed acceptance criteria. | 16 | \n | Completeness | Preconditions not clearly mentioned. | 14 | \n | Business Value Alignment | Strong healthcare relevance and compliance focus. | 19 | \n | Testability | Can be tested through prescription workflow automation. | 17 | \n | Technical Feasibility | Technically feasible with EHR integration. | 18 | \n \n **Overall Quality Score (out of 100):** 84 / 100 \n \n **Improvement Areas:** \n \n 1. **Add explicit acceptance criteria for prescription error handling:** Specify the exact steps for handling prescription errors, such as notification to doctors, patient notification, and error logging. \n 2. **Specify validation rules for dosage and duplicate drugs:** Define the rules for validating prescription dosages and preventing duplicate drugs. \n 3. **Include system actor details for approval workflow:** Identify the roles and responsibilities of system actors involved in the approval workflow, such as doctors, pharmacists, and administrators. \n \n **Recommendations:** \n \n * Review the acceptance criteria to ensure they are comprehensive and unambiguous. \n * Consider adding preconditions to the story, such as \"The doctor has access to the patient's medical history\" or \"The prescription is within the doctor's scope of practice\". \n * Ensure that the story aligns with relevant healthcare standards and regulations, such as HIPAA and PoPIA. \n * Consider adding test cases to ensure that the system can handle edge cases, such as duplicate prescriptions or invalid dosages. \n \n **Conclusion:** \n \n The user story is well-structured and clearly communicates the business value and compliance focus. However, there are areas for improvement to ensure completeness, testability, and technical feasibility. By addressing these areas, the story can be further refined to ensure that it meets the needs of the cross-functional team and aligns with digital health standards. \n \n **HTML Output:** \n \n <div style=\"font-family: Arial; font-size: 14px;\"> \n <h2>User Story Review and Analysis</h2> \n <h3>Input User Story:</h3> \n <pre> \n { \n \"userStory\": { \n \"title\": \"Digital Prescription Approval\", \n \"description\": \"As a doctor, I want to review and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety and compliance.\", \n \"acceptanceCriteria\": [\n \"The system should allow doctors to review prescriptions digitally.\", \n \"The system should ensure compliance with HIPAA regulations.\", \n \"The system should notify doctors of any prescription errors.\" \n] \n } \n } \n </pre> \n <h3>Parameter Scores (out of 20)</h3> \n <table border=\"1\" cellpadding=\"5\" cellspacing=\"0\"> \n <tr> \n <th>Parameter</th> \n <th>Description</th> \n <th>Score (out of 20)</th> \n </tr> \n <tr> \n <td>Clarity</td> \n <td>The story is straightforward but lacks detailed acceptance criteria.</td> \n <td>16</td> \n </tr> \n <tr> \n <td>Completeness</td> \n <td>Preconditions not clearly mentioned.</td> \n <td>14</td> \n </tr> \n <tr> \n <td>Business Value Alignment</td> \n <td>Strong healthcare relevance and compliance focus.</td> \n <td>19</td> \n </tr> \n <tr> \n <td>Testability</td> \n

Can be tested through prescription workflow automation.	17	Technical Feasibility
integration.	18	Technically feasible with EHR integration.

Overall Quality Score (out of 100):

84 / 100

Improvement Areas:

- Add explicit acceptance criteria for prescription error handling.
- Specify validation rules for dosage and duplicate drugs.
- Include system actor details for approval workflow.

```

"sender": null,
"sender_name": null,
"files": [],
"session_id": "",
"context_id": "",
"timestamp": "2026-06-04T07:39:09+00:00",
"flow_id": "40566024-cb8c-43f9-9c1c-4d6caba251a9",
"error": false,
"edit": false,
"properties": {
  "text_color": null,
  "background_color": null,
  "edited": false,
  "source": {
    "id": null,
    "display_name": null,
    "source": null
  },
  "icon": null,
  "allow_markdown": false,
  "positive_feedback": null,
  "state": "complete",
  "targets": [],
  "usage": null,
  "build_duration": null
},
"category": "message",
"content_blocks": [],
"duration": null,
"session_metadata": null
},
"artifacts": {
  "text": {
    "repr": "***User Story Review and Analysis**\n\n**Input User Story:**\n\n```\njson\n{\n  \"userStory\": {\n    \"title\": \"Digital Prescription Approval\", \n    \"description\": \"As a doctor, I want to review and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety and compliance.\", \n    \"acceptanceCriteria\": [\n      \"The system should allow doctors to review prescriptions digitally.\", \n      \"The system should ensure compliance with HIPAA regulations.\", \n      \"The system should notify doctors of any prescription errors.\"\n    ]\n  }\n}\n\n**Parameter Scores

```

(out of 20)**\n\n| Parameter | Description | Score (out of 20) | \n | --- | --- | ---
| \n | Clarity | The story is straightforward but lacks detailed acceptance criteria.
| 16 | \n | Completeness | Preconditions not clearly mentioned. | 14 | \n | Business
Value Alignment | Strong healthcare relevance and compliance focus. | 19 | \n |
Testability | Can be tested through prescription workflow automation. | 17 | \n |
Technical Feasibility | Technically feasible with EHR integration. | 18
| \n\n**Overall Quality Score (out of 100):** 84 / 100\n\n**Improvement
Areas:**\n\n1. **Add explicit acceptance criteria for prescription error
handling**: Specify the exact steps for handling prescription errors, such as
notification to doctors, patient notification, and error logging.\n2. **Specify
validation rules for dosage and duplicate drugs**: Define the rules for validating
prescription dosages and preventing duplicate drugs.\n3. **Include system actor
details for approval workflow**: Identify the roles and responsibilities of system
actors involved in the approval workflow, such as doctors, pharmacists, and
administrators.\n\n**Recommendations:**\n\n* Review the acceptance criteria to
ensure they are comprehensive and unambiguous.\n* Consider adding preconditions to
the story, such as \"The doctor has access to the patient's medical history\" or
\"The prescription is within the doctor's scope of practice\".\n* Ensure that the
story aligns with relevant healthcare standards and regulations, such as HIPAA and
PoPIA.\n* Consider adding test cases to ensure that the system can handle edge
cases, such as duplicate prescriptions or invalid
dosages.\n\n**Conclusion:**\n\nThe user story is well-structured and clearly
communicates the business value and compliance focus. However, there are areas for
improvement to ensure completeness, testability, and technical feasibility. By
addressing these areas, the story can be further refined to ensure that it meets
the needs of the cross-functional team and aligns with digital health
standards.\n\n**HTML Output:**\n\n<div style=\"font-family: Arial; font-size:
14px;\">\n <h2>User Story Review and Analysis</h2>\n <h3>Input User
Story:</h3>\n <pre>\n{\n \"userStory\": {\n \"title\": \"Digital Prescription
Approval\", \n \"description\": \"As a doctor, I want to review and approve
patient prescriptions digitally before they reach the pharmacy, ensuring safety and
compliance.\", \n \"acceptanceCriteria\": [\n \"The system should allow
doctors to review prescriptions digitally.\", \n \"The system should ensure
compliance with HIPAA regulations.\", \n \"The system should notify doctors of
any prescription errors.\"\n]\n }\n}</pre>\n <h3>Parameter Scores (out of
20)</h3>\n <table border=\"1\" cellpadding=\"5\"
cellspacing=\"0\">\n <tr>\n <th>Parameter</th>\n <th>Description</th>\n <th>Score (out of
20)</th>\n </tr>\n <tr>\n <td>Clarity</td>\n <td>The story is
straightforward but lacks detailed acceptance
criteria.</td>\n <td>16</td>\n </tr>\n <tr>\n <td>Completeness</td>\n <td>Preconditions not clearly
mentioned.</td>\n <td>14</td>\n </tr>\n <tr>\n <td>Business Value
Alignment</td>\n <td>Strong healthcare relevance and compliance
focus.</td>\n <td>19</td>\n </tr>\n <tr>\n <td>Testability</td>\n <td>Can be tested through prescription workflow
automation.</td>\n <td>17</td>\n </tr>\n <tr>\n <td>Technical
Feasibility</td>\n <td>Technically feasible with EHR
integration.</td>\n <td>18</td>\n </tr>\n </table>\n <h3>Overall Quality
Score (out of 100):</h3>\n <p>84 / 100</p>\n <h3>Improvement
Areas:</h3>\n \n Add explicit acceptance criteria for prescription

error handling.\n Specify validation rules for dosage and duplicate drugs.\n Include system actor details for approval workflow.\n \n</div>",

"raw": "***User Story Review and Analysis**\n\n**Input User Story:**\n\n```\njson\n{\n \"userStory\": {\n \"title\": \"Digital Prescription Approval\",\n \"description\": \"As a doctor, I want to review and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety and compliance.\",\n \"acceptanceCriteria\": [\n \"The system should allow doctors to review prescriptions digitally.\",\n \"The system should ensure compliance with HIPAA regulations.\",\n \"The system should notify doctors of any prescription errors.\"\n]\n }\n}\n```\n\n**Parameter Scores (out of 20)**\n\n| Parameter | Description | Score (out of 20) | --- | --- | --- |\n| Clarity | The story is straightforward but lacks detailed acceptance criteria. | 16 |\n| Completeness | Preconditions not clearly mentioned. | 14 |\n| Business Value Alignment | Strong healthcare relevance and compliance focus. | 19 |\n| Testability | Can be tested through prescription workflow automation. | 17 |\n| Technical Feasibility | Technically feasible with EHR integration. | 18 |\n\n**Overall Quality Score (out of 100):** 84 / 100\n\n**Improvement Areas:**\n\n1. **Add explicit acceptance criteria for prescription error handling:** Specify the exact steps for handling prescription errors, such as notification to doctors, patient notification, and error logging.\n2. **Specify validation rules for dosage and duplicate drugs:** Define the rules for validating prescription dosages and preventing duplicate drugs.\n3. **Include system actor details for approval workflow:** Identify the roles and responsibilities of system actors involved in the approval workflow, such as doctors, pharmacists, and administrators.\n\n**Recommendations:**\n\n* Review the acceptance criteria to ensure they are comprehensive and unambiguous.\n* Consider adding preconditions to the story, such as \"The doctor has access to the patient's medical history\" or \"The prescription is within the doctor's scope of practice\".\n* Ensure that the story aligns with relevant healthcare standards and regulations, such as HIPAA and PoPIA.\n* Consider adding test cases to ensure that the system can handle edge cases, such as duplicate prescriptions or invalid dosages.\n\n**Conclusion:**\n\nThe user story is well-structured and clearly communicates the business value and compliance focus. However, there are areas for improvement to ensure completeness, testability, and technical feasibility. By addressing these areas, the story can be further refined to ensure that it meets the needs of the cross-functional team and aligns with digital health standards.\n\n**HTML Output:**\n\n<div style=\"font-family: Arial; font-size: 14px;\"\n <h2>User Story Review and Analysis</h2>\n <h3>Input User Story:</h3>\n <pre>\n{\n \"userStory\": {\n \"title\": \"Digital Prescription Approval\",\n \"description\": \"As a doctor, I want to review and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety and compliance.\",\n \"acceptanceCriteria\": [\n \"The system should allow doctors to review prescriptions digitally.\",\n \"The system should ensure compliance with HIPAA regulations.\",\n \"The system should notify doctors of any prescription errors.\"\n]\n }\n}\n </pre>\n <h3>Parameter Scores (out of 20)</h3>\n <table border=\"1\" cellpadding=\"5\" cellspacing=\"0\">\n <tr>\n <th>Parameter</th>\n <th>Description</th>\n <th>Score (out of 20)</th>\n </tr>\n <tr>\n <td>Clarity</td>\n <td>The story is straightforward but lacks detailed acceptance

```

criteria.</td>\n      <td>16</td>\n    </tr>\n    <tr>\n      <td>Completeness</td>\n      <td>Preconditions not clearly\nmentioned.</td>\n      <td>14</td>\n    </tr>\n    <tr>\n      <td>Business Value\nAlignment</td>\n      <td>Strong healthcare relevance and compliance\nfocus.</td>\n      <td>19</td>\n    </tr>\n    <tr>\n      <td>Testability</td>\n      <td>Can be tested through prescription workflow\nautomation.</td>\n      <td>17</td>\n    </tr>\n    <tr>\n      <td>Technical\nFeasibility</td>\n      <td>Technically feasible with EHR\nintegration.</td>\n      <td>18</td>\n    </tr>\n  </table>\n  <h3>Overall Quality\nScore (out of 100):</h3>\n  <p>84 / 100</p>\n  <h3>Improvement\nAreas:</h3>\n  <ol>\n    <li>Add explicit acceptance criteria for prescription\nerror handling.</li>\n    <li>Specify validation rules for dosage and duplicate\ndrugs.</li>\n    <li>Include system actor details for approval\nworkflow.</li>\n  </ol>\n</div>",
    "type": "text"
  }
},
"outputs": {
  "text": {
    "message": "***User Story Review and\nAnalysis**\n\n**Input User Story:**\n\n```\njson\n{\n  \"userStory\": {\n    \"title\": \"Digital Prescription Approval\", \n    \"description\": \"As a\ndoctor, I want to review and approve patient prescriptions\ndigitally before they reach the pharmacy, ensuring safety\nand compliance.\", \n    \"acceptanceCriteria\": [\n      \"The system should allow doctors to review\nprescriptions digitally.\", \n      \"The system should ensure compliance with HIPAA\nregulations.\", \n      \"The system should notify doctors of any\nprescription errors.\"\n    ]\n  }\n}\n```\n\n**Parameter Scores (out of 20)**\n\n| Parameter | Description | Score (out of 20) |\n| --- | --- | --- |\n| Clarity | The story is straightforward but lacks detailed\nacceptance criteria. | 16 |\n| Completeness | Preconditions not clearly mentioned. | 14 |\n| Business Value Alignment | Strong healthcare\nrelevance and compliance focus. | 19 |\n| Testability | Can be tested through prescription\nworkflow automation. | 17 |\n| Technical Feasibility | Technically feasible with\nEHR integration. | 18 |\n\n**Overall Quality Score (out of 100):** 84 / 100\n\n**Improvement Areas:**\n\n1. **Add explicit acceptance criteria for\nprescription error handling:** Specify the exact steps\nfor handling prescription errors, such as notification\nto doctors, patient notification, and error logging.\n2. **Specify validation rules for dosage and\nduplicate drugs:** Define the rules for validating\nprescription dosages and preventing duplicate drugs.\n3. **Include system actor details for approval\nworkflow:** Identify the roles and responsibilities of\nsystem actors involved in the approval workflow, such\nas doctors, pharmacists, and administrators.\n\n**Recommendations:**\n\n* Review the acceptance criteria to ensure they are\ncomprehensive and unambiguous.\n* Consider adding preconditions to the story, such as\n\"The doctor has access to the patient's medical history\"\nor \"The prescription is within the doctor's scope of\npractice\".\n* Ensure that the story aligns with relevant\nhealthcare standards and regulations, such as HIPAA\nand PoPIA.\n* Consider adding test cases to ensure that the\nsystem can handle edge cases, such as duplicate\nprescriptions or invalid dosages.\n\n**Conclusion:**\n\nThe user story is well-structured and clearly\ncommunicates the business value and compliance focus.\nHowever, there are areas for improvement to ensure\ncompleteness, testability, and technical feasibility. By

```

addressing these areas, the story can be further refined to ensure that it meets the needs of the cross-functional team and aligns with digital health standards.

HTML Output:

User Story Review and Analysis

Input User Story:

```
{
  "userStory": {
    "title": "Digital Prescription Approval",
    "description": "As a doctor, I want to review and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety and compliance.",
    "acceptanceCriteria": [
      "The system should allow doctors to review prescriptions digitally.",
      "The system should ensure compliance with HIPAA regulations.",
      "The system should notify doctors of any prescription errors."
    ]
  }
}
```

Parameter Scores (out of 20)

Parameter	Description	Score (out of 20)
Clarity	The story is straightforward but lacks detailed acceptance criteria.	16
Completeness	Preconditions not clearly mentioned.	14
Business Value Alignment	Strong healthcare relevance and compliance focus.	19
Testability	Can be tested through prescription workflow automation.	17
Technical Feasibility	Technically feasible with EHR integration.	18

Overall Quality Score (out of 100):

84 / 100

Improvement Areas:

- Add explicit acceptance criteria for prescription error handling.
- Specify validation rules for dosage and duplicate drugs.
- Include system actor details for approval workflow.

"type": "text"

}

},

"logs": {

"text": []

},

"messages": [

{

"message": "***User Story Review and

Analysis**\n\n**Input User Story:**\n\n```\njson\n{\n \"userStory\":

{\n \"title\": \"Digital Prescription Approval\",\n \"description\": \"As a doctor, I want to review and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety and

compliance.\",\n \"acceptanceCriteria\": [\n \"The system should allow doctors to review prescriptions digitally.\",\n \"The system should ensure compliance with HIPAA regulations.\",\n \"The system should notify doctors of any prescription errors.\"\n]\n}

```\n\n\*\*Parameter Scores (out of 20)\*\*\n\n| Parameter | Description | Score (out of 20) | --- | --- | -

-- |\n\n| Clarity | The story is straightforward but lacks detailed acceptance criteria. | 16 |\n\n| Completeness | Preconditions not clearly mentioned. | 14

|\n\n| Business Value Alignment | Strong healthcare relevance and compliance focus.

| 19 | \n\n| Testability | Can be tested through prescription workflow automation. |

17 | \n\n| Technical Feasibility | Technically feasible with EHR integration. | 18

| \n\n**Overall Quality Score (out of 100):** 84 / 100 \n\n**Improvement Areas:**

1. **Add explicit acceptance criteria for prescription error handling:** Specify the exact steps for handling prescription errors, such as notification to doctors, patient notification, and error logging.

2. **Specify validation rules for dosage and duplicate drugs:** Define the rules for validating prescription dosages and preventing duplicate drugs.

3. **Include system actor details for approval workflow:** Identify the roles and responsibilities of system actors involved in the approval workflow, such as doctors, pharmacists, and administrators.

**Recommendations:**

Review the acceptance criteria to ensure they are comprehensive and unambiguous.

Consider adding preconditions to the story, such as "The doctor has access to the patient's medical history" or "The prescription is within the doctor's scope of practice".

Ensure that the story aligns with relevant healthcare standards and regulations, such as HIPAA and PoPIA.

Consider adding test cases to ensure that the system can handle edge cases, such as duplicate prescriptions or invalid dosages.

**Conclusion:** The user story is well-structured and clearly communicates the business value and compliance focus. However, there are areas for improvement to ensure completeness, testability, and technical feasibility. By addressing these areas, the story can be further refined to ensure that it meets the needs of the cross-functional team and aligns with digital health standards.

**HTML Output:**

## User Story Review and Analysis

### Input User Story:

```
\n\n{\n\n \"userStory\": {\n\n \"title\": \"Digital Prescription Approval\",\n\n \"description\": \"As a doctor, I want to review and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety and compliance.\",\n\n \"acceptanceCriteria\": [\n\n \"The system should allow doctors to review prescriptions digitally.\",\n\n \"The system should ensure compliance with HIPAA regulations.\",\n\n \"The system should notify doctors of any prescription errors.\"\n\n]\n\n }\n\n}
```

### Parameter Scores (out of 20)

| Parameter                | Description                                                          | Score (out of 20) |
|--------------------------|----------------------------------------------------------------------|-------------------|
| Clarity                  | The story is straightforward but lacks detailed acceptance criteria. | 16                |
| Completeness             | Preconditions not clearly mentioned.                                 | 14                |
| Business Value Alignment | Strong healthcare relevance and compliance focus.                    | 19                |
| Testability              | Can be tested through prescription workflow automation.              | 17                |
| Technical Feasibility    | Technically feasible with EHR integration.                           | 18                |

### Overall Quality Score (out of 100):

84 / 100

### Improvement Areas:

- Add explicit acceptance criteria for prescription error handling.
- Specify validation rules for dosage and duplicate drugs.
- Include system actor details for approval workflow.

```

 "sender": "Machine",
 "sender_name": "AI",
 "session_id": "",
 "stream_url": null,
 "component_id": "TextOutput-YYzjP",
 "files": [],
 "type": "text"
 },
],
 "timedelta": null,
 "duration": null,
 "component_display_name": "Text Output",
 "component_id": "TextOutput-YYzjP",
 "used_frozen_result": false,
 "token_usage": null
}
]
}
]
}

```

Beautified\_response:

```

{
 "userStory": {
 "title": "Digital Prescription Approval",
 "description": "As a doctor, I want to review and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety and compliance.",
 "acceptanceCriteria": [
 "The system should allow doctors to review prescriptions digitally.",
 "The system should ensure compliance with HIPAA regulations.",
 "The system should notify doctors of any prescription errors."
]
 }
}

```

# User Story Review and Analysis

## Input User Story

```

{

```

```
"userStory": {
 "title": "Digital Prescription Approval",
 "description": "As a doctor, I want to review and approve patient
prescriptions digitally before they reach the pharmacy, ensuring safety and
compliance.",
 "acceptanceCriteria": [
 "The system should allow doctors to review prescriptions digitally.",
 "The system should ensure compliance with HIPAA regulations.",
 "The system should notify doctors of any prescription errors."
]
}
```

---

## Parameter Scores (out of 20)

| Parameter                | Description                                                          | Score |
|--------------------------|----------------------------------------------------------------------|-------|
| Clarity                  | The story is straightforward but lacks detailed acceptance criteria. | 16/20 |
| Completeness             | Preconditions are not clearly mentioned.                             | 14/20 |
| Business Value Alignment | Strong healthcare relevance and compliance focus.                    | 19/20 |
| Testability              | Can be tested through prescription workflow automation.              | 17/20 |
| Technical Feasibility    | Technically feasible with EHR integration.                           | 18/20 |

---

## Overall Quality Score

84 / 100

---

## Improvement Areas

### 1. Add Explicit Acceptance Criteria for Prescription Error Handling

Specify the exact process for handling prescription errors, including:

- Doctor notification
- Patient notification (if applicable)
- Error logging and audit trail
- Resolution workflow

### 2. Specify Validation Rules for Dosage and Duplicate Drugs

Clearly define:

- Maximum and minimum dosage limits
- Duplicate medication detection

- Drug interaction checks
- Allergy validation rules

### 3. Include System Actor Details for the Approval Workflow

Define the responsibilities of each actor involved:

- Doctor
  - Pharmacist
  - Administrator
  - System (automated validations)
- 

## Recommendations

- Review and refine the acceptance criteria to make them comprehensive and unambiguous.
  - Include preconditions such as:
    - The doctor has access to the patient's medical history.
    - The prescription falls within the doctor's authorized scope of practice.
  - Ensure alignment with healthcare regulations like **HIPAA** and **PoPIA**.
  - Add test scenarios for edge cases, including:
    - Duplicate prescriptions
    - Invalid dosages
    - Missing patient information
    - Drug interaction conflicts
- 

## Conclusion

The user story is well-structured and effectively communicates its business objective and compliance requirements. However, additional detail around acceptance criteria, validation rules, and workflow responsibilities would improve its completeness, testability, and implementation readiness.

By incorporating these enhancements, the story will better support cross-functional collaboration and align more closely with digital healthcare standards.