



AI Browser extension tool - implement the playwright/typescript by vibe coding:

Open the ai-extension project in VS code and ask the copilot agent to read and understand the entire project to implement the playwright and typescript change instead of Java and selenium.





FileEditSelectionViewGoRunTerminalHelp

ai-extension

Update

EXPLORER

AI-EXTENSION

assets\images

hush.png

logo-small.png

qeagle-small.png

lib

src

config

appConfig.js

configUtils.js

content

scripts

styles

bg.js

manifest.json

panel.html

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

PS E:\AI\week3\day1\ai-extension\assets>

CHAT

CHANGE TO ASK MODE

Step 1: Checkbox Selection

The getPromptKeys() method reads

- Feature File only → CUCUMBER_ONLY

- Page Class only → SELENIUM_JAVA_PAGE_ONLY

- Both → CUCUMBER_WITH_SELENIUM_JAVA_PAGE_ONLY

Step 2: Prompt Template Selection (prompts.js)

The prompt system uses three main templates:

Mode	Template	Output
SELENIUM_JAVA_PAGE_ONLY	Page Object pattern	Single .java class with WebDriver locators and methods
CUCUMBER_ONLY	BDD Gherkin scenarios	.feature file with Scenario Outline + Examples
CUCUMBER_WITH_SELENIUM_JAVA_STEPS	Hybrid approach	.feature file + Java step definition class with Selenium code

Ask a question about your code or project

+ Claude Haiku 4.5

FileEditSelectionViewGoRunTerminalHelp

ai-extension

Update

EXPLORER

AI-EXTENSION

assets\images

hush.png

logo-small.png

qeagle-small.png

lib

src

config

appConfig.js

configUtils.js

content

scripts

styles

bg.js

manifest.json

panel.html

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

PS E:\AI\week3\day1\ai-extension\assets>

CHAT

CHANGE TO ASK MODE

The prompt system uses three main templates:



Mode	Template	Output
SELENIUM_JAVA_PAGE_ONLY	Page Object pattern	Single .java class with WebDriver locators and methods
CUCUMBER_ONLY	BDD Gherkin scenarios	.feature file with Scenario Outline + Examples
CUCUMBER_WITH_SELENIUM_JAVA_STEPS	Hybrid approach	.feature file + Java step definition class with Selenium code



Each template injects the DOM content and page URL as template variables:

```
const builtPrompt = getPrompt({
  domContent: finalSnippet,
  pageUrl: pageUrl,
  userAction: ""
});
```

Ask a question about your code or project

+ Claude Haiku 4.5







VS Code interface showing the Explorer view on the left with the file tree for 'ai-extension'. The file tree includes folders like 'assets', 'lib', 'src', 'content', and 'scripts', and files like 'hush.png', 'logo-small.png', 'qeagle-small.png', 'appConfig.js', 'configUtils.js', 'bg.js', 'manifest.json', and 'panel.html'. The main editor area is empty, showing a large 'X' watermark. The terminal at the bottom displays the command 'PS E:\AI\week3\day1\ai-extension\assets>'.

On the right, the Chat view is open, showing a message from Claude Haiku 4.5: 'I want to implement Playwright with typescript changes instead of Java and selenium-please tell me the impacted files'. A red arrow points to this message.

VS Code interface showing the Chat view on the right, which now displays a response from Claude Haiku 4.5: 'Considered files impacted by Playwright and TypeScript implementation. Based on the architecture, here are the impacted files for implementing Playwright with TypeScript: Core Files to Modify 1. panel.html - UI Checkboxes & Dropdowns...'. The main editor area remains empty with the 'X' watermark. The terminal at the bottom shows the same command as the previous screenshot.



VS Code interface showing the Explorer, Search, and Run and Debug views. The Explorer view displays the file structure of the 'ai-extension' project, including assets, lib, src, content, scripts, styles, bg.js, manifest.json, and panel.html. The Search view shows results for 'ai-extension'. The Run and Debug view shows the terminal output: 'PS E:\AI\week3\day1\ai-extension\assets>'. The Chat view displays a list of changes and a summary of changes, including updates to panel.html, prompts.js, chat.js, and popup.js. The Chat view also includes a section for asking questions about the code or project.

File Edit Selection View Go Run Terminal Help

ai-extension

Update

EXPLORER

- AI-EXTENSION
 - assets \ images
 - hush.png U
 - logo-small.png U
 - qeagle-small.png U
 - lib
 - lib U
 - src
 - config
 - appConfig.js U
 - configUtils.js U
 - content
 - content U
 - scripts
 - scripts U
 - styles
 - styles U
 - bg.js U
 - manifest.json U
 - panel.html U

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS E:\AI\week3\day1\ai-extension\assets>

CHAT

CHANGE TO ASK MODE

same

- Content script (= content.js) — DOM inspection unchanged
- Background script (= bg.js) — Message handling unchanged
- Config files (= appConfig.js , configUtils.js) — Styling unchanged

Summary of Changes

File	Changes
panel.html	Update checkbox labels for Playwright context
prompts.js	Add 2 new prompt template + update = CODE_GENERATOR_TYPES
chat.js	Add isPlaywrightTypeScript() check, update = getPromptKeys()
popup.js	None (optional: add Playwright-specific settings)

Would you like me to show you the specific code changes needed in each file?

Claude Haiku 4.5 • 1x

Ask a question about your code or project

+ Claude Haiku 4.5

Local Default Approvals

Type here to search

feature/base*

34°C

18:46

22-05-2026

VS Code interface showing the Explorer, Search, and Run and Debug views. The Explorer view displays the file structure of the 'ai-extension' project, including assets, lib, src, content, scripts, styles, bg.js, manifest.json, and panel.html. The Search view shows results for 'ai-extension'. The Run and Debug view shows the terminal output: 'PS E:\AI\week3\day1\ai-extension\assets>'. The Chat view displays a list of changes and a summary of changes, including updates to panel.html, prompts.js, chat.js, and popup.js. The Chat view also includes a section for asking questions about the code or project.

File Edit Selection View Go Run Terminal Help

ai-extension

Update

EXPLORER

- AI-EXTENSION
 - assets \ images
 - hush.png U
 - logo-small.png U
 - qeagle-small.png U
 - lib
 - lib U
 - src
 - config
 - appConfig.js U
 - configUtils.js U
 - content
 - content U
 - scripts
 - scripts U
 - styles
 - styles U
 - bg.js U
 - manifest.json U
 - panel.html U

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS E:\AI\week3\day1\ai-extension\assets>

CHAT

CHANGE TO ASK MODE

Content script (= content.js) — DOM inspection unchanged

Background script (= bg.js) — Message handling unchanged

Config files (= appConfig.js , configUtils.js) — Styling unchanged

Summary of Changes

File	Changes
panel.html	Update checkbox labels for Playwright context
prompts.js	Add 2 new prompt template + update = CODE_GENERATOR_TYPES
chat.js	Add isPlaywrightTypeScript() check, update = getPromptKeys()
popup.js	None (optional: add Playwright-specific settings)

Would you like me to show you the specific code changes needed in each file?

Claude Haiku 4.5 • 1x

Proceed with the changes of each files after the confirmation

+ Claude Haiku 4.5

Local Default Approvals



Type here to search



feature/base*

34°C



18:50



22-05-2026






After implementing the changes:







Feature: Login to LeafTaps

Scenario Outline: Successful login with valid credentials

Given I open the LeafTaps login page

When I type "<username>" into the Username field

And I type "<password>" into the Password field

And I click the Login button

Then I should be logged in successfully

Examples:

username	password
"RajeshKumar"	"Chennai123"
"SureshRao"	"Bangalore456"
"KumarGupta"	"Hyderabad789"

Scenario Outline: Unsuccessful login with invalid credentials

Given I open the LeafTaps login page

When I type "<username>" into the Username field

And I type "<password>" into the Password field

And I click the Login button

Then I should see an error message

Examples:

username	password
"InvalidUser"	"WrongPassword"
"Test123"	"Invalid123"
"	"


Scenario: Verify login page fields

Given I open the LeafTaps login page

Then I should see the Username field

And I should see the Password field

And I should see the Login button



```
import { Page } from '@playwright/test';
```

```
/**
```

* Page Object for Leaftaps Login Page

*/

export class LeaftapsLoginPage {

/**

* Constructor for LeaftapsLoginPage

* @param page - The Playwright page object

*/

constructor(private page: Page) {}

/**

* Navigate to the Leaftaps Login Page

*/

async goto() {

await this.page.goto('/opentaps/control/main');

}

/**

* Get the Leaftaps Login Page title

*/

async getTitle() {

return await this.page.getByRole('heading', { name: 'Leaftaps Login' }).textContent();

}

/**

* Get the username input field

*/

async getUsernameInput() {

return this.page.getByLabel('Username');

}

/**

```

    * Get the password input field
    */
    async getPasswordInput() {
        return this.page.getByLabel('Password');
    }

    /**
    * Get the login button
    */
    async getLoginButton() {
        return this.page.getByRole('button', { name: 'Login' });
    }

    /**
    * Fill in the username and password fields and submit the form
    * @param username - The username to enter
    * @param password - The password to enter
    */
    async login(username: string, password: string) {
        const usernameInput = await this.getUsernameInput();
        const passwordInput = await this.getPasswordInput();
        const loginButton = await this.getLoginButton();

        await usernameInput.fill(username);
        await passwordInput.fill(password);
        await loginButton.click();
    }
}

```