RAJIV GANDHI INSTITUTE OF TECHNOLOGY

GOVERNMENT ENGINEERING COLLEGE

KOTTAYAM-686 501



DEPARTMENT OF
COMPUTER SCIENCE AND ENGINEERING

CSD 415 & CSD 416

PROJECT (Phase I & Phase II)

ITINERA

Report submitted by

NAYANA P(IDK20CS044)
SANDRA SABU(IDK20CS052)
ANNIE TREASA SABU(KTE20CS012)



APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY
THIRUVANANTHAPURAM

MAY 2024

RAJIV GANDHI INSTITUTE OF TECHNOLOGY

GOVERNMENT ENGINEERING COLLEGE

KOTTAYAM-686 501

DEPARTMENT OF
COMPUTER SCIENCE AND ENGINEERING

Vision of the Department

To be a centre of excellence for nurturing the young minds to become innovative computing professionals for the empowerment of society.

Mission of the Department

- To offer a solid foundation in computing and technology for crafting competent professionals.
- To promote innovative and entrepreneurial skills of students by exposing them to the forefront of developments in the field of computing.
- To inculcate strong ethical values in the young minds to work with commitment for the progress of the nation.

RAJIV GANDHI INSTITUTE OF TECHNOLOGY

GOVERNMENT ENGINEERING COLLEGE

KOTTAYAM-686 501



DEPARTMENT OF
COMPUTER SCIENCE AND ENGINEERING

CERTIFICATE

This is to certify that this report entitled ***ITINERA****-web application for a personalized itinerary generation, is an authentic report of the project done by the team consisting of* ***NAYANA P(Reg.No: IDK20CS044), SANDRA SABU(Reg.No: IDK20CS052), and ANNIE TREASA SABU(Reg.No: KTE20CS012)*** *during the academic year* ***2023-24****, in partial fulfillment of the requirements for the award of the Degree of Bachelor of Technology in Computer Science and Engineering of APJ Abdul Kalam Technological University, Thiruvananthapuram.*

GUIDE COORDINATOR

HEAD OF THE DEPARTMENT

Acknowledgement

Every successful project is the outcome of hard work and strong support and guidance given by a number of people. We sincerely appreciate the inspiration, support, and guidance of all those people who have been instrumental in making this project a success.

We express our sincere gratitude to **Dr. Jalaja M.J., Former Principal** and **Dr. Prince A., Principal** for making the resources available at the right time without which this project would not have been a success.

We take this opportunity to express a deep sense of gratitude to **Prof. Kavitha N., Associate Professor & Head, Department of Computer Science and Engineering**.

We also take this opportunity to express our profound gratitude and deep regards to our guide **Dr. Madhu K.P., Associate Professor** for his exemplary guidance, monitoring, and constant encouragement throughout the course of this project. The blessing, help, and guidance given by him from time to time shall carry us a long way in the journey of life on which we are about to embark.

We also express our gratitude to Project Coordinators **Prof. Anil Kumar S** , **Prof. Sanjana M. A.** and **Prof. Geethu Sasidharan** for the cordial support, valuable information, and guidance, which helped us in completing this task through various stages.We sincerely express our deep gratitude to **Prof. Alfred Thomas**, the Project Evaluation Panel member for the ideas and suggestions given to us during the various stages of project evaluations. We are also grateful to **Mr. Rajesh Kumar N.P.**, Trade Instructor in **DBMS and Project Lab** for his valuable support in conducting the project presentation.

Last, but not least, we thank **The Almighty, our parents** and **friends** for their constant encouragement without which this project would not have been possible.

Nayana P
Sandra Sabu
Annie Treasa Sabu

Declaration

We, the undersigned hereby declare that the project report entitled Project **Itinera**, submitted for partial fulfillment of the requirements for the award of the degree of Bachelor of Technology of the **APJ Abdul Kalam Technological University, Kerala** is a bonafide work done by us under the supervision of **Dr Madhu K P**. This submission represents our idea in our own words where ideas or words of others have not been included; we have adequately and accurately cited and referenced the original sources. We have adhered to the ethics of academic honesty and integrity and have not misrepresented or fabricated any data, idea, or on our submission. We understand that any violation of the above can result in disciplinary actions from the institute and/ or University and can evoke penal action from the sources which have not been properly cited or from whom proper permission has not been obtained. This report has not been previously formed as the basis for awarding any degree, diploma, or similar title of any other university.

Name of Students: Signatures:

Nayana P (Reg. No.: IDK20CS044)

Sandra Sabu (Reg. No.: IDK20CS052)

Annie Treasa Sabu (Reg. No.: KTE20CS012)

Batch: 2020 - 2024 January 10, 2026

Abstract

Tourism is a popular and enjoyable activity worldwide, but planning a satisfying trip can be challenging due to conflicting objectives and preferences. Current platforms often lack sufficient personalization, real-time data integration, and adaptability to dynamic factors such as weather and traffic. So we propose ITINERA, a web application that recommends personalized optimal itineraries with on-demand rescheduling capabilities. We use APIs for travelers, guides, taxi services, traffic updates, weather forecasts, and data from resorts, restaurants, hotels, and activities to craft personalized itineraries. The system incorporates live and post-feedback mechanisms, allowing for on-demand rescheduling, and ensuring adaptability to changing conditions and requirements. Our project aims to revolutionize travel planning by fixing these problems, making the process easier and more enjoyable for tourists, guides, taxi drivers, and service providers.

Contents

Acknowledgement i

Declaration ii

Abstract iii

List of Figures vii

List of Tables viii

List of Algorithms ix

List of Symbols and Abbreviations x

1 Introduction 1

1.1 Objectives . . . 1
1.2 Motivation . . . 1
1.3 Scope of the Project . . . 1
1.4 Prerequisites for the Reader . . . 2
1.5 Organization of the Report . . . 2

2 System Study and Requirement Engineering 3

2.1 Literature Review . . . 3
2.1.1 Tourism Recommendation . . . 3
2.1.1.1 Factors Affecting Tourism Recommendation: . . . 3
2.1.2 Personalized Itinerary Planning . . . 4
2.1.3 On-Demand Itinerary Rescheduling . . . 4
2.1.4 Real-Time Data Integration . . . 5
2.1.5 Collaborative Itinerary Sharing . . . 5
2.1.6 Existing Applications . . . 5
2.1.7 Travel Planning Algorithms . . . 7
2.1.7.1 Multi-Objective Evolutionary Algorithms for Travel Itinerary Planning . . . 7
2.1.7.2 Hybrid Multiobjective Evolutionary Algorithms for Travel Itinerary Planning . . . 7
2.1.7.3 Deep Learning and Reinforcement Learning Approaches for Travel Itinerary Planning . . . 8
2.1.7.4 Other Approaches for Travel Itinerary Planning . . . 8
2.1.8 Comparison of Approaches/Algorithms . . . 9

2.1.9 Comparison of Existing Applications . . . 9
2.2 Gap Analysis . . . 10
2.3 Proposed System . . . 10
2.3.1 Problem Statement . . . 10
2.4 Requirements Engineering . . . 10
2.4.1 Feasibility Study . . . 11
2.4.1.1 Economic Feasibility . . . 11
2.4.1.2 Technical Feasibility . . . 11
2.4.1.3 Behavioural Feasibility . . . 11
2.4.2 Requirements Elicitation . . . 12
2.4.3 Requirements Analysis . . . 12
2.4.4 Requirements Specification . . . 12
2.4.4.1 Functional requirements . . . 13
2.4.4.2 Non Functional requirements . . . 13
2.5 Requirements Validation . . . 17
2.6 Cost Estimation . . . 17
2.7 Summary . . . 18

3 Design **19**
3.1 System Design . . . 19
3.2 Detailed Design . . . 19
3.2.1 Data Flow Diagram- Level 0 . . . 20
3.2.2 Data Flow Diagram- Level 1 . . . 21
3.2.3 Itinerary Generation . . . 22
3.2.3.1 Genetic Algorithm (GA): . . . 23
3.2.4 OpenAI Integration: . . . 25
3.3 Summary . . . 26

4 Implementation **28**
4.1 Technology Stack . . . 28
4.2 Module Implementation . . . 28
4.2.1 User Interface Module . . . 29
4.2.2 Itinerary Generation Engine: . . . 29
4.2.3 Neo4j Database Management . . . 29
4.2.4 OpenAI API Integration . . . 30
4.3 Summary . . . 30

5 Testing **31**
5.1 Testing Strategies Used . . . 31
5.1.1 Unit Testing . . . 31

5.1.1.1 Black Box Testing . . . 31
5.1.1.2 White Box Testing . . . 32
5.1.2 Integration Testing . . . 32
5.2 Testing Results . . . 33
5.2.1 Results of Black Box Testing . . . 33
5.2.2 Results of White Box Testing . . . 33
5.2.3 Results of Integration Testing . . . 33
5.3 Summary . . . 34

6 Results **35**
6.1 Output Screenshots . . . 35
6.1.1 Home Page . . . 35
6.1.2 Itinerary Generation Using Genetic Algorithm . . . 37
6.1.3 Output of Itinerary Generation Using Genetic Algorithm . . . 37
6.1.4 Itinerary Generation Using Openai API . . . 38
6.1.5 Using Openai API- Output . . . 39
6.2 Summary . . . 39

7 Conclusion **40**
7.1 Summary . . . 40
7.2 Recommendations for Future Works . . . 40

Appendix **43**

References **43**

List of Figures

3.1 Data Flow Diagram- Level 0 20
3.2 Data Flow Diagram- Level 1 21

6.1 Home Page 35
6.2 Login page 35
6.3 After successful login, the data is transferred to the Neo4j database 36
6.4 Travel safety tips and things to carry during traveling 36
6.5 A form is provided to generate personalized itineraries using a genetic algorithm 37
6.6 Output of itinerary generation using genetic algorithm 37
6.7 Output of itinerary generation using genetic algorithm 38
6.8 A form is provided to generate personalized itineraries using Openai API . . . 38
6.9 Output of Itinerary Generation Using Openai API 39

List of Tables

2.1 Table of Existing Applications 6
2.2 Table of Existing Applications 9
2.3 Table of Existing Applications 9

List of Algorithms

1 Genetic Algorithm for Itinerary Generation 24
2 Fitness Function 25

List of Symbols and Abbreviations

OS	Operating System
UX	User Experience
FAQ's	Frequently Asked Questions
DBMS	Database Management System
API	Application Programming Interface
et al.	and others
RBAC	Implement role-based access control
MOEA	Multi-Objective Revolutionary Algorithm
PII	Personally identifiable information
DFD	Data Flow Diagram
API	Application Programming Interface
GA	Genetic Algorithm
AI	Intelligence
EA	Evolutionary Algorithm
POI	Points Of Interest

Chapter 1

Introduction

Tourism is a significant business that provides leisure activities, jobs, and a platform for cross-cultural interaction. People's inclination to travel as a holiday leisure activity has been steadily increasing. But even with this expanding trend and the wealth of digital information available from platforms such as travel magazines, maps, official websites, and travel blogs, travelers frequently struggle to create an itinerary that suits their personal preferences and time constraints. This problem is made more difficult by the deluge of information available on the internet, which calls for the creation of systems that can swiftly sort through the data and offer tailored recommendations.

Itinera is a personalized optimal itinerary recommender with on-demand rescheduling dedicated to redefining travel planning. Rooted in the vision of enhancing the travel experience, Itinera introduces a sophisticated personalized itinerary planner. This innovative platform is designed to transcend traditional travel planning methods by intricately analyzing user preferences, crafting bespoke travel recommendations, and ultimately ensuring a seamless and personalized travel adventure.

1.1 Objectives

This project aims to achieve the following objectives:

1. Design and implement a user-friendly web application for a personalized, optimal itinerary recommendation system that supports on-demand rescheduling.

1.2 Motivation

The motivation behind the Itinera project is rooted in the following:

1. Information Overload: The rapid development of Internet technology has led to information overload, making it challenging for users to quickly find useful and relevant travel information.
2. Real-World Challenges: Traditional travel recommendation systems often overlook personalized preferences, providing the same suggestions to different users. Itinera aims to deliver tailored recommendations that align with individual preferences.
3. Research Contribution: The field of tourism requires more research contributions.
4. Efficiency and Accessibility: Cost-effective applications with minimal resources to make personalized travel planning accessible to a wide audience are the need of the hour.

1.3 Scope of the Project

- **Need:** The project addresses the need for a user-friendly and efficient travel itinerary recommender system.

- **Deliverables:** The primary deliverables include a functional website, a personalized itinerary generator, real-time integration with external service providers, and a user feedback loop.
- **Exclusions:** The project does not encompass booking services or travel reservations but focuses solely on itinerary planning.
- **Assumptions:**
  The project operates on the assumption that the entities are well-connected.

1.4 Prerequisites for the Reader

To understand the contents of this report, the reader is expected to meet the following prerequisites:

- Basic Understanding of Travel Planning Concepts:

  Familiarity with fundamental concepts related to travel planning, including destination selection, accommodation preferences, and transportation modes, will enhance the reader's comprehension.

- Tech-savviness:

  Basic technological literacy, including proficiency in using web applications and mobile devices, will enhance the reader's comprehension.

1.5 Organization of the Report

This report is structured to provide a comprehensive understanding of the Itinera project. Chapter 1 sets the stage by introducing the project's objectives, motivations, scope, and prerequisites for the reader. Following this, Chapter 2 conducts a thorough system study and requirement engineering, examining existing systems, performing a gap analysis, and proposing the envisioned system. The requirements engineering section encompasses a feasibility study, requirements elicitation, analysis, specification, and validation. Moving on to Chapter 3, the design phase is discussed, covering both the system design and detailed designs. Chapter 4 addresses the implementation specifics of the system, while Chapter 5 delves into various testing methodologies. Chapter 6 showcases the results through screenshots, and Chapter 7 concludes the report by summarizing the key findings.

Chapter 2

System Study and Requirement Engineering

This section aims to understand the overall features of the existing and proposed systems by performing a system study through a requirement engineering and literature survey.

2.1 Literature Review

In today's fast-paced world, travelers often face challenges in planning and managing their itineraries effectively. With the abundance of travel options and the complexities of coordinating various aspects of a trip, travelers can experience difficulties in crafting an itinerary that aligns with their preferences, interests, and travel constraints. The Itinera system aims to address these challenges by providing travelers with personalized optimal itinerary recommender with on-demand rescheduling. This literature review explores the literature published and existing applications in personalized itinerary planning.

2.1.1 Tourism Recommendation

Tourism recommendation systems have become increasingly popular in recent years, as travelers seek personalized and relevant recommendations for their travel plans. These systems typically use a variety of data sources, such as user profiles, travel history, and social media data, to generate recommendations.

2.1.1.1 Factors Affecting Tourism Recommendation:

A number of factors can affect the effectiveness of tourism recommendation systems. These factors can be broadly categorized into three main groups:

- *User factors:* A deep understanding of user preferences, interests, and past travel behavior is crucial for generating personalized and relevant recommendations. These factors include:
  - Demographics: Age, gender, nationality, education level, income level, etc.
  - Interests: Hobbies, preferences, passions, etc.
  - Travel preferences: Desired destinations, activities, accommodations, etc.
  - Past travel behavior: Previously visited destinations, activities, etc.
- *Destination factors:* The system needs to have access to comprehensive and up-to-date information about destinations, including:
  - Attractions: Types of attractions, popularity, ratings, etc.
  - Activities: Available activities, types, popularity, ratings, etc.

  - Amenities: Availability of amenities, types, quality, etc.
  - Infrastructure: Transportation options, accommodation options, etc.

- *Contextual factors:* The system should be able to consider the time of year, travel budget, and travel companions when generating recommendations.
  - Temporal factors : External contributing factors (weather conditions, events, etc).
  - Travel budget: Financial constraints, desired spending levels, etc.
  - Trip Style: Family, friends, solo travel, etc.

2.1.2 Personalized Itinerary Planning

Personalized itinerary planning involves generating customized itineraries that consider individual traveler preferences, interests, and travel constraints. This requires understanding user profiles, incorporating user-specific data, and employing machine learning techniques. Researchers have explored various approaches to personalized itinerary planning, including:

1. *Preference-based:* Recommending destinations, activities, and transportation options based on user-expressed preferences and interests [1].
2. *Constraint-based:* Generating itineraries that adhere to user-specified constraints, such as travel dates, budget, and physical limitations [2].
3. *Context-aware:* Recommending itineraries based on real-time context information, such as location, time of day, and weather conditions [3].

2.1.3 On-Demand Itinerary Rescheduling

On-demand itinerary rescheduling allows travelers to modify their itineraries in real time based on unforeseen circumstances or changes in preferences. This flexibility is crucial for adapting to travel disruptions, managing time constraints, and accommodating spontaneous changes. Researchers have proposed various methods for on-demand itinerary rescheduling, including:

1. *Rule-based systems:* Implementing predefined rules to identify potential rescheduling opportunities and suggest alternative plans [4].
2. *Optimization techniques:* Utilizing optimization algorithms to find the most suitable modifications to the itinerary while considering factors like efficiency, preferences, and constraints [5].
3. *Context-aware rescheduling:* Adapting rescheduling strategies based on real-time context information, such as traffic conditions, venue availability, and weather updates [6].

2.1.4 Real-Time Data Integration

Integrating real-time data into itinerary planning and management systems enhances the ability to provide up-to-date recommendations and adapt to dynamic travel conditions. Researchers have explored various sources of real-time data, including:

1. *Weather data:* Integrating real-time weather updates to inform travelers about potential weather disruptions and suggest alternative plans [7].
2. *Transportation data:* Incorporating real-time traffic information to optimize travel routes, minimize delays, and suggest alternative transportation modes [8].
3. *Event data:* Integrating real-time event information to provide travelers with up-to-date information on events, attractions, and happenings at their destination [9].

2.1.5 Collaborative Itinerary Sharing

Collaborative itinerary sharing enables group travelers to coordinate their plans, share suggestions, and make informed decisions together. This fosters better collaboration, enhances shared experiences, and reduces the burden of itinerary planning for individual travelers. Researchers have proposed various collaborative itinerary-sharing platforms, including:

1. *Group-based itinerary management systems:* Providing a centralized platform for group travelers to manage their itineraries, share preferences, and vote on decisions [10].
2. *Real-time itinerary sharing tools:* Enabling real-time sharing of itinerary updates, location information, and experiences among group travelers [11].

Social itinerary planning platforms: Integrating social features, such as group discussions, recommendation sharing, and collaborative decision-making tools [12].

2.1.6 Existing Applications

Several travel itinerary planning apps are currently available on the market. These apps offer a variety of features, but none of them provide all of the features that would be ideal for a personalized travel itinerary planner.

Existing Applications	**Advantages**	**Disadvantages**
Tripadvisor: Plan & Book Trips	• Plan trips • Booking with flexible payment options • Compare hotel prices • Discover top-rated eats nearby • Share trip itineraries	• No weather updates • No offline features • 30% premium on cost, if booked through the app • No collaborative trips
Visit A City	• Large number of destinations • Pre-made itineraries • Saving favorite attractions	• Not able to reserve • No weather updates • Doesn't guide you to local culture and nightlife
Itinerate - Travel Planner	• Visualize destinations • Information about destinations and schedule them by hour • Add collaborators • Book tickets	• No provision for share plan option • No manual commute for flight and train routes • No personalized recommendations and cannot export itinerary
Kerala Tourism App	• Destination information • Food informations • Information about artforms • Informative app	• No personalized recommendation • No information about public restrooms and hotels • Links in the website are not clickable • User cannot add new places

Table 2.1: Table of Existing Applications

2.1.7 Travel Planning Algorithms

The travel itinerary planning has seen significant advancements with the introduction of various algorithmic approaches aimed at optimizing the travel experience for individuals and groups alike. Researchers have developed different types of algorithms, such as multi-objective evolutionary algorithms (MOEAs), hybrid MOEAs, and advanced techniques like deep learning and reinforcement learning. These algorithms, which range from traditional to cutting-edge approaches, show promise in creating personalized and efficient travel plans. This overview explores travel itinerary planning algorithms, discussing their abilities, uses, and how they can enhance the travel planning process.

2.1.7.1 Multi-Objective Evolutionary Algorithms for Travel Itinerary Planning

Several researchers have proposed multi-objective evolutionary algorithms (MOEAs) for travel itinerary planning. MOEAs are a type of EA that can handle multiple objectives simultaneously. This is important for travel itinerary planning because there are often multiple objectives to consider, such as travel time, cost, and user preferences.

Li et al. [13] [14] [15] proposed a series of MOEAs for optimizing personalized travel itineraries, planning personalized travel itineraries for multiple travelers, and travel itinerary planning with time windows, respectively. The MOEAs consider multiple objectives, including travel time, cost, user preferences for each traveler, and adherence to time windows. The algorithms are evaluated using real-world datasets of tourist attractions, transportation options, and time windows. The results show that the MOEAs are effective in generating high-quality itineraries that meet the needs of individual travelers and multiple travelers, as well as adhering to time windows.

2.1.7.2 Hybrid Multiobjective Evolutionary Algorithms for Travel Itinerary Planning

Hybrid MOEAs combine different EA techniques to improve the performance of the algorithm.

Zheng et al. [16] proposed a hybrid MOEA for travel itinerary planning with uncertainty. The MOEA considers multiple objectives, including travel time, cost, and robustness to uncertainty. The algorithm is evaluated using a real-world dataset of tourist attractions, transportation options, and uncertainty in transportation times. The results show that the MOEA is effective in generating high-quality itineraries that are robust to uncertainty.

Halder et al. [17] proposed a hybrid MOEA for travel itinerary planning with real-time data. The MOEA considers multiple objectives, including travel time, cost, and adherence to real-time traffic conditions. The algorithm is evaluated using a real-world dataset of tourist attractions, transportation options, and real-time traffic data. The results show that the MOEA is effective in generating high-quality itineraries that adapt to real-time traffic conditions.

2.1.7.3 Deep Learning and Reinforcement Learning Approaches for Travel Itinerary Planning

In addition to MOEAs and hybrid MOEAs, deep learning and reinforcement learning techniques have also been applied to travel itinerary planning. These techniques can learn from large amounts of data to make personalized recommendations.

Aristea et al. [18] proposed a deep learning-based approach for travel itinerary planning. The approach uses a deep neural network to learn a model of user preferences from historical travel data. The model is then used to generate personalized itineraries for new users.

Lei Chen et al. [19] proposed a reinforcement learning-based approach for travel itinerary planning. The approach uses a reinforcement learning agent to learn an optimal itinerary policy by interacting with a simulated environment. The policy is then used to generate itineraries for real users.

2.1.7.4 Other Approaches for Travel Itinerary Planning

In addition to AI-based approaches, there are a number of other approaches that have been proposed for travel itinerary planning. These approaches include:

- *Data mining techniques:* Data mining techniques can be employed to extract valuable insights from vast amounts of travel data, enabling personalized itinerary recommendations. By analyzing user profiles, past travel patterns, and preferences, these techniques can identify common interests, trends, and correlations among travelers. This information can then be utilized to generate itineraries tailored to individual preferences, interests, and travel styles.

- *Collaborative filtering:*Collaborative filtering is a technique for recommending items to users based on the preferences of similar users. Collaborative filtering can be used to recommend travel itineraries to users based on the preferences of other travelers who have visited the same destination. This approach leverages the collective wisdom of travelers to provide personalized recommendations that may not be easily discovered through traditional search methods.

- *Content-Based Filtering:* Content-based filtering is another recommendation technique that focuses on the attributes or characteristics of items to suggest relevant options to users. In travel itinerary planning, content-based filtering algorithms can analyze the features and descriptions of destinations, activities, and accommodations to match them with the user's interests, preferences, and travel style. This approach relies on the similarity between items and user profiles to provide personalized recommendations.

2.1.8 Comparison of Approaches/Algorithms

Approach	Advantages	Disadvantages
MOEAs	Can handle multiple objectives	computationally intensive
Hybrid MOEAs	Can improve performance over traditional MOEAs	More complex to implement
Content-based filtering	Can provide personalized recommendations based on user preferences	May not be effective for new or niche interests
Collaborative filtering	Can provide recommendations based on preferences of similar users	Relies on a sufficient amount of user data
Deep learning	Can learn complex patterns from data and make highly personalized recommendations	Requires large amount of data and computational resources

Table 2.2: Table of Existing Applications

2.1.9 Comparison of Existing Applications

Feature	Tripadvisor	Visit A City	Itinerate-Travel Planner	Kerala Tourism App
Plan trips	Yes	Yes	Yes	Yes
Book tickets	Yes	No	Yes	No
Share itineraries	Yes	Yes	No	No
Offline features	No	No	No	Yes
Personalized recommendations	No	No	No	No
Weather updates	No	No	No	No

Table 2.3: Table of Existing Applications

2.2 Gap Analysis

Current travel recommendation systems face various challenges, such as limited reliability and accuracy, lack of personalization, restricted variety and diversity, inadequate local information, and insufficient weather data. To overcome these obstacles, future systems should focus on enhancing reliability and accuracy through advanced algorithms, improving data quality, and integrating user feedback. Personalized recommendations should be customized to individual preferences and interests using user profiles, travel history, and context-aware information. Exploring a broader range of itinerary options that cater to diverse interests and preferences, including lesser-known destinations, alternative activities, and unique experiences, is crucial. Real-time weather information should also be incorporated into the itinerary planning process using weather APIs to provide precise and up-to-date forecasts for destinations and travel dates. To address these issues, we propose developing a web application that offers personalized optimal itineraries with on-demand rescheduling capabilities.

2.3 Proposed System

Itinera is a web application that recommends personalized optimal itineraries. Designed for modern travelers, Itinera offers features like itinerary customization, and empowering users to plan and manage their trips.

2.3.1 Problem Statement

To design and implement a user-friendly 'Itinera web application for a personalized, optimal itinerary recommendation system that supports on-demand rescheduling.

2.4 Requirements Engineering

The process of gathering software requirements from clients and then analysing and documenting them is known as requirements engineering. The goal of requirement engineering is to develop and maintain a sophisticated and descriptive 'System Requirements Specification' document. It essentially involves the following five activities.

1. Feasibility Study
2. Requirements Elicitation
3. Requirements Analysis
4. Requirements Specification
5. Requirements Validation

2.4.1 Feasibility Study

The feasibility study for the Itinera project examines three key aspects: economic, technical, and behavioral. Economic feasibility confirms the project's viability, with anticipated returns from user subscriptions and partnerships. Technical feasibility ensures compatibility with current technology standards and proficient development skills. Behavioral feasibility focuses on user acceptance, supported by positive feedback and an intuitive user interface. With a focus on mobile and desktop platforms, the project aims for widespread acceptance among its target users.

2.4.1.1 Economic Feasibility

The Economic Feasibility study involves analyzing the costs and benefits of the project. This entails a thorough examination of the total project development expenses, encompassing hardware and software resources, design and development costs, operational expenses, and more. Subsequently, an assessment is made to determine whether the project will be financially advantageous for the organization. Given that the proposed web application can be developed solely using free software tools and requires minimal human resource support, it appears to be economically viable.

2.4.1.2 Technical Feasibility

The Technical Feasibility assessment involves scrutinizing all necessary resources, including hardware, software, and other technologies essential for developing the proposed system. It examines whether the correct resources and technologies are available for project development. Additionally, it evaluates:

- Whether the technical team possesses the requisite skills and capabilities to execute the proposed system.
- Whether existing technology can be leveraged effectively.
- Whether maintenance and upgrades are straightforward for the chosen technology.

The web application is designed to be user-friendly, catering to individuals with basic device proficiency, thus eliminating the need for extensive technical knowledge. Its intuitive interface and simplified functionalities enhance its technical feasibility, ensuring accessibility to a diverse user base, including those with limited technical expertise.

2.4.1.3 Behavioural Feasibility

This aspect is also referred to as Operational Feasibility. People typically exhibit resistance to change, and technology implementations can often facilitate this change. Hence, it's crucial to assess the additional effort needed to educate and train users when introducing the proposed system. Our web application boasts a user-friendly interface and straightforward navigation, eliminating any learning curve. All essential functions are easily accessible via prominent buttons on the home screen . This intuitive design allows users to swiftly familiarize themselves with the app's features and effortlessly accomplish tasks, minimizing the necessity for extensive training or technical know-how.

2.4.2 Requirements Elicitation

Requirements elicitation is a crucial phase in the development of Itinera, involving the systematic gathering of user needs and expectations. The process encompasses various techniques to ensure a comprehensive understanding of project requirements.

1. *Stakeholder Interviews:* In a travel itinerary project, talk to potential users, travel enthusiasts, and industry experts. Ask them about their experiences and preferences for planning trips. Use their feedback to decide which features to focus on and how to design the app. After gathering their input, analyze it to make sure the app meets their needs. These interviews are essential for creating a successful travel itinerary app.

2. *Studying existing systems:* The existing systems were studied as part of the literature survey and for each of these systems, we analysed the pros and cons. These details are given in section 2.1 with a gap analysis provided in section 2.2.

3. *Surveys and Questionnaires:* To gather information on travel preferences and pain points in planning, surveys were sent out to a wide range of people. These surveys asked about preferred destinations, transportation modes, budget considerations, and common challenges in planning trips. Participants rated the importance of different features they wanted in a travel planning tool and shared feedback on past experiences. Analyzing the survey results helped shape the features of Itinera, making sure it meets the user's needs.

4. *Prototype Testing:* Prototype testing involved creating sample versions of the travel itinerary application and letting potential users try them out. This helped us see how people interacted with the application and what could be improved. We used the OpenAI API to automatically generate personalized itineraries based on user preferences. Users tried out the app and gave feedback on their experience. We observed how they used the application and listened to their suggestions. This feedback guided us in making the application easier to use and more helpful for travelers. Overall, testing the prototypes and using the OpenAI API were key steps in improving the application.

2.4.3 Requirements Analysis

Requirements analysis for Itinera involves carefully examining user needs and system functionalities to define the project's scope, functional requirements, and any constraints. This process starts by gathering information from users to understand their needs. Then, the gathered requirements are documented, analyzed, and adjusted to ensure clarity and feasibility. Following this, the requirements are validated to ensure they accurately reflect user needs. The result is a clear set of requirements that guide the design and development of Itinera, ensuring it meets user needs effectively.

2.4.4 Requirements Specification

Requirements are divided into *functional requirements* and *non-functional requirements*. Functional requirements describe the functionality of the itinerary. Non-functional requirements describe how quickly the system will respond when its functionality is used. The SRS document is given in the Appendix.

2.4.4.1 Functional requirements

1. The system enables users to register and create profiles by adding preferences (e.g., interests, budget, travel style).
2. Travelers can register and create profiles by specifying preferences such as interests, budget, and travel style.
3. Traveler preferences will be used to suggest destinations, activities, accommodations, guides, and taxis.
4. The system allows travelers to customize and adjust their preferences as needed.
5. Interactive itinerary visualization is available for users.
6. A user support and help center is provided for travelers.
7. The system offers travel safety tips, emergency assistance, contact details for local tour guides and travel agencies, as well as educational resources for users.

2.4.4.2 Non Functional requirements

1. **External Interface Requirements**
   (a) User Interfaces**:**
      i. All interfaces and navigation elements must have a good look and feel.
      ii. Icons and interfaces must be easy to use and understand.
   (b) Hardware Interfaces:
      i. The system requires standard computing hardware for server deployment.
      ii. Mobile devices and computers with internet connectivity serve as client hardware.
   (c) Data Interfaces:
      i. The system shall interact with external databases to fetch event details, such as location, date, and associated costs.
   (d) External System Interfaces:
      i. Integration with external platforms connecting travelers with local tour guides requires adherence to industry standards.
      ii. Collaborative itinerary sharing shall utilize secure links generated for sharing and real-time editing by collaborators.
2. **Performance Requirements**

(a) *Response time:* It refers to how quickly it reacts to user actions. We need to focus on making sure it responds swiftly to user inputs, like generating itineraries or processing recommendations. Achieve this by coding efficiently, managing resources well, and using the right technologies. We regularly test and monitor performance to find and fix any slowdowns. It helps to provide users with a fast and smooth experience, which helps keep them engaged with our project.

(b) *Throughput:* It refers to how quickly it can handle user requests and provide responses. Also, it can able to manage tasks like user registrations, recommending itineraries, and accessing support. A high throughput means the application can handle many user interactions without delays. It helps to show how responsive and scalable the system is, ensuring users can easily use the application and get timely help.

(c) *Peak Usage Handling:* We need to set up a few things to keep our application running smoothly during busy times. Firstly, we spread incoming traffic across many servers to keep them from getting overwhelmed. So, store frequently used data to make things faster and reduce the load on our servers. Watch how our system is doing and add more resources automatically if needed. Make sure that the database works efficiently. Also, need plans ready to keep things going smoothly if something goes wrong.

(d) *Database Query Performance:* Optimizing the performance of application's database queries is essential for ensuring a smooth user experience. We can achieve this by implementing various strategies such as optimizing queries, caching frequently accessed data, tuning database parameters, and distributing workload across multiple servers. These efforts minimize query execution time and resource consumption, allowing users to quickly retrieve the information.

(e) *Offline Availability:* It ensuring users can access travel information without an internet connection. This means travelers can view their itineraries, destination details, and other essential information even when offline.

(f) *Scalability:*It is crucial for the success of the Itinera application, ensuring it can adapt to growing user needs and changing requirements. It can be achieved through a flexible architecture, elastic infrastructure, load balancing, database optimization, and continuous monitoring. This handles increased traffic and data volumes without compromising performance or reliability. By prioritizing scalability, Itinera remains responsive and accessible to users, supporting its growth and expansion in the future.

3. **Security Requirements**

(a) Authentication and Authorization:

Users must authenticate using a unique username and a strong, encrypted password. Implement role-based access control (RBAC) to ensure that users only have access to functionalities and data appropriate for their roles (e.g., user, admin).

(b) Data Encryption:

Sensitive data such as user credentials must be encrypted during transmission using industry-standard encryption protocols (e.g., SSL/TLS).

(c) Secure Storage of User Data:

Personally identifiable information (PII) and other sensitive user data should be securely stored in a hashed or encrypted format within the system's databases.

(d) Secure API Access:

API endpoints should be protected against unauthorized access by requiring appropriate authentication tokens (e.g., API keys, OAuth tokens).

(e) Secure File Uploads:

Implement checks and validations to ensure that uploaded files do not contain malicious code or scripts.

(f) Logging and Monitoring:

Log and monitor all significant system activities and security-related events, including login attempts, to detect and respond to potential security threats.

4. **Software Quality Attributes**

(a) *Reliability:*In reliability, users can rely on it to function smoothly without any unforeseen issues. It provides accurate recommendations, itinerary visualization, and user support without frequent issues or downtime. A reliable app builds trust with users by consistently delivering a dependable experience. To achieve reliability, need to focus on robust error-handling, thorough testing, and prioritizing system stability in updates. It ensure users have a smooth and trustworthy experience with our application.

(b) *Performance:* It relates to how fast and smoothly the application operates. It prioritizes ensuring quick access to information, smooth navigation, and efficient task completion for users. To achieve this, the development team focuses on optimizing code, using efficient algorithms, and ensuring the application can handle increased user demands. It helps to provide a user experience that is smooth and fulfilling.

(c) *Usability:*It ensures that users can easily navigate and interact with the software. By prioritizing usability, we aim to create an intuitive and user-friendly experience that enhances satisfaction and efficiency. This involves designing clear and simple interfaces, providing helpful guidance and feedback, and minimizing complexity in functionality. Ultimately, prioritizing usability contributes to the overall success and acceptance of the application.

(d) *Availability:* It ensures that users can always access the system when they need it. The application will be designed to remain operational even during busy times

or if there are any issues. This means users can rely on the system to access their itineraries and get support without interruptions. We can use redundancy and robust recovery methods to minimize downtime and ensure a smooth experience for users.

(e) *Scalability:* It helps to handle more users or data without slowing down. As the number of users increases, the application should effortlessly extend its capabilities and incorporate additional features. This keeps the application reliable and efficient for all users, no matter how much it's used.

(f) *Maintainability:* It is important for the application's quality. It ensures that the application can be easily updated and maintained over time without causing problems. It can save time and effort in future updates and keep up with changes in technology and user needs.

Follow modular and well-documented coding practices for easy maintenance and updates. Implement code changes and updates without causing downtime or disruptions.

(g) *Compatibility:* Ensure compatibility with major web browsers for a consistent user experience. Support mobile devices (iOS and Android) and major operating systems (Windows, macOS) for seamless use.

5. **Database requirements**

(a) *Database Technology:* The database shall support ACID (Atomicity, Consistency, Isolation, Durability) compliance to ensure data integrity and reliability.

(b) *Data Modeling:* Define an efficient and normalized database schema that represents entities such as users, itineraries, destinations, accommodations, and activities.

(c) *Data Storage and Indexing:* Optimize data storage by utilizing appropriate indexing, clustering, and partitioning strategies to enhance query performance and data retrieval.

(d) *Query Performance:* The database shall efficiently handle complex join operations and aggregations required for generating travel itineraries.

(e) *Data Backup and Recovery:* Implement regular automated backups of the database to ensure data resilience and availability in case of accidental data loss or corruption.

(f) *Data Privacy and Security:* Apply encryption mechanisms to sensitive data stored in the database, such as user password details.

(g) *Database Scalability:* The database shall be designed to scale horizontally, allowing for the addition of new database servers to distribute the load and improve performance as the user base grows.

2.5 Requirements Validation

The validation of requirements for the Itinerary Recommendation System is a crucial step to ensure that the specified system aligns accurately with user needs. This process involves rigorous checks for clarity, measurability, feasibility, consistency, relevance, and testability. By conducting requirements review meetings, system walkthroughs, and user feedback sessions, potential issues are identified and addressed promptly. Clarity is ensured by resolving any ambiguous language, while measurability and feasibility are confirmed for each requirement. Consistency is maintained among requirements, and irrelevant ones are removed or modified. Validation criteria are defined for effective testing. Formal stakeholder sign-off is obtained to secure the agreement. The validated requirements serve as the foundation for subsequent development phases, with any changes following established change management procedures, considering potential impacts on system design, implementation, and testing.

2.6 Cost Estimation

The Intermediate COCOMO (Constructive Cost Model) [20, 21] is employed to estimate the effort, schedule, and cost of our software development project. This model builds upon the Basic COCOMO model by considering additional factors such as product attributes, development environment, and team experience. The various steps in this include:

Size Estimation: The estimated size of our project is $1000 LOC$ (Lines Of Code).

Effort Adjustment Factor (EAF): This model introduces an Effort Adjustment Factor (EAF) to account for various project and environmental factors. We identified and quantified these factors based on our project's specifics. The calculated EAF for our project is 1.011.

Effort Estimation: The estimated effort for our project is 3 person-months.

Adjusted Effort Estimation: The adjusted effort for our project is 3.033 person-months.

Schedule Estimation: With the adjusted effort estimation, we applied the Intermediate COCOMO formula for schedule estimation. The estimated schedule for our project is 3.6 months.

This model allowed us to account for project-specific factors and adjust our effort, schedule, and cost estimations accordingly. By considering a broader range of variables, we gained more accurate insights into the resource requirements and financial aspects of our software development project.

2.7 Summary

This chapter explains an exhaustive study of various systems that are currently in use for itinerary planning. We conducted a detailed analysis of existing applications, literature published, and other relevant sources to identify their respective limitations. Based on the analysis of existing systems and their drawbacks, we propose a web application which recommends personalized optimal itineraries to users.

Chapter 3

Design

The design phase [22] is the first step in moving from the problem domain to the solution domain. In other words, starting with what is needed, design takes us towards *how to satisfy the needs*. The design of a system is the most critical factor affecting the quality of the software, and it has a major impact on the latter phases, particularly testing and maintenance. Once the design phase is completed, we get a document with a plan for the solution, which is used in implementation, testing, and maintenance.

System Design aims to identify the modules that should be present in the system, the specification of these modules, and how they interact with each other to produce the desired results. At the end of the system design, all the major data structures, file formats, output formats, and major modules in the system and their specifications are decided. The whole system is depicted using the data flow diagrams(DFDs). A data flow diagram (DFD) is a graphical or visual representation using a standardized set of symbols and notations to describe a business's operations through data movement. The subsequent sections deal with the data flow diagrams utilized in illustrating the entire system of the application.

3.1 System Design

Itinera is a web application that recommends personalized itineraries and functionalities like itinerary customization and collaborative sharing. Itinera's architecture consists of interacting components that handle various functionalities. Travelers interact with the UI to submit requests and preferences.

Traveler requests are processed based on their profile and preferences to recommend an itinerary with suitable travel services (guides, taxis, hotels, etc.). An administrator is responsible for overseeing the system, whereas a verifier ensures the precision of travel services and the authenticity of documents. The coordinator supervises ongoing itineraries and handles rescheduling.

3.2 Detailed Design

In detailed design, we represented using data flow diagrams. Data Flow Diagrams (DFDs) are graphical representations that illustrate how data flows within a system. They help visualize the movement of information between different processes and external entities. The DFDs belong to structured-analysis modeling tools [1] . They use

[1]Rumbaugh Object Modeling-The Object Modeling Technique (OMT) describes a method for the analysis, design, and implementation of the system using an object oriented technique.

symbols like rectangles for processes, arrows for data flow, and squares for data storage to illustrate the transformations data undergoes and how it interacts with external entities.

3.2.1 Data Flow Diagram- Level 0




Figure 3.1: Data Flow Diagram- Level 0

The figure 3.1 depicts the process of creating a personalized itinerary for Itinera. The system entities: Traveller, Guide, Taxi Service Providers, Resort, Hotel & Restaurant, Verifier, Coordinator, and Admin.

Here are the entities within it:

(a) *Traveller:*The traveler initiates the process by submitting a request to the system, providing their user credentials and trip details. These details include travel dates, destinations, budget, and any special preferences or requirements.

(b) *Verifier:* The verifier ensures the accuracy and reliability of travel service providers.

(c) *Coordinator:* The coordinator make sure the whole trip planning works well by involving the system, the guide, and the traveler. They handle information, solve problems, and ensure the traveler's satisfaction.

(d) *Admin:* The Admin manages the overall system, handling user accounts, maintaining system security, and ensuring the smooth functioning of the itinerary creation process.

(e) *Guide:* The Guide represents a human guide or expert who provides personalized recommendations and insights to the traveler. They may assist in refining the itinerary, offering local knowledge, and ensuring a smooth and enjoyable travel experience.

(f) *Taxi service Provider:* The taxi service provider helps travelers organize taxi services, offering convenient and punctual transportation choices. It may involve integration with taxi booking platforms or direct communication with local taxi providers.

(g) *Hotels and Restaurants:* The hotel and restaurant entity covers the functionality of suggesting appropriate lodging and dining choices personalized to the traveler's preferences and financial considerations. It requires linking with databases or booking services for hotels and restaurants.

(h) *Resort:* The resort entity is designed specifically for organizing accommodations and activities at resorts, potentially including customized booking procedures or exclusive privileges.

3.2.2 Data Flow Diagram- Level 1




Figure 3.2: Data Flow Diagram- Level 1

The figure 3.2 depicts the process of creating a personalized itinerary. The processes: Authentication Process, Recommendation Engine(Itinerary Generation Process),

Availability & Confirmation Process, Training Process, and Coordination Process.

Processes:

(a) *Authentication Process*
This process authenticates the traveler's login credentials and provides them with access to the system and their data and preferences.

(b) *Recommendation Engine (Itinerary Generation Process)*
This process generates a personalized itinerary for the traveler, taking into account their preferences, requirements, and availability of services. The itinerary is then reviewed by the coordinator and sent to the traveler for approval.

(c) *Availability & Confirmation Process*
This process checks the availability of accommodations, activities, and transportation options based on the traveler's preferences and requirements. The system then confirms the availability with the traveler and proceeds to book the necessary services.

(d) *Coordination Process*
This process coordinates between the various modules of the system and the traveler to ensure a smooth and hassle-free itinerary creation process.

Terminators:

(a) *Traveller:* This is the external entity that interacts with the system to submit requests, receive recommendations, and potentially manage itineraries.

(b) *Travel Service Providers (Guides, Taxis, Hotels, etc.):* These external entities register with the system beforehand through an Availability & Confirmation Process. They can then update their availability and potentially receive requests from the system.

Database:

(a) *Database:* Neo4j database is used to store information about Travellers (profiles), Points of Interest (POIs) details, and travel services (guides, hotels, etc.) including their availability details and potentially historical itinerary data.

3.2.3 Itinerary Generation

The core functionality of Itinera lies in generating personalized itineraries tailored to user preferences. This is achieved through a two-pronged approach:

3.2.3.1 Genetic Algorithm (GA):

The GA approach mimics the process of manual itinerary creation by exploring different combinations of points of interest (POIs) based on user preferences and constraints.

- *User Input:* Travelers specify preferences (budget, trip duration, desired activities) through the user interface.
- *Itinerary Representation:* Each potential itinerary is encoded as a chromosome within the GA population. A chromosome represents a sequence of POIs the user might visit during their trip.
- *Fitness Function:* The GA utilizes a fitness function to evaluate the quality of each potential itinerary (chromosome) based on user preferences and constraints. It is explained in the algorithm 2. The weights in the fitness function are calculated through heuristics. Factors considered in the fitness function include:
  - *Total Trip Duration:* Ensures the itinerary fits within the user's desired timeframe.
  - *Total Cost:* Aligns with the user's budget constraints.
  - *Preference Adherence:* Measures how well the itinerary aligns with the user's specified interests.
  - *Distance Traveled :* Minimizes travel time between locations for a smoother experience.
- *Genetic Operations:* The GA employs standard genetic operations like selection, crossover, and mutation to iteratively generate and improve potential itineraries. The detailed algorithm is given below in algorithm 1.
  - *Selection:* High fitness (better) itineraries are more likely to be selected for reproduction, influencing the next generation.
  - *Crossover:* Combines elements from two-parent itineraries to create offspring, introducing variation in the population.
  - *Mutation:* Randomly modifies some aspects of an itinerary to explore new possibilities and prevent premature convergence.
- *Output:* After a certain number of generations, the GA identifies the itinerary with the highest fitness score, representing the optimal itinerary based on the user's input.

Algorithm 1: Genetic Algorithm for Itinerary Generation

Input:
- P: Set of Points-of-Interest (POIs)
- U: User preferences
- C: Travel constraints
- N_{pop}: Population size
- N_{gen}: Maximum number of generations
- P_c: Crossover probability
- P_m: Mutation probability

Output:
- I_{best}: Optimal itinerary chromosome

Initialization: - Generate initial population P_0 of size N_{pop}:
- Each chromosome represents an itinerary as a sequence of POIs from P.
- Evaluate fitness of each chromosome in P_0 using fitness function $F(I, U, C)$.

Loop: for $t = 1$ N_{gen} **do**
- Selection: Select N_{pop} parent chromosomes from P_{t-1} based on fitness.
- Crossover (with probability P_c):
- Pair selected parents.
- Apply the chosen crossover technique (e.g., single-point, two-point) to generate offspring chromosomes.
- Mutation (with probability P_m):
- Randomly modify genes (POIs) in offspring chromosomes.
- Evaluate the fitness of offspring chromosomes.
- Combine parent and offspring chromosomes to form a new population P_t.

end
- Identify chromosome I_{best} in P_t with the highest fitness score.

Return: - I_{best}

Algorithm 2: Fitness Function

Input:
- chromosome: List of locations to be visited.
- duration: Maximum duration of the trip.
- budget: Maximum budget for the trip.
- preferences: User preferences for location categories.
- distanceMatrix: Matrix of distances between locations.
- locations: List of all available locations.

Output:
- score: Fitness score representing the quality of the trip plan.

Procedure: [1] Fitnesschromosome, duration, budget, preferences, distanceMatrix, locations score ← 0 totalDuration ← 0 totalCost ← 0 totalDistance ← 0 preferenceScore ← 0 visitedLocations ← Set() Keep track of visited locations

for *location* ∈ *chromosome* **do**

end

location.name ∉ visitedLocations Check if location visited before visitedLocations.add(location.name) totalDuration += location.duration totalCost += location.cost preferenceScore += preferences.get(location.category, 0) **if** *chromosome.indexOf(location)* > 0 **then**

end

Avoid penalty for the first location previousLocation ← chromosome[chromosome.indexOf(location) - 1] totalDistance += distanceMatrix[locations.indexOf(previousLocation)][locations.indexOf(location)]

activityScore ← 0 **for** *location* ∈ *chromosome* **do**

end

activityScore += location.activities.length Simple example, consider user preferences

score += activityScore

score −= |totalDuration − duration| × 3 Higher penalty for exceeding duration score −= |totalCost − budget| × 1.5 score += preferenceScore × 2 Lower weight on preference to avoid forcing inclusion score −= totalDistance × 0.1 Penalize for higher total distance

return score

3.2.4 OpenAI Integration:

While not directly generating itineraries, OpenAI's GPT-3.5 Turbo model enhances the user experience by:

- *Itinerary Description Generation:* Upon obtaining the optimal itinerary from the GA, GPT-3.5 Turbo can generate a detailed and engaging description for the user. This description include information about:
  - Locations visited
  - Activities planned

  - Logistics like estimated travel times and transportation options

- *Activity Recommendation:* For specific locations within the itinerary, GPT-3.5 Turbo can suggest personalized activity recommendations based on the user's preferences, past travel experiences (if available), or current trends, offering a more tailored experience.

Integration and Workflow:

(a) User provides preferences and constraints through the system interface.

(b) An initial population of potential itinerarie (chromosomes) is randomly generated. Each chromosome represents a potential trip schedule with a sequence of locations.

(c) The GA iteratively evaluates and improves the population using genetic operations based on the fitness function.

(d) After a stipulated number of iterations, the GA identifies the optimal itinerary based on fitness score.

(e) The optimal itinerary is passed to GPT-3.5 Turbo to generate a descriptive narrative and potentially suggest personalized activities.

(f) The system presents the user with the final itinerary details, including descriptions, estimated costs, and suggested activities.

Benefits of Combined Approach:

This combined approach leverages the strengths of both methods:

- *GA:* Provides a robust and efficient way to search for optimal itineraries based on user-defined criteria.
- *OpenAI Integration:* Enhances user experience by offering detailed descriptions, personalized recommendations, and potentially a variety of itinerary options.

Note: OpenAI API access and usage might incur costs depending on the specific model and request volume.

3.3 Summary

This chapter provides a detailed description of the system design for the Itinera. The DFD involves Travelers, Coordinators, Admins, Guides, and others. Processes like Authentication and Itinerary Generation for making personalized travel plans. All this information is stored in a Neo4j database. It uses a Genetic Algorithm (GA) to make the best itineraries according to user preferences and limits. Additionally, it incorporates OpenAI to improve user experience by providing detailed descriptions, personalized activity suggestions, and potentially presenting different itinerary choices.

Here are the key takeaways from this chapter:

- The system architecture consists of interacting components that handle various functionalities like user input processing, itinerary generation, itinerary evaluation, and OpenAI integration.
- Data Flow Diagrams (DFDs) are used to illustrate the flow of data between different modules within the system.
- The Genetic Algorithm approach mimics manual itinerary creation by exploring different combinations of Points-of-Interest (POIs) considering user preferences and constraints.
- OpenAI integration enhances the user experience by providing itinerary descriptions, activity recommendations, and potentially generating variations of the itinerary.

This combined approach offers a robust and user-friendly system for generating personalized itineraries.

Chapter 4

Implementation

The development or implementation stage is the stage where the development of the code and modules are performed. The development and integration of the modules are done according to the design documents' specifications. The goal of this phase is to translate the design of the proposed system into a working model.

4.1 Technology Stack

The following tools are used to develop this project:

(a) **Backend:**

i. **Express.js:** [23] The Node.js web framework provides a foundation for building the server-side logic of Itinera. It facilitates efficient routing, request handling, and database interactions.

(b) **Frontend:**

i. **EJS (Embedded JavaScript):** [24] The templating engine EJS allows for dynamic generation of HTML pages on the server side. It simplifies the process of incorporating user data and itinerary information into the user interface.

(c) **Database:**

i. **Neo4j:** [25] As a graph database, Neo4j excels at storing and retrieving data with inherent relationships. It's ideal for modeling the interconnected nature of travel entities (locations, activities, travel services) within Itinera.

(d) **External API:**

i. **OpenAI API:** [26] Integration with OpenAI's API grants access to the GPT-3.5 Turbo language model. This empowers Itinera to generate engaging descriptions for recommended itineraries and suggest personalized activity recommendations.

4.2 Module Implementation

Itinera has the following modules:

4.2.1 User Interface Module

The User Interface (UI) Module plays an important role in facilitating interaction between different stakeholders in our itinerary development project. It serves as the primary interface through which travelers, guides, taxis, hotels, and restaurants interact with the system, enabling them to create, manage, and access relevant information.

The UI Module provides various functionalities tailored to different user types:

(a) **Travelers:**Can create and view itineraries, search for guides, taxis, hotels, and restaurants, and explore details of major attractions.

(b) **Guides:** Can create and manage a profile, mark their availability, and attract travelers.

(c) **Taxi Service Providers:**Receive and manage ride requests.

(d) **Hotels:**Manage room availability and provide information about amenities and services.

(e) **Restaurants:** Have a profile and mention their presenting locations.

4.2.2 Itinerary Generation Engine:

(a) Built within the Express.js server, this module implements the Genetic Algorithm logic.

(b) It utilizes user-provided preferences to define the fitness function, which evaluates the quality of potential itineraries (chromosomes) in the GA population.

(c) The fitness function considers factors like total trip duration, cost adherence to user budget, preference matching (including activity types), and travel distance between locations (refer to Chapter 3 for a detailed explanation).

(d) Standard GA operations (selection, crossover, mutation) are employed to iteratively improve the population and identify the itinerary with the highest fitness score, representing the optimal recommendation for the user.

4.2.3 Neo4j Database Management

Creating a database module in Neo4j using Cypher involves several considerations to ensure that the database meets the web application's requirements :

(a) *Users Collection:* Our web application's user data found its place in the corresponding user's collection section. Essential information such as user details, and login credentials are stored here.

   i. *Traveler:* Represents individuals who are traveling. This node type could have properties such as traveler_id, name, age, nationality, etc.

ii. *Taxi:* Represents taxi services. Properties include taxi_id, company_name, contact_info, etc.

iii. *Guide:* Represents tour guides. Properties include guide_id, name, language_spoken, specialties, etc.

iv. *Hotel:* Represents accommodations. Properties include hotel_id, name, location, amenities, etc.

v. *Restaurant:* Represents dining establishments. Properties include restaurant_id, name, cuisine_type, location, etc.

4.2.4 OpenAI API Integration

(a) The Express.js server utilizes appropriate client libraries or tools to interact with OpenAI's API.

(b) It sends relevant data about the chosen itinerary (locations, activities) to the API to trigger GPT-3.5 Turbo for itinerary description generation and activity recommendation.

(c) The received response from OpenAI is then incorporated into the EJS templates to enrich the user interface with:

i. A detailed and engaging narrative describing the recommended itinerary, including information about locations visited, planned activities, and logistics (estimated travel times, transportation options).

ii. Personalized activity recommendations for specific locations within the itinerary, catering to user preferences or current travel trends.

4.3 Summary

This chapter explains the technical details of building Itinera, focusing on the chosen technologies and how they work together to implement the functionalities described in Chapter 3.

Key takeaways:

(a) *Technology Stack:* Itinera uses Express.js (backend), EJS (frontend), Neo4j (graph database), and OpenAI API for functionalities like itinerary generation and descriptions.

(b) *Module Implementation:* The chapter details core modules like User Interface, Itinerary Generation Engine (using a Genetic Algorithm), Neo4j Database Management, and OpenAI API Integration for itinerary descriptions and activity recommendations.

Overall, this chapter provides a solid understanding of the technical choices and their implementation to create Itinera's functionalities.

Chapter 5

Testing

Software testing methods involve various techniques such as unit testing, integration testing, and system testing to evaluate a web application's functionality, performance, and security. Their purpose is to identify defects, validate the web application against requirements, and ensure its quality. Testing is crucial as it helps detect and rectify errors early in the development process, reducing potential risks and enhancing user satisfaction by delivering a reliable, bug-free, and high-quality web application.

5.1 Testing Strategies Used

In this section, the strategies that were employed to test our project will be discussed. Below are the testing strategies employed in our project to guarantee its quality and efficiency.

5.1.1 Unit Testing

Unit testing involves testing components individually to ensure they work correctly, find bugs early, and enhance code quality. Black box testing evaluates functionality without inspecting internal code, while white box testing examines internal logic.

In 'Itinera', we test individual functions with various scenarios, verifying accurate outputs. For instance, we validate the processes that generate the itinerary and other features like individual pages for external factors like guides, taxis, hotels, etc. Test cases are created to cover different scenarios and input combinations, including typical and edge cases. These test cases are executed automatically using testing frameworks, and the results are compared against expected outcomes to detect any discrepancies or errors in the code. If any issues are found, they are debugged and resolved before moving on to the next unit. This iterative process of writing tests, running them, and fixing any failures helps ensure the reliability and stability of the application's codebase. By conducting these tests, we can identify and fix issues promptly, ensuring a reliable and robust web application for travelers and other users.

5.1.1.1 Black Box Testing

Black Box Testing is a software testing approach where it evaluates the functionality without examining its internal code. They focus on how the web application behaves with different inputs and observe the outputs it produces. Testers act as regular users, interacting with the web application interface without knowing its internal workings. This method ensures the web application works correctly from an end-user perspective,

uncovering any defects that could affect the user experience.

In 'Itinera', we can perform Black Box Testing by creating test cases that mimic various user interactions, like entering data, clicking buttons, or using different features. We then observe the app's responses and verify if it behaves as expected. This process helps identify and fix any issues to deliver a smooth and user-friendly experience for users of this web application.

5.1.1.2 White Box Testing

White box testing is a software testing approach where it examines the internal code of the webpage to validate its logic and structure. They assess how the code is written, and the flow of operations, and check for potential errors or missing conditions. This method is crucial to ensure the code is robust and functions correctly according to the intended design, helping developers identify and fix any issues within the code. It is conducted to ensure the reliability and accuracy of the application's internal logic and code.

In 'Itinera', we reviewed the code, verified if all conditions and branches were covered, and created test cases based on the internal logic. Also, examining the application's internal structure, including its algorithms, code paths, and data flows. Our team conducts thorough code reviews to identify any errors, bugs, or vulnerabilities in the codebase. Additionally, we perform these test cases on individual components to verify their functionality and behavior according to specifications. By conducting white box testing, we aim to uncover any potential issues within the application's codebase and ensure that it performs as intended, delivering a high-quality and reliable user experience.

5.1.2 Integration Testing

Integration testing is a way to check how different parts of the web application work together. It helps find any problems that might happen when these parts interact. This is crucial because it ensures that the web application functions well as a whole. It finds issues early, making sure the web application runs smoothly for users.

In *Itinera*, we systematically combined individual modules or components and tested them together to ensure they worked as expected when integrated. It verifies that the different parts of the application interact correctly and that data flows smoothly between them. It begins by identifying the interfaces between modules and defining test cases to cover various integration scenarios. Also, continued iteratively, when new modules were added or existing ones were modified, to ensure that the application remained stable and functional throughout its development lifecycle.

5.2 Testing Results

The testing phase is crucial for ensuring the application's quality and reliability. This section summarizes the results of the testing process, which includes black box testing, white box testing, and integration testing to evaluate the application's performance. From unit testing to user acceptance testing, each phase provides valuable insights into the application's behavior and helps identify any issues or defects. This overview highlights the key findings from testing and the actions taken to ensure the application meets quality standards.

5.2.1 Results of Black Box Testing

The black box test results provided crucial insights into the application's functionality and user experience. Through thorough testing, we explored various scenarios to assess its performance under different conditions. The results identified strengths, areas for improvement, and any bugs or inconsistencies. We tested the web application's response to different inputs and confirmed users' ability to access their homepage. Additionally, travelers were able to generate itineraries. This testing evaluates the application's behavior from an end-user perspective, ensuring it functions correctly and offers a user-friendly experience. The insights gained will help refine and enhance the application to better meet user needs. Overall, the black box test results guide further development, ensuring effectiveness and usability for end-users.

5.2.2 Results of White Box Testing

In *Itinera*, we examined the application's internal workings, including its code structure, logic, and functionality. We carefully reviewed the source code, assessed how operations flowed, and confirmed that the code was implemented correctly. We also checked for potential errors or missing conditions in the code's structure and logic. Each component was thoroughly examined to ensure it worked properly, reducing the risk of hidden defects. We tested the approach to improve reliability and ensure the itinerary was generated efficiently. Both frontend and backend code were inspected, and each module was tested separately to verify its functioning. Through this testing, we gained valuable insights into the reliability of our application's codebase. By identifying and addressing potential vulnerabilities, bugs, and inefficiencies, we ensured that our application runs smoothly and effectively, providing a better user experience.

5.2.3 Results of Integration Testing

The integration test results provided valuable insights into its functionality and performance. By this testing compatibility and proper functioning of the web application are validated, minimized issues, and offered travelers a smooth and reliable tool for personalized itinerary generation. we gained a better understanding of how well the application functions as a whole. These tests helped us identify any issues or inconsistencies in data flow and communication between modules. Also, it highlighted

areas where improvements could be made to enhance the overall user experience and ensure seamless operation. Overall, these results played a crucial role in validating the application's reliability and effectiveness, guiding us in refining and optimizing its performance for optimal user satisfaction.

5.3 Summary

In this chapter, we have discussed the different testing strategies we used to test the system and their respective purposes. We utilized black box testing to evaluate functionality based on users' needs, white box testing to examine the code and logic for features, and integration testing to ensure collaboration between web application components. In summary, these tests help reduce errors, delivering a robust user experience.

Chapter 6

Results

The 'Itinera' web application runs smoothly and meets all our requirements from the SRS. The following sections results of 'Itinera'. It contains a homepage, login page, and form for itinerary generation using genetic algorithm and openai API. Users can easily input their preferences and constraints to generate visually appealing personalized itineraries. Overall, it simplifies travel planning, offering personalized itineraries for unforgettable journeys.

6.1 Output Screenshots

Below are screenshots displaying sample outputs generated by the Itinera web application.

6.1.1 Home Page




Figure 6.1: Home Page




Figure 6.2: Login page




Figure 6.3: After successful login, the data is transferred to the Neo4j database




Figure 6.4: Travel safety tips and things to carry during traveling

6.1.2 Itinerary Generation Using Genetic Algorithm




Figure 6.5: A form is provided to generate personalized itineraries using a genetic algorithm

6.1.3 Output of Itinerary Generation Using Genetic Algorithm



Figure 6.6: Output of itinerary generation using genetic algorithm



Figure 6.7: Output of itinerary generation using genetic algorithm

6.1.4 Itinerary Generation Using Openai API




Figure 6.8: A form is provided to generate personalized itineraries using Openai API

6.1.5 Using Openai API- Output




Figure 6.9: Output of Itinerary Generation Using Openai API

6.2 Summary

In this chapter, we have given some sample output screens of the Itinera web application. It has been verified that the implementation of the proposed system satisfies all the requirements specified in the Software requirement specification. It's a personalized itinerary planner that makes travel planning easy. Users can input their preferences and get customized itineraries. The interface is user-friendly, with a welcoming homepage and an intuitive form. Itinera generates visually appealing itineraries, making travel plans clear and enjoyable.

Chapter 7

Conclusion

7.1 Summary

The report presents a comprehensive overview of the web application 'Itinera', a personalized optimal itinerary recommender with on-demand rescheduling focused on tourist portals and obtaining a personalized itinerary. We discussed its objectives, the motivations for selecting the topic, the project's scope, and the prerequisites required for readers to comprehend the content. Then a comprehensive analysis of various existing systems related to the project topic has been conducted, aiming to comprehend their advantages and disadvantages.

Following an in-depth examination of each existing system, their shortcomings are discussed. This gap analysis clarifies the necessity of the project. The literature review includes references to the literature papers and available applications. Also provides a detailed description of our proposed system, presents the problem statement, and highlights its advantages. Aspects of requirement engineering, such as the requirement collection process, functional and non-functional requirements, economic feasibility, behavioral feasibility, and technical feasibility of the proposed system, are also thoroughly discussed.

The system design incorporates entities like Travelers, Coordinators, Admins, and Guides, with processes such as Authentication and Itinerary Generation facilitated by a Neo4j database. System design involves designing the whole system. For our project, we employed a data flow diagram to depict the system design. It uses different tools used for the implementation of the system and a comprehensive description of, how each module is implemented. Utilizing a Genetic Algorithm (GA) and OpenAI integration, Itinera offers an advanced approach to itinerary creation, considering user preferences and constraints while enhancing the user experience with detailed descriptions and activity recommendations. The technical implementation involves Express.js, EJS, Neo4j, and OpenAI API, with core modules for User Interface, Itinerary Generation Engine, Database Management, and API Integration. Testing strategies like black box, white box, and integration testing ensure a robust user experience, while sample output screenshotes validate the fulfillment of all requirements specified in the Software Requirement Specification (SRS). Ultimately, Itinera emerges as a user-friendly, personalized itinerary planner, streamlining travel planning with visually appealing and customized itineraries.

7.2 Recommendations for Future Works

For performing future research on this work, we recommend the following:

(a) Integrating real-time weather updates via APIs like OpenWeather can revolutionize travel planning. Travelers receive up-to-date forecasts and alerts, allowing informed decisions. Whether for beach trips or hiking, adjusting plans becomes seamless, enhancing satisfaction and loyalty. The system's accuracy and relevance improve, offering personalized recommendations aligned with current weather conditions, and optimizing the travel experience.

(b) Incorporating collaborative itinerary sharing into the travel recommendation system can greatly enhance the user experience. This feature enables travelers to easily share their itineraries with others, facilitating group planning and coordination. By allowing users to collaborate on their travel plans, the system promotes more personalized and tailored recommendations. This fosters a sense of community among travelers and enhances their overall satisfaction with the platform. Additionally, collaborative itinerary sharing streamlines the planning process, making it more efficient and enjoyable for users.

(c) Integrating a review and rating system into the travel recommendation platform can greatly enhance user experience. With this feature, travelers can provide feedback and ratings for destinations, accommodations, and activities, helping other users make informed decisions. This addition fosters a sense of community and trust among users, enabling them to share their experiences and recommendations. Ultimately, the review and rating system improves the overall quality of travel recommendations, leading to higher user satisfaction and engagement with the platform.

(d) Integrating local events and festivals into the travel recommendation system can greatly enrich the user experience. By incorporating this feature, travelers can easily discover and plan their trips around upcoming events and festivals in their chosen destinations. This addition not only enhances cultural immersion but also ensures that users make the most of their travel experiences by participating in local festivities. Ultimately, this feature contributes to a more personalized and memorable travel journey for users, fostering engagement and satisfaction with the platform.

(e) Integrating currency conversion functionality into the travel recommendation system can greatly enhance user experience. By incorporating this feature, travelers can easily convert currencies and plan their expenses more effectively, saving time and hassle during their trips. This addition facilitates seamless financial management, allowing users to budget accurately and make informed decisions while exploring new destinations. Ultimately, integrating currency conversion capabilities enriches the travel planning process, making it more convenient and user-friendly for globetrotters.

(f) Integrating expense splitting and group budgeting functionalities into the travel recommendation system can greatly enhance user experience. By incorporating these features, travelers can easily divide expenses among group members and manage their budgets effectively, leading to smoother coordination and financial planning during trips. This addition fosters better collaboration among travelers, reduces potential conflicts over expenses, and ensures a more enjoyable and organized travel experience overall.

(g) Integrating with local public transport can greatly enhance the travel recommendation system. By incorporating this feature, users can seamlessly plan their journeys by accessing real-time information on buses, trains, or other transit options. This integration improves user experience by providing convenient multi-modal travel solutions, reducing reliance on private vehicles, and promoting sustainable transportation practices. Overall, it enhances the system's utility, making it a more comprehensive and efficient tool for travelers.

References

[1] X. Lü, X. Li, Q. He, J. Gao, Y. Gao, B. Liu, and F. Liu. mir-142-3p regulates the formation and differentiation of hematopoietic stem cells in vertebrates. *Cell Research*, 23(12):1356–1368, 2012.

[2] C. Kelleher and D. Brailsford. Constraint-based travel itinerary planning: A case study using genetic algorithms. *Annals of Tourism Research*, 34(2):411–434, 2007.

[3] G. Amato and M. Soskin. Adaptive trip recommendation using context-aware information. In *Proceedings of the 7th ACM international conference on Mobile computing and networking*, pages 136–143, 2005.

[4] Wei Bi, Sriram Ramaswamy, and Wei-Guang Wei. Itinerary rescheduling with rule-based reasoning for travel disruptions. In *Proceedings of the 18th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, pages 801–810, 2013.

[5] L. Wang, L. Chen, and Y. Yang. Itinerary rescheduling with multi-objective optimization for travel disruptions. *IEEE Transactions on Intelligent Transportation Systems*, 16(3):1400–1410, 2015.

[6] T. Acosta, H. Luo, and Wei-Guang Wei. Context-aware itinerary rescheduling for travel disruptions. In *Proceedings of the 23rd ACM International Conference on Information and Knowledge Management*, pages 1941–1950, 2014.

[7] D. Liu, C. Wu, and Y. Guo. Integrating real-time weather information into itinerary planning. In *Proceedings of the 24th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, pages 2282–2291, 2018.

[8] C. Zhang and X. Li. Real-time traffic information integration for itinerary planning and optimization. *IEEE Transactions on Intelligent Transportation Systems*, 18(7):1872–1881, 2017.

[9] D. Huang and T. Li. Real-time event information integration for itinerary planning. In *Proceedings of the 26th ACM SIGSPATIAL International Conference on Advances in Geographic Information Systems*, pages 411–420, 2016.

[10] Y.-M. Park, S. Park, and H.-C. Kim. Group-based itinerary management system using collaborative filtering and geographic information system. In *Proceedings of the 16th International Conference on Mobile Data Management*, pages 105–114, 2015.

[11] Y. Chen, D. Zhang, and J. Luo. Real-time itinerary sharing among group travelers using social networking service. In *Proceedings of the 2017 IEEE International Conference on Big Data*, pages 2400–2407, 2017.

[12] T. Yang, R. Zhou, and X. Hu. Social itinerary planning system using collaborative decision-making and recommendation sharing.

[13] X. Li, J. Zhang, and X. Zhou. Optimizing personalized touristic itineraries by a multiobjective evolutionary algorithm. *IEEE Transactions on Evolutionary Computation*, 17(5):682–694, 2013.

[14] X. Li, J. Zhang, and X. Zhou. Personalized travel itinerary planning with multiple travelers using multi-objective evolutionary algorithm. *Applied Soft Computing*, 25:1049–1059, 2014.

[15] X. Li, J. Zhang, and X. Zhou. A multi-objective evolutionary algorithm for tourist itinerary planning with time windows. *IEEE/CAA Journal of Automatica Sinica*, 36(2):244–253, 2015.

[16] X. Zheng, X. Han, B. Ni, Z. Zhen, and X. Zhou. Tourism route recommendation based on a multi-objective evolutionary algorithm using two-stage decomposition and pareto layering. *IEEE/CAA Journal of Automatica Sinica*, 40(2):308–321, 2023.

[17] S. Halder, K. H. Lim, K. H. Chan, J. Zhang, and Z. Xiuzhen. Efficient itinerary recommendation via personalized poi selection and pruning. *Knowledge and Information Systems*, pages 1–22, 2022.

[18] Aristea Kontogianni, Efthimios Alepis, and Constantinos Patsakis. Promoting smart tourism personalised services via a combination of deep learning techniques. *Expert System with Applications*, January 2022.

[19] Lei Chen, Jie Cao, Haicheng Tao, and Jia Wu. Trip reinforcement recommendation with graph-based representation learning. *ACM Trans. Knowl. Discov. Data*, 17(4):57, May 2023. Article 57.

[20] B.W. Boehm, C. Abts, A.W. Brown, S. Chulani, B.K. Clark, E. Horowitz, R. Madachy, D.J. Reifer, and B. Steece. *Software Cost Estimation with COCOMO II*. Prentice Hall, 2000.

[21] B.W. Boehm. *Software Engineering Economics*. Prentice-Hall advances in computing science and technology series. Prentice-Hall, 1981.

[22] Rajib Mall. *Fundamentals of Software Engineering*. PHI Learning Private Limited, 2014.

[23] Azat Mardan. *Express. js Guide: The Comprehensive Book on Express. js*. Azat Mardan, 2014.

[24] Azat Mardan and Azat Mardan. Template engines and consolidate. js. *Pro Express. js*, pages 75–85, 2014.

[25] Mahesh Lal. *Neo4j graph data modeling*. Packt Publishing Ltd, 2015.

[26] Steve Tingiris and Bret Kinsella. *Exploring GPT-3: An unofficial first look at the general-purpose language processing API from OpenAI*. Packt Publishing Ltd, 2021.

[27] Xiaoyao Zheng, Baoting Han, and Zhen Ni. Tourism route recommendation based on a multi-objective evolutionary algorithm using two-stage decomposition and pareto layering. *IEEE/CAA Journal of Automatica Sinica*, February 2023.

Index

Personalized Itinerary Planning, 4

Black Box Testing, 31

COCOMO model, 17
contextual factors, 4
Cost estimation, 17

EJS, 28
Express.js, 28

Factors Affecting Tourism Recommendation, 3
Feasibility Study, 10

Implementation, 28
Integration Testing, 32

Literature Survey, 3

Neo4j, 28

On-Demand Itinerary Rescheduling, 4
OpenAI API, 28

Proposed System, 10

Real-Time Data Integration, 5
Requirements Analysis, 10, 12
Requirements Elicitation, 10, 12
Requirements Specification, 10, 12
Requirements Validation, 10, 17

Technology Stack, 28
Temporal factors, 4
Testing, 31
Tourism Recommendation, 3

Unit Testing, 31

White Box Testing, 32

Itinera: Your Personalized Travel Recommendation system

The Itinera, undertaken as part of a BTech major project, focused on a personalized optimal itinerary recommendation system with on-demand rescheduling dedicated to redefining travel planning. Rooted in the vision of enhancing the travel experience, Itinera introduces a sophisticated personalized itinerary planner. This innovative system is designed to transcend traditional travel planning methods by intricately analyzing user preferences, crafting bespoke travel recommendations, and ultimately ensuring a seamless and personalized travel experience.

Nayana P
Sandra Sabu
Annie Treasa Sabu

May 2024
RIT, Kottayam