

Output:

http://localhost:3000



Cricket App

All Players


- Player1 - 85
- Player2 - 45
- Player3 - 72
- Player4 - 60
- Player5 - 90
- Player6 - 30
- Player7 - 88
- Player8 - 50
- Player9 - 77
- Player10 - 66
- Player11 - 95

Players with Score below 70

- Player2 - 45
- Player4 - 60
- Player6 - 30
- Player8 - 50
- Player10 - 66



App.js



Components\IndianPlayers.js

```
import React from "react";

function IndianPlayers() {
  const players = [
    "Virat",
    "Rohit",
    "Dhoni",
    "Rahul",
    "Pant",
    "Hardik",
  ];

  // ♦ Destructuring
  const [p1, p2, p3, p4, p5, p6] = players;

  const oddTeam = [p1, p3, p5];
  const evenTeam = [p2, p4, p6];

  // ♦ Merge arrays using spread
  const T20players = ["Surya", "Gill"];
  const RanjiPlayers = ["Pujara", "Rahane"];

  const mergedPlayers = [...T20players, ...RanjiPlayers];

  return (
    <div>
      <h2>Odd Team Players</h2>
      <ul>
        {oddTeam.map((p, i) => (
          <li key={i}>{p}</li>
        ))}
      </ul>

      <h2>Even Team Players</h2>
      <ul>
        {evenTeam.map((p, i) => (
          <li key={i}>{p}</li>
        ))}
      </ul>
    </div>
  );
}
```

```

    <h2>Merged Players (T20 + Ranji)</h2>
    <ul>
      {mergedPlayers.map((p, i) => (
        <li key={i}>{p}</li>
      ))}
    </ul>
  </div>
);
}

export default IndianPlayers;

```

Components\ListofPlayers.js

```

class Trainer {
  constructor(id, name, email, phone, technology, skills) {
    this.trainerId = id;
    this.name = name;
    this.email = email;
    this.phone = phone;
    this.technology = technology;
    this.skills = skills;
  }
}

export default Trainer;

```

Components\TrainerDetails.js

```

import { useParams } from "react-router-dom";
import trainers from "../TrainersMock";

function TrainerDetails() {
  const { id } = useParams();
  const trainer = trainers.find((t) => t.trainerId === parseInt(id));
  if (!trainer) return <h3>Trainer not found</h3>;
  return (
    <div>
      <h2>{trainer.name}</h2>
      <p>Email: {trainer.email}</p>
      <p>Phone: {trainer.phone}</p>
      <p>Technology: {trainer.technology}</p>
      <p>Skills: {trainer.skills}</p>
    </div>
  );
}

```

```
);  
}  
export default TrainerDetails;
```

Components\TrainersList.js

```
import { Link } from "react-router-dom";  
import trainers from "../TrainersMock";  
  
function TrainersList() {  
  return (  
    <div>  
      <h2>Trainers List</h2>  
      <ul>  
        {trainers.map((t) => (  
          <li key={t.trainerId}>  
            <Link to={`/trainers/${t.trainerId}`}>  
              {t.name}  
            </Link>  
          </li>  
        ))}  
      </ul>  
    </div>  
  );  
}  
  
export default TrainersList;
```

Components\TrainersMock.js

```
const trainers = [  
  {  
    trainerId: 101,  
    name: "John",  
    email: "john@gmail.com",  
    phone: "1234567890",  
    technology: "React",  
    skills: "JS, HTML, CSS",  
  },  
  {  
    trainerId: 102,  
    name: "David",  
    email: "david@gmail.com",  
    phone: "9876543210",  
    technology: "Angular",  
  },  
];
```

```
    skills: "TS, HTML, CSS",  
  },  
];  
  
export default trainers;
```