

Output of Scenario 1

The screenshot shows the FreeSQL web interface with a PL/SQL procedure being executed. The procedure, named `Discount_applied`, iterates through customers and updates their loan interest rates based on their age. The output pane shows the message "Discount applied".

```
1 BEGIN
2   FOR rec IN (
3     SELECT c.CustomerID,
4           FLOOR(MONTHS_BETWEEN(SYSDATE, c.DOB)/12) AS age,
5           l.InterestRate
6     FROM Customers c
7     JOIN Loans l ON c.CustomerID = l.CustomerID
8   ) LOOP
9     IF rec.age > 60 THEN
10      UPDATE Loans
11      SET InterestRate = InterestRate - 1
12      WHERE CustomerID = rec.CustomerID;
13    END IF;
14  END LOOP;
15  COMMIT;
16  DBMS_OUTPUT.PUT_LINE('Discount applied');
17 END;
```

Query result | Script output | **DBMS output** | Explain Plan | SQL history

Discount applied

Output of Scenario 2

The screenshot shows the FreeSQL web interface with a PL/SQL procedure being executed. The procedure, named `VIP_updated`, iterates through customers with a balance greater than 10000 and updates their name to include "(VIP)". The output pane shows the message "VIP updated" and "PL/SQL procedure successfully completed.".

```
1 BEGIN
2   FOR rec IN (
3     SELECT CustomerID, Balance FROM Customers
4   ) LOOP
5     IF rec.Balance > 10000 THEN
6       UPDATE Customers
7       SET Name = Name || ' (VIP)'
8       WHERE CustomerID = rec.CustomerID;
9     END IF;
10  END LOOP;
11  COMMIT;
12  DBMS_OUTPUT.PUT_LINE('VIP updated');
13 END;
```

Query result | **Script output** | DBMS output | Explain Plan | SQL history

VIP updated

PL/SQL procedure successfully completed.
Elapsed: 00:00:00.168

Output of Scenario 3

The screenshot displays the Oracle FreeSQL web application interface. The browser's address bar shows the URL `freesql.com/?utm_source=chatgpt.com`. The interface includes a top navigation bar with a 'Connect to the Database' button and a 'Help and Feedback' link. On the left, a 'Navigator' pane shows a tree view of database objects under 'My Schema', including 'ACCOUNTS', 'CUSTOMERS', 'EMPLOYEES', 'LOANS', and 'TRANSACTIONS'. The main editor area, titled '[SQL Worksheet]*', contains the following SQL script:

```
1 SET SERVEROUTPUT ON;
2
3 BEGIN
4   FOR rec IN (
5     SELECT c.Name, l.EndDate
6     FROM Customers c
7     JOIN Loans l
8       ON c.CustomerID = l.CustomerID
9     WHERE l.EndDate BETWEEN SYSDATE AND SYSDATE + 30
10  )
11  LOOP
12    DBMS_OUTPUT.PUT_LINE(
13      'Reminder: ' || rec.Name ||
14      ' loan due on ' ||
15      TO_CHAR(rec.EndDate, 'YYYY-MM-DD')
16    );
17  END LOOP;
18 END;
```

Below the editor, the 'DBMS output' tab is active, displaying the result of the script execution:

```
Reminder: Jane Smith loan due on 2026-07-05
```

The bottom of the interface features a footer with links for 'About Oracle', 'Contact Us', 'Legal Notices', 'Terms and Conditions', 'Your Privacy Rights', and 'Delete Your FreeSQL Account'. It also includes a copyright notice: '26.5.2 - Copyright © 2015, 2026 Oracle and/or its affiliates All rights reserved'. The Windows taskbar at the very bottom shows the system date and time as 11:19 on 20/06/2026, along with weather information (30°C, Mostly sunny) and system icons.