



Output:




```
localhost:8080/accounts/123  
Pretty print ☒  
{  
  "number": "123",  
  "balance": 234343,  
  "type": "savings"  
}
```



```
localhost:8081/loans/123  
Pretty print ☒  
{  
  "emi": 3258,  
  "number": "123",  
  "loan": 400000,  
  "type": "car",  
  "tenure": 18  
}
```

ACCOUNT: accountController




```
1 package com.cognizant.account.controller;
2
3 import ...
4
5 @RestController
6 public class AccountController {
7
8     @GetMapping("/accounts/{number}")
9     public Map<String, Object> getAccount(@PathVariable String number) {
10         Map<String, Object> response = new HashMap<>();
11         response.put("number", number);
12         response.put("type", "savings");
13         response.put("balance", 234343);
14         return response;
15     }
16 }
17 }
```

Run console output:

```
2026-07-06T11:31:55.587+05:30 INFO 28780 --- [account-service] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2026-07-06T11:31:55.591+05:30 INFO 28780 --- [account-service] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet : Completed initialization in 1 ms
2026-07-06T11:36:09.559+05:30 INFO 28780 --- [account-service] [rap-executor-8d] c.n.d.s.p.aws.ConfigClusterResolver : Resolving eureka endpoints via configuration
2026-07-06T11:41:09.577+05:30 INFO 28780 --- [account-service] [rap-executor-8d] c.n.d.s.p.aws.ConfigClusterResolver : Resolving eureka endpoints via configuration
2026-07-06T11:46:09.590+05:30 INFO 28780 --- [account-service] [rap-executor-8d] c.n.d.s.p.aws.ConfigClusterResolver : Resolving eureka endpoints via configuration
2026-07-06T11:51:09.592+05:30 INFO 28780 --- [account-service] [rap-executor-8d] c.n.d.s.p.aws.ConfigClusterResolver : Resolving eureka endpoints via configuration
2026-07-06T11:56:09.602+05:30 INFO 28780 --- [account-service] [rap-executor-8d] c.n.d.s.p.aws.ConfigClusterResolver : Resolving eureka endpoints via configuration
```

application.properties



```
1 server.port=8080
2 spring.application.name=account-service
3 eureka.client.service-url.defaultZone=http://localhost:8761/eureka
```

Run console output:

```
2026-07-06T11:31:55.587+05:30 INFO 28780 --- [account-service] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2026-07-06T11:31:55.591+05:30 INFO 28780 --- [account-service] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet : Completed initialization in 1 ms
2026-07-06T11:36:09.559+05:30 INFO 28780 --- [account-service] [rap-executor-8d] c.n.d.s.p.aws.ConfigClusterResolver : Resolving eureka endpoints via configuration
2026-07-06T11:41:09.577+05:30 INFO 28780 --- [account-service] [rap-executor-8d] c.n.d.s.p.aws.ConfigClusterResolver : Resolving eureka endpoints via configuration
2026-07-06T11:46:09.590+05:30 INFO 28780 --- [account-service] [rap-executor-8d] c.n.d.s.p.aws.ConfigClusterResolver : Resolving eureka endpoints via configuration
2026-07-06T11:51:09.592+05:30 INFO 28780 --- [account-service] [rap-executor-8d] c.n.d.s.p.aws.ConfigClusterResolver : Resolving eureka endpoints via configuration
2026-07-06T11:56:09.602+05:30 INFO 28780 --- [account-service] [rap-executor-8d] c.n.d.s.p.aws.ConfigClusterResolver : Resolving eureka endpoints via configuration
```

main -> add `@EnableDiscoveryClient`

LOAN

loanController

```
8 public class LoanController {
9
10     @GetMapping("/loans/{number}")
11     public Map<String, Object> getLoan(@PathVariable String number) {
12
13         Map<String, Object> response = new HashMap<>();
14         response.put("number", number);
15         response.put("type", "car");
16         response.put("loan", 400000);
17         response.put("emi", 3250);
18         response.put("tenure", 10);
19
20         return response;
21     }
22 }
```

application.properties

```
1 server.port=8081
2 spring.application.name=loan-service
3 eureka.client.service-url.defaultZone=http://localhost:8761/eureka
```

main -> add @EnableDiscoveryClient