


Output:

Main file with output:



The screenshot shows an IDE with the following components:

- Project Explorer:** Shows the project structure with packages like `com.cognizant.orm_learn`, `model`, `repository`, `service`, and `resources`.
- Editor:** Displays the `OrmLearnApplication.java` file, which is a Spring Boot application. It includes imports for `SpringBootApplication`, `ApplicationContext`, `CountryService`, and `Country`. The `main` method uses `SpringApplication.run` to start the application.
- Run Console:** Shows the output of the application. It includes SQL queries for finding countries by code, inserting new countries, and a log message indicating the application is closing.

```
2026-06-27T23:39:16.204+05:30 INFO 14784 --- [orm-learn] [ionShutdownHook] j.LocalContainerEntityManagerFactoryBean : Closing JPA EntityManagerFactory for persistence unit 'd
```

src/main/resources/application.properties

```
spring.application.name=orm-learn

spring.datasource.url=jdbc:mysql://localhost:3306/ormlearn
spring.datasource.username=root
spring.datasource.password=997662

spring.jpa.hibernate.ddl-auto=validate
spring.jpa.show-sql=true
```

src/main/java/com/cognizant/orm_learn/model/Country.java

```
package com.cognizant.orm_learn.model;

import jakarta.persistence.*;

@Entity
@Table(name="country")
public class Country {

    @Id
    @Column(name="co_code")
    private String code;

    @Column(name="co_name")
    private String name;
```

```

    @Override
    public String toString() {
        return "Country [code=" + code + ", name=" + name + "]";
    }

    public String getCode() { return code; }
    public void setCode(String code) { this.code = code; }

    public String getName() { return name; }
    public void setName(String name) { this.name = name; }
}

```

src/main/java/com/cognizant/orm_learn/repository/CountryRepository.java

```

package com.cognizant.orm_learn.repository;

import org.springframework.data.jpa.repository.JpaRepository;
import com.cognizant.orm_learn.model.Country;
import java.util.List;

public interface CountryRepository extends JpaRepository<Country, String> {

    List<Country> findByNameContaining(String text);

}

```

src/main/java/com/cognizant/orm_learn/service/CountryService.java

```

package com.cognizant.orm_learn.service;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Service;
import jakarta.transaction.Transactional;

import com.cognizant.orm_learn.model.Country;
import com.cognizant.orm_learn.repository.CountryRepository;
import java.util.List;

@Service
public class CountryService {

    @Autowired
    private CountryRepository repo;

    @Transactional
    public List<Country> getAllCountries() {
        return repo.findAll();
    }

    @Transactional
    public Country findCountryByCode(String code) {
        return repo.findById(code).orElse(null);
    }
}

```

```

    }

    @Transactional
    public void addCountry(Country c) {
        repo.save(c);
    }
}

```

src/main/java/com/cognizant/orm_learn/OrmLearnApplication.java

```

package com.cognizant.orm_learn;

import org.springframework.boot.SpringApplication;
import org.springframework.boot.autoconfigure.SpringBootApplication;
import org.springframework.context.ApplicationContext;

import com.cognizant.orm_learn.service.CountryService;
import com.cognizant.orm_learn.model.Country;

@SpringBootApplication
public class OrmLearnApplication {

    public static void main(String[] args) {

        ApplicationContext context =
SpringApplication.run(OrmLearnApplication.class, args);

        CountryService service = context.getBean(CountryService.class);

        System.out.println("All Countries:");
        System.out.println(service.getAllCountries());

        System.out.println("Find IN:");
        System.out.println(service.findCountryByCode("IN"));

        Country c = new Country();
        c.setCode("CN");
        c.setName("China");
        service.addCountry(c);

        System.out.println("After adding Japan:");
        System.out.println(service.getAllCountries());
    }
}

```