Express-mongoose

Basic Set Up

```
const express = require("express");
const app = express();
const path = require("path");
const mongoose = require("mongoose");

main()
  .then(() => {
    console.log("connection successful");
  })
  .catch((err) => console.log(err));

async function main() {
  await mongoose.connect("mongodb://127.0.0.1:27017/test");
}

app.set("views", path.join(__dirname, "views"));
app.set("view engine", "ejs");

app.get("/", (req, res) => {
  res.send("working root");
});

app.listen(8080, () => {
  console.log("app is listening");
});
```

Creating the Model

Chat will have : (_id, from, to, message, created_at)

Initialize Database

init.js

Chats

Index Route

GET /chats

annumath

Chats

New & Create Route

new chat

button

GET /chats/new → form render (message/chat)

POST /chats

DB insert chat



Using Date

```
<%= chat.created_at.toString().split(" ")[4] %> <br />
<%= chat.created_at.toString().split(" ").slice(0, 4).join(" ") %> <br />
```

Chats

Edit & Update Route

GET /chats/:id/edit

PUT /chats/:id

Chats

Destroy Route

DELETE /chats/:id

localhost:8080/chats

All Chats!

New Chat

From: *Aarzoo*

Okay, I'll send in 5 minutes

edit

delete

Recieved by *Annu*

6:57:40 PM
Thu Apr 16 2026

From: *Annu*

Lets have a cup of tea.

edit

delete

Recieved by *Aarzoo*

10:19:57 PM
Thu Apr 16 2026