



Test Cases for Budget Module

	Location	Case	Pre-Condition	Steps	Expected Result	Actual Result	Status	Tester	Remarks
1	Budget List	Access Budget module from menu	User is logged in with valid credentials	1. Open Exsited. 2. Ensure you are logged in. 3. From top navigation/menu, locate Budget (or via More if nested). 4. Click Budget.	Budget list page loads successfully with search/filters/table visible; no console/UI error.	Budget list page loaded successfully; Budget page opened from navigation without any errors.	PASS	@AnomaRathnayaKa	
2	Budget List	Verify list page components	Budget list page accessible	1. Navigate to Budget list page. 2. Check for Search input. 3. Check for Currency	All listed components are visible and usable; layout not broken on load.	Search field, Currency filter, Fiscal Year filter, Status filter, Add Budget button, and Refresh control were all visible and usable.	PASS	@AnomaRathnayaKa	

				dropdown filter. 4. Check for Fiscal Year dropdown filter. 5. Check for Status dropdown filter (if available). 6. Check for Add Budget button. 7. Check for Refresh icon/button.					
3	Budget List	Verify table columns appear	At least 1 budget record exists	1. Open Budget list page. 2. Observe table header row. 3. Confirm columns such as Name, Fiscal	Table headers visible, aligned; column names correct; no overlapping text.	Table headers displayed correctly (Name, Fiscal Year, Currency, Configured, Created On, Created By, Last Updated On, Last	PASS	@AnomaRathnayaKa	

				Year, Currenc y, Configu red Rows/C onfig Code, Created On, Created By, Last Updated On, Last Updated By, Status, Actions appear.		Updated By, Status, Actions) with proper alignment.			
4	Budget List	Refresh list	Budget list page open	1. Open Budget list page. 2. Click Refresh icon/butt on. 3. Observe loading indicator (if any). 4. Confirm list reloads.	List refreshe s and shows current/l atest records; no duplicati on; filters remain as designe d.	Clicking Refresh reloaded the list and displayed the latest budget records successfully.	PASS	@An oma Rath naya ka	
5	Budget List	Search by full	At least one	1. Open Budget	Matchin g	Search Panel Not	FAIL	@An oma	

		budget name	known budget exists	list page. 2. In Search input, type the full budget name (exact). 3. Press Enter . 4. Observe results.	budget row(s) displayed; unrelated rows not shown.	Functioning		Rath naya ka	
6	Budget List	Search by partial name	At least one budget exists	1. Open Budget list page. 2. Type first 3–5 characters of a budget name. 3. Press Enter . 4. Observe results.	Partial match returns relevant budgets; search logic works for partial text.	Search by partial name displays “No Data Available”	FAIL	@An oma Rath naya ka	

7	Budget List	Search is case-insensitive	At least one budget exists	1. Search using lower-case (e.g., “budget”). 2. Search using UPPER-case (e.g., “BUDGET”). 3. Search using mixed-case (e.g., “BuDgEt”). 4. Compare results.	Results are the same for different cases; search is not case sensitive.	Search is case-insensitive displays “No Data Available”	FAIL	@AnomaRathnayaKa	
8	Budget List	Search trims spaces	At least one budget exists	1. In Search field, type a valid budget name with leading/trailing spaces (e.g., “	Spaces are trimmed automatically or handled; correct budget still found.	Search trims spaces displays “No Data Available”	FAIL	@AnomaRathnayaKa	

				Budget 01”). 2. Press Enter . 3. Observe results.					
9	Budget List	Search with special characters	Budget exists with special characters OR test negative	1. Enter special characters in search (e.g., “!@#\$”). 2. Press Enter . 3. Observe results and UI behavior.	System does not crash; either returns “No records found” or matches if such names exist.	Search with special characters displays “No Data Available”	FAIL	@An oma Rath naya ka	
10	Budget List	Clear search restores full list	Search previously applied	1. Apply a search that filters results. 2. Click into search field. 3. Clear text (Backspace / Ctrl+A then Delete).	Full list returns: no stale results remain.	Clearing the search input and re-triggering search restored the full unfiltered budget list.	PASS	@An oma Rath naya ka	

				4. Observe list.					
1 1	Budget List	Filter by Currency	Budgets exist across different currencies	1. Open Budget list. 2. Open Currency dropdown. 3. Select a specific currency (e.g., AUD). 4. Observe the table results.	Only budgets with selected currency are displayed.	Selecting a currency filter (e.g., AUD) displayed only budgets in that currency.	PASS	@AnomaRathnayaKa	
1 2	Budget List	Filter by Fiscal Year	Budgets exist across multiple fiscal years	1. Open Budget list. 2. Open Fiscal Year dropdown. 3. Select a year (e.g., 2026). 4. Observe results.	Only budgets in the selected fiscal year are displayed.	Selecting a fiscal year filter displayed only budgets from that fiscal year.	PASS	@AnomaRathnayaKa	
1 3	Budget List	Clear Fiscal	Fiscal Year	1. Open Fiscal Year	Fiscal year filter is	Clearing the fiscal year filter restored	PASS	@AnomaRath	

		Year filter	filter applied	dropdown. 2. Select None/All (or clear). 3. Observe list.	removed, budgets from all year's return.	budgets across all fiscal years.		naya ka	
1 4	Budget List	Filter by Status	Budgets exist in Open/Closed/Locked	1. Open Budget list. 2. Open Status dropdown (if present). 3. Select Open . 4. Observe results. 5. Repeat for Closed .	Each selection returns only budgets with selected status.	Selecting Status = Open/Closed filtered the list correctly to only those statuses.	PASS	@AnomaRathnaya ka	
1 5	Budget List	Combined filters (Currency + Year + Status)	Data exists matching combinations	1. Select Currency (e.g., AUD). 2. Select Fiscal Year (e.g., 2026). 3. Select Status	Results match intersection of all applied filters; no unrelated rows shown.	Applying Currency + Fiscal Year + Status together returned only budgets matching all selected filters.	PASS	@AnomaRathnaya ka	

				(e.g., Open).					
				4. Observe results.					
1 6	Budget List	Sorting by Name	Multiple budgets exist	1. Open Budget list. 2. Click Name column header once. 3. Observe order (A→Z). 4. Click again. 5. Observe order (Z→A).	Sorting toggles correctl y; sort indicator changes ; order accurate ·	The sorting functionality in the Budget list view does not work.	FAIL	@An oma Rath naya ka	
1 7	Budget List	Sorting by Created On	Multiple budgets exist	1. Open Budget list. 2. Click Created On header once. 3. Observe earliest → latest (or latest→ earliest).	Sorted correctl y by date; no in correc t ordering ·	The sorting functionality in the Budget list view does not work.	FAIL	@An oma Rath naya ka	

				4. Click again to toggle.					
18	Budget List	Open Budget details via Name link	At least one budget exists	1. Open Budget list. 2. Click a budget Name link (or row).	Navigate to Budget Details for the selected budget; correct title shown.	Clicking a budget Name opened the correct Budget Details page for that selected budget.	PASS	@AnomaRathnayaKa	
19	Budget List	Actions menu opens for a row	At least one budget exists	1. Open Budget list. 2. On a budget row, click Actions (:) icon.	Action menu appears (Edit/Copy/Delete etc. depending on status).	Clicking Actions (:) displayed the actions menu successfully for the selected row.	PASS	@AnomaRathnayaKa	
20	Budget List	Action menu closes properly	Actions menu opened	1. Open Actions menu. 2. Click outside the menu OR press ESC.	Menu closes without UI glitch.	Clicking outside the actions menu (or pressing ESC) closed the menu without UI issues.	PASS	@AnomaRathnayaKa	
21	Add Budget	Open Add	User has	1. Open Budget	Add Budget	Clicking Add Budget	PASS	@Anoma	

		Budget modal	permission to create budgets	list. 2. Click Add Budget.	modal opens; background dims; fields visible.	opened the Add Budget modal successfully with all required fields displayed.		Rathnaya ka	
2 2	Add Budget	Close modal using Cancel	Add Budget modal is open	1. Click Cancel button.	Modal closes: no new budget created.	Clicking Cancel closed the Add Budget modal and no budget record was created.	PASS	@Anoma Rathnaya ka	
2 3	Add Budget	Close modal using X	Add Budget modal is open	1. Click X icon on modal.	Modal closes; no new budget created.	Clicking the X icon closed the Add Budget modal and no budget record was created.	PASS	@Anoma Rathnaya ka	
2 4	Add Budget	Name required validation	Add Budget modal open	1. Leave Name empty. 2. Select Fiscal Year. 3. Select Currency. 4. Click Save.	Save blocked; clear validation message shown for Name; budget not created.	Attempting to save with Name empty was blocked and a Name validation message was shown.	PASS	@Anoma Rathnaya ka	

25	Add Budget Max length is not defined in RD	Name length boundary – max allowed	Add Budget modal open	1. Enter Name at maximum allowed length (as per UI limit). 2. Fill other fields. 3. Click Save.	Budget saves successfully; full name stored; no truncation without warning.		@AnomaRathnayaKa	
26	Add Budget Max length is not defined in RD	Name length over max blocked	Add Budget modal open	1. Enter Name exceeding max length by 1 character. 2. Fill other fields. 3. Save.	System blocks extra input OR shows validation; budget not created.		@AnomaRathnayaKa	
27	Add Budget	Duplicate Name + same Fiscal Year blocked	A budget already exists with same name & fiscal year	1. Click Add Budget. 2. Enter Name identical to existing budget.	Save blocked; duplicate message displayed; no duplicate	Creating a budget with duplicate Name + same Fiscal Year was blocked with a duplicate validation message.	PASS @AnomaRathnayaKa	

				3. Select same Fiscal Year as existing. 4. Fill other required fields. 5. Save.	budget created.				
28	Add Budget	Switch configuration to Additional Code	Additional Code exists	1. Open Add Budget. 2. Select Additional Code option. 3. Observe field changes (dropdowns appear/hide). 4. Save with valid values.	Additional Code related fields appear; budget created with Activity config; irrelevant fields hidden/disabled.	Selecting Additional Code configuration displayed the relevant fields and saved successfully with valid selections.	PASS	@AnomaRathnayaKa	
29	Add Budget	Save creates budget and shows success message	Add Budget modal open with valid values	1. Fill all mandatory fields correctly. 2. Click Save once.	Success message shown; budget appears in list with correct	Budget Created successfully, success message showed and budget appears in list.	PASS	@AnomaRathnayaKa	

				3. Observe message . 4. Check budget appears on list.	values (year/currency/status).			
30	Budget List	Edit (Open budget) loads correct values	Open budget exists	1. On list, click Actions (:) for Open budget. 2. Click Edit . 3. Observe modal fields (Name/Year/Currency/config).	Edit modal opens and fields match existing budget values.	Editing an Open budget opened the edit modal with correct pre-filled values.	PASS	@AnomaRathnayaKa
31	Budget List	Edit changes persist after save	Open budget exists	1. Actions (:) → Edit. 2. Change Name 3. Click Save. 4. Verify list shows updated name. 5. Re-open edit	Changes saved successfully; list and details reflect updated values; audit fields update.	Updating the Name fields and saving persisted changes; list and details reflected the updated values and audit fields updated.	PASS	@AnomaRathnayaKa

				modal to confirm persisted.				
3 2	Budget List	Edit cancelled does not save changes	Open budget exists	1. Actions (:) → Edit. 2. Modify Name. 3. Click Cancel (or X). 4. Confirm list unchanged.	No changes saved; original values remain.	Cancelling an edit discarded changes; original values remained unchanged.	PASS	@An oma Rath naya ka
3 3	Budget List	Copy budget creates a new budget	Any budget exists	1. Actions (:) → Copy . 2. Confirm copy modal/form opens with prefilled values. 3. Enter a new unique name . 4. Save. 5. Verify new budget	New budget created with same configuration/structure; original budget unchanged.	Copy action opened a prefilled copy form; saving with a new name created a new budget with the same configuration/structure.	PASS	@An oma Rath naya ka

				appears in list.					
3 4	Budget List	Copy enforces duplicate rule	A budget exists with name N in year Y	1. Copy a budget. 2. Set Name to existing name N for same year Y. 3. Save.	Save blocked with duplicate message; no copy created.	Copying with a duplicate name in the same fiscal year was blocked with a duplicate validation message.	PASS	@An oma Rath naya ka	
3 5	Budget List	Delete confirmation dialog appears	Open budget exists	1. Actions (:) → Delete. 2. Observe confirmation popup.	Confirm ation dialog appears showing correct budget name and irreversible warning.	Delete action displayed a confirmation dialog showing the correct budget name and warning text.	PASS	@An oma Rath naya ka	
3 6	Budget List	Delete cancelled keeps record	Delete confirmation open	1. Click Cancel (or close icon). 2. Check budget still in list.	Budget not deleted; remains visible and accessible.	Cancelling deletion kept the budget record in the list and it remained accessible.	PASS	@An oma Rath naya ka	
3 7	Budget List	Delete confirmed	Delete confirmation open	1. Click Delete. 2. Observe success	Budget deleted; no longer	Confirming deletion removed the budget from	PASS	@An oma Rath	

		removes record		message . 3. Verify budget removed from list. 4. Try opening old details URL (if known).	appears; direct URL access blocked/redirected.	the list successfully and the old details link was no longer accessible.	naya ka	
38	Budget Details (Single)	Details page loads correct header info	Single column budget exists	1. Open budget details from list. 2. Confirm Name shown in header. 3. Verify Fiscal Year dropdown shows correct year. 4. Verify Currency dropdown shows correct currency .	Details page shows correct budget identity and selections; no wrong budget loaded.	Single-column budget details loaded with correct Name, Fiscal Year, and Currency displayed.	PASS	@AnomaRathnaya ka

39	Budget Details (Single)	Default rows loaded correctly	Single budget exists	1. Open Single budget details. 2. Scroll through rows. 3. Confirm each row shows Code label and an Amount input.	Rows load without missing/duplicate unintended rows; UI remains responsive.	Single-column rows loaded successfully with code labels and amount fields visible for each row.	PASS	@AnomaRathnayaKa	
40	Budget Details (Single)	Enter integer amount and save	Budget status is Open	1. Open budget details. 2. In first row amount field, enter 100. 3. Click Save Budget. 4. Observe success message. 5. Refresh page and confirm	Amount saved and retained after refresh; success toast shown.	Entering an integer amount, saving, and refreshing retained the saved value correctly.	PASS	@AnomaRathnayaKa	

				value persists.					
4 1	Budget Details (Single)	Enter decimal amount and save	Budget status Open	1. Open details. 2. Enter 100.55 in amount field. 3. Save Budget. 4. Refresh page.	Decimal accepted and saved with correct precision/formatting.	Entering a decimal amount, saving, and refreshing retained the value with correct currency precision/format.	PASS	@AnomaRathnayaKa	
4 2	Budget Details (Single)	Enter zero amount and save	Budget status Open	1. Open details. 2. Enter 0 in an amount field. 3. Save Budget. 4. Refresh and confirm.	Zero saved correctly; not auto cleared.	Entering zero, saving, and refreshing retained the value correctly.	PASS	@AnomaRathnayaKa	
4 3	Budget Details (Single)	Clear amount field behavior	Budget status Open	1. Open details. 2. Clear an amount field completely. 3. Click Save Budget.	Saves as blank, no crash.	Clearing an amount field was saved as blank without errors.	PASS	@AnomaRathnayaKa	

				4. Observe validation or saved value. 5. Refresh to confirm persisted state.					
4 4	Budget Details (Single)	Negative amount blocked	Budget status Open	1. Open details. 2. Enter -10 in amount field. 3. Click Save Budget.	System prevents negative input.	Entering a negative amount was rejected (Blocked).	PASS	@AnomaRathnayaKa	
4 5	Budget Details (Single)	Non-numeric input blocked	Budget status Open	1. Open details. 2. Enter abc in the amount field. 3. Click Save Budget.	System prevents non-numeric or shows validation;	Entering non-numeric text was rejected (Blocked).	PASS	@AnomaRathnayaKa	
4 6	Budget Details	Very large	Budget status	1. Open details.	If within limits,	Entering a very large	PASS	@Anoma	

	(Single)	amount limit	Open	2. Enter a large number (e.g., 999999 999999). 3. Save Budget. 4. Observe result.	value saved; if exceeds limit, System prevents (Blocked) input; no overflow /broken UI.	number saved successfully within allowed limits		Rathnaya ka	
47	Budget Details (Single)	Prevent adding duplicate code	Budget Open with existing code row	1. Click “+”. 2. Open code dropdown. 3. Attempt selecting an existing code and save.	Duplicate is prevented validation error; no duplicate row created.	When no unused codes remained, system prevent saving, validation message trigger, preventing duplicates.	PASS	@Anoma Rathnaya ka	
48	Budget Details (Single)	Delete an existing row (added row)	Budget Open: at least one deletable row exists	1. Locate a row that can be deleted (e.g., added via +). 2. Click delete (x/bin)	Row removed successfully; does not return after refresh.	Deleting a row and saving removed it permanently and it did not return after refresh.	PASS	@Anoma Rathnaya ka	

				icon for that row. 3. Confirm deletion if prompted. 4. Click Save Budget. 5. Refresh and confirm row removed.					
49	Budget Details (Single)	Deleted code becomes available again	Budget Open; row deleted	1. Delete a row for a specific code. 2. Click “+”. 3. Open code dropdown.	Deleted code appears again as available option to add.	After deleting a row, the deleted code became available again in the “+” dropdown.	PASS	@AnomaRathnaka	
50	Budget Details (Single)	CSV Export opens export UI	Budget details open	1. Scroll to bottom if needed. 2. Click CSV Export. 3. Observe export overlay/	Export UI opens without errors; user can proceed to download.	Clicking CSV Export opened the export interface without errors.	PASS	@AnomaRathnaka	

				modal (if any).					
51	Budget Details (Single)	CSV Export downloads file	Budget details open	1. Click CSV Export. 2. If modal appears, click download button/link. 3. Confirm browser downloads a .csv file.	CSV file downloads successfully; no blank/0-byte file.	CSV Export successfully downloaded a .csv file with a valid file name.	PASS	@AnomaRathnayaKa	
52	Budget Details (Single)	CSV Export content matches UI	Budget has known values	1. Set a few amounts in UI and Save Budget. 2. Export CSV. 3. Open CSV in Excel/Sheets. 4. Compare codes and amounts with UI.	CSV contains correct codes and amounts ; values match UI exactly.	Exported CSV values and codes matched the UI exactly (including decimal formatting).	PASS	@AnomaRathnayaKa	

53	Budget Details (Single)	CSV Import opens upload UI	Budget status Open	1. Click CSV Import. 2. Observe upload area/modal instructions.	Import modal/overlay opens; user can browse/drag-drop file.	Clicking CSV Import opened the import modal with upload controls and guidance.	PASS	@AnomaRathnayaKa	
54	Budget Details (Single)	CSV Import valid file updates amounts	Budget Open: valid CSV prepared	1. Prepare a valid CSV matching expected columns/headers. 2. Open CSV Import modal. 3. Upload the valid CSV. 4. Click Import/Confirm. 5. Observe success message and counts. 6. Refresh details	Import succeeds; amounts updated correctly; system displays clear result summary (imported).	Importing a valid CSV updated budget amounts correctly and displayed a success/result summary.	PASS	@AnomaRathnayaKa	

				and verify values updated.					
5 5	Budget Details (Single)	CSV Import cancel does not apply changes	Budget Open; import modal open	1. Open CSV Import modal. 2. Upload a CSV. 3. Click Cancel. 4. Refresh details.	No changes applied; values remain as before.	Cancelling CSV import closed the modal and no budget values were changed.	PASS	@An oma Rath naya ka	
5 6	Budget Details (Single)	CSV Import invalid file type blocked	Budget Open	1. Open CSV Import modal. 2. Attempt to upload a non- CSV file (e.g., .xlsx/.png).	System blocks file and shows error “Invalid file type”; import not process ed.	Uploading a non-CSV file was blocked.	PASS	@An oma Rath naya ka	
5 7	Budget Details (Single)	CSV Import invalid headers blocked	Budget Open	1. Create CSV with wrong header names/o rder. 2. Upload via	System rejects import with clear error; no values updated .	Uploading a CSV with invalid headers was rejected with a clear structure/hea der error and	PASS	@An oma Rath naya ka	

				import. 3. Confirm import.		no values updated.			
58	Budget Details (Single)	CSV Import wrong column count blocked	Budget Open	1. Create CSV with missing or extra columns. 2. Upload and import.	Import rejected with messag e (structur e mismatc h/row length mismatc h); no partial corrupti on.	Uploading a CSV with wrong column count/structu re was rejected with an error and no data corruption occurred.	PASS	@An oma Rath naya ka	
59	Budget Details (Single)	CSV Import non- numeric amount handling	Budget Open	1. Create CSV with “abc” as amount value for a row. 2. Upload and import. 3. Observe result summar y.	System rejects file or skips invalid row with clear reportin g; does not save invalid amount.	Importing a CSV with non-numeric values was rejected, shows error “Invalid file type”.	PASS	@An oma Rath naya ka	
60	Budget Details (Single)	CSV Import negative	Budget Open	1. Create CSV with -10	Negativ e values rejected	System accepts, importing a	FAIL	@An oma Rath	

		amount handling		amount for a row. 2. Upload and import.	(file or row); clear message; budget remains valid.	CSV with negative amounts.		naya ka	
61	Budget Details (Single)	CSV Import unknown code handling	Budget Open	1. Create CSV with a code that does not exist in budget config. 2. Import. 3. Observe summary and values.	System reports code not found; ignores/ does not create unknown code row; no crash.	Importing a CSV with unknown codes reported “not found” and did not add unknown codes to the budget.	PASS	@AnomaRathnaya ka	
62	Budget Details (Single)	CSV Import duplicate rows in file	Budget Open	1. Create CSV that includes same code twice with different amounts. 2. Import. 3. Check final UI value for	System handles deterministically (reject last) and reports “1 Duplicate”; no duplicate UI rows created.	Importing a CSV containing duplicate rows for the same code was handled deterministically (no duplicate UI rows created) and reported appropriately.	PASS	@AnomaRathnaya ka	

				that code.					
6 3	Budget Details (Double)	Double column details layout loads	Double column budget exists	1. Open Budget list. 2. Open a Double Column budget details. 3. Verify two-dimensional selection /labels exist.	Double column layout visible; combina tions section loads; no missing dropdo wns.	Double- column budget details loaded correctly with both column dimensions visible.	PASS	@An oma Rath naya ka	
6 4	Budget Details (Double)	Add combina tion row using “+”	Double budget Open; unused combina tions exist	1. Open double budget details. 2. Click + to add a row/com bination. 3. Select a value for Column 1 dropdow n. 4. Select a value for Column 2	Combin ation row added success fully; persists after refresh; no duplicat e combina tions created.	Adding a new Column1+Col umn2 combination via “+”, entering amount, saving, and refreshing persisted the new combination row.	PASS	@An oma Rath naya ka	

				dropdown. 5. Enter amount. 6. Click Save Budget. 7. Refresh and confirm row persists.					
65	Budget Details (Double)	Column 1 filters Column 2 options	Double budget Open	1. Click “+” to add combination. 2. Select a Column 1 value. 3. Open Column 2 dropdown.	Column 2 options list shown; no invalid options displayed.	Selecting Column 1 correctly filtered Column 2 options to valid values without invalid selections.	PASS	@AnomaRathnayaKa	
66	Budget Details (Double)	Prevent duplicate combination	Double budget Open; combination already exists	1. Identify an existing Column1 +Column n2 combination in list. 2. Click “+”.	Duplicate prevented (validation error); no duplicate row added.	Attempting to add an existing combination was prevented (validation blocked saving).	PASS	@AnomaRathnayaKa	

				3. Try to select the same Column1 and Column2 values again. 4. Attempt to save.					
6 7	Budget Details (Double)	Delete combination row	Double budget Open; at least one row exists	1. Locate a combination row. 2. Click delete icon on that row. 3. Confirm deletion if prompted. 4. Click Save Budget. 5. Refresh and confirm removed.	Combination row removed successfully and stays removed.	Deleting a combination row and saving removed it successfully and it stayed removed after refresh.	PASS	@AnomaRathnayaKa	
6 8	Budget Details (Double)	Deleted combinations	Double budget Open; row deleted	1. Delete a specific combination row.	Deleted combination can be selected	After deletion, the same combination became	PASS	@AnomaRathnayaKa	

		available again		- Click “+”. - Attempt selecting same combination again.	again (becomes available); system allows re-adding if needed.	available again to add via “+”.			
69	Budget Details (Double)	CSV Export works for double column	Double budget exists	- Open double budget details. - Click CSV Export. - Download CSV. - Open CSV and review structure.	CSV downloads and reflects double-column structure correctly (both columns + amount).	CSV Export for double-column budgets downloaded successfully and reflected the correct combination structure.	PASS	@AnomaRathnayaKa	
70	Budget Details (Double)	CSV Import invalid file type blocked	Budget Open	- Open CSV Import modal. - Attempt to upload a non-CSV file (e.g., .xlsx/.png).	System blocks file and shows error “Invalid file type”; import not processed.	Uploading a non-CSV file was blocked.	PASS	@AnomaRathnayaKa	

7 1	Budget Details (Double)	CSV Import invalid headers blocked	Budget Open	1. Create CSV with wrong header names/order. 2. Upload via import. 3. Confirm import.	System rejects import with clear error; no values updated.	Uploading a CSV with invalid headers was rejected with a clear structure/header error and no values updated.	PASS	@AnomaRathnayaKa	
7 2	Budget Details (Double)	CSV Import wrong column count blocked	Budget Open	1. Create CSV with missing or extra columns. 2. Upload and import.	Import rejected with message (structure mismatch/length mismatch); no partial corruption.	Uploading a CSV with wrong column count/structure was rejected with an error and no data corruption occurred.	PASS	@AnomaRathnayaKa	
7 3	Budget Details (Double)	CSV Import non-numeric amount handling	Budget Open	1. Create CSV with "abc" as amount value for a row. 2. Upload and	System rejects file or skips invalid row with clear reporting; does	Importing a CSV with non-numeric values was rejected, shows error "Invalid file type".	PASS	@AnomaRathnayaKa	

				import. 3. Observe result summar y.	not save invalid amount.				
7 4	Budget Details (Double)	CSV Import negative amount handling	Budget Open	1. Create CSV with -10 amount for a row. 2. Upload and import.	Negativ e values rejected (file or row); clear messag e; budget remains valid.	System accepts, importing a CSV with negative amounts.	FAIL	@An oma Rath naya ka	
7 5	Budget Details (Double)	CSV Import unknow n code handling	Budget Open	1. Create CSV with a code that does not exist in budget config. 2. Import. 3. Observe summar y and values.	System reports code not found; ignores/ does not create unknow n code row; no crash.	Importing a CSV with unknown codes reported “not found” and did not add unknown codes to the budget.	PASS	@An oma Rath naya ka	
7 6	Budget Details (Double)	CSV Import duplicat e rows in file	Budget Open	1. Create CSV that includes same code	System handles determi nistically (reject	Importing a CSV containing duplicate rows for the	PASS	@An oma Rath naya ka	

				twice with different amounts . 2. Import. 3. Check final UI value for that code.	last) and reports “1 Duplicate”; no duplicate UI rows created.	same code was handled deterministically (no duplicate UI rows created) and reported appropriately.			
77	Audit	Created On/By populated correctly	New budget created	1. Create a new budget successfully. 2. Return to Budget list. 3. Check Created On and Created By columns for the new row.	Created On shows correct date; Created By shows current user.	After creating a new budget, Created On and Created By fields were populated correctly in the list.	PASS	@AnomaRathnayaKa	
78	Audit	Last Updated On/By updates after Save	Existing budget open	1. Note current Last Updated On/By from list (if present).	Last Updated On/By updated to latest save time and	After saving updates, Last Updated On and Last Updated By fields updated	PASS	@AnomaRathnayaKa	

				2. Open budget details. 3. Change an amount and Save Budget. 4. Return to list and compare Last Updated fields.	current user.	correctly in the list.			
79	Reliability	Unsaved changes warning (if implemented)	Budget Open	1. Open budget details. 2. Change an amount. 3. Without saving, navigate back (browser back or list link). 4. Observe behavior.	System discards change consistently without saving.	Navigating away with unsaved changes, discarded changes consistently and did not save unintended updates.	PASS	@AnomaRathnayaKa	
80	Usability	Keyboard tab order across	Budget details open	1. Click into first amount field.	Focus moves logically row-by-row; no	Keyboard Tab navigation moved logically	PASS	@AnomaRathnayaKa	

		amount fields		2. Press Tab repeatedly through fields. 3. Observe focus movement.	trapped focus; accessible navigation.	through amount fields without skipping or trapping focus.			
8 1	Budget List	Search returns no results (negative)	Budget list open	1. In Search, enter a random string that matches nothing (e.g., "ZZZ-NoMatch-123"). 2. Press Enter.	List shows empty state "No records found", no errors.	Searching with a guaranteed no-match string displayed "No records found".	PASS	@An oma Rath naya ka	
8 2	Budget List	Verify newly created budget default status	New budget created	1. Create a new budget. 2. Return to list. 3. Check Status column for the new budget.	New budget status displayed correctly ("Open")	Newly created budgets displayed the correct default status (Open) in the list.	PASS	@An oma Rath naya ka	