Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was " hgdfdghgdgd". The scan started at Mon Jan 26 01:47:47 2026 UTC and ended at Mon Jan 26 14:04:13 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.31.1.26 2

2.1.1 High 3306/tcp 2

2.1.2 Medium 3306/tcp 25

2.1.3 Low general/tcp 49

2.1.4 Low general/icmp 50

2.1.5 Low 3306/tcp 51

2.1.6 Log general/tcp 52

2.1.7 Log 3306/tcp 55

2.1.8 Log general/CPE-T 57

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.31.1.26 mysql56.trabalho_vulnnet	0	10	19	3	8	0
Total: 1	0	10	19	3	8	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Critical" are not shown.
Issues with the threat level "Debug" are not shown.

This report contains all 40 results selected by the filtering described above. Before filtering there were 5586 results.

2 Results per Host

2.1 172.31.1.26

Host scan start	Mon Jan 26 05:38:16 2026 UTC
Host scan end	Mon Jan 26 07:18:45 2026 UTC

Service (Port)	Threat Level
3306/tcp	High
3306/tcp	Medium
general/tcp	Low
general/icmp	Low
3306/tcp	Low
general/tcp	Log
3306/tcp	Log
general/CPE-T	Log

2.1.1 High 3306/tcp

High (CVSS: 7.2)
NVT: Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.6.51`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a vulnerability in the parser.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.30
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.30, 8.0.20 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.29 and prior and 8.0 through 8.0.19.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.145799
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.6.51
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-2144
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2021-0821

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.6.51`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.34
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.34, 8.0.24 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.33 and prior and 8.0 through 8.0.23.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145795
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-3449
cve: CVE-2021-3450
cve: CVE-2021-23840
cve: CVE-2021-23841
cve: CVE-2021-2307
cve: CVE-2021-2304
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-2180
cve: CVE-2021-2194
cve: CVE-2021-2166
cve: CVE-2021-2179
cve: CVE-2021-2226
cve: CVE-2021-2169
cve: CVE-2021-2146
cve: CVE-2021-2174
cve: CVE-2021-2171
cve: CVE-2021-2162
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-0227
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-1894
cert-bund: WID-SEC-2022-1320
cert-bund: WID-SEC-2022-1303
cert-bund: WID-SEC-2022-1294
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0671
cert-bund: WID-SEC-2022-0669
cert-bund: WID-SEC-2022-0602
cert-bund: CB-K22/0476
cert-bund: CB-K22/0061
cert-bund: CB-K21/1097
cert-bund: CB-K21/1095
cert-bund: CB-K21/1065
cert-bund: CB-K21/0785
cert-bund: CB-K21/0770
cert-bund: CB-K21/0573
cert-bund: CB-K21/0572
cert-bund: CB-K21/0565
cert-bund: CB-K21/0421
cert-bund: CB-K21/0412
cert-bund: CB-K21/0409
cert-bund: CB-K21/0389
cert-bund: CB-K21/0317
cert-bund: CB-K21/0185
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0933
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0121
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0024
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2223
dfn-cert: DFN-CERT-2021-2216
dfn-cert: DFN-CERT-2021-2214
dfn-cert: DFN-CERT-2021-2197
dfn-cert: DFN-CERT-2021-2196
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
dfn-cert: DFN-CERT-2021-1996
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2021-1803
dfn-cert: DFN-CERT-2021-1740
dfn-cert: DFN-CERT-2021-1670
dfn-cert: DFN-CERT-2021-1660
dfn-cert: DFN-CERT-2021-1549
dfn-cert: DFN-CERT-2021-1547
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1500
dfn-cert: DFN-CERT-2021-1418
dfn-cert: DFN-CERT-2021-1330
dfn-cert: DFN-CERT-2021-1132
dfn-cert: DFN-CERT-2021-1129
dfn-cert: DFN-CERT-2021-1128
dfn-cert: DFN-CERT-2021-1098
dfn-cert: DFN-CERT-2021-1070
dfn-cert: DFN-CERT-2021-1061
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0884
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0829
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0818
dfn-cert: DFN-CERT-2021-0813
dfn-cert: DFN-CERT-2021-0807
dfn-cert: DFN-CERT-2021-0806
dfn-cert: DFN-CERT-2021-0740
dfn-cert: DFN-CERT-2021-0696
dfn-cert: DFN-CERT-2021-0656
dfn-cert: DFN-CERT-2021-0630
dfn-cert: DFN-CERT-2021-0629
dfn-cert: DFN-CERT-2021-0409
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0379
dfn-cert: DFN-CERT-2021-0363
```

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.35
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.35, 8.0.26 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.34 and prior and 8.0 through 8.0.25.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Li.`
↪`..`

OID:1.3.6.1.4.1.25623.1.0.146354

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.6.51`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-22901
cve: CVE-2019-17543
cve: CVE-2021-2389
cve: CVE-2021-2390
cve: CVE-2021-2356
cve: CVE-2021-2385
cve: CVE-2021-2342
cve: CVE-2021-2372
cve: CVE-2021-22897
cve: CVE-2021-22898
url: https://www.oracle.com/security-alerts/cpujul2021.html#AppendixMSQL
advisory-id: cpujul2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2364
cert-bund: WID-SEC-2025-1905
cert-bund: WID-SEC-2025-1550
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1963
cert-bund: WID-SEC-2022-0873
cert-bund: CB-K22/0044
cert-bund: CB-K21/0813
cert-bund: CB-K21/0770
dfn-cert: DFN-CERT-2025-2944
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2369
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-1743
dfn-cert: DFN-CERT-2021-1677
dfn-cert: DFN-CERT-2021-1593
dfn-cert: DFN-CERT-2021-1580
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1329
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-1174
dfn-cert: DFN-CERT-2021-1165
dfn-cert: DFN-CERT-2021-1157
dfn-cert: DFN-CERT-2021-1151
dfn-cert: DFN-CERT-2021-1148
dfn-cert: DFN-CERT-2021-1045
dfn-cert: DFN-CERT-2019-2216
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.37
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.37, 8.0.28 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Li.`
↪..

OID:1.3.6.1.4.1.25623.1.0.147464

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.6.51`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-22946
cve: CVE-2022-21367
cve: CVE-2022-21270
cve: CVE-2022-21304
cve: CVE-2022-21344
cve: CVE-2022-21303
cve: CVE-2022-21245
cve: CVE-2021-22947
url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixMSQL
advisory-id: cpujan2022
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1056
cert-bund: WID-SEC-2022-0875
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0101
cert-bund: CB-K22/0316
cert-bund: CB-K22/0077
cert-bund: CB-K22/0062
cert-bund: CB-K22/0030
cert-bund: CB-K21/0991
cert-bund: CB-K21/0969
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2086
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-0835
dfn-cert: DFN-CERT-2022-0586
dfn-cert: DFN-CERT-2022-0118
dfn-cert: DFN-CERT-2022-0112
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-0052
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-1931
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.38
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.38, 8.0.29 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.37 and prior and 8.0 through 8.0.28.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Li.`
↪`..`

OID:1.3.6.1.4.1.25623.1.0.113943

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.6.51`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2022-0778
cve: CVE-2022-21454
cve: CVE-2022-21417
cve: CVE-2022-21427
cve: CVE-2022-21451
cve: CVE-2022-21444
cve: CVE-2022-21460
url: https://www.oracle.com/security-alerts/cpuapr2022.html#AppendixMSQL
advisory-id: cpuapr2022
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-2086
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1081
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0836
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0826
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0677
cert-bund: WID-SEC-2022-0551
cert-bund: WID-SEC-2022-0530
cert-bund: WID-SEC-2022-0515
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0270
cert-bund: WID-SEC-2022-0261
cert-bund: WID-SEC-2022-0200
cert-bund: WID-SEC-2022-0190
cert-bund: WID-SEC-2022-0169
cert-bund: WID-SEC-2022-0065
cert-bund: CB-K22/0619
cert-bund: CB-K22/0470
cert-bund: CB-K22/0468
cert-bund: CB-K22/0321
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-0081
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2268
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1469
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1294
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1205
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-0955
dfn-cert: DFN-CERT-2022-0902
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0873
dfn-cert: DFN-CERT-2022-0866
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0779
dfn-cert: DFN-CERT-2022-0759
dfn-cert: DFN-CERT-2022-0627
dfn-cert: DFN-CERT-2022-0625
dfn-cert: DFN-CERT-2022-0610
dfn-cert: DFN-CERT-2022-0603
```

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.6.51
Fixed version:     5.7.39
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.39, 8.0.30 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.38 and prior and 8.0 through 8.0.29.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.148510
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-1292
cve: CVE-2022-27778
cve: CVE-2018-25032
cve: CVE-2022-21515
url: https://www.oracle.com/security-alerts/cpujul2022.html#AppendixMSQL
advisory-id: cpujul2022
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2723
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1784
cert-bund: WID-SEC-2023-1542
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-0141
cert-bund: WID-SEC-2023-0132
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1775
cert-bund: WID-SEC-2022-1772
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1438
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1245
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1068
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0826
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0755
cert-bund: WID-SEC-2022-0736
cert-bund: WID-SEC-2022-0735
cert-bund: WID-SEC-2022-0677
cert-bund: WID-SEC-2022-0554
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0277
cert-bund: WID-SEC-2022-0071
cert-bund: WID-SEC-2022-0005
cert-bund: CB-K22/0619
cert-bund: CB-K22/0570
cert-bund: CB-K22/0536
cert-bund: CB-K22/0386
dfn-cert: DFN-CERT-2024-2686
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2024-0998
dfn-cert: DFN-CERT-2024-0790
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-3028
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-2600
dfn-cert: DFN-CERT-2023-2599
dfn-cert: DFN-CERT-2023-2571
dfn-cert: DFN-CERT-2023-0553
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0372
dfn-cert: DFN-CERT-2023-0121
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2023-0100
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-2309
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2268
dfn-cert: DFN-CERT-2022-2254
dfn-cert: DFN-CERT-2022-2150
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2066
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1905
dfn-cert: DFN-CERT-2022-1875
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1646
dfn-cert: DFN-CERT-2022-1614
dfn-cert: DFN-CERT-2022-1609
dfn-cert: DFN-CERT-2022-1520
dfn-cert: DFN-CERT-2022-1476
dfn-cert: DFN-CERT-2022-1425
dfn-cert: DFN-CERT-2022-1310
dfn-cert: DFN-CERT-2022-1304
dfn-cert: DFN-CERT-2022-1267
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1103
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-1076
dfn-cert: DFN-CERT-2022-1054
dfn-cert: DFN-CERT-2022-1049
dfn-cert: DFN-CERT-2022-0986
dfn-cert: DFN-CERT-2022-0768
dfn-cert: DFN-CERT-2022-0716
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.6.51
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.31 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.30.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Lin.`
↪..
OID:1.3.6.1.4.1.25623.1.0.149533
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-21912
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1033
dfn-cert: DFN-CERT-2023-1058
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0885
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.33 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.149537
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.6.51
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-0215
cve: CVE-2022-43551
cve: CVE-2023-21980
cve: CVE-2022-4304
cve: CVE-2022-4450
cve: CVE-2023-0286
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2025-1365
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-2086
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0114
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1886
cert-bund: WID-SEC-2023-1812
cert-bund: WID-SEC-2023-1793
cert-bund: WID-SEC-2023-1790
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1553
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1033
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2023-0777
cert-bund: WID-SEC-2023-0304
cert-bund: WID-SEC-2022-2375
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2024-0126
dfn-cert: DFN-CERT-2024-0016
dfn-cert: DFN-CERT-2023-2192
dfn-cert: DFN-CERT-2023-1760
dfn-cert: DFN-CERT-2023-1697
dfn-cert: DFN-CERT-2023-1656
dfn-cert: DFN-CERT-2023-1643
dfn-cert: DFN-CERT-2023-1590
dfn-cert: DFN-CERT-2023-1522
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1256
dfn-cert: DFN-CERT-2023-1162
dfn-cert: DFN-CERT-2023-1043
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0898
dfn-cert: DFN-CERT-2023-0885
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0774
dfn-cert: DFN-CERT-2023-0685
dfn-cert: DFN-CERT-2023-0662
dfn-cert: DFN-CERT-2023-0661
dfn-cert: DFN-CERT-2023-0639
dfn-cert: DFN-CERT-2023-0618
dfn-cert: DFN-CERT-2023-0543
dfn-cert: DFN-CERT-2023-0471
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0329
dfn-cert: DFN-CERT-2023-0318
dfn-cert: DFN-CERT-2023-0310
dfn-cert: DFN-CERT-2023-0299
dfn-cert: DFN-CERT-2023-0288
dfn-cert: DFN-CERT-2023-0284
dfn-cert: DFN-CERT-2023-0283
dfn-cert: DFN-CERT-2022-2902
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.43, 8.0.34 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.151213
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-2650
cve: CVE-2023-0464
cve: CVE-2023-0465
cve: CVE-2023-0466
cve: CVE-2023-1255
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0120
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2024-0053
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2690
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1794
cert-bund: WID-SEC-2023-1781
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1323
cert-bund: WID-SEC-2023-1130
cert-bund: WID-SEC-2023-1053
cert-bund: WID-SEC-2023-0782
cert-bund: WID-SEC-2023-0732
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0565
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2024-0125
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-3070
dfn-cert: DFN-CERT-2023-2749
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-2116
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1903
dfn-cert: DFN-CERT-2023-1720
dfn-cert: DFN-CERT-2023-1649
dfn-cert: DFN-CERT-2023-1642
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1428
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1332
dfn-cert: DFN-CERT-2023-1246
dfn-cert: DFN-CERT-2023-1245
dfn-cert: DFN-CERT-2023-1233
dfn-cert: DFN-CERT-2023-0999
dfn-cert: DFN-CERT-2023-0960
dfn-cert: DFN-CERT-2023-0929
dfn-cert: DFN-CERT-2023-0904
dfn-cert: DFN-CERT-2023-0782
dfn-cert: DFN-CERT-2023-0700
dfn-cert: DFN-CERT-2023-0645
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 8.0.40, 8.4.3, 9.0.2 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.2 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.170874
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2024-5535`
`cve: CVE-2024-6119`
`cve: CVE-2024-21230`
`cve: CVE-2024-7264`
`cve: CVE-2024-21196`
`cve: CVE-2024-21194`
`cve: CVE-2024-21199`
`cve: CVE-2024-21218`
`cve: CVE-2024-21236`
`cve: CVE-2024-21239`
`cve: CVE-2024-21198`
`cve: CVE-2024-21219`
`cve: CVE-2024-21203`
`cve: CVE-2024-21197`
`cve: CVE-2024-21201`
`cve: CVE-2024-21241`
`cve: CVE-2024-21193`
`cve: CVE-2024-21213`
`cve: CVE-2024-21231`
`cve: CVE-2024-21237`
`url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL`
`advisory-id: cpuoct2024`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2025-2838`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2025-2836
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-0823
cert-bund: WID-SEC-2025-0814
cert-bund: WID-SEC-2025-0612
cert-bund: WID-SEC-2025-0225
cert-bund: WID-SEC-2025-0166
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2025-0001
cert-bund: WID-SEC-2024-3674
cert-bund: WID-SEC-2024-3412
cert-bund: WID-SEC-2024-3201
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3192
cert-bund: WID-SEC-2024-3188
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-2040
cert-bund: WID-SEC-2024-1736
cert-bund: WID-SEC-2024-1469
dfn-cert: DFN-CERT-2026-0015
dfn-cert: DFN-CERT-2025-3495
dfn-cert: DFN-CERT-2025-3494
dfn-cert: DFN-CERT-2025-3493
dfn-cert: DFN-CERT-2025-3492
dfn-cert: DFN-CERT-2025-3491
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-1659
dfn-cert: DFN-CERT-2025-1474
dfn-cert: DFN-CERT-2025-1454
dfn-cert: DFN-CERT-2025-0975
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0474
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2025-0175
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2024-3300
dfn-cert: DFN-CERT-2024-3152
dfn-cert: DFN-CERT-2024-3013
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2783
dfn-cert: DFN-CERT-2024-2734
dfn-cert: DFN-CERT-2024-2732
dfn-cert: DFN-CERT-2024-2381
dfn-cert: DFN-CERT-2024-2322
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-2285
dfn-cert: DFN-CERT-2024-2168
dfn-cert: DFN-CERT-2024-2025
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1967
dfn-cert: DFN-CERT-2024-1681
```

[return to 172.31.1.26]

2.1.2 Medium 3306/tcp

Medium (CVSS: 5.9)
NVT: Oracle MySQL Backronym Vulnerability (Jun 2016) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to a backronym vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.3
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow man-in-the-middle attackers to spoof servers via a cleartext-downgrade attack.

Solution:

Solution type: VendorFix

Upgrade to version Oracle MySQL Server 5.7.3 or later.

Affected Software/OS

Oracle MySQL Server 5.7.2 and earlier on Linux.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The flaw exists due to improper validation of MySQL client library when establishing a secure connection to a MySQL server using the –ssl option.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Backronym Vulnerability (Jun 2016) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808064
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2015-3152
url: http://www.ocert.org/advisories/ocert-2015-003.html
url: https://duo.com/blog/backronym-mysql-vulnerability
cert-bund: CB-K18/0871
cert-bund: CB-K16/0944
cert-bund: CB-K15/1045
cert-bund: CB-K15/1042
cert-bund: CB-K15/1020
cert-bund: CB-K15/0994
cert-bund: CB-K15/0964
cert-bund: CB-K15/0895
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1105
dfn-cert: DFN-CERT-2015-1096
dfn-cert: DFN-CERT-2015-1071
dfn-cert: DFN-CERT-2015-1051
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-0942
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.31
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.31, 8.0.18 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.30 and prior and 8.0 through 8.0.17.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145803
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-2160
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2021-0821
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.33
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.33, 8.0.23 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.32 and prior and 8.0 through 8.0.22.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.145793
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2020-1971
cve: CVE-2021-2178
cve: CVE-2021-2202
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0067
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-2047
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1000
cert-bund: WID-SEC-2022-0585
cert-bund: CB-K21/1065
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K21/0788
cert-bund: CB-K21/0615
cert-bund: CB-K21/0421
cert-bund: CB-K21/0111
cert-bund: CB-K21/0062
cert-bund: CB-K21/0006
cert-bund: CB-K20/1217
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
dfn-cert: DFN-CERT-2021-1504
dfn-cert: DFN-CERT-2021-1225
dfn-cert: DFN-CERT-2021-0924
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0828
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0338
dfn-cert: DFN-CERT-2021-0255
dfn-cert: DFN-CERT-2021-0134
dfn-cert: DFN-CERT-2021-0131
dfn-cert: DFN-CERT-2021-0128
dfn-cert: DFN-CERT-2021-0120
dfn-cert: DFN-CERT-2021-0107
dfn-cert: DFN-CERT-2021-0078
dfn-cert: DFN-CERT-2021-0012
dfn-cert: DFN-CERT-2020-2791
dfn-cert: DFN-CERT-2020-2668
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.34
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.34 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.33 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Linux`
OID:1.3.6.1.4.1.25623.1.0.145801
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-2154
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2021-1660
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0821
```

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.37
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.37, 8.0.28 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.118381
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-21595
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1776
dfn-cert: DFN-CERT-2023-0504
dfn-cert: DFN-CERT-2022-2306
```

Medium (CVSS: 4.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.6.51`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.40
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.40, 8.0.17 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.16.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118383
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2022-21589
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2022-1776
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2022-2306

Medium (CVSS: 4.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Linux

Product detection result
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.6.51
Fixed version: 5.7.40
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.40, 8.0.30 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.29.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.118385
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.6.51
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-21592
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL

. . . continues on next page . . .

. . . continued from previous page . . .

```
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2022-1776
dfn-cert: DFN-CERT-2022-2306
```

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.40
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.40, 8.0.31 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.30.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Li.`
↪..

OID:1.3.6.1.4.1.25623.1.0.118387

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.6.51`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2022-2097
cve: CVE-2022-21617
cve: CVE-2022-21608
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2022-1777
cert-bund: WID-SEC-2022-1776
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1245
cert-bund: WID-SEC-2022-1146
cert-bund: WID-SEC-2022-1068
cert-bund: WID-SEC-2022-1065
cert-bund: WID-SEC-2022-0561
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-2491
dfn-cert: DFN-CERT-2023-1230
dfn-cert: DFN-CERT-2023-1058
dfn-cert: DFN-CERT-2023-0509
dfn-cert: DFN-CERT-2023-0299
dfn-cert: DFN-CERT-2023-0100
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-2315
dfn-cert: DFN-CERT-2022-2306
dfn-cert: DFN-CERT-2022-2150
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-1905
dfn-cert: DFN-CERT-2022-1646
dfn-cert: DFN-CERT-2022-1536
dfn-cert: DFN-CERT-2022-1521
dfn-cert: DFN-CERT-2022-1520
dfn-cert: DFN-CERT-2022-1515
dfn-cert: DFN-CERT-2022-1497
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

Product detection result
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.41
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.41 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.40 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Linux
OID:1.3.6.1.4.1.25623.1.0.149167
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.6.51
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-21840
url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixMSQL
advisory-id: cpujan2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-0126
dfn-cert: DFN-CERT-2023-0105

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.6.51`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.6.51
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.33 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.149978
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-22007
url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL
advisory-id: cpujul2023
cert-bund: WID-SEC-2023-1794
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2023-1642
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.43, 8.0.32 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.31.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Lin.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.151211

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.6.51`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2023-22015
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2023-22026
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2023-2690
dfn-cert: DFN-CERT-2023-2536
```

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.43, 8.0.34 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Lin.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.149980

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.6.51`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2023-22053
url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL
advisory-id: cpujul2023
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2023-1794
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0491
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2023-1642

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Linux

Product detection result
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.6.51
Fixed version: 5.7.44
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.44, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.43 and prior and 8.x through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.151215

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.6.51
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-22028
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2023-2690
dfn-cert: DFN-CERT-2024-0108
dfn-cert: DFN-CERT-2023-2536

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Linux

Product detection result
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.6.51
Fixed version: 8.0.36
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 8.0.36 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.35 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Linux
OID:1.3.6.1.4.1.25623.1.0.170866
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.6.51
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2024-21200
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2024-2732

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result
cpe:/a:mysql:mysql:5.6.51
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.6.51
Fixed version: 8.0.39
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 8.0.39, 8.4.2, 9.0.2 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.38 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.170868
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2024-21207`
`url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL`
`advisory-id: cpuoct2024`
`cert-bund: WID-SEC-2024-3188`
`dfn-cert: DFN-CERT-2024-2732`

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.6.51`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.6.51
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.40, 8.4.1 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL Server version 8.0.39 and prior and 8.1 through 8.4.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.170870
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2024-21212`
`url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL`
`advisory-id: cpuoct2024`
`cert-bund: WID-SEC-2024-3188`
`dfn-cert: DFN-CERT-2025-0446`
`dfn-cert: DFN-CERT-2024-2732`

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.6.51`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.6.51
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.40, 8.4.2, 9.0.2 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.170872
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2024-21238
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2024-2732
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpuapr2025) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.6.51`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.6.51
Fixed version:     8.0.42
Installation
path / port:       3306/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 8.0.42, 8.4.5, 9.3.0 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.41 and prior, 8.1 through 8.4.4 and 9.0 through 9.2.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpua.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.171441
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2025-21577`
`cve: CVE-2025-30682`
`cve: CVE-2025-30687`
`cve: CVE-2025-30688`
`cve: CVE-2025-21574`
`cve: CVE-2025-21575`
`cve: CVE-2025-30693`
`cve: CVE-2025-30695`
`cve: CVE-2025-30715`
`cve: CVE-2025-21584`
`cve: CVE-2025-21580`
`cve: CVE-2025-21581`
`cve: CVE-2025-21585`
`cve: CVE-2025-30689`
`cve: CVE-2025-21579`
`cve: CVE-2025-30696`
`cve: CVE-2025-30705`
`cve: CVE-2025-30683`
`cve: CVE-2025-30684`
`cve: CVE-2025-30685`
`cve: CVE-2025-30699`
`cve: CVE-2025-30704`
`cve: CVE-2024-13176`
`cve: CVE-2024-9143`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2025-30721
cve: CVE-2025-30703
cve: CVE-2025-30681
url: https://www.oracle.com/security-alerts/cpuapr2025.html#AppendixMSQL
advisory-id: cpuapr2025
cert-bund: WID-SEC-2025-2364
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-1568
cert-bund: WID-SEC-2025-1566
cert-bund: WID-SEC-2025-1564
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-1257
cert-bund: WID-SEC-2025-1035
cert-bund: WID-SEC-2025-0828
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0813
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0131
cert-bund: WID-SEC-2024-3230
dfn-cert: DFN-CERT-2026-0037
dfn-cert: DFN-CERT-2025-3583
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2944
dfn-cert: DFN-CERT-2025-2602
dfn-cert: DFN-CERT-2025-2523
dfn-cert: DFN-CERT-2025-1905
dfn-cert: DFN-CERT-2025-1903
dfn-cert: DFN-CERT-2025-1901
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1648
dfn-cert: DFN-CERT-2025-1611
dfn-cert: DFN-CERT-2025-1470
dfn-cert: DFN-CERT-2025-1424
dfn-cert: DFN-CERT-2025-1304
dfn-cert: DFN-CERT-2025-0993
dfn-cert: DFN-CERT-2025-0981
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0973
dfn-cert: DFN-CERT-2025-0564
dfn-cert: DFN-CERT-2025-0465
dfn-cert: DFN-CERT-2025-0354
dfn-cert: DFN-CERT-2025-0158
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2764
```

Medium (CVSS: 5.5)
NVT: Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (cpuoct2025) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.6.51`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.6.51
Fixed version:     8.0.44
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.44, 8.4.7, 9.4.1 or later.

Affected Software/OS
Oracle MySQL Server versions 8.0.43 and prior, 8.1.x through 8.4.6 and 9.0.0 through 9.4.0.
Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that all versions prior to 8.x and versions like 9.2.x in between are also affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.119198
Version used: `2025-10-24T05:39:31Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2025-53054`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2025-53053
cve: CVE-2025-53044
cve: CVE-2025-53045
cve: CVE-2025-53062
cve: CVE-2025-53069
cve: CVE-2025-53040
cve: CVE-2025-53042
url: https://www.oracle.com/security-alerts/cpuoct2025.html#AppendixMSQL
advisory-id: cpuoct2025
cert-bund: WID-SEC-2025-2363
dfn-cert: DFN-CERT-2025-3598
dfn-cert: DFN-CERT-2025-2945
```

[return to 172.31.1.26]

2.1.3 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 4039362897
Packet 2: 4039364021
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
`url: https://datatracker.ietf.org/doc/html/rfc1323`
`url: https://datatracker.ietf.org/doc/html/rfc7323`
`url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d`
`↪ownload/details.aspx?id=9152`
`url: https://www.fortiguard.com/psirt/FG-IR-16-090`

[return to 172.31.1.26]

2.1.4 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:

. . . continues on next page . . .

. . . continued from previous page . . .

- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

References
`cve: CVE-1999-0524`
`url: https://datatracker.ietf.org/doc/html/rfc792`
`url: https://datatracker.ietf.org/doc/html/rfc2780`
`cert-bund: CB-K15/1514`
`cert-bund: CB-K14/0632`
`dfn-cert: DFN-CERT-2014-0658`

[return to 172.31.1.26]

2.1.5 Low 3306/tcp

Low (CVSS: 2.7)
NVT: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.6.51`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.6.51
Fixed version:     5.7.41
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.41, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.40 and prior and 8.x through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.149531
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.6.51`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2023-21963`
`url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL`
`advisory-id: cpuapr2023`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2023-1033`
`dfn-cert: DFN-CERT-2023-0885`

[return to 172.31.1.26]

2.1.6 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`Hostname determination for IP 172.31.1.26:`

. . . continues on next page . . .

. . . continued from previous page . . .

Hostname	Source
mysql56.trabalho_vulnnet	Reverse-DNS

Solution:

Log Method
Details: Hostname Determination Reporting
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: 2022-07-27T10:11:28Z

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: IP Forwarding Enabled - Active Check
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: 2021-12-03T08:27:06Z

References
cve: CVE-1999-0511

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Linux Kernel
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.102002 (Operating System (OS) Detection (ICM
↪P))
Concluded from ICMP based OS fingerprint
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method

Details: `OS Detection Consolidation and Reporting`
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: `2026-01-21T05:50:46Z`

References

`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: Traceroute

Summary

Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Network route from scanner (172.30.0.2) to target (172.31.1.26):
172.30.0.2
172.31.1.26
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight

For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method

. . . continues on next page . . .

. . . continued from previous page . . .

A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

[return to 172.31.1.26]

2.1.7 Log 3306/tcp

Log (CVSS: 0.0)
NVT: Database Open Access Information Disclosure Vulnerability

Summary
Various Database server might be prone to an information disclosure vulnerability if accessible to remote systems.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`Oracle MySQL can be accessed by remote attackers`

Impact
Successful exploitation could allow an attacker to obtain sensitive information from the database.

Solution:
Solution type: Workaround
Restrict database access to remote systems. Please see the manual of the affected database server for more information.

Affected Software/OS
- Oracle MySQL
- MariaDB
- IBM DB2
- PostgreSQL
- IBM solidDB
- Oracle Database
- Microsoft SQL Server

Vulnerability Insight
The remote database server is not restricting direct access from remote systems.

Log Method
Checks the result of various database server detections and evaluates their results.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Database Open Access Information Disclosure Vulnerability
OID:1.3.6.1.4.1.25623.1.0.902799
Version used: 2025-09-09T05:38:49Z

References
url: https://www.pcisecuritystandards.org/security_standards/index.php?id=pci_dss_v1-2.pdf

Log (CVSS: 0.0)
NVT: MariaDB / Oracle MySQL Detection (MySQL Protocol)

Summary
MySQL protocol-based detection of MariaDB / Oracle MySQL.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Oracle MySQL
Version:       5.6.51
Location:      3306/tcp
CPE:           cpe:/a:oracle:mysql:5.6.51
Concluded from version/product identification result:
5.6.51
```

Solution:

Log Method
Details: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID:1.3.6.1.4.1.25623.1.0.100152
Version used: 2025-09-09T05:38:49Z

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
A MySQL server is running on this port

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

[return to 172.31.1.26]

2.1.8 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`172.31.1.26|cpe:/a:mysql:mysql:5.6.51`
`172.31.1.26|cpe:/a:oracle:mysql:5.6.51`
`172.31.1.26|cpe:/o:linux:kernel`

Solution:

Log Method
Details: `CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: `2022-07-27T10:11:28Z`

References
`url: https://nvd.nist.gov/products/cpe`

[return to 172.31.1.26]