Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was " hgdfdghgdgd". The scan started at Mon Jan 26 01:47:47 2026 UTC and ended at Mon Jan 26 14:04:13 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.31.1.25 2

2.1.1 High 3306/tcp 2

2.1.2 Medium 3306/tcp 31

2.1.3 Low general/icmp 70

2.1.4 Low general/tcp 71

2.1.5 Low 3306/tcp 72

2.1.6 Log general/CPE-T 75

2.1.7 Log general/tcp 75

2.1.8 Log 3306/tcp 78

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.31.1.25 mysql55.trabalho_vulnnet	0	13	30	4	8	0
Total: 1	0	13	30	4	8	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Critical" are not shown.
Issues with the threat level "Debug" are not shown.

This report contains all 55 results selected by the filtering described above. Before filtering there were 5586 results.

2 Results per Host

2.1 172.31.1.25

Host scan start	Mon Jan 26 05:26:29 2026 UTC
Host scan end	Mon Jan 26 07:08:46 2026 UTC

Service (Port)	Threat Level
3306/tcp	High
3306/tcp	Medium
general/icmp	Low
general/tcp	Low
3306/tcp	Low
general/CPE-T	Log
general/tcp	Log
3306/tcp	Log

2.1.1 High 3306/tcp

High (CVSS: 7.5)
NVT: Oracle MySQL Denial Of Service Vulnerability (Feb 2017) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.62`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.6.21
Installation
path / port:       3306/tcp
```

Impact
Successful exploitation of this vulnerability will allow attackers to cause crash of applications using that MySQL client.

Solution:
Solution type: VendorFix
Upgrade to Oracle MySQL version 5.6.21 or 5.7.5 or later.

Affected Software/OS
Oracle MySQL version before 5.6.21 and 5.7.x before 5.7.5 on Linux

Vulnerability Insight
Multiple errors exist as,
- In sql-common/client.c script 'mysql_prune_stmt_list' function, the for loop adds elements to pruned_list without removing it from the existing list.
- If application gets disconnected just before it tries to prepare a new statement, 'mysql_prune_stmt_list' tries to detach all previously prepared statements.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Denial Of Service Vulnerability (Feb 2017) - Linux
OID:1.3.6.1.4.1.25623.1.0.810604
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2017-3302
url: https://bugs.mysql.com/bug.php?id=63363
url: https://bugs.mysql.com/bug.php?id=70429
url: http://www.openwall.com/lists/oss-security/2017/02/11/11
cert-bund: CB-K18/0224
cert-bund: CB-K17/1604
cert-bund: CB-K17/1298
cert-bund: CB-K17/1239
cert-bund: CB-K17/0657
cert-bund: CB-K17/0423
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-1282
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0430
```

High (CVSS: 7.1)
NVT: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (cpujan2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     Apply the patch
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Server accessible data and unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server.

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Updates are available. Apply the necessary patch from the referenced link.

Affected Software/OS
Oracle MySQL Server versions 5.6.42 and prior, 5.7 through 5.7.24 and 8.0 through 8.0.13.

Vulnerability Insight
The attacks range in variety and difficulty. Most of them allow an attacker with network access via multiple protocols to compromise the MySQL Server.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.112488
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2019-2534`
`cve: CVE-2019-2529`
`cve: CVE-2019-2482`
`cve: CVE-2019-2455`
`cve: CVE-2019-2503`
`cve: CVE-2018-0734`
`cve: CVE-2019-2537`
`cve: CVE-2019-2481`
`cve: CVE-2019-2507`
`cve: CVE-2019-2531`
`cve: CVE-2018-5407`
`url: https://www.oracle.com/security-alerts/cpujan2019.html#AppendixMSQL`
`advisory-id: cpujan2019`
`cert-bund: WID-SEC-2025-2349`
`cert-bund: WID-SEC-2025-1212`
`cert-bund: WID-SEC-2023-3083`
`cert-bund: WID-SEC-2023-1594`
`cert-bund: WID-SEC-2022-1696`
`cert-bund: WID-SEC-2022-0673`
`cert-bund: WID-SEC-2022-0517`
`cert-bund: CB-K22/0045`
`cert-bund: CB-K20/0324`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/0136
cert-bund: CB-K19/1121
cert-bund: CB-K19/0696
cert-bund: CB-K19/0622
cert-bund: CB-K19/0615
cert-bund: CB-K19/0321
cert-bund: CB-K19/0320
cert-bund: CB-K19/0319
cert-bund: CB-K19/0318
cert-bund: CB-K19/0316
cert-bund: CB-K19/0314
cert-bund: CB-K19/0050
cert-bund: CB-K19/0044
cert-bund: CB-K18/1173
cert-bund: CB-K18/1065
cert-bund: CB-K18/1039
dfn-cert: DFN-CERT-2020-0326
dfn-cert: DFN-CERT-2019-2457
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-2305
dfn-cert: DFN-CERT-2019-2300
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-1996
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1746
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1617
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1600
dfn-cert: DFN-CERT-2019-1588
dfn-cert: DFN-CERT-2019-1562
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-1450
dfn-cert: DFN-CERT-2019-1240
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0782
dfn-cert: DFN-CERT-2019-0781
dfn-cert: DFN-CERT-2019-0778
dfn-cert: DFN-CERT-2019-0775
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0232
dfn-cert: DFN-CERT-2019-0204
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2019-0104
dfn-cert: DFN-CERT-2019-0103
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-0102
dfn-cert: DFN-CERT-2018-2541
dfn-cert: DFN-CERT-2018-2539
dfn-cert: DFN-CERT-2018-2513
dfn-cert: DFN-CERT-2018-2456
dfn-cert: DFN-CERT-2018-2444
dfn-cert: DFN-CERT-2018-2396
dfn-cert: DFN-CERT-2018-2360
dfn-cert: DFN-CERT-2018-2338
dfn-cert: DFN-CERT-2018-2214
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.6.48 Security Update (cpujul2020) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.6.49
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.49 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.48 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.6.48 Security Update (cpujul2020) - Linux`

OID:1.3.6.1.4.1.25623.1.0.144285

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

cve: CVE-2020-1967
cve: CVE-2020-14539
cve: CVE-2020-14559
url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixMSQL
advisory-id: cpujul2020
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-3080
cert-bund: CB-K21/1088
cert-bund: CB-K21/0070
cert-bund: CB-K20/1023
cert-bund: CB-K20/1017
cert-bund: CB-K20/0711
cert-bund: CB-K20/0708
cert-bund: CB-K20/0357
dfn-cert: DFN-CERT-2021-2192
dfn-cert: DFN-CERT-2021-0830
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0444
dfn-cert: DFN-CERT-2021-0140
dfn-cert: DFN-CERT-2020-2295
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2006
dfn-cert: DFN-CERT-2020-1827
dfn-cert: DFN-CERT-2020-1788
dfn-cert: DFN-CERT-2020-1508
dfn-cert: DFN-CERT-2020-0956
dfn-cert: DFN-CERT-2020-0930
dfn-cert: DFN-CERT-2020-0841
dfn-cert: DFN-CERT-2020-0824
dfn-cert: DFN-CERT-2020-0822

High (CVSS: 7.2)
NVT: Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Linux

Product detection result

cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to a vulnerability in the parser.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.30
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.30, 8.0.20 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.29 and prior and 8.0 through 8.0.19.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.145799
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-2144
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2021-0821
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
```

. . . continues on next page . . .

. . . continued from previous page . . .

↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.34
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.34, 8.0.24 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.33 and prior and 8.0 through 8.0.23.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Li.`
↪..
OID:1.3.6.1.4.1.25623.1.0.145795
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-3449
cve: CVE-2021-3450
cve: CVE-2021-23840
cve: CVE-2021-23841
cve: CVE-2021-2307
cve: CVE-2021-2304
cve: CVE-2021-2180
cve: CVE-2021-2194
cve: CVE-2021-2166
cve: CVE-2021-2179
cve: CVE-2021-2226
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-2169
cve: CVE-2021-2146
cve: CVE-2021-2174
cve: CVE-2021-2171
cve: CVE-2021-2162
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-0227
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-1894
cert-bund: WID-SEC-2022-1320
cert-bund: WID-SEC-2022-1303
cert-bund: WID-SEC-2022-1294
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0671
cert-bund: WID-SEC-2022-0669
cert-bund: WID-SEC-2022-0602
cert-bund: CB-K22/0476
cert-bund: CB-K22/0061
cert-bund: CB-K21/1097
cert-bund: CB-K21/1095
cert-bund: CB-K21/1065
cert-bund: CB-K21/0785
cert-bund: CB-K21/0770
cert-bund: CB-K21/0573
cert-bund: CB-K21/0572
cert-bund: CB-K21/0565
cert-bund: CB-K21/0421
cert-bund: CB-K21/0412
cert-bund: CB-K21/0409
cert-bund: CB-K21/0389
cert-bund: CB-K21/0317
cert-bund: CB-K21/0185
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0121
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0024
dfn-cert: DFN-CERT-2021-2527
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2223
dfn-cert: DFN-CERT-2021-2216
dfn-cert: DFN-CERT-2021-2214
dfn-cert: DFN-CERT-2021-2197
dfn-cert: DFN-CERT-2021-2196
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
dfn-cert: DFN-CERT-2021-1996
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2021-1803
dfn-cert: DFN-CERT-2021-1740
dfn-cert: DFN-CERT-2021-1670
dfn-cert: DFN-CERT-2021-1660
dfn-cert: DFN-CERT-2021-1549
dfn-cert: DFN-CERT-2021-1547
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1500
dfn-cert: DFN-CERT-2021-1418
dfn-cert: DFN-CERT-2021-1330
dfn-cert: DFN-CERT-2021-1132
dfn-cert: DFN-CERT-2021-1129
dfn-cert: DFN-CERT-2021-1128
dfn-cert: DFN-CERT-2021-1098
dfn-cert: DFN-CERT-2021-1070
dfn-cert: DFN-CERT-2021-1061
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0884
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0829
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0818
dfn-cert: DFN-CERT-2021-0813
dfn-cert: DFN-CERT-2021-0807
dfn-cert: DFN-CERT-2021-0806
dfn-cert: DFN-CERT-2021-0740
dfn-cert: DFN-CERT-2021-0696
dfn-cert: DFN-CERT-2021-0656
dfn-cert: DFN-CERT-2021-0630
dfn-cert: DFN-CERT-2021-0629
dfn-cert: DFN-CERT-2021-0409
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0379
dfn-cert: DFN-CERT-2021-0363
```

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.62
Fixed version: 5.7.35
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.35, 8.0.26 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.34 and prior and 8.0 through 8.0.25.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.146354
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-22901
cve: CVE-2019-17543
cve: CVE-2021-2389
cve: CVE-2021-2390
cve: CVE-2021-2356
cve: CVE-2021-2385

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-2342
cve: CVE-2021-2372
cve: CVE-2021-22897
cve: CVE-2021-22898
url: https://www.oracle.com/security-alerts/cpujul2021.html#AppendixMSQL
advisory-id: cpujul2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2364
cert-bund: WID-SEC-2025-1905
cert-bund: WID-SEC-2025-1550
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1963
cert-bund: WID-SEC-2022-0873
cert-bund: CB-K22/0044
cert-bund: CB-K21/0813
cert-bund: CB-K21/0770
dfn-cert: DFN-CERT-2025-2944
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2369
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-1743
dfn-cert: DFN-CERT-2021-1677
dfn-cert: DFN-CERT-2021-1593
dfn-cert: DFN-CERT-2021-1580
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1329
dfn-cert: DFN-CERT-2021-1174
dfn-cert: DFN-CERT-2021-1165
dfn-cert: DFN-CERT-2021-1157
dfn-cert: DFN-CERT-2021-1151
dfn-cert: DFN-CERT-2021-1148
dfn-cert: DFN-CERT-2021-1045
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2019-2216

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.62
Fixed version: 5.7.37
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.37, 8.0.28 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.147464
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2021-22946
cve: CVE-2022-21367

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2022-21270
cve: CVE-2022-21304
cve: CVE-2022-21344
cve: CVE-2022-21303
cve: CVE-2022-21245
cve: CVE-2021-22947
url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixMSQL
advisory-id: cpujan2022
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1056
cert-bund: WID-SEC-2022-0875
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0101
cert-bund: CB-K22/0316
cert-bund: CB-K22/0077
cert-bund: CB-K22/0062
cert-bund: CB-K22/0030
cert-bund: CB-K21/0991
cert-bund: CB-K21/0969
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2086
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-0835
dfn-cert: DFN-CERT-2022-0586
dfn-cert: DFN-CERT-2022-0118
dfn-cert: DFN-CERT-2022-0112
dfn-cert: DFN-CERT-2022-0052
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-1931
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.62`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.38
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.38, 8.0.29 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.37 and prior and 8.0 through 8.0.28.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.113943
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-0778`
`cve: CVE-2022-21454`
`cve: CVE-2022-21417`
`cve: CVE-2022-21427`
`cve: CVE-2022-21451`
`cve: CVE-2022-21444`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2022-21460
url: https://www.oracle.com/security-alerts/cpuapr2022.html#AppendixMSQL
advisory-id: cpuapr2022
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-2086
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-1969
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1081
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0836
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0826
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0677
cert-bund: WID-SEC-2022-0551
cert-bund: WID-SEC-2022-0530
cert-bund: WID-SEC-2022-0515
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0270
cert-bund: WID-SEC-2022-0261
cert-bund: WID-SEC-2022-0200
cert-bund: WID-SEC-2022-0190
cert-bund: WID-SEC-2022-0169
cert-bund: WID-SEC-2022-0065
cert-bund: CB-K22/0619
cert-bund: CB-K22/0470
cert-bund: CB-K22/0468
cert-bund: CB-K22/0321
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-0081
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2268
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1837
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1469
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1294
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1205
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-0955
dfn-cert: DFN-CERT-2022-0902
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0873
dfn-cert: DFN-CERT-2022-0866
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0779
dfn-cert: DFN-CERT-2022-0759
dfn-cert: DFN-CERT-2022-0627
dfn-cert: DFN-CERT-2022-0625
dfn-cert: DFN-CERT-2022-0610
dfn-cert: DFN-CERT-2022-0603
```

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.39
Installation
path / port:       3306/tcp
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.7.39, 8.0.30 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.38 and prior and 8.0 through 8.0.29.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.148510
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-1292`
`cve: CVE-2022-27778`
`cve: CVE-2018-25032`
`cve: CVE-2022-21515`
`url: https://www.oracle.com/security-alerts/cpujul2022.html#AppendixMSQL`
`advisory-id: cpujul2022`
`cert-bund: WID-SEC-2026-0180`
`cert-bund: WID-SEC-2024-1186`
`cert-bund: WID-SEC-2024-0794`
`cert-bund: WID-SEC-2023-2723`
`cert-bund: WID-SEC-2023-2229`
`cert-bund: WID-SEC-2023-1969`
`cert-bund: WID-SEC-2023-1784`
`cert-bund: WID-SEC-2023-1542`
`cert-bund: WID-SEC-2023-1432`
`cert-bund: WID-SEC-2023-1424`
`cert-bund: WID-SEC-2023-1350`
`cert-bund: WID-SEC-2023-1021`
`cert-bund: WID-SEC-2023-0141`
`cert-bund: WID-SEC-2023-0132`
`cert-bund: WID-SEC-2022-1775`
`cert-bund: WID-SEC-2022-1772`
`cert-bund: WID-SEC-2022-1767`
`cert-bund: WID-SEC-2022-1461`
`cert-bund: WID-SEC-2022-1438`
`cert-bund: WID-SEC-2022-1335`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1245
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1068
cert-bund: WID-SEC-2022-1057
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0826
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0755
cert-bund: WID-SEC-2022-0736
cert-bund: WID-SEC-2022-0735
cert-bund: WID-SEC-2022-0677
cert-bund: WID-SEC-2022-0554
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0277
cert-bund: WID-SEC-2022-0071
cert-bund: WID-SEC-2022-0005
cert-bund: CB-K22/0619
cert-bund: CB-K22/0570
cert-bund: CB-K22/0536
cert-bund: CB-K22/0386
dfn-cert: DFN-CERT-2024-2686
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2024-0998
dfn-cert: DFN-CERT-2024-0790
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-3028
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-2600
dfn-cert: DFN-CERT-2023-2599
dfn-cert: DFN-CERT-2023-2571
dfn-cert: DFN-CERT-2023-0553
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0372
dfn-cert: DFN-CERT-2023-0121
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2023-0100
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-2309
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2268
dfn-cert: DFN-CERT-2022-2254
dfn-cert: DFN-CERT-2022-2150
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2066
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1905
dfn-cert: DFN-CERT-2022-1875
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1646
dfn-cert: DFN-CERT-2022-1614
dfn-cert: DFN-CERT-2022-1609
dfn-cert: DFN-CERT-2022-1520
dfn-cert: DFN-CERT-2022-1476
dfn-cert: DFN-CERT-2022-1425
dfn-cert: DFN-CERT-2022-1310
dfn-cert: DFN-CERT-2022-1304
dfn-cert: DFN-CERT-2022-1267
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1103
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-1076
dfn-cert: DFN-CERT-2022-1054
dfn-cert: DFN-CERT-2022-1049
dfn-cert: DFN-CERT-2022-0986
dfn-cert: DFN-CERT-2022-0768
dfn-cert: DFN-CERT-2022-0716
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 5.5.62
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.31 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.30.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.149533
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-21912
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1033
dfn-cert: DFN-CERT-2023-1058
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0885
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.62`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.33 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Lin.`
↪..
OID:1.3.6.1.4.1.25623.1.0.149537
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2023-0215
cve: CVE-2022-43551
cve: CVE-2023-21980
cve: CVE-2022-4304
cve: CVE-2022-4450
cve: CVE-2023-0286
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023
cert-bund: WID-SEC-2025-1365
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-2086
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0114
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1886
cert-bund: WID-SEC-2023-1812
cert-bund: WID-SEC-2023-1793
cert-bund: WID-SEC-2023-1790
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1553
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1033
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2023-0777
cert-bund: WID-SEC-2023-0304
cert-bund: WID-SEC-2022-2375
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2024-0126
dfn-cert: DFN-CERT-2024-0016
dfn-cert: DFN-CERT-2023-2192
dfn-cert: DFN-CERT-2023-1760
dfn-cert: DFN-CERT-2023-1697
dfn-cert: DFN-CERT-2023-1656
dfn-cert: DFN-CERT-2023-1643
dfn-cert: DFN-CERT-2023-1590
dfn-cert: DFN-CERT-2023-1522
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1256
dfn-cert: DFN-CERT-2023-1162
dfn-cert: DFN-CERT-2023-1043
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0898
dfn-cert: DFN-CERT-2023-0885
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0774
dfn-cert: DFN-CERT-2023-0685
dfn-cert: DFN-CERT-2023-0662
dfn-cert: DFN-CERT-2023-0661
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-0639
dfn-cert: DFN-CERT-2023-0618
dfn-cert: DFN-CERT-2023-0543
dfn-cert: DFN-CERT-2023-0471
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0329
dfn-cert: DFN-CERT-2023-0318
dfn-cert: DFN-CERT-2023-0310
dfn-cert: DFN-CERT-2023-0299
dfn-cert: DFN-CERT-2023-0288
dfn-cert: DFN-CERT-2023-0284
dfn-cert: DFN-CERT-2023-0283
dfn-cert: DFN-CERT-2022-2902
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.43, 8.0.34 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Lin.`
`↪..`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.151213
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-2650
cve: CVE-2023-0464
cve: CVE-2023-0465
cve: CVE-2023-0466
cve: CVE-2023-1255
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0120
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2024-0053
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2690
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1794
cert-bund: WID-SEC-2023-1781
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1323
cert-bund: WID-SEC-2023-1130
cert-bund: WID-SEC-2023-1053
cert-bund: WID-SEC-2023-0782
cert-bund: WID-SEC-2023-0732
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0565
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2024-0125
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-3070
dfn-cert: DFN-CERT-2023-2749
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-2116

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1903
dfn-cert: DFN-CERT-2023-1720
dfn-cert: DFN-CERT-2023-1649
dfn-cert: DFN-CERT-2023-1642
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1428
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1332
dfn-cert: DFN-CERT-2023-1246
dfn-cert: DFN-CERT-2023-1245
dfn-cert: DFN-CERT-2023-1233
dfn-cert: DFN-CERT-2023-0999
dfn-cert: DFN-CERT-2023-0960
dfn-cert: DFN-CERT-2023-0929
dfn-cert: DFN-CERT-2023-0904
dfn-cert: DFN-CERT-2023-0782
dfn-cert: DFN-CERT-2023-0700
dfn-cert: DFN-CERT-2023-0645
```

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0.40, 8.4.3, 9.0.2 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.2 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuo.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.170874
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2024-5535
cve: CVE-2024-6119
cve: CVE-2024-21230
cve: CVE-2024-7264
cve: CVE-2024-21196
cve: CVE-2024-21194
cve: CVE-2024-21199
cve: CVE-2024-21218
cve: CVE-2024-21236
cve: CVE-2024-21239
cve: CVE-2024-21198
cve: CVE-2024-21219
cve: CVE-2024-21203
cve: CVE-2024-21197
cve: CVE-2024-21201
cve: CVE-2024-21241
cve: CVE-2024-21193
cve: CVE-2024-21213
cve: CVE-2024-21231
cve: CVE-2024-21237
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2838
cert-bund: WID-SEC-2025-2836
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-0823
cert-bund: WID-SEC-2025-0814
cert-bund: WID-SEC-2025-0612
cert-bund: WID-SEC-2025-0225
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2025-0166
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2025-0001
cert-bund: WID-SEC-2024-3674
cert-bund: WID-SEC-2024-3412
cert-bund: WID-SEC-2024-3201
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3192
cert-bund: WID-SEC-2024-3188
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-2040
cert-bund: WID-SEC-2024-1736
cert-bund: WID-SEC-2024-1469
dfn-cert: DFN-CERT-2026-0015
dfn-cert: DFN-CERT-2025-3495
dfn-cert: DFN-CERT-2025-3494
dfn-cert: DFN-CERT-2025-3493
dfn-cert: DFN-CERT-2025-3492
dfn-cert: DFN-CERT-2025-3491
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-1659
dfn-cert: DFN-CERT-2025-1474
dfn-cert: DFN-CERT-2025-1454
dfn-cert: DFN-CERT-2025-0975
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0474
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2025-0175
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2024-3300
dfn-cert: DFN-CERT-2024-3152
dfn-cert: DFN-CERT-2024-3013
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2783
dfn-cert: DFN-CERT-2024-2734
dfn-cert: DFN-CERT-2024-2732
dfn-cert: DFN-CERT-2024-2381
dfn-cert: DFN-CERT-2024-2322
dfn-cert: DFN-CERT-2024-2285
dfn-cert: DFN-CERT-2024-2168
dfn-cert: DFN-CERT-2024-2025
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1967
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2024-1681

[return to 172.31.1.25]

2.1.2 Medium 3306/tcp

Medium (CVSS: 5.9)
NVT: Oracle MySQL Backronym Vulnerability (Jun 2016) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL is prone to a backronym vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.3
Installation
path / port:       3306/tcp
```

Impact

Successful exploitation will allow man-in-the-middle attackers to spoof servers via a cleartext-downgrade attack.

Solution:

Solution type: VendorFix

Upgrade to version Oracle MySQL Server 5.7.3 or later.

Affected Software/OS

Oracle MySQL Server 5.7.2 and earlier on Linux.

Vulnerability Insight

The flaw exists due to improper validation of MySQL client library when establishing a secure connection to a MySQL server using the –ssl option.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Backronym Vulnerability (Jun 2016) - Linux

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.808064
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2015-3152
url: http://www.ocert.org/advisories/ocert-2015-003.html
url: https://duo.com/blog/backronym-mysql-vulnerability
cert-bund: CB-K18/0871
cert-bund: CB-K16/0944
cert-bund: CB-K15/1045
cert-bund: CB-K15/1042
cert-bund: CB-K15/1020
cert-bund: CB-K15/0994
cert-bund: CB-K15/0964
cert-bund: CB-K15/0895
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1105
dfn-cert: DFN-CERT-2015-1096
dfn-cert: DFN-CERT-2015-1071
dfn-cert: DFN-CERT-2015-1051
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-0942

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (cpuapr2019) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a vulnerability in the libmysqld subcomponent.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.62

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:      5.6.43
Installation
path / port:        3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.43, 5.7.25, 8.0.14 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.42 and prior, 5.7 through 5.7.24 and 8.0 through 8.0.13.

Vulnerability Insight
Difficult to exploit vulnerability allows unauthenticated attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Server accessible data.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.142404
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2018-3123`
`url: https://www.oracle.com/security-alerts/cpuapr2019.html#AppendixMSQL`
`advisory-id: cpuapr2019`
`cert-bund: WID-SEC-2023-1594`
`cert-bund: CB-K19/0319`
`dfn-cert: DFN-CERT-2019-0775`

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.6.43 / 5.7 <= 5.7.25 / 8.0 <= 8.0.15 Security Update (cpuapr2019) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.62`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.6.44
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.44, 5.7.26, 8.0.16 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.43 and prior, 5.7 through 5.7.25 and 8.0 through 8.0.15.

Vulnerability Insight
The attacks range in variety and difficulty. Most of them allow an attacker with network access via multiple protocols to compromise the MySQL Server.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.43 / 5.7 <= 5.7.25 / 8.0 <= 8.0.15 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.142402
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2019-1559
cve: CVE-2019-2683
cve: CVE-2019-2627
cve: CVE-2019-2614
url: https://www.oracle.com/security-alerts/cpuapr2019.html#AppendixMSQL
advisory-id: cpuapr2019
cert-bund: WID-SEC-2026-0180
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-2946
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-0673
cert-bund: WID-SEC-2022-0462
cert-bund: CB-K22/0045
cert-bund: CB-K20/0041
cert-bund: CB-K19/0911
cert-bund: CB-K19/0639
cert-bund: CB-K19/0623
cert-bund: CB-K19/0622
cert-bund: CB-K19/0620
cert-bund: CB-K19/0619
cert-bund: CB-K19/0615
cert-bund: CB-K19/0332
cert-bund: CB-K19/0320
cert-bund: CB-K19/0319
cert-bund: CB-K19/0173
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2189
dfn-cert: DFN-CERT-2020-2180
dfn-cert: DFN-CERT-2020-0092
dfn-cert: DFN-CERT-2020-0048
dfn-cert: DFN-CERT-2019-2625
dfn-cert: DFN-CERT-2019-2457
dfn-cert: DFN-CERT-2019-2300
dfn-cert: DFN-CERT-2019-2274
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2157
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-2008
dfn-cert: DFN-CERT-2019-1996
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1755
dfn-cert: DFN-CERT-2019-1746
dfn-cert: DFN-CERT-2019-1722
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1683
dfn-cert: DFN-CERT-2019-1678
dfn-cert: DFN-CERT-2019-1677
dfn-cert: DFN-CERT-2019-1617
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1486
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-1453
dfn-cert: DFN-CERT-2019-1450
dfn-cert: DFN-CERT-2019-1408
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2019-1240
dfn-cert: DFN-CERT-2019-0968
dfn-cert: DFN-CERT-2019-0781
dfn-cert: DFN-CERT-2019-0775
dfn-cert: DFN-CERT-2019-0771
dfn-cert: DFN-CERT-2019-0566
dfn-cert: DFN-CERT-2019-0556
dfn-cert: DFN-CERT-2019-0412
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (cpujul2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.6.45
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.45, 5.7.27, 8.0.17 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.44 and prior, 5.7 through 5.7.26 and 8.0 through 8.0.16.

Vulnerability Insight

Oracle MySQL Server is prone to multiple denial of service vulnerabilities.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (.
↪..`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.142644
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2019-2805
cve: CVE-2019-2740
cve: CVE-2019-2819
cve: CVE-2019-2739
cve: CVE-2019-2737
cve: CVE-2019-2738
url: https://www.oracle.com/security-alerts/cpujul2019.html#AppendixMSQL
advisory-id: cpujul2019
cert-bund: CB-K19/0620
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2180
dfn-cert: DFN-CERT-2020-0658
dfn-cert: DFN-CERT-2020-0517
dfn-cert: DFN-CERT-2019-2695
dfn-cert: DFN-CERT-2019-2656
dfn-cert: DFN-CERT-2019-2300
dfn-cert: DFN-CERT-2019-2008
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1683
dfn-cert: DFN-CERT-2019-1568
dfn-cert: DFN-CERT-2019-1453

Medium (CVSS: 6.2)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (cpuoct2019) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a local unauthenticated vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.6.45
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.45, 5.7.27, 8.0.17 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.44 and prior, 5.7 through 5.7.26 and 8.0 through 8.0.16.

Vulnerability Insight
Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where MySQL Server executes to compromise MySQL Server.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (. ↪..`
OID:1.3.6.1.4.1.25623.1.0.143031
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2019-2969
url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL
advisory-id: cpuoct2019
cert-bund: CB-K19/0915
dfn-cert: DFN-CERT-2019-2149
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 / 8.0 <= 8.0.17 Security Update (cpuoct2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
```

. . . continues on next page . . .

. . . continued from previous page . . .

↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.6.46
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.46, 5.7.28, 8.0.18 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.45 and prior, 5.7 through 5.7.27 and 8.0 through 8.0.17.

Vulnerability Insight
Oracle MySQL Server is prone to multiple vulnerabilities.
For further information refer to the official advisory via the referenced link.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 / 8.0 <= 8.0.17 Security Update (.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.143029
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2019-2974
cve: CVE-2019-2911
url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL
advisory-id: cpuoct2019
cert-bund: CB-K20/1030
cert-bund: CB-K20/0109
cert-bund: CB-K19/0915
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-2763
dfn-cert: DFN-CERT-2020-2756
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2299
dfn-cert: DFN-CERT-2020-2180
dfn-cert: DFN-CERT-2020-1827
dfn-cert: DFN-CERT-2020-0658
dfn-cert: DFN-CERT-2020-0517
dfn-cert: DFN-CERT-2020-0103
dfn-cert: DFN-CERT-2019-2695
dfn-cert: DFN-CERT-2019-2687
dfn-cert: DFN-CERT-2019-2656
dfn-cert: DFN-CERT-2019-2301
dfn-cert: DFN-CERT-2019-2149
```

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 Security Update (cpuoct2019) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.6.46
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.46, 5.7.28 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.45 and prior and 5.7 through 5.7.27.

Vulnerability Insight

Oracle MySQL Server is prone to multiple vulnerabilities.
For further information refer to the official advisory via the referenced link.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 Security Update (cpuoct2019) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.143033
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2019-2922
cve: CVE-2019-2923
cve: CVE-2019-2924
cve: CVE-2019-2910
url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL
advisory-id: cpuoct2019
cert-bund: CB-K19/0915
dfn-cert: DFN-CERT-2020-0103
dfn-cert: DFN-CERT-2019-2149
```

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.6.46 / 5.7 <= 5.7.26 Security Update (cpuapr2020) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.62`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities in OpenSSL.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.62
Fixed version:     5.6.47
Installation
path / port:       3306/tcp
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.6.47, 5.7.27 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.46 and prior and 5.7 through 5.7.26.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.46 / 5.7 <= 5.7.26 Security Update (cpuapr2020) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.143734
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2019-1547
cve: CVE-2019-1549
cve: CVE-2019-1552
cve: CVE-2019-1563
url: https://www.oracle.com/security-alerts/cpuapr2020.html#AppendixMSQL
advisory-id: cpuapr2020
cert-bund: WID-SEC-2023-3081
cert-bund: WID-SEC-2023-1762
cert-bund: WID-SEC-2023-1049
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K20/1049
cert-bund: CB-K20/1016
cert-bund: CB-K20/0321
cert-bund: CB-K20/0318
cert-bund: CB-K20/0043
cert-bund: CB-K20/0038
cert-bund: CB-K20/0036
cert-bund: CB-K20/0028
cert-bund: CB-K19/1025
cert-bund: CB-K19/0919
cert-bund: CB-K19/0915
cert-bund: CB-K19/0808
cert-bund: CB-K19/0675
dfn-cert: DFN-CERT-2023-2709
dfn-cert: DFN-CERT-2020-2014
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-1729
dfn-cert: DFN-CERT-2020-0895
dfn-cert: DFN-CERT-2020-0776
dfn-cert: DFN-CERT-2020-0775
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0716
dfn-cert: DFN-CERT-2020-0277
dfn-cert: DFN-CERT-2020-0101
dfn-cert: DFN-CERT-2020-0096
dfn-cert: DFN-CERT-2020-0091
dfn-cert: DFN-CERT-2020-0090
dfn-cert: DFN-CERT-2019-2164
dfn-cert: DFN-CERT-2019-2149
dfn-cert: DFN-CERT-2019-1900
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1559
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.46 Security Update (cpujan2020) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to an unspecified denial of service vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.6.47
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.6.47 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.46 and prior.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.46 Security Update (cpujan2020) - Linux`
OID:1.3.6.1.4.1.25623.1.0.143358
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2020-2579
url: https://www.oracle.com/security-alerts/cpujan2020.html#AppendixMSQL
advisory-id: cpujan2020
cert-bund: CB-K20/0038
dfn-cert: DFN-CERT-2020-1827
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2020-0096
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.49 / 5.7 <= 5.7.31 / 8.0 <= 8.0.21 Security Update (cpuoct2020) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.62
Fixed version:     5.6.50
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.50, 5.7.32, 8.0.22 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server versions 5.6.49 and prior, 5.7 through 5.7.31 and 8.0 through 8.0.21.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.49 / 5.7 <= 5.7.31 / 8.0 <= 8.0.21 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.108958
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2020-14765
cve: CVE-2020-14769
cve: CVE-2020-14812
cve: CVE-2020-14793
cve: CVE-2020-14672
cve: CVE-2020-14867
url: https://www.oracle.com/security-alerts/cpuoct2020.html#AppendixMSQL
advisory-id: cpuoct2020
cert-bund: CB-K20/1066
cert-bund: CB-K20/1017
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-0002
dfn-cert: DFN-CERT-2020-2763
dfn-cert: DFN-CERT-2020-2756
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2380
dfn-cert: DFN-CERT-2020-2295
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpujan2021) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.62`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.6.51
Installation
path / port:       3306/tcp
```

Impact

Successful attacks of this vulnerability can result in the unauthorized ability to cause a hang or frequently repeatedly crash (complete DOS) the MySQL Server.

Solution:

Solution type: VendorFix

Update to version 5.6.51, 5.7.31, 8.0.18 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.50 and prior, 5.7 through 5.7.30 and 8.0 through 8.0.17.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.30 / 8.0 <= 8.0.17 Security Update (. ↪..`

OID:1.3.6.1.4.1.25623.1.0.145221

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.62`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2021-2001
url: https://www.oracle.com/security-alerts/cpujan2021.html#AppendixMSQL
advisory-id: cpujan2021
cert-bund: WID-SEC-2023-0067
cert-bund: CB-K21/0062
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-0810
dfn-cert: DFN-CERT-2021-0131
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpujan2021) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.62`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.6.51
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6.51, 5.7.33, 8.0.23 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.50 and prior, 5.7 through 5.7.32 and 8.0 through 8.0.22.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.32 / 8.0 <= 8.0.22 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.145223
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2021-2022`
`cve: CVE-2021-2060`
`url: https://www.oracle.com/security-alerts/cpujan2021.html#AppendixMSQL`
`advisory-id: cpujan2021`
`cert-bund: WID-SEC-2023-0067`

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K21/0062
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-0131
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.31
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.31, 8.0.18 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.30 and prior and 8.0 through 8.0.17.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Li.`
↪`..`

OID:1.3.6.1.4.1.25623.1.0.145803

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.62`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-2160
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2021-0821
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.33
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.33, 8.0.23 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.32 and prior and 8.0 through 8.0.22.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Li.`
↪..

OID:1.3.6.1.4.1.25623.1.0.145793

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.62`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2020-1971
cve: CVE-2021-2178
cve: CVE-2021-2202
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0067
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-2047
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1000
cert-bund: WID-SEC-2022-0585
cert-bund: CB-K21/1065
cert-bund: CB-K21/0788
cert-bund: CB-K21/0615
cert-bund: CB-K21/0421
cert-bund: CB-K21/0111
cert-bund: CB-K21/0062
cert-bund: CB-K21/0006
cert-bund: CB-K20/1217
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
dfn-cert: DFN-CERT-2021-1504
dfn-cert: DFN-CERT-2021-1225
dfn-cert: DFN-CERT-2021-0924
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0828
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0338
dfn-cert: DFN-CERT-2021-0255
dfn-cert: DFN-CERT-2021-0134
dfn-cert: DFN-CERT-2021-0131
dfn-cert: DFN-CERT-2021-0128
dfn-cert: DFN-CERT-2021-0120
dfn-cert: DFN-CERT-2021-0107
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-0078
dfn-cert: DFN-CERT-2021-0012
dfn-cert: DFN-CERT-2020-2791
dfn-cert: DFN-CERT-2020-2668
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.34
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.34 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.33 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Linux`

OID:1.3.6.1.4.1.25623.1.0.145801

Version used: `2025-09-09T05:38:49Z`

Product Detection Result

Product: `cpe:/a:mysql:mysql:5.5.62`

Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-2154
url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL
advisory-id: cpuapr2021
cert-bund: WID-SEC-2023-0065
cert-bund: CB-K21/0421
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2021-1660
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0821
```

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.37
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.37, 8.0.28 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Li.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.118381

Version used: `2025-09-09T05:38:49Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-21595
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2022-1776
dfn-cert: DFN-CERT-2023-0504
dfn-cert: DFN-CERT-2022-2306

Medium (CVSS: 4.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.62
Fixed version: 5.7.40
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.40, 8.0.17 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.16.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.118383
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-21589
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2022-1776
dfn-cert: DFN-CERT-2022-2306

Medium (CVSS: 4.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.62
Fixed version: 5.7.40
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.40, 8.0.30 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.29.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Li.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.118385
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2022-21592
url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL
advisory-id: cpuoct2022
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2022-1776
dfn-cert: DFN-CERT-2022-2306
```

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.62`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.62
Fixed version:     5.7.40
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 5.7.40, 8.0.31 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.30.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Li.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.118387
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2022-2097`
`cve: CVE-2022-21617`
`cve: CVE-2022-21608`
`url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL`
`advisory-id: cpuoct2022`
`cert-bund: WID-SEC-2024-1591`
`cert-bund: WID-SEC-2024-1186`
`cert-bund: WID-SEC-2024-0794`
`cert-bund: WID-SEC-2023-2031`
`cert-bund: WID-SEC-2023-1969`
`cert-bund: WID-SEC-2023-1432`
`cert-bund: WID-SEC-2022-1777`
`cert-bund: WID-SEC-2022-1776`
`cert-bund: WID-SEC-2022-1461`
`cert-bund: WID-SEC-2022-1245`
`cert-bund: WID-SEC-2022-1146`
`cert-bund: WID-SEC-2022-1068`
`cert-bund: WID-SEC-2022-1065`
`cert-bund: WID-SEC-2022-0561`
`dfn-cert: DFN-CERT-2024-0147`
`dfn-cert: DFN-CERT-2023-2667`
`dfn-cert: DFN-CERT-2023-2491`
`dfn-cert: DFN-CERT-2023-1230`
`dfn-cert: DFN-CERT-2023-1058`
`dfn-cert: DFN-CERT-2023-0509`
`dfn-cert: DFN-CERT-2023-0299`
`dfn-cert: DFN-CERT-2023-0100`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-2315
dfn-cert: DFN-CERT-2022-2306
dfn-cert: DFN-CERT-2022-2150
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-1905
dfn-cert: DFN-CERT-2022-1646
dfn-cert: DFN-CERT-2022-1536
dfn-cert: DFN-CERT-2022-1521
dfn-cert: DFN-CERT-2022-1520
dfn-cert: DFN-CERT-2022-1515
dfn-cert: DFN-CERT-2022-1497
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.41
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 5.7.41 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.40 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Linux`
OID:1.3.6.1.4.1.25623.1.0.149167

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-21840
url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixMSQL
advisory-id: cpujan2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-0126
dfn-cert: DFN-CERT-2023-0105

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.62
Fixed version: 5.7.42
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.42, 8.0.33 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.149978
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-22007
url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL
advisory-id: cpujul2023
cert-bund: WID-SEC-2023-1794
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2023-1642
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.62`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.62
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.43, 8.0.32 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.151211
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2023-22015
cve: CVE-2023-22026
url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL
advisory-id: cpuoct2023
cert-bund: WID-SEC-2023-2690
dfn-cert: DFN-CERT-2023-2536
```

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Linux

Product detection result
```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to a unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.62
Fixed version:     5.7.43
Installation
path / port:       3306/tcp
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 5.7.43, 8.0.34 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.149980
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2023-22053`
`url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL`
`advisory-id: cpujul2023`
`cert-bund: WID-SEC-2024-1248`
`cert-bund: WID-SEC-2023-1794`
`dfn-cert: DFN-CERT-2024-1188`
`dfn-cert: DFN-CERT-2024-0593`
`dfn-cert: DFN-CERT-2024-0491`
`dfn-cert: DFN-CERT-2024-0454`
`dfn-cert: DFN-CERT-2023-1642`

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.62`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     5.7.44
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.7.44, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.43 and prior and 8.x through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Lin.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.151215
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2023-22028`
`url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL`
`advisory-id: cpuoct2023`
`cert-bund: WID-SEC-2023-2690`
`dfn-cert: DFN-CERT-2024-0108`
`dfn-cert: DFN-CERT-2023-2536`

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.62`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     8.0.36
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.36 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.35 and prior.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.170866
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2024-21200
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2024-2732
```

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 5.5.62
Fixed version:     8.0.39
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.39, 8.4.2, 9.0.2 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.38 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.170868
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
```
cve: CVE-2024-21207
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2024-2732
```

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Linux

Product detection result
`cpe:/a:mysql:mysql:5.5.62`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.40, 8.4.1 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.39 and prior and 8.1 through 8.4.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Linux`
OID:1.3.6.1.4.1.25623.1.0.170870
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2024-21212
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2024-2732
```

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     8.0.40
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.40, 8.4.2, 9.0.2 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo.`
↪..
OID:1.3.6.1.4.1.25623.1.0.170872
Version used: `2025-09-09T05:38:49Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

```
cve: CVE-2024-21238
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2024-2732
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpuapr2025) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     8.0.42
Installation
path / port:       3306/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.0.42, 8.4.5, 9.3.0 or later.

Affected Software/OS
Oracle MySQL Server version 8.0.41 and prior, 8.1 through 8.4.4 and 9.0 through 9.2.0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpua.
↪..
OID:1.3.6.1.4.1.25623.1.0.171441
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2025-21577
cve: CVE-2025-30682
cve: CVE-2025-30687
cve: CVE-2025-30688
cve: CVE-2025-21574

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2025-21575
cve: CVE-2025-30693
cve: CVE-2025-30695
cve: CVE-2025-30715
cve: CVE-2025-21584
cve: CVE-2025-21580
cve: CVE-2025-21581
cve: CVE-2025-21585
cve: CVE-2025-30689
cve: CVE-2025-21579
cve: CVE-2025-30696
cve: CVE-2025-30705
cve: CVE-2025-30683
cve: CVE-2025-30684
cve: CVE-2025-30685
cve: CVE-2025-30699
cve: CVE-2025-30704
cve: CVE-2024-13176
cve: CVE-2024-9143
cve: CVE-2025-30721
cve: CVE-2025-30703
cve: CVE-2025-30681
url: https://www.oracle.com/security-alerts/cpuapr2025.html#AppendixMSQL
advisory-id: cpuapr2025
cert-bund: WID-SEC-2025-2364
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-1568
cert-bund: WID-SEC-2025-1566
cert-bund: WID-SEC-2025-1564
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-1257
cert-bund: WID-SEC-2025-1035
cert-bund: WID-SEC-2025-0828
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0813
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0131
cert-bund: WID-SEC-2024-3230
dfn-cert: DFN-CERT-2026-0037
dfn-cert: DFN-CERT-2025-3583
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2944
dfn-cert: DFN-CERT-2025-2602
dfn-cert: DFN-CERT-2025-2523
dfn-cert: DFN-CERT-2025-1905
dfn-cert: DFN-CERT-2025-1903
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-1901
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1648
dfn-cert: DFN-CERT-2025-1611
dfn-cert: DFN-CERT-2025-1470
dfn-cert: DFN-CERT-2025-1424
dfn-cert: DFN-CERT-2025-1304
dfn-cert: DFN-CERT-2025-0993
dfn-cert: DFN-CERT-2025-0981
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0973
dfn-cert: DFN-CERT-2025-0564
dfn-cert: DFN-CERT-2025-0465
dfn-cert: DFN-CERT-2025-0354
dfn-cert: DFN-CERT-2025-0158
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2764
```

Medium (CVSS: 5.5)
NVT: Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (cpuoct2025) - Linux

Product detection result

```
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 5.5.62
Fixed version:     8.0.44
Installation
path / port:       3306/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.0.44, 8.4.7, 9.4.1 or later.

Affected Software/OS

Oracle MySQL Server versions 8.0.43 and prior, 8.1.x through 8.4.6 and 9.0.0 through 9.4.0.

. . . continues on next page . . .

. . . continued from previous page . . .

Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that all versions prior to 8.x and versions like 9.2.x in between are also affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.119198
Version used: `2025-10-24T05:39:31Z`

Product Detection Result
Product: `cpe:/a:mysql:mysql:5.5.62`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`cve: CVE-2025-53054`
`cve: CVE-2025-53053`
`cve: CVE-2025-53044`
`cve: CVE-2025-53045`
`cve: CVE-2025-53062`
`cve: CVE-2025-53069`
`cve: CVE-2025-53040`
`cve: CVE-2025-53042`
`url: https://www.oracle.com/security-alerts/cpuoct2025.html#AppendixMSQL`
`advisory-id: cpuoct2025`
`cert-bund: WID-SEC-2025-2363`
`dfn-cert: DFN-CERT-2025-3598`
`dfn-cert: DFN-CERT-2025-2945`

[return to 172.31.1.25]

2.1.3 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

References
`cve: CVE-1999-0524`
`url: https://datatracker.ietf.org/doc/html/rfc792`
`url: https://datatracker.ietf.org/doc/html/rfc2780`
`cert-bund: CB-K15/1514`
`cert-bund: CB-K14/0632`
`dfn-cert: DFN-CERT-2014-0658`

[return to 172.31.1.25]

2.1.4 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 2259507992
Packet 2: 2259509120
```

Impact

A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:

Solution type: Mitigation

To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS

TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight

The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method

Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References

```
url: https://datatracker.ietf.org/doc/html/rfc1323
url: https://datatracker.ietf.org/doc/html/rfc7323
url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d
↪ownload/details.aspx?id=9152
url: https://www.fortiguard.com/psirt/FG-IR-16-090
```

[return to 172.31.1.25]

2.1.5 Low 3306/tcp

Low (CVSS: 2.7)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.18 Security Update (cpujul2019) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.62
Fixed version: 5.6.45
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.6.45, 5.7.19 or later.

Affected Software/OS
Oracle MySQL Server versions 5.6.44 and prior and 5.7 through 5.7.18.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.18 Security Update (cpujul2019) - Li.
↪..
OID:1.3.6.1.4.1.25623.1.0.142642
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2019-2730
url: https://www.oracle.com/security-alerts/cpujul2019.html#AppendixMSQL
advisory-id: cpujul2019
cert-bund: CB-K19/0620
dfn-cert: DFN-CERT-2019-2169
dfn-cert: DFN-CERT-2019-1453

Low (CVSS: 2.7)
NVT: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Linux

Product detection result
cpe:/a:mysql:mysql:5.5.62
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 5.5.62
Fixed version: 5.7.41
Installation
path / port: 3306/tcp

Solution:
Solution type: VendorFix
Update to version 5.7.41, 8.0.32 or later.

Affected Software/OS
Oracle MySQL Server version 5.7.40 and prior and 8.x through 8.0.31.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Lin.
↪..
OID:1.3.6.1.4.1.25623.1.0.149531
Version used: 2025-09-09T05:38:49Z

Product Detection Result
Product: cpe:/a:mysql:mysql:5.5.62
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2023-21963
url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL
advisory-id: cpuapr2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-1033
dfn-cert: DFN-CERT-2023-0885

[return to 172.31.1.25]

2.1.6 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`172.31.1.25|cpe:/a:mysql:mysql:5.5.62`
`172.31.1.25|cpe:/a:oracle:mysql:5.5.62`
`172.31.1.25|cpe:/o:linux:kernel`

Solution:

Log Method
Details: `CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: `2022-07-27T10:11:28Z`

References
`url: https://nvd.nist.gov/products/cpe`

[return to 172.31.1.25]

2.1.7 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result
`Hostname determination for IP 172.31.1.25:`
`Hostname|Source`
`mysql55.trabalho_vulnnet|Reverse-DNS`

Solution:

Log Method
Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
`It was possible to route a TCP packet through the target host and received an an`
`↪swer which means IP forwarding is enabled.`

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: `IP Forwarding Enabled - Active Check`
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: `2021-12-03T08:27:06Z`

References
`cve: CVE-1999-0511`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.

. . . continues on next page . . .

. . . continued from previous page . . .

Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Linux Kernel
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.102002 (Operating System (OS) Detection (ICM
↪P))
Concluded from ICMP based OS fingerprint
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method

Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-01-21T05:50:46Z

References

url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: Traceroute

Summary

Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Network route from scanner (172.30.0.2) to target (172.31.1.25):
172.30.0.2
172.31.1.25
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

[return to 172.31.1.25]

2.1.8 Log 3306/tcp

Log (CVSS: 0.0)
NVT: Database Open Access Information Disclosure Vulnerability

Summary
Various Database server might be prone to an information disclosure vulnerability if accessible to remote systems.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`Oracle MySQL can be accessed by remote attackers`

Impact
Successful exploitation could allow an attacker to obtain sensitive information from the database.

Solution:
Solution type: Workaround
Restrict database access to remote systems. Please see the manual of the affected database server for more information.

Affected Software/OS
- Oracle MySQL
- MariaDB
- IBM DB2
- PostgreSQL
- IBM solidDB
- Oracle Database
- Microsoft SQL Server

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The remote database server is not restricting direct access from remote systems.

Log Method
Checks the result of various database server detections and evaluates their results.
Details: `Database Open Access Information Disclosure Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.902799
Version used: `2025-09-09T05:38:49Z`

References
`url: https://www.pcisecuritystandards.org/security_standards/index.php?id=pci_ds`
`↪s_v1-2.pdf`

Log (CVSS: 0.0)
NVT: MariaDB / Oracle MySQL Detection (MySQL Protocol)

Summary
MySQL protocol-based detection of MariaDB / Oracle MySQL.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Oracle MySQL
Version:       5.5.62
Location:      3306/tcp
CPE:           cpe:/a:oracle:mysql:5.5.62
Concluded from version/product identification result:
5.5.62
```

Solution:

Log Method
Details: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID:1.3.6.1.4.1.25623.1.0.100152
Version used: `2025-09-09T05:38:49Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

`A MySQL server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

[return to 172.31.1.25]