Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was " hgdfdghgdgd". The scan started at Mon Jan 26 01:47:47 2026 UTC and ended at Mon Jan 26 14:04:13 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.31.1.61 . . . 2

2.1.1 High 8161/tcp . . . 2

2.1.2 Medium 1883/tcp . . . 9

2.1.3 Medium 8161/tcp . . . 10

2.1.4 Low general/icmp . . . 24

2.1.5 Low 8161/tcp . . . 25

2.1.6 Low general/tcp . . . 29

2.1.7 Log 1883/tcp . . . 30

2.1.8 Log general/CPE-T . . . 30

2.1.9 Log 5672/tcp . . . 31

2.1.10 Log 8161/tcp . . . 32

2.1.11 Log general/tcp . . . 40

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.31.1.61 activemq514.trabalho_vulnnet	0	4	9	5	15	0
Total: 1	0	4	9	5	15	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Critical" are not shown.
Issues with the threat level "Debug" are not shown.

This report contains all 33 results selected by the filtering described above. Before filtering there were 5586 results.

2 Results per Host

2.1 172.31.1.61

Host scan start	Mon Jan 26 01:48:40 2026 UTC
Host scan end	Mon Jan 26 03:38:44 2026 UTC

Service (Port)	Threat Level
8161/tcp	High
1883/tcp	Medium
8161/tcp	Medium
general/icmp	Low
8161/tcp	Low
general/tcp	Low
1883/tcp	Log
general/CPE-T	Log
5672/tcp	Log
8161/tcp	Log
general/tcp	Log

2.1.1 High 8161/tcp

High (CVSS: 7.5)
NVT: Eclipse Jetty DoS Vulnerability (GHSA-26vr-8j45-3r4w) - Linux

Product detection result
`cpe:/a:eclipse:jetty:9.2.13.20150730`
`Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.800953)`

Summary
Eclipse Jetty is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 9.2.13.20150730
Fixed version:     9.4.39
Installation
path / port:       8161/tcp
```

Impact
When using SSL/TLS with Jetty, either with HTTP/1.1, HTTP/2, or WebSocket, the server may receive an invalid large (greater than 17408) TLS frame that is incorrectly handled, causing CPU resources to eventually reach 100% usage.

Solution:
Solution type: VendorFix
Update to version 9.4.39, 10.0.2, 11.0.2 or later. See the referenced vendor advisory for a possible mitigation.

Affected Software/OS
Eclipse Jetty version 7.2.2 through 9.4.38, 10.0.0.alpha0 through 10.0.1 and 11.0.0.alpha0 through 11.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty DoS Vulnerability (GHSA-26vr-8j45-3r4w) - Linux`
OID:1.3.6.1.4.1.25623.1.0.117487
Version used: `2024-06-11T05:05:40Z`

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2021-28165
url: https://github.com/eclipse/jetty.project/security/advisories/GHSA-26vr-8j45
↪-3r4w
cert-bund: WID-SEC-2025-2372
cert-bund: WID-SEC-2025-0227
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2993
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1821
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1365
cert-bund: WID-SEC-2022-1161
cert-bund: WID-SEC-2022-0624
cert-bund: WID-SEC-2022-0623
cert-bund: CB-K22/0071
cert-bund: CB-K21/1094
cert-bund: CB-K21/1093
dfn-cert: DFN-CERT-2024-3084
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2021-2152
dfn-cert: DFN-CERT-2021-2045
dfn-cert: DFN-CERT-2021-1780
dfn-cert: DFN-CERT-2021-1736
dfn-cert: DFN-CERT-2021-1728
dfn-cert: DFN-CERT-2021-1665
dfn-cert: DFN-CERT-2021-1475
dfn-cert: DFN-CERT-2021-1332
dfn-cert: DFN-CERT-2021-1103
dfn-cert: DFN-CERT-2021-0840
dfn-cert: DFN-CERT-2021-0832
```

High (CVSS: 7.5)
NVT: Eclipse Jetty DoS Vulnerability (GHSA-7hcf-ppf8-5w5h) - Linux

Product detection result

```
cpe:/a:eclipse:jetty:9.2.13.20150730
Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.
↪0.800953)
```

Summary

Eclipse Jetty is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 9.2.13.20150730
Fixed version:     9.4.54
Installation
path / port:       8161/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.4.54, 10.0.18, 11.0.18, 12.0.3 or later.

Affected Software/OS
Eclipse Jetty version 9.0.0 through 9.4.53, 10.0.0 through 10.0.17, 11.0.0 through 11.0.17 and 12.0.0 through 12.0.2.

Vulnerability Insight
There exists a security vulnerability in Jetty's DosFilter which can be exploited by unauthorized users to cause remote denial of service (DoS) attack on the server using DosFilter. By repeatedly sending crafted requests, attackers can trigger OutofMemory errors and exhaust the server's memory finally.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty DoS Vulnerability (GHSA-7hcf-ppf8-5w5h) - Linux`
OID:1.3.6.1.4.1.25623.1.0.153230
Version used: `2025-07-31T05:44:45Z`

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References
`cve: CVE-2024-9823`
`url: https://github.com/jetty/jetty.project/security/advisories/GHSA-7hcf-ppf8-5`
`↪w5h`
`url: https://www.eclipse.org//lists/jetty-announce/msg00193.html`
`cert-bund: WID-SEC-2024-3176`
`dfn-cert: DFN-CERT-2025-0835`
`dfn-cert: DFN-CERT-2025-0825`
`dfn-cert: DFN-CERT-2024-3046`

High (CVSS: 7.5)
NVT: Eclipse Jetty Multiple Vulnerabilities (Jul 2022) - Linux

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:eclipse:jetty:9.2.13.20150730
Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.
↪0.800953)
```

Summary
Eclipse Jetty is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 9.2.13.20150730
Fixed version:     9.4.47
Installation
path / port:       8161/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.4.47, 10.0.10, 11.0.10 or later.

Affected Software/OS
Eclipse Jetty version 9.4.46 and prior, version 10.0.x through 10.0.9 and 11.0.x through 11.0.9.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2022-2047: Invalid URI parsing may produce invalid HttpURI.authority
- CVE-2022-2048: Invalid HTTP/2 requests can lead to denial of service

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty Multiple Vulnerabilities (Jul 2022) - Linux`
OID:1.3.6.1.4.1.25623.1.0.148412
Version used: `2024-06-11T05:05:40Z`

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References

```
cve: CVE-2022-2047
cve: CVE-2022-2048
url: https://github.com/eclipse/jetty.project/security/advisories/GHSA-cj7v-27pg
↪-wf7q
url: https://github.com/eclipse/jetty.project/security/advisories/GHSA-wgmr-mf83
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪-7x4j
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2368
cert-bund: WID-SEC-2023-1808
cert-bund: WID-SEC-2023-1017
cert-bund: WID-SEC-2023-0864
cert-bund: WID-SEC-2023-0137
cert-bund: WID-SEC-2023-0133
cert-bund: WID-SEC-2023-0027
cert-bund: WID-SEC-2022-1780
cert-bund: WID-SEC-2022-1778
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-1766
cert-bund: WID-SEC-2022-1373
cert-bund: WID-SEC-2022-0614
dfn-cert: DFN-CERT-2023-0776
dfn-cert: DFN-CERT-2023-0661
dfn-cert: DFN-CERT-2023-0445
dfn-cert: DFN-CERT-2023-0112
dfn-cert: DFN-CERT-2023-0091
dfn-cert: DFN-CERT-2022-2708
dfn-cert: DFN-CERT-2022-1994
dfn-cert: DFN-CERT-2022-1706
```

High (CVSS: 7.0)
NVT: Eclipse Jetty Privilege Escalation Vulnerability - Linux

Product detection result

```
cpe:/a:eclipse:jetty:9.2.13.20150730
Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.
↪0.800953)
```

Summary

Eclipse Jetty is prone to a privilege escalation vulnerability through a local temp directory.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 9.2.13.20150730
Fixed version:     9.4.33.20201020
Installation
path / port:       8161/tcp
```

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 9.4.33.v20201020, 10.0.0.beta3, 11.0.0.beta3 or later.

Affected Software/OS
Eclipse Jetty version 9.4.32.v20200930 and prior, 10.0.0.beta2 and prior and 11.0.0.beta2 and prior.

Vulnerability Insight
On Unix like systems, the system's temporary directory is shared between all users on that system. A collocated user can observe the process of creating a temporary sub directory in the shared temporary directory and race to complete the creation of the temporary subdirectory. If the attacker wins the race then they will have read and write permission to the subdirectory used to unpack web applications, including their WEB-INF/lib jar files and JSP files. If any code is ever executed out of this temporary directory, this can lead to a local privilege escalation vulnerability.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty Privilege Escalation Vulnerability - Linux`
OID:1.3.6.1.4.1.25623.1.0.144836
Version used: `2024-06-11T05:05:40Z`

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References
`cve: CVE-2020-27216`
`url: https://github.com/eclipse/jetty.project/security/advisories/GHSA-g3wg-6mcf`
`↪-8jj6`
`url: https://bugs.eclipse.org/bugs/show_bug.cgi?id=567921`
`cert-bund: WID-SEC-2024-0794`
`cert-bund: WID-SEC-2023-1547`
`cert-bund: WID-SEC-2022-1910`
`cert-bund: CB-K21/1095`
`cert-bund: CB-K21/0784`
`dfn-cert: DFN-CERT-2024-3084`
`dfn-cert: DFN-CERT-2021-2196`
`dfn-cert: DFN-CERT-2021-1736`
`dfn-cert: DFN-CERT-2021-1728`
`dfn-cert: DFN-CERT-2021-1665`
`dfn-cert: DFN-CERT-2021-1429`
`dfn-cert: DFN-CERT-2021-1404`
`dfn-cert: DFN-CERT-2021-1043`
`dfn-cert: DFN-CERT-2021-0223`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2020-2681
dfn-cert: DFN-CERT-2020-2578
```

[return to 172.31.1.61]

2.1.2 Medium 1883/tcp

Medium (CVSS: 6.4)
NVT: MQTT Broker Does Not Require Authentication (TCP)

Product detection result
`cpe:/a:mqtt:mqtt`
`Detected by MQTT Broker Detection (TCP) (OID: 1.3.6.1.4.1.25623.1.0.140166)`

Summary
The remote MQTT broker does not require authentication.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Impact
This issue may be exploited by a remote attacker to gain access to sensitive information.

Solution:
Solution type: Mitigation
Enable authentication.

Vulnerability Detection Method
Checks if authentication is required for the remote MQTT broker.
Notes:
- No scan result is expected if localhost (127.0.0.1) was scanned (self scanning)
- If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is accessible without authentication please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN':
Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288)
Details: `MQTT Broker Does Not Require Authentication (TCP)`
OID:1.3.6.1.4.1.25623.1.0.140167
Version used: `2025-11-25T05:40:35Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:mqtt:mqtt
Method: MQTT Broker Detection (TCP)
OID: 1.3.6.1.4.1.25623.1.0.140166)

References
url: https://www.heise.de/newsticker/meldung/MQTT-Protokoll-IoT-Kommunikation-vo
↪n-Reaktoren-und-Gefaengnissen-oeffentlich-einsehbar-3629650.html

[return to 172.31.1.61]

2.1.3 Medium 8161/tcp

Medium (CVSS: 4.8)
NVT: Cleartext Transmission of Sensitive Information via HTTP

Summary
The host / application transmits sensitive information (username, passwords) in cleartext via HTTP.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The following URLs requires Basic Authentication (URL:realm name):
http://activemq514.trabalho_vulnnet:8161/admin/:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/SecureDocumentLibrary/DocumentLib
↪raryManager:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/SecureDocumentLibrary:"ActiveMQRe
↪alm"
http://activemq514.trabalho_vulnnet:8161/admin/airflow/login:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/airflow:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor/plugins/ajaxplorer/phpun
↪it/src/Util/PHP:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor/plugins/ajaxplorer/phpun
↪it/src/Util:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor/plugins/ajaxplorer/phpun
↪it/src:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor/plugins/ajaxplorer/phpun
↪it:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor/plugins/ajaxplorer:"Acti
↪veMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor/plugins:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/configurationview:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/fckeditor:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/help:"ActiveMQRealm"

. . . continues on next page . . .

. . . continued from previous page . . .

```
http://activemq514.trabalho_vulnnet:8161/admin/helpfiles:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/htmleditor:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/lib/cisco:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/lib/cpm:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/lib/dijit:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/lib/dojo:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/lib/dojox:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/lib/gradient:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/lib/wap:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/lib/xwt:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/lib:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/login:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/ng/nls:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/ng/v3:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/ng:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/pages/modules:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/pages/utils:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/pages:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/prelogin:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/public:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/rs/uiapi:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/rs/wap:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/rs:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/scripts:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/vendor/adminLTE:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/vendor/bootstrap:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/vendor/fonts:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/vendor/nprogress:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/vendor/phpunit/phpunit/src/Util/P
↪HP:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/vendor/phpunit/phpunit/src/Util:"
↪ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/vendor/phpunit/phpunit/src:"Activ
↪eMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/vendor/phpunit/phpunit:"ActiveMQR
↪ealm"
http://activemq514.trabalho_vulnnet:8161/admin/vendor/phpunit:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin/vendor:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/admin:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/1:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/2.0/services/usermgmt/password:"Act
↪iveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/2.0/services/usermgmt:"ActiveMQReal
↪m"
http://activemq514.trabalho_vulnnet:8161/api/2.0/services:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/2.0:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/2.1/rest:"ActiveMQRealm"
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
http://activemq514.trabalho_vulnnet:8161/api/2.1:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/2:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/ApplicationService:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/Image/withpath:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/Image:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/agent/tabs:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/agent:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/atlas/admin:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/atlas:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/config/class:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/config:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/core:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/error:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/explorer:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/hassio/app:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/hassio:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/hassio_ingress:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/history:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/json/nfausers:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/json:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/jsonws:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/ldap/config/ldapTreeNodeChildren:"A
↪ctiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/ldap/config:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/ldap:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/logbook:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/onboarding:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/platform:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/repos/dashboards:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/repos:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/sonicos:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/swaggerui/static:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/swaggerui:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/system/v1:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/system:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/user:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/userrolelist:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v1.0:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v1/authentication/connection-token:
↪"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v1/authentication:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v1/files:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v1/folders:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v1/node:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v1/reverse-proxy:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v1/status:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v1/terminal/sessions:"ActiveMQRealm
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪"
http://activemq514.trabalho_vulnnet:8161/api/v1/terminal:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v1/users/connection-token:"ActiveMQ
↪Realm"
http://activemq514.trabalho_vulnnet:8161/api/v1/users:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v1:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v2.0:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v2:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v3.0:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v3:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v4.0:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v4/teams:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v4/users/me/teams:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v4/users/me:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v4/users:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v4:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v5.0:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/v5:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/vendor/phpunit/phpunit/src/Util/PHP
↪:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/vendor/phpunit/phpunit/src/Util:"Ac
↪tiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/vendor/phpunit/phpunit/src:"ActiveM
↪QRealm"
http://activemq514.trabalho_vulnnet:8161/api/vendor/phpunit/phpunit:"ActiveMQRea
↪lm"
http://activemq514.trabalho_vulnnet:8161/api/vendor/phpunit:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/vendor:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/vppv2:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api/workflows:"ActiveMQRealm"
http://activemq514.trabalho_vulnnet:8161/api:"ActiveMQRealm"
```

Impact
An attacker could use this situation to compromise or eavesdrop on the HTTP communication between the client and the server using a man-in-the-middle attack to get access to sensitive data like usernames or passwords.

Solution:
Solution type: Workaround
Enforce the transmission of sensitive data via an encrypted SSL/TLS connection. Additionally make sure the host / application is redirecting all users to the secured SSL/TLS connection before allowing to input sensitive data into the mentioned functions.

Affected Software/OS
Hosts / applications which doesn't enforce the transmission of sensitive data via an encrypted SSL/TLS connection.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Evaluate previous collected information and check if the host / application is not enforcing the transmission of sensitive data via an encrypted SSL/TLS connection.
The script is currently checking the following:
- HTTP Basic Authentication (Basic Auth)
- HTTP Forms (e.g. Login) with input field of type 'password'
Details: `Cleartext Transmission of Sensitive Information via HTTP`
OID:1.3.6.1.4.1.25623.1.0.108440
Version used: `2023-09-07T05:05:21Z`

References
`url: https://www.owasp.org/index.php/Top_10_2013-A2-Broken_Authentication_and_Se`
`↪ssion_Management`
`url: https://www.owasp.org/index.php/Top_10_2013-A6-Sensitive_Data_Exposure`
`url: https://cwe.mitre.org/data/definitions/319.html`

Medium (CVSS: 5.3)
NVT: Eclipse Jetty HTTP Header Vulnerability (GHSA-hmr7-m48g-48f6) - Linux

Product detection result
`cpe:/a:eclipse:jetty:9.2.13.20150730`
`Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.`
`↪0.800953)`

Summary
Eclipse Jetty is prone to an HTTP header vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 9.2.13.20150730
Fixed version:     9.4.52
Installation
path / port:       8161/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.4.52, 10.0.16, 11.0.16, 12.0.1 or later.

Affected Software/OS
Eclipse Jetty version 9.0.0 through 9.4.51, 10.0.0 through 10.0.15, 11.0.0 through 11.0.15 and version 12.0.0.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Jetty accepts the '+' character proceeding the content-length value in a HTTP/1 header field. This is more permissive than allowed by the RFC and other servers routinely reject such requests with 400 responses. There is no known exploit scenario, but it is conceivable that request smuggling could result if jetty is used in combination with a server that does not close the connection after sending such a 400 response.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty HTTP Header Vulnerability (GHSA-hmr7-m48g-48f6) - Linux`
OID:1.3.6.1.4.1.25623.1.0.151001
Version used: `2024-06-11T05:05:40Z`

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References
`cve: CVE-2023-40167`
`url: https://github.com/eclipse/jetty.project/security/advisories/GHSA-hmr7-m48g`
`↪-48f6`
`cert-bund: WID-SEC-2025-0810`
`cert-bund: WID-SEC-2024-1639`
`cert-bund: WID-SEC-2024-0949`
`cert-bund: WID-SEC-2024-0794`
`cert-bund: WID-SEC-2024-0106`
`cert-bund: WID-SEC-2023-3070`
`cert-bund: WID-SEC-2023-2679`
`cert-bund: WID-SEC-2023-2359`
`dfn-cert: DFN-CERT-2024-1404`
`dfn-cert: DFN-CERT-2024-1089`
`dfn-cert: DFN-CERT-2024-0376`
`dfn-cert: DFN-CERT-2024-0368`
`dfn-cert: DFN-CERT-2023-3167`
`dfn-cert: DFN-CERT-2023-3072`
`dfn-cert: DFN-CERT-2023-3061`
`dfn-cert: DFN-CERT-2023-2892`
`dfn-cert: DFN-CERT-2023-2646`
`dfn-cert: DFN-CERT-2023-2586`
`dfn-cert: DFN-CERT-2023-2346`
`dfn-cert: DFN-CERT-2023-2341`
`dfn-cert: DFN-CERT-2023-2184`

Medium (CVSS: 5.3)
NVT: Eclipse Jetty Information Disclosure Vulnerability (CVE-2019-10247) - Linux

Product detection result
`cpe:/a:eclipse:jetty:9.2.13.20150730`
`Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.800953)`

Summary
Eclypse Jetty is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 9.2.13.20150730
Fixed version:     9.2.28.20190418
Installation
path / port:       8161/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.2.28.v20190418, 9.3.27.v20190418, 9.4.17.v20190418 or later.

Affected Software/OS
Eclipse Jetty version 7.x and prior, 8.x, 9.2.27.v20190403 and prior, 9.3.26.v20190403 and prior and 9.4.16.v20190411 and prior.

Vulnerability Insight
The DefaultHandler will present the full path to the Resource Base directory, if the server is configured with only non-root contexts.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty Information Disclosure Vulnerability (CVE-2019-10247) - Linux`
OID:1.3.6.1.4.1.25623.1.0.142309
Version used: `2024-06-11T05:05:40Z`

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References
`cve: CVE-2019-10247`
`url: https://bugs.eclipse.org/bugs/show_bug.cgi?id=546577`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/eclipse/jetty.project/issues/3555
cert-bund: WID-SEC-2023-2946
cert-bund: CB-K19/0909
dfn-cert: DFN-CERT-2021-1728
dfn-cert: DFN-CERT-2021-1665
dfn-cert: DFN-CERT-2021-1043
dfn-cert: DFN-CERT-2021-0132
dfn-cert: DFN-CERT-2020-0779
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0595
dfn-cert: DFN-CERT-2020-0092
```

Medium (CVSS: 5.3)
NVT: Eclipse Jetty Information Disclosure Vulnerability (GHSA-gwcr-j4wh-j3cq)

Product detection result

```
cpe:/a:eclipse:jetty:9.2.13.20150730
Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.
↪0.800953)
```

Summary

Eclipse Jetty is prone to an information disclosure vulnerability in the ConcatServlet and WelcomeFilter servlet.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 9.2.13.20150730
Fixed version:     9.4.41
Installation
path / port:       8161/tcp
```

Solution:

Solution type: VendorFix

Update to version 9.4.41, 10.0.3, 11.0.3 or later.

Affected Software/OS

Eclipse Jetty prior to version 9.4.41, 10.x through 10.0.2 and 11.x through 11.0.2.

Vulnerability Insight

Requests to the ConcatServlet and WelcomeFilter are able to access protected resources within the WEB-INF directory. For example a request to the ConcatServlet with a URI of /concat?/%2557EB-INF/web.xml can retrieve the web.xml file. This can reveal sensitive information regarding the implementation of a web application.

. . . continues on next page . . .

. . . continued from previous page . . .

This occurs because both ConcatServlet and WelcomeFilter decode the supplied path to verify it is not within the WEB-INF or META-INF directories. It then uses this decoded path to call RequestDispatcher which will also do decoding of the path. This double decoding allows paths with a doubly encoded WEB-INF to bypass this security check.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty Information Disclosure Vulnerability (GHSA-gwcr-j4wh-j3cq)`
OID:1.3.6.1.4.1.25623.1.0.146099
Version used: `2024-06-11T05:05:40Z`

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References
```
cve: CVE-2021-28169
url: https://github.com/eclipse/jetty.project/security/advisories/GHSA-gwcr-j4wh
↪-j3cq
cert-bund: WID-SEC-2025-0227
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1595
cert-bund: WID-SEC-2022-1161
cert-bund: WID-SEC-2022-0616
dfn-cert: DFN-CERT-2024-3084
dfn-cert: DFN-CERT-2021-2620
dfn-cert: DFN-CERT-2021-2186
dfn-cert: DFN-CERT-2021-2045
dfn-cert: DFN-CERT-2021-1780
dfn-cert: DFN-CERT-2021-1728
dfn-cert: DFN-CERT-2021-1665
dfn-cert: DFN-CERT-2021-1337
dfn-cert: DFN-CERT-2021-1332
```

Medium (CVSS: 5.3)
NVT: Eclipse Jetty Multiple Vulnerabilities (GHSA-qw69-rqj8-6qw8, GHSA-p26g-97m4-6q7c) - Linux

Product detection result
```
cpe:/a:eclipse:jetty:9.2.13.20150730
Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.
↪0.800953)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Eclipse Jetty is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 9.2.13.20150730
Fixed version:     9.4.51
Installation
path / port:       8161/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.4.51, 10.0.14, 11.0.14 or later.

Affected Software/OS
Eclipse Jetty version 9.4.50 and prior, version 10.0.x through 10.0.13 and 11.0.x through 11.0.13.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2023-26048: OutOfMemoryError for large multipart without filename read via request.getParameter()
- CVE-2023-26049: Cookie parsing of quoted values can exfiltrate values from other cookies

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty Multiple Vulnerabilities (GHSA-qw69-rqj8-6qw8, GHSA-p26g-97m4-6q7.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.149569
Version used: `2024-06-11T05:05:40Z`

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References

```
cve: CVE-2023-26048
cve: CVE-2023-26049
url: https://github.com/eclipse/jetty.project/security/advisories/GHSA-qw69-rqj8
↪-6qw8
url: https://github.com/eclipse/jetty.project/security/advisories/GHSA-p26g-97m4
↪-6q7c
cert-bund: WID-SEC-2024-0794
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2023-2688
cert-bund: WID-SEC-2023-2679
cert-bund: WID-SEC-2023-2675
cert-bund: WID-SEC-2023-2672
cert-bund: WID-SEC-2023-2625
cert-bund: WID-SEC-2023-1812
cert-bund: WID-SEC-2023-1807
cert-bund: WID-SEC-2023-1009
dfn-cert: DFN-CERT-2024-0391
dfn-cert: DFN-CERT-2024-0376
dfn-cert: DFN-CERT-2024-0368
dfn-cert: DFN-CERT-2023-3035
dfn-cert: DFN-CERT-2023-2537
dfn-cert: DFN-CERT-2023-2346
dfn-cert: DFN-CERT-2023-2341
dfn-cert: DFN-CERT-2023-2167
dfn-cert: DFN-CERT-2023-1648
dfn-cert: DFN-CERT-2023-1410
```

Medium (CVSS: 5.3)
NVT: Eclipse Jetty Server InvalidPathException Information Disclosure Vulnerability - Linux

Product detection result

```
cpe:/a:eclipse:jetty:9.2.13.20150730
Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.
↪0.800953)
```

Summary

Eclipse Jetty Server is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 9.2.13.20150730
Fixed version:     9.3.24.v20180605
Installation
path / port:       8161/tcp
```

Impact

Successful exploitation will allow an attacker to disclose sensitive information.

Solution:

Solution type: VendorFix

Upgrade to Eclipse Jetty Server version 9.3.24.v20180605 or 9.4.11.v20180605 or later as per the series. Please see the references for more information.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Eclipse Jetty Server versions 9.2.x, 9.3.x before 9.3.24.v20180605 and 9.4.x before 9.4.11.v20180605.

Vulnerability Insight
The flaw exists due to an improper handling of bad queries.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty Server InvalidPathException Information Disclosure Vulnerability . ↪..`
OID:1.3.6.1.4.1.25623.1.0.813552
Version used: `2024-06-11T05:05:40Z`

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References
`cve: CVE-2018-12536`
`url: https://bugs.eclipse.org/bugs/show_bug.cgi?id=535670`
`cert-bund: WID-SEC-2022-0620`
`dfn-cert: DFN-CERT-2021-1043`
`dfn-cert: DFN-CERT-2018-1285`

Medium (CVSS: 5.3)
NVT: Eclipse Jetty URI Parsing Vulnerability (GHSA-qh8g-58pp-2wxh) - Linux

Product detection result
`cpe:/a:eclipse:jetty:9.2.13.20150730`
`Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1. ↪0.800953)`

Summary
Eclipse Jetty is prone to an URI parsing vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 9.2.13.20150730
Fixed version:     12.0.12
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:       8161/tcp
```

Solution:
Solution type: VendorFix
Update to version 12.0.12 or later.

Affected Software/OS
Eclipse Jetty version 7.0.0 through 12.0.11.

Vulnerability Insight
Eclipse Jetty includes a utility class, HttpURI, for URI/URL parsing.
The HttpURI class does insufficient validation on the authority segment of a URI. However the behaviour of HttpURI differs from the common browsers in how it handles a URI that would be considered invalid if fully validated against the RRC. Specifically HttpURI and the browser may differ on the value of the host extracted from an invalid URI and thus a combination of Jetty and a vulnerable browser may be vulnerable to a open redirect attack or to a SSRF attack if the URI is used after passing validation checks.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty URI Parsing Vulnerability (GHSA-qh8g-58pp-2wxh) - Linux`
OID:1.3.6.1.4.1.25623.1.0.153234
Version used: `2024-11-12T05:05:34Z`

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References
```
cve: CVE-2024-6763
url: https://github.com/jetty/jetty.project/security/advisories/GHSA-qh8g-58pp-2
↪wxh
url: https://www.eclipse.org//lists/jetty-announce/msg00194.html
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-1565
cert-bund: WID-SEC-2025-0823
cert-bund: WID-SEC-2025-0138
cert-bund: WID-SEC-2024-3176
dfn-cert: DFN-CERT-2025-2102
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1748
dfn-cert: DFN-CERT-2025-1395
dfn-cert: DFN-CERT-2025-0835
```

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2025-0167

Medium (CVSS: 6.1)
NVT: Eclipse Jetty XSS Vulnerability (CVE-2019-10241) - Linux

Product detection result
cpe:/a:eclipse:jetty:9.2.13.20150730
Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.
↪0.800953)

Summary
Eclipse Jetty is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

Installed version:	9.2.13.20150730
Fixed version:	9.2.27.20190403
Installation path / port:	8161/tcp

Solution:
Solution type: VendorFix
Update to version 9.2.27.v20190403, 9.3.26.v20190403, 9.4.16.v20190411 or later.

Affected Software/OS
Eclipse Jetty version 9.2.26 and prior, 9.3.25 and prior and 9.4.15 and prior.

Vulnerability Insight
Eclipse Jetty is vulnerable to XSS conditions if a remote client USES a specially formatted URL against the DefaultServlet or ResourceHandler that is configured for showing a Listing of directory contents.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Eclipse Jetty XSS Vulnerability (CVE-2019-10241) - Linux
OID:1.3.6.1.4.1.25623.1.0.142312
Version used: 2024-06-11T05:05:40Z

Product Detection Result
Product: cpe:/a:eclipse:jetty:9.2.13.20150730
Method: Mort Bay / Eclipse Jetty Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.800953)

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2019-10241
url: https://bugs.eclipse.org/bugs/show_bug.cgi?id=546121
dfn-cert: DFN-CERT-2021-1728
dfn-cert: DFN-CERT-2021-1665
dfn-cert: DFN-CERT-2021-1043
dfn-cert: DFN-CERT-2020-0779
dfn-cert: DFN-CERT-2020-0595

[return to 172.31.1.61]

2.1.4 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method

. . . continues on next page . . .

. . . continued from previous page . . .

Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2025-01-21T05:37:33Z`

References

```
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792
url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658
```

[return to 172.31.1.61]

2.1.5 Low 8161/tcp

Low (CVSS: 3.1)
NVT: Eclipse Jetty CgiServlet Vulnerability (GHSA-3gh6-v5v9-6v9j) - Linux

Product detection result

```
cpe:/a:eclipse:jetty:9.2.13.20150730
Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.
↪0.800953)
```

Summary

Eclipse Jetty is prone to a vulnerability in the CgiServlet.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 9.2.13.20150730
Fixed version:     9.4.52
Installation
path / port:       8161/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.4.52, 10.0.16, 11.0.16 or later.

Affected Software/OS

Eclipse Jetty version 9.0.0 through 9.4.51, 10.0.0 through 10.0.15 and 11.0.0 through 11.0.15.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Users of the CgiServlet with a very specific command structure may have the wrong command executed. If a user sends a request to a org.eclipse.jetty.servlets.CGI Servlet for a binary with a space in its name, the servlet will escape the command by wrapping it in quotation marks. This wrapped command, plus an optional command prefix, will then be executed through a call to Runtime.exec. If the original binary name provided by the user contains a quotation mark followed by a space, the resulting command line will contain multiple tokens instead of one.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty CgiServlet Vulnerability (GHSA-3gh6-v5v9-6v9j) - Linux`
OID:1.3.6.1.4.1.25623.1.0.151003
Version used: `2025-05-28T05:40:15Z`

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References
```
cve: CVE-2023-36479
url: https://github.com/eclipse/jetty.project/security/advisories/GHSA-3gh6-v5v9
↪-6v9j
cert-bund: WID-SEC-2024-0949
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2359
dfn-cert: DFN-CERT-2024-1568
dfn-cert: DFN-CERT-2024-1404
dfn-cert: DFN-CERT-2024-1089
dfn-cert: DFN-CERT-2024-0376
dfn-cert: DFN-CERT-2023-3167
dfn-cert: DFN-CERT-2023-2892
dfn-cert: DFN-CERT-2023-2646
dfn-cert: DFN-CERT-2023-2346
dfn-cert: DFN-CERT-2023-2341
```

Low (CVSS: 3.5)
NVT: Eclipse Jetty Session Vulnerability (GHSA-m6cp-vxjx-65j6) - Linux

Product detection result
```
cpe:/a:eclipse:jetty:9.2.13.20150730
Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.
↪0.800953)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Eclipse Jetty is prone to a vulnerability in the session management.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 9.2.13.20150730
Fixed version:     9.4.41.20210516
Installation
path / port:       8161/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.4.41.v20210516, 10.0.3, 11.0.3 or later.

Affected Software/OS
Eclipse Jetty version 9.4.40.v20210413 and prior, 10.x through 10.0.2 and 11.x through 11.0.2.

Vulnerability Insight
If an exception is thrown from the SessionListener#sessionDestroyed() method, then the session ID is not invalidated in the session ID manager. On deployments with clustered sessions and multiple contexts this can result in a session not being invalidated. This can result in an application used on a shared computer being left logged in.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty Session Vulnerability (GHSA-m6cp-vxjx-65j6) - Linux`
OID:1.3.6.1.4.1.25623.1.0.146164
Version used: `2024-06-11T05:05:40Z`

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References

```
cve: CVE-2021-34428
url: https://github.com/eclipse/jetty.project/security/advisories/GHSA-m6cp-vxjx
↪-65j6
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2022-1596
cert-bund: WID-SEC-2022-1161
dfn-cert: DFN-CERT-2024-3084
dfn-cert: DFN-CERT-2021-2620
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2021-2186
dfn-cert: DFN-CERT-2021-2045
dfn-cert: DFN-CERT-2021-1780
dfn-cert: DFN-CERT-2021-1728
dfn-cert: DFN-CERT-2021-1665
```

Low (CVSS: 3.4)
NVT: Eclipse Jetty XXE Vulnerability (GHSA-58qw-p7qm-5rvh) - Linux

Product detection result

```
cpe:/a:eclipse:jetty:9.2.13.20150730
Detected by Mort Bay / Eclipse Jetty Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.
↪0.800953)
```

Summary

Eclipse Jetty is prone to a XML external entity (XXE) vulnerability in the XMLParser.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 9.2.13.20150730
Fixed version:     9.4.52
Installation
path / port:       8161/tcp
```

Solution:
Solution type: VendorFix
Update to version 9.4.52, 10.0.16, 11.0.16 or later.

Affected Software/OS

Eclipse Jetty version 9.4.51 and prior, 10.0.0 through 10.0.15 and 11.0.0 through 11.0.15.

Vulnerability Insight

XmlParser is being used when parsing Jetty's xml configuration files. An attacker might exploit this vulnerability in order to achieve SSRF or cause a denial of service.
One possible scenario is importing a (remote) malicious WAR into a Jetty's server, while the WAR includes a malicious web.xml.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
Details: `Eclipse Jetty XXE Vulnerability (GHSA-58qw-p7qm-5rvh) - Linux`
OID:1.3.6.1.4.1.25623.1.0.151573
Version used: `2024-06-11T05:05:40Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: `cpe:/a:eclipse:jetty:9.2.13.20150730`
Method: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800953)

References
`url: https://github.com/jetty/jetty.project/security/advisories/GHSA-58qw-p7qm-5`
`↪rvh`

[return to 172.31.1.61]

2.1.6 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 1892358772
Packet 2: 1892359859
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
`url: https://datatracker.ietf.org/doc/html/rfc1323`
`url: https://datatracker.ietf.org/doc/html/rfc7323`
`url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d`
`↪ownload/details.aspx?id=9152`
`url: https://www.fortiguard.com/psirt/FG-IR-16-090`

[return to 172.31.1.61]

2.1.7 Log 1883/tcp

Log (CVSS: 0.0)
NVT: MQTT Broker Detection (TCP)

Summary
TCP based detection of a MQTT Broker.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A MQTT Broker is running at this port.`

Solution:

Log Method
Details: `MQTT Broker Detection (TCP)`
OID:1.3.6.1.4.1.25623.1.0.140166
Version used: `2025-04-29T05:39:55Z`

[return to 172.31.1.61]

2.1.8 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
172.31.1.61|cpe:/a:apache:activemq
172.31.1.61|cpe:/a:eclipse:jetty:9.2.13.20150730
172.31.1.61|cpe:/o:linux:kernel
```

Solution:

Log Method
Details: `CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: `2022-07-27T10:11:28Z`

References
`url: https://nvd.nist.gov/products/cpe`

[return to 172.31.1.61]

2.1.9 Log 5672/tcp

Log (CVSS: 0.0)
NVT: Service Detection with 'GET' Request

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`An AMQP service seems to be running on this port.`

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.

Log Method
Details: `Service Detection with 'GET' Request`
OID:1.3.6.1.4.1.25623.1.0.17975
Version used: `2025-09-12T15:39:53Z`

[return to 172.31.1.61]

2.1.10 Log 8161/tcp

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration

Summary
Enumerates which HTTP methods are allowed.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The following list contains the URLs and corresponding supported HTTP methods.
URL                                      | HTTP Methods
-------------------------------------------------------
http://activemq514.trabalho_vulnnet:8161/ | GET,HEAD
```

Solution:

Vulnerability Insight
- Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE
- Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL

Log Method
Sends multiple HTTP requests and checks the responses.
Disclaimer:
- This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods
- This script doesn't guarantee completeness or full reliability

. . . continues on next page . . .

. . . continued from previous page . . .

For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host.
Details: `Allowed HTTP Methods Enumeration`
OID:1.3.6.1.4.1.25623.1.0.153974
Version used: `2025-02-28T05:38:49Z`

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Header Name     | Header Value
------------------------------
X-FRAME-OPTIONS | SAMEORIGIN
Missing Headers                   | More Information
--------------------------------------------------------------------------------
↪--------------------------------------------------------------------------------
↪-------------------------------------------------
Content-Security-Policy           | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy        | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                   | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Feature-Policy                    | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                  | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

Log Method
Details: `HTTP Security Headers Detection`
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: `2025-03-21T15:40:43Z`

References
`url: https://owasp.org/www-project-secure-headers/`
`url: https://owasp.org/www-project-secure-headers/#div-headers`
`url: https://securityheaders.com/`

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner                   | Enumeration technique
--------------------------------------------------------------------------------
↪------------------
Server: Jetty(9.2.13.v20150730) | Invalid HTTP 00.5 GET request (non-existent HT
↪TP version) to '/'
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Log Method
Details: `HTTP Server Banner Enumeration`
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The remote HTTP Server banner is:
Server: Jetty(9.2.13.v20150730)
```

Solution:

Log Method
Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: Mort Bay / Eclipse Jetty Detection (HTTP)

Summary
HTTP based detection of Mort Bay / Eclipse Jetty.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Mort Bay / Eclipse Jetty
Version:       9.2.13.20150730
Location:      8161/tcp
CPE:           cpe:/a:eclipse:jetty:9.2.13.20150730
Concluded from version/product identification result:
Server: Jetty(9.2.13.v20150730)
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Log Method
Details: `Mort Bay / Eclipse Jetty Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.800953
Version used: `2024-06-12T05:05:44Z`

References
`url: https://www.eclipse.org/jetty/`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)

. . . continues on next page . . .

. . . continued from previous page . . .

- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Hostname/IP "activemq514.trabalho_vulnnet" was used to access the remote hos
↪t.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
NOTE: The 'Maximum number of items shown for each list' setting has been reached
↪. There are 27 additional entries available for the following truncated list.
The following files/directories require authentication and are tested (if enable
↪d) by the script "HTTP Brute Force Logins With Default Credentials (OID: 1.3.6
↪.1.4.1.25623.1.0.108041)":
http://activemq514.trabalho_vulnnet:8161/admin
http://activemq514.trabalho_vulnnet:8161/admin/
http://activemq514.trabalho_vulnnet:8161/admin/SecureDocumentLibrary
http://activemq514.trabalho_vulnnet:8161/admin/SecureDocumentLibrary/DocumentLib
↪raryManager
http://activemq514.trabalho_vulnnet:8161/admin/airflow
http://activemq514.trabalho_vulnnet:8161/admin/airflow/login
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor/plugins
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor/plugins/ajaxplorer
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor/plugins/ajaxplorer/phpun
↪it
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor/plugins/ajaxplorer/phpun
↪it/src
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor/plugins/ajaxplorer/phpun
↪it/src/Util
http://activemq514.trabalho_vulnnet:8161/admin/ckeditor/plugins/ajaxplorer/phpun
↪it/src/Util/PHP
http://activemq514.trabalho_vulnnet:8161/admin/configurationview
```

. . . continues on next page . . .

. . . continued from previous page . . .

http://activemq514.trabalho_vulnnet:8161/admin/fckeditor
http://activemq514.trabalho_vulnnet:8161/admin/help
http://activemq514.trabalho_vulnnet:8161/admin/helpfiles
http://activemq514.trabalho_vulnnet:8161/admin/htmleditor
http://activemq514.trabalho_vulnnet:8161/admin/index.jsp
http://activemq514.trabalho_vulnnet:8161/admin/lib
http://activemq514.trabalho_vulnnet:8161/admin/lib/cisco
http://activemq514.trabalho_vulnnet:8161/admin/lib/cpm
http://activemq514.trabalho_vulnnet:8161/admin/lib/dijit
http://activemq514.trabalho_vulnnet:8161/admin/lib/dojo
http://activemq514.trabalho_vulnnet:8161/admin/lib/dojox
http://activemq514.trabalho_vulnnet:8161/admin/lib/gradient
http://activemq514.trabalho_vulnnet:8161/admin/lib/wap
http://activemq514.trabalho_vulnnet:8161/admin/lib/xwt
http://activemq514.trabalho_vulnnet:8161/admin/login
http://activemq514.trabalho_vulnnet:8161/admin/ng
http://activemq514.trabalho_vulnnet:8161/admin/ng/nls
http://activemq514.trabalho_vulnnet:8161/admin/ng/v3
http://activemq514.trabalho_vulnnet:8161/admin/pages
http://activemq514.trabalho_vulnnet:8161/admin/pages/modules
http://activemq514.trabalho_vulnnet:8161/admin/pages/utils
http://activemq514.trabalho_vulnnet:8161/admin/prelogin
http://activemq514.trabalho_vulnnet:8161/admin/public
http://activemq514.trabalho_vulnnet:8161/admin/rs
http://activemq514.trabalho_vulnnet:8161/admin/rs/uiapi
http://activemq514.trabalho_vulnnet:8161/admin/rs/wap
http://activemq514.trabalho_vulnnet:8161/admin/scripts
http://activemq514.trabalho_vulnnet:8161/admin/vendor
http://activemq514.trabalho_vulnnet:8161/admin/vendor/adminLTE
http://activemq514.trabalho_vulnnet:8161/admin/vendor/bootstrap
http://activemq514.trabalho_vulnnet:8161/admin/vendor/fonts
http://activemq514.trabalho_vulnnet:8161/admin/vendor/nprogress
http://activemq514.trabalho_vulnnet:8161/admin/vendor/phpunit
http://activemq514.trabalho_vulnnet:8161/admin/vendor/phpunit/phpunit
http://activemq514.trabalho_vulnnet:8161/admin/vendor/phpunit/phpunit/src
http://activemq514.trabalho_vulnnet:8161/admin/vendor/phpunit/phpunit/src/Util
http://activemq514.trabalho_vulnnet:8161/admin/vendor/phpunit/phpunit/src/Util/P
↪HP
http://activemq514.trabalho_vulnnet:8161/api
http://activemq514.trabalho_vulnnet:8161/api/1
http://activemq514.trabalho_vulnnet:8161/api/2
http://activemq514.trabalho_vulnnet:8161/api/2.0
http://activemq514.trabalho_vulnnet:8161/api/2.0/services
http://activemq514.trabalho_vulnnet:8161/api/2.0/services/usermgmt
http://activemq514.trabalho_vulnnet:8161/api/2.0/services/usermgmt/password
http://activemq514.trabalho_vulnnet:8161/api/2.1
http://activemq514.trabalho_vulnnet:8161/api/2.1/rest

. . . continues on next page . . .

. . . continued from previous page . . .

```
http://activemq514.trabalho_vulnnet:8161/api/ApplicationService
http://activemq514.trabalho_vulnnet:8161/api/Image
http://activemq514.trabalho_vulnnet:8161/api/Image/withpath
http://activemq514.trabalho_vulnnet:8161/api/agent
http://activemq514.trabalho_vulnnet:8161/api/agent/tabs
http://activemq514.trabalho_vulnnet:8161/api/atlas
http://activemq514.trabalho_vulnnet:8161/api/atlas/admin
http://activemq514.trabalho_vulnnet:8161/api/config
http://activemq514.trabalho_vulnnet:8161/api/config/class
http://activemq514.trabalho_vulnnet:8161/api/core
http://activemq514.trabalho_vulnnet:8161/api/error
http://activemq514.trabalho_vulnnet:8161/api/explorer
http://activemq514.trabalho_vulnnet:8161/api/hassio
http://activemq514.trabalho_vulnnet:8161/api/hassio/app
http://activemq514.trabalho_vulnnet:8161/api/hassio_ingress
http://activemq514.trabalho_vulnnet:8161/api/history
http://activemq514.trabalho_vulnnet:8161/api/json
http://activemq514.trabalho_vulnnet:8161/api/json/nfausers
http://activemq514.trabalho_vulnnet:8161/api/jsonws
http://activemq514.trabalho_vulnnet:8161/api/ldap
http://activemq514.trabalho_vulnnet:8161/api/ldap/config
http://activemq514.trabalho_vulnnet:8161/api/ldap/config/ldapTreeNodeChildren
http://activemq514.trabalho_vulnnet:8161/api/logbook
http://activemq514.trabalho_vulnnet:8161/api/onboarding
http://activemq514.trabalho_vulnnet:8161/api/platform
http://activemq514.trabalho_vulnnet:8161/api/repos
http://activemq514.trabalho_vulnnet:8161/api/repos/dashboards
http://activemq514.trabalho_vulnnet:8161/api/sonicos
http://activemq514.trabalho_vulnnet:8161/api/swaggerui
http://activemq514.trabalho_vulnnet:8161/api/swaggerui/static
http://activemq514.trabalho_vulnnet:8161/api/system
http://activemq514.trabalho_vulnnet:8161/api/system/v1
http://activemq514.trabalho_vulnnet:8161/api/user
http://activemq514.trabalho_vulnnet:8161/api/userrolelist
http://activemq514.trabalho_vulnnet:8161/api/v1
http://activemq514.trabalho_vulnnet:8161/api/v1.0
http://activemq514.trabalho_vulnnet:8161/api/v1/authentication
http://activemq514.trabalho_vulnnet:8161/api/v1/authentication/connection-token
http://activemq514.trabalho_vulnnet:8161/api/v1/files
The following directories were used for web application scanning:
http://activemq514.trabalho_vulnnet:8161/
http://activemq514.trabalho_vulnnet:8161/demo
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from web application scanning because th
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
http://activemq514.trabalho_vulnnet:8161/admin/js
http://activemq514.trabalho_vulnnet:8161/admin/js/config
http://activemq514.trabalho_vulnnet:8161/admin/ng/js
http://activemq514.trabalho_vulnnet:8161/admin/scripts/js
http://activemq514.trabalho_vulnnet:8161/admin/style
http://activemq514.trabalho_vulnnet:8161/admin/style/themes
http://activemq514.trabalho_vulnnet:8161/admin/vendor/jquery
http://activemq514.trabalho_vulnnet:8161/images
http://activemq514.trabalho_vulnnet:8161/styles
```

Solution:

Log Method
Details: Web Application Scanning Consolidation / Info Reporting
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: 2026-01-13T05:47:36Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 172.31.1.61]

2.1.11 Log general/tcp

Log (CVSS: 0.0)
NVT: Apache ActiveMQ Detection Consolidation

Summary
Consolidation of Apache ActiveMQ detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Apache ActiveMQ
Version:       unknown
Location:      /
CPE:           cpe:/a:apache:activemq
Detection methods:
HTTP(s) on port 8161/tcp
  Concluded from version/product identification location: http://activemq514.tra
↪balho_vulnnet:8161/admin/index.jsp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:

Log Method
Details: `Apache ActiveMQ Detection Consolidation`
OID:1.3.6.1.4.1.25623.1.0.143776
Version used: `2024-07-03T06:48:05Z`

References
`url: https://activemq.apache.org/`

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Hostname determination for IP 172.31.1.61:
Hostname|Source
activemq514.trabalho_vulnnet|Reverse-DNS
```

Solution:

Log Method
Details: `Hostname Determination Reporting`
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: `2022-07-27T10:11:28Z`

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result
```
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: `IP Forwarding Enabled - Active Check`
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: `2021-12-03T08:27:06Z`

References
`cve: CVE-1999-0511`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Best matching OS:
OS:           Linux Kernel
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.102002 (Operating System (OS) Detection (ICM
↪P))
Concluded from ICMP based OS fingerprint
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method
Details: `OS Detection Consolidation and Reporting`
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: `2026-01-21T05:50:46Z`

References
`url: https://forum.greenbone.net/c/vulnerability-tests/7`

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Network route from scanner (172.30.0.2) to target (172.31.1.61):
172.30.0.2
172.31.1.61
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

[return to 172.31.1.61]