Scan Report

January 26, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was " hgdfdghgdgd". The scan started at Mon Jan 26 01:47:47 2026 UTC and ended at Mon Jan 26 14:04:13 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 172.30.18.1 2

2.1.1 High 3128/tcp 2

2.1.2 Medium 3128/tcp 42

2.1.3 Low general/tcp 67

2.1.4 Low 3128/tcp 68

2.1.5 Low general/icmp 71

2.1.6 Log general/tcp 72

2.1.7 Log 3128/tcp 74

2.1.8 Log general/CPE-T 80

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.30.18.1 squid-old.trabalho_vulnnet	0	29	19	4	13	0
Total: 1	0	29	19	4	13	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Critical" are not shown.
Issues with the threat level "Debug" are not shown.

This report contains all 65 results selected by the filtering described above. Before filtering there were 5586 results.

2 Results per Host

2.1 172.30.18.1

Host scan start	Mon Jan 26 10:32:18 2026 UTC
Host scan end	Mon Jan 26 12:16:57 2026 UTC

Service (Port)	Threat Level
3128/tcp	High
3128/tcp	Medium
general/tcp	Low
3128/tcp	Low
general/icmp	Low
general/tcp	Log
3128/tcp	Log
general/CPE-T	Log

2.1.1 High 3128/tcp

High (CVSS: 7.5)
NVT: Squid 2.0 < 4.14, 5.0.1 < 5.0.5 DoS Vulnerability (GHSA-ch36-9jhx-phm4, SQUID-2021:1)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)

Summary
Squid is prone to a denial of service (DoS) vulnerability in the URN processing.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     4.15
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.15, 5.0.6 or later. See the referenced vendor advisory for a workaround.

Affected Software/OS
Squid version 2.0 through 4.14 and 5.0.1 through 5.0.5.

Vulnerability Insight
Due to a buffer management bug Squid is vulnerable to a DoS attack against the server it is operating on.
This attack is limited to proxies which attempt to resolve a 'urn:' resource identifier. Support for this resolving is enabled by default in all Squid.
This problem allows a malicious server in collaboration with a trusted client to consume arbitrarily large amounts of memory on the server running Squid.
Lack of available memory resources impacts all services on the machine running Squid. Once initiated the DoS situation will persist until Squid is shutdown.
This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'RFC 2141 / 2169 (URN) Response Parsing Memory Leak'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Squid 2.0 < 4.14, 5.0.1 < 5.0.5 DoS Vulnerability (GHSA-ch36-9jhx-phm4, SQUID-2.
↪..
OID:1.3.6.1.4.1.25623.1.0.146030
Version used: 2024-11-01T05:05:36Z

Product Detection Result
Product: cpe:/a:squid-cache:squid:3.3.8
Method: Squid Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.900611)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2021-28651
url: https://github.com/squid-cache/squid/security/advisories/GHSA-ch36-9jhx-phm
↪4
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/urn-memleak.html
cert-bund: WID-SEC-2022-0672
cert-bund: CB-K21/0500
dfn-cert: DFN-CERT-2025-2311
dfn-cert: DFN-CERT-2024-1684
dfn-cert: DFN-CERT-2022-1573
dfn-cert: DFN-CERT-2022-0600
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-0997
```

High (CVSS: 8.6)
NVT: Squid 2.0 < 4.14, 5.0.1 < 5.0.5 HTTP Request Smuggling Vulnerability

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

Squid is prone to an HTTP request smuggling vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     4.14
Installation
path / port:       3128/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.13, 5.0.5 or later. See the referenced vendor advisory for a workaround.

Affected Software/OS

Squid version 2.0 through 4.13 and 5.0.1 through 5.0.4.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Due to improper input validation, it allows a trusted client to perform HTTP Request Smuggling and access services otherwise forbidden by the security controls. This occurs for certain uri_whitespace configuration settings.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid 2.0 < 4.14, 5.0.1 < 5.0.5 HTTP Request Smuggling Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.145600
Version used: `2022-07-20T10:33:02Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2020-25097
url: https://github.com/squid-cache/squid/security/advisories/GHSA-jvf6-h9gj-pmj
↪6
cert-bund: WID-SEC-2022-0670
cert-bund: CB-K21/0241
dfn-cert: DFN-CERT-2022-1573
dfn-cert: DFN-CERT-2022-0600
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-0997
dfn-cert: DFN-CERT-2021-0807
dfn-cert: DFN-CERT-2021-0643
dfn-cert: DFN-CERT-2021-0587
```

High (CVSS: 7.5)
NVT: Squid 3.1 <= 3.5.22, 4.0 <= 4.0.16 Information Disclosure Vulnerability (SQUID-2016:11) - Linux

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 3.3.8
Fixed version:     3.5.23
```

Impact
A remote attacker may discover private and sensitive information about another clients browsing session. Potentially including credentials which allow access to further sensitive resources.

Solution:
Solution type: VendorFix
Update to version 3.5.23, 4.0.17 or later.

Affected Software/OS
Squid versions 3.1 through 3.5.22 and 4.0 through 4.0.16.

Vulnerability Insight
Due to incorrect HTTP conditional request handling Squid can deliver responses containing private data to clients it should not have reached.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid 3.1 <= 3.5.22, 4.0 <= 4.0.16 Information Disclosure Vulnerability (SQUID-.`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.106479
Version used: `2022-07-20T10:33:02Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
`cve: CVE-2016-10002`
`url: http://www.squid-cache.org/Advisories/SQUID-2016_11.txt`
`cert-bund: WID-SEC-2023-1362`
`cert-bund: CB-K17/0067`
`cert-bund: CB-K17/0050`
`cert-bund: CB-K16/2025`
`cert-bund: CB-K16/1975`
`dfn-cert: DFN-CERT-2017-0068`
`dfn-cert: DFN-CERT-2017-0055`
`dfn-cert: DFN-CERT-2016-2139`
`dfn-cert: DFN-CERT-2016-2087`

High (CVSS: 8.6)
NVT: Squid Buffer Overflow Vulnerability (SQUID-2022:2)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a buffer overflow vulnerability in SSPI and SMB authentication.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     5.7
Installation
path / port:       3128/tcp
```

Impact
This problem allows a remote client to perform a denial of service attack when Squid is configured to use NTLM or Negotiate authentication with one of the vulnerable helpers.
This problem allows a remote client to extract sensitive information from machine memory when Squid is configured to use NTLM or Negotiate authentication with one of the vulnerable helpers. The scope of this information includes user credentials in decrypted forms, and also arbitrary memory areas beyond Squid and the helper itself.
This attack is limited to authentication helpers built using the libntlmauth library shipped by Squid.

Solution:
Solution type: VendorFix
Update to version 5.7 or later.

Affected Software/OS
Squid version 2.5.STABLE1 through 2.7.STABLE9, 3.x through 3.5.28, 4.x through 4.17 and 5.x through 5.6.

Vulnerability Insight
Due to an incorrect integer overflow protection Squid SSPI and SMB authentication helpers are vulnerable to a buffer overflow attack.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Buffer Overflow Vulnerability (SQUID-2022:2)`
OID:1.3.6.1.4.1.25623.1.0.148788
Version used: `2023-10-19T05:05:21Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
`cve: CVE-2022-41318`
`url: https://seclists.org/oss-sec/2022/q3/231`
`cert-bund: WID-SEC-2022-1505`
`dfn-cert: DFN-CERT-2024-1684`
`dfn-cert: DFN-CERT-2022-2129`

High (CVSS: 7.5)
NVT: Squid DoS Vulnerability (GHSA-73m6-jm96-c6r3, SQUID-2023:4)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a denial of service (DoS) vulnerability in the SSL Certificate validation.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     6.4
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 6.4 or later.

Affected Software/OS
Squid version 3.3.0.1 through 6.3.

Vulnerability Insight
Due to an Improper Validation of Specified Index bug Squid is vulnerable to a Denial of Service attack against SSL Certificate validation.
This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'Buffer UnderRead in SSL CN Parsing'.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid DoS Vulnerability (GHSA-73m6-jm96-c6r3, SQUID-2023:4)`
OID:1.3.6.1.4.1.25623.1.0.151251
Version used: `2024-11-01T05:05:36Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References

```
cve: CVE-2023-46724
url: https://github.com/squid-cache/squid/security/advisories/GHSA-73m6-jm96-c6r
↪3
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/ssl-bufferunderread.html
cert-bund: WID-SEC-2023-2801
dfn-cert: DFN-CERT-2024-0970
dfn-cert: DFN-CERT-2024-0642
dfn-cert: DFN-CERT-2024-0214
dfn-cert: DFN-CERT-2024-0038
dfn-cert: DFN-CERT-2024-0026
dfn-cert: DFN-CERT-2023-3192
dfn-cert: DFN-CERT-2023-2934
dfn-cert: DFN-CERT-2023-2746
dfn-cert: DFN-CERT-2023-2609
```

High (CVSS: 7.5)
NVT: Squid DoS Vulnerability (GHSA-8w9r-p88v-mmx9, SQUID-2023:7)

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary
Squid is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 3.3.8
Fixed version:     6.5
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 6.5 or later.

Affected Software/OS
Squid versions 2.2 through 5.9 and 6.0 through 6.4.

Vulnerability Insight
Due to a Buffer Overread bug Squid is vulnerable to a Denial of Service attack against Squid HTTP Message processing.
This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as '1-Byte Buffer OverRead in RFC 1123 date/time Handling'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid DoS Vulnerability (GHSA-8w9r-p88v-mmx9, SQUID-2023:7)`
OID:1.3.6.1.4.1.25623.1.0.114206
Version used: `2024-11-01T05:05:36Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2023-49285
url: https://github.com/squid-cache/squid/security/advisories/GHSA-8w9r-p88v-mmx
↪9
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/datetime-overflow.html
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2023-3049
dfn-cert: DFN-CERT-2024-1684
dfn-cert: DFN-CERT-2024-0970
dfn-cert: DFN-CERT-2024-0642
dfn-cert: DFN-CERT-2024-0214
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0172
dfn-cert: DFN-CERT-2024-0039
dfn-cert: DFN-CERT-2024-0038
dfn-cert: DFN-CERT-2024-0026
dfn-cert: DFN-CERT-2023-3192
dfn-cert: DFN-CERT-2023-3036
```

High (CVSS: 7.5)
NVT: Squid DoS Vulnerability (GHSA-cg5h-v6vc-w33f, SQUID-2021:8)

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

Squid is prone to a denial of service (DoS) vulnerability in the Gopher gateway.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     6.0.1
Installation
path / port:       3128/tcp
```

Solution:

Solution type: VendorFix

Update to version 6.0.1 or later.

As a workaround reject all gopher URL requests. Please see the referenced vendor advisory for more information.

Note: Removing the gopher port 70 from the Safe_ports ACL is not sufficient to avoid this vulnerability.

Affected Software/OS

Squid version 2.x and later prior to version 6.0.1.

Vulnerability Insight

Due to a NULL pointer dereference bug Squid is vulnerable to a Denial of Service attack against Squid's Gopher gateway.

The gopher protocol is always available and enabled in Squid prior to Squid 6.0.1.

Responses triggering this bug are possible to be received from any gopher server, even those without malicious intent.

This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'Null Pointer Dereference in Gopher Response Handling'.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid DoS Vulnerability (GHSA-cg5h-v6vc-w33f, SQUID-2021:8)`
OID:1.3.6.1.4.1.25623.1.0.151071
Version used: `2024-11-01T05:05:36Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2023-46728
url: https://github.com/squid-cache/squid/security/advisories/GHSA-cg5h-v6vc-w33
↪f
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/gopher-nullpointer.html
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2023-2837
dfn-cert: DFN-CERT-2025-2676
dfn-cert: DFN-CERT-2024-0970
dfn-cert: DFN-CERT-2024-0214
dfn-cert: DFN-CERT-2024-0039
dfn-cert: DFN-CERT-2024-0038
dfn-cert: DFN-CERT-2024-0026
dfn-cert: DFN-CERT-2023-3192
dfn-cert: DFN-CERT-2023-2956
dfn-cert: DFN-CERT-2023-2934
```

High (CVSS: 7.5)
NVT: Squid DoS Vulnerability (GHSA-h5x6-w8mv-xfpr, SQUID-2024:2)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     6.5
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 6.5 or later.

Affected Software/OS
Squid versions prior to 6.5.

Vulnerability Insight
Due to a Collapse of Data into Unsafe Value bug, Squid may be vulnerable to a Denial of Service attack against HTTP header parsing.
This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'Memory Leak in HTTP Response Parsing'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid DoS Vulnerability (GHSA-h5x6-w8mv-xfpr, SQUID-2024:2)`
OID:1.3.6.1.4.1.25623.1.0.151739
Version used: `2025-01-13T08:32:03Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References

```
cve: CVE-2024-25617
url: https://github.com/squid-cache/squid/security/advisories/GHSA-h5x6-w8mv-xfp
↪r
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/response-memleaks.html
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-0396
dfn-cert: DFN-CERT-2024-1684
dfn-cert: DFN-CERT-2024-0970
dfn-cert: DFN-CERT-2024-0956
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0894
dfn-cert: DFN-CERT-2024-0742
dfn-cert: DFN-CERT-2024-0642
dfn-cert: DFN-CERT-2024-0554
dfn-cert: DFN-CERT-2024-0491
```

High (CVSS: 7.8)
NVT: Squid DoS Vulnerability (GHSA-jm7h-w5q5-jpq9, SQUID-2020:13)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     6.0.1
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 6.0.1 or later.
As a workaround reject all gopher URL requests. Please see the referenced vendor advisory for more information.

Affected Software/OS
Squid prior to version 6.0.1.

Vulnerability Insight
This problem allows a remote gopher: server to trigger a buffer overflow by delivering large gopher protocol responses. On most operating systems with memory protection this will halt Squid service immediately, causing a denial of service to all Squid clients.
The gopher protocol is always available and enabled in Squid prior to Squid 6.0.1.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid DoS Vulnerability (GHSA-jm7h-w5q5-jpq9, SQUID-2020:13)`
OID:1.3.6.1.4.1.25623.1.0.150942
Version used: `2023-09-08T05:06:21Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
`url: https://github.com/squid-cache/squid/security/advisories/GHSA-jm7h-w5q5-jpq`
`↪9`

High (CVSS: 7.5)
NVT: Squid DoS Vulnerability (GHSA-phqj-m8gv-cq4g, SQUID-2023:3)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     6.4
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 6.4 or later.

Affected Software/OS
Squid versions 3.2.0.1 through 5.9 and 6.0 through 6.3.

Vulnerability Insight
Due to a buffer overflow bug Squid is vulnerable to a Denial of Service attack against HTTP Digest Authentication.
This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'Buffer Overflow in Digest Authentication'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Squid DoS Vulnerability (GHSA-phqj-m8gv-cq4g, SQUID-2023:3)
OID:1.3.6.1.4.1.25623.1.0.100832
Version used: 2024-11-01T05:05:36Z

Product Detection Result
Product: cpe:/a:squid-cache:squid:3.3.8
Method: Squid Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
cve: CVE-2023-46847
url: https://github.com/squid-cache/squid/security/advisories/GHSA-phqj-m8gv-cq4
↪g
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/digest-overflow.html
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2023-2725
dfn-cert: DFN-CERT-2024-0642
dfn-cert: DFN-CERT-2024-0039
dfn-cert: DFN-CERT-2023-2934
dfn-cert: DFN-CERT-2023-2782
dfn-cert: DFN-CERT-2023-2781
dfn-cert: DFN-CERT-2023-2746
dfn-cert: DFN-CERT-2023-2712
dfn-cert: DFN-CERT-2023-2609

High (CVSS: 7.5)
NVT: Squid DoS Vulnerability (GHSA-wgq4-4cfg-c4x3, SQUID-2023:10)

Product detection result
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)

Summary
Squid is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.3.8
Fixed version: 6.6

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 6.6 or later.

Affected Software/OS
Squid version 2.6 through 6.5.

Vulnerability Insight
Due to an uncontrolled recursion bug, Squid may be vulnerable to denial of service attack against HTTP request parsing.
This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'X-Forwarded-For Stack Overflow'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid DoS Vulnerability (GHSA-wgq4-4cfg-c4x3, SQUID-2023:10)`
OID:1.3.6.1.4.1.25623.1.0.151403
Version used: `2024-11-01T05:05:36Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References

```
cve: CVE-2023-50269
url: https://github.com/squid-cache/squid/security/advisories/GHSA-wgq4-4cfg-c4x
↪3
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/xff-stackoverflow.html
cert-bund: WID-SEC-2023-3150
dfn-cert: DFN-CERT-2024-1684
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-0970
dfn-cert: DFN-CERT-2024-0742
dfn-cert: DFN-CERT-2024-0642
dfn-cert: DFN-CERT-2024-0290
dfn-cert: DFN-CERT-2024-0214
dfn-cert: DFN-CERT-2024-0172
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0039
dfn-cert: DFN-CERT-2023-3192
dfn-cert: DFN-CERT-2023-3162
```

High (CVSS: 7.5)
NVT: Squid DoS Vulnerability (GHSA-xggx-9329-3c27, SQUID-2023:8)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     6.5
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 6.5 or later.

Affected Software/OS
Squid versions prior to 6.5.

Vulnerability Insight
Due to an Incorrect Check of Function Return Value bug Squid is vulnerable to a Denial of Service attack against its Helper process management.
This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'Assertion in Squid Helper Process Creator'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid DoS Vulnerability (GHSA-xggx-9329-3c27, SQUID-2023:8)`
OID:1.3.6.1.4.1.25623.1.0.114208
Version used: `2024-11-01T05:05:36Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.900611)

References

```
cve: CVE-2023-49286
url: https://github.com/squid-cache/squid/security/advisories/GHSA-xggx-9329-3c2
↪7
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/ipc-assert.html
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2023-3049
dfn-cert: DFN-CERT-2024-1684
dfn-cert: DFN-CERT-2024-0970
dfn-cert: DFN-CERT-2024-0642
dfn-cert: DFN-CERT-2024-0214
dfn-cert: DFN-CERT-2024-0172
dfn-cert: DFN-CERT-2024-0039
dfn-cert: DFN-CERT-2024-0038
dfn-cert: DFN-CERT-2024-0026
dfn-cert: DFN-CERT-2023-3192
dfn-cert: DFN-CERT-2023-3036
```

High (CVSS: 7.5)
NVT: Squid Information Disclosure Vulnerability (GHSA-c8cc-phh7-xmxr, SQUID-2025:2)

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

Squid is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     7.2
Installation
path / port:       3128/tcp
```

Solution:

Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 7.2 or later.

Affected Software/OS
Squid prior to version 7.2.

Vulnerability Insight
Due to a failure to redact HTTP Authentication credentials Squid is vulnerable to an information disclosure attack.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Information Disclosure Vulnerability (GHSA-c8cc-phh7-xmxr, SQUID-2025:2)`
OID:1.3.6.1.4.1.25623.1.0.134026
Version used: `2025-10-31T05:40:56Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
`cve: CVE-2025-62168`
`url: https://github.com/squid-cache/squid/security/advisories/GHSA-c8cc-phh7-xmx`
`↪r`
`cert-bund: WID-SEC-2025-2334`
`dfn-cert: DFN-CERT-2026-0218`
`dfn-cert: DFN-CERT-2025-3150`
`dfn-cert: DFN-CERT-2025-2910`
`dfn-cert: DFN-CERT-2025-2897`

High (CVSS: 7.8)
NVT: Squid Multiple 0-Day Vulnerabilities (Oct 2023)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to multiple zero-day (0-day) vulnerabilities.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installed version: 3.3.8
Fixed version:     None
Installation
path / port:       3128/tcp
```

Solution:
Solution type: WillNotFix
No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Notes:
- It seems that some of the flaws could be mitigated by workarounds (listed in the referenced GitHub Gist) via either configuration changes and/or by disabling some features / functionality of Squid during build time
- If only these workarounds have been applied and the risk is accepted that these workarounds might not fully mitigate the relevant flaw(s) please create an override for this result

Affected Software/OS
As of 10/2024 the situation about the versions affected by the previous listed vulnerabilities is largely unclear (The security researcher only stated that all vulnerabilities were discovered in squid-5.0.5 and the vendor only published a few advisories so far).
Due to this unclear situation all Squid versions are currently assumed to be vulnerable by the not yet fixed flaws.

Vulnerability Insight
The following flaws have been reported in 2021 to the vendor and seems to be not fixed yet:
- One-Byte Buffer OverRead in HTTP Request Header Parsing
- strlen(NULL) Crash Using Digest Authentication GHSA-254c-93q9-cp53
- Gopher Assertion Crash
- Whois Assertion Crash
- RFC 2141 / 2169 (URN) Assertion Crash
- Assertion in Negotiate/NTLM Authentication Using Pipeline Prefetching
- Assertion on IPv6 Host Requests with –disable-ipv6
- Assertion Crash on Unexpected 'HTTP/1.1 100 Continue' Response Header
- Pipeline Prefetch Assertion With Double 'Expect:100-continue' Request Headers
- Pipeline Prefetch Assertion With Invalid Headers
- Assertion Crash in Deferred Requests
- Assertion in Digest Authentication
- FTP Authentication Crash
- Assertion Crash In HTTP Response Headers Handling
- Implicit Assertion in Stream Handling
Note: One GHSA advisory has been provided by the security researcher but is not published / available yet.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Squid Multiple 0-Day Vulnerabilities (Oct 2023)
OID:1.3.6.1.4.1.25623.1.0.100439
Version used: 2024-11-01T05:05:36Z

Product Detection Result
Product: cpe:/a:squid-cache:squid:3.3.8
Method: Squid Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d

High (CVSS: 7.5)
NVT: Squid Multiple DoS Vulnerabilities (GHSA-543m-w2m2-g255, SQUID-2023:2)

Product detection result
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)

Summary
Squid is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.3.8
Fixed version: 6.4
Installation
path / port: 3128/tcp

Solution:
Solution type: VendorFix
Update to version 6.4 or later.

Affected Software/OS
Squid versions prior to 6.4.

Vulnerability Insight
The following flaws exist:

. . . continues on next page . . .

. . . continued from previous page . . .

- Due to an Improper Handling of Structural Elements bug Squid is vulnerable to a Denial of Service attack against HTTP and HTTPS clients.
- Due to an Incomplete Filtering of Special Elements bug Squid is vulnerable to a Denial of Service attack against HTTP and HTTPS clients.
These flaws were part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'Cache Poisoning by Large Stored Response Headers (With Bonus XSS)'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Multiple DoS Vulnerabilities (GHSA-543m-w2m2-g255, SQUID-2023:2)`
OID:1.3.6.1.4.1.25623.1.0.100705
Version used: `2024-11-01T05:05:36Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2023-5824
url: https://github.com/squid-cache/squid/security/advisories/GHSA-543m-w2m2-g25
↪5
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/cache-headers.html
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2023-2725
dfn-cert: DFN-CERT-2025-2676
dfn-cert: DFN-CERT-2025-2302
dfn-cert: DFN-CERT-2024-0956
dfn-cert: DFN-CERT-2024-0214
dfn-cert: DFN-CERT-2024-0038
dfn-cert: DFN-CERT-2023-2949
dfn-cert: DFN-CERT-2023-2609
```

High (CVSS: 7.5)
NVT: Squid Multiple DoS Vulnerabilities (GHSA-f975-v7qw-q7hj, SQUID-2024:4)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Squid is prone to multiple denial of service (DoS) vulnerabilities due to multiple issues in ESI.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     7.0
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 7.0 or later.

Affected Software/OS
Squid version 3.0 through 6.x.

Vulnerability Insight
Due to Input Validation, Premature Release of Resource During Expected Lifetime, and Missing Release of Resource after Effective Lifetime bugs, Squid is vulnerable to Denial of Service attacks by a trusted server against all clients using the proxy.
These flaws were part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as:
- Memory Leak in ESI Error Processing
- Assertion in ESI Header Handling
- Use-After-Free in ESI 'Try' (and 'Choose') Processing
- Use-After-Free in ESI Expression Evaluation
- Assertion Due to 0 ESI 'when' Checking
- Assertion Using ESI's When Directive
- Assertion in ESI Variable Assignment (String)
- Assertion in ESI Variable Assignment
- Null Pointer Dereference In ESI's esi:include and esi:when

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Multiple DoS Vulnerabilities (GHSA-f975-v7qw-q7hj, SQUID-2024:4)`
OID:1.3.6.1.4.1.25623.1.0.114851
Version used: `2024-11-07T05:05:35Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2024-45802
url: https://github.com/squid-cache/squid/security/advisories/GHSA-f975-v7qw-q7h
↪j
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/esi-when-assert-0.html
url: https://megamansec.github.io/Squid-Security-Audit/esi-when-assert-1.html
url: https://megamansec.github.io/Squid-Security-Audit/esi-nullpointer.html
url: https://megamansec.github.io/Squid-Security-Audit/esi-uaf.html
url: https://megamansec.github.io/Squid-Security-Audit/esi-assignassert.html
url: https://megamansec.github.io/Squid-Security-Audit/esi-assignassert-2.html
url: https://megamansec.github.io/Squid-Security-Audit/esi-uaf-crash.html
url: https://megamansec.github.io/Squid-Security-Audit/esi-memleak.html
url: https://megamansec.github.io/Squid-Security-Audit/esi-assert-header.html
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2024-3280
dfn-cert: DFN-CERT-2025-1905
dfn-cert: DFN-CERT-2025-0630
dfn-cert: DFN-CERT-2024-3050
dfn-cert: DFN-CERT-2024-2909
```

High (CVSS: 7.5)
NVT: Squid Multiple DoS Vulnerabilities (SQUID-2016:2) - Linux

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

Squid is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     3.5.15
```

Impact

Successful exploitation will allow remote HTTP servers to cause a denial of service.

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 3.5.15, 4.0.7 or later.

Affected Software/OS
Squid version 3.x before 3.5.15 and 4.x before 4.0.7.

Vulnerability Insight
Multiple flaws exist due to:
- The 'http.cc' script proceeds with the storage of certain data after a response parsing failure.
- The Edge Side Includes (ESI) parser does not check buffer limits during XML parsing.
- An improper appending of data to String objects.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Multiple DoS Vulnerabilities (SQUID-2016:2) - Linux`
OID:1.3.6.1.4.1.25623.1.0.807451
Version used: `2023-07-21T05:05:22Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2016-2571
cve: CVE-2016-2570
cve: CVE-2016-2569
url: https://access.redhat.com/security/cve/cve-2016-2570
url: https://access.redhat.com/security/cve/cve-2016-2569
url: https://access.redhat.com/security/cve/cve-2016-2571
url: http://www.squid-cache.org/Advisories/SQUID-2016_2.txt
cert-bund: WID-SEC-2022-2284
cert-bund: CB-K18/0220
cert-bund: CB-K16/1737
cert-bund: CB-K16/1228
cert-bund: CB-K16/1227
cert-bund: CB-K16/0708
cert-bund: CB-K16/0670
cert-bund: CB-K16/0388
cert-bund: CB-K16/0363
cert-bund: CB-K16/0305
dfn-cert: DFN-CERT-2018-0238
dfn-cert: DFN-CERT-2016-1824
dfn-cert: DFN-CERT-2016-1297
dfn-cert: DFN-CERT-2016-1296
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2016-0750
dfn-cert: DFN-CERT-2016-0718
dfn-cert: DFN-CERT-2016-0406
dfn-cert: DFN-CERT-2016-0398
dfn-cert: DFN-CERT-2016-0331
```

High (CVSS: 8.2)
NVT: Squid Multiple DoS Vulnerabilities (SQUID-2016:3, SQUID-2016:4) - Linux

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     3.5.16
```

Impact
Successful exploitation will allow remote HTTP servers to cause a denial of service, or write sensitive information to log files.

Solution:
Solution type: VendorFix
Update to version 3.5.16, 4.0.8 or later.

Affected Software/OS
Squid version 3.x before 3.5.16 and 4.x before 4.0.8.

Vulnerability Insight
Multiple flaws exist due to:
- A buffer overrun in the 'Icmp6::Recv' function in 'icmp/Icmp6.cc' script in the 'pinger' process.
- An incorrect bounds checking while processing HTTP responses.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Multiple DoS Vulnerabilities (SQUID-2016:3, SQUID-2016:4) - Linux`
OID:1.3.6.1.4.1.25623.1.0.807794
Version used: `2023-07-21T05:05:22Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:squid-cache:squid:3.3.8
Method: Squid Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
cve: CVE-2016-3947
cve: CVE-2016-3948
url: https://access.redhat.com/security/cve/cve-2016-3948
url: https://access.redhat.com/security/cve/cve-2016-3947
url: http://www.squid-cache.org/Advisories/SQUID-2016_4.txt
url: http://www.squid-cache.org/Advisories/SQUID-2016_3.txt
cert-bund: WID-SEC-2022-2283
cert-bund: CB-K18/0220
cert-bund: CB-K16/1737
cert-bund: CB-K16/1228
cert-bund: CB-K16/1227
cert-bund: CB-K16/0815
cert-bund: CB-K16/0708
cert-bund: CB-K16/0670
cert-bund: CB-K16/0498
dfn-cert: DFN-CERT-2018-0238
dfn-cert: DFN-CERT-2016-1824
dfn-cert: DFN-CERT-2016-1297
dfn-cert: DFN-CERT-2016-1296
dfn-cert: DFN-CERT-2016-0866
dfn-cert: DFN-CERT-2016-0750
dfn-cert: DFN-CERT-2016-0718
dfn-cert: DFN-CERT-2016-0539

High (CVSS: 7.5)
NVT: Squid Multiple DoS Vulnerabilities (SQUID-2016:9) - Linux

Product detection result
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)

Summary
Squid is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.3.8

. . . continues on next page . . .

. . . continued from previous page . . .

Fixed version: 3.5.18

Impact
Successful exploitation will allow remote attackers to cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 3.5.18, 4.0.10 or later.

Affected Software/OS
Squid version 3.x before 3.5.18 and 4.x before 4.0.10.

Vulnerability Insight
Multiple flaws exist due to an incorrect pointer handling and reference counting when processing ESI responses.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: Squid Multiple DoS Vulnerabilities (SQUID-2016:9) - Linux
OID:1.3.6.1.4.1.25623.1.0.808039
Version used: 2023-07-20T05:05:17Z

Product Detection Result
Product: cpe:/a:squid-cache:squid:3.3.8
Method: Squid Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
cve: CVE-2016-4555
cve: CVE-2016-4556
url: http://www.squid-cache.org/Advisories/SQUID-2016_9.txt
cert-bund: CB-K16/1228
cert-bund: CB-K16/1227
cert-bund: CB-K16/0815
cert-bund: CB-K16/0708
cert-bund: CB-K16/0675
dfn-cert: DFN-CERT-2016-1297
dfn-cert: DFN-CERT-2016-1296
dfn-cert: DFN-CERT-2016-0866
dfn-cert: DFN-CERT-2016-0750
dfn-cert: DFN-CERT-2016-0723

High (CVSS: 7.5)
NVT: Squid Multiple Security Update Advisories (SQUID-2019:9, SQUID-2019:11)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     4.9
```

Solution:
Solution type: VendorFix
Update to version 4.9 or later.

Affected Software/OS
Squid versions 2.x, 3.x through 3.5.28 and 4.x through 4.8.

Vulnerability Insight
The following flaws exist:
- CVE-2019-18677: Cross-Site Request Forgery issue in HTTP Request processing
- CVE-2019-18679: Information Disclosure issue in HTTP Digest Authentication

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Multiple Security Update Advisories (SQUID-2019:9, SQUID-2019:11)`
OID:1.3.6.1.4.1.25623.1.0.143191
Version used: `2023-10-27T16:11:33Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2019-18677
cve: CVE-2019-18679
url: http://www.squid-cache.org/Advisories/SQUID-2019_9.txt
url: http://www.squid-cache.org/Advisories/SQUID-2019_11.txt
cert-bund: WID-SEC-2023-1391
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2022-1592
cert-bund: CB-K19/0975
cert-bund: CB-K19/0966
dfn-cert: DFN-CERT-2020-2389
dfn-cert: DFN-CERT-2020-1848
dfn-cert: DFN-CERT-2020-1491
dfn-cert: DFN-CERT-2020-0982
dfn-cert: DFN-CERT-2020-0527
dfn-cert: DFN-CERT-2019-2599
dfn-cert: DFN-CERT-2019-2565
dfn-cert: DFN-CERT-2019-2500
dfn-cert: DFN-CERT-2019-2414
dfn-cert: DFN-CERT-2019-2332
```

High (CVSS: 7.5)
NVT: Squid Multiple Security Update Advisories (SQUID-2020:1, SQUID-2020:2, SQUID-2020:3)

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

Squid is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     4.10
```

Solution:

Solution type: VendorFix

Update to version 4.10 or later.

Affected Software/OS

Squid versions 2.x, 3.x through 3.5.28 and 4.x through 4.9.

Vulnerability Insight

The following flaws exist:

- CVE-2019-12528: Information Disclosure issue in FTP Gateway
- CVE-2020-8449, CVE-2020-8450: Improper Input Validation issues in HTTP Request processing
- CVE-2020-8517: Buffer Overflow issue in ext_lm_group_acl helper

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Multiple Security Update Advisories (SQUID-2020:1, SQUID-2020:2, SQUID-20.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.143454
Version used: `2023-10-20T16:09:12Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2019-12528
cve: CVE-2020-8449
cve: CVE-2020-8450
cve: CVE-2020-8517
url: http://www.squid-cache.org/Advisories/SQUID-2020_1.txt
url: http://www.squid-cache.org/Advisories/SQUID-2020_2.txt
url: http://www.squid-cache.org/Advisories/SQUID-2020_3.txt
cert-bund: WID-SEC-2023-1361
cert-bund: CB-K20/1030
cert-bund: CB-K20/0093
dfn-cert: DFN-CERT-2020-2389
dfn-cert: DFN-CERT-2020-2146
dfn-cert: DFN-CERT-2020-1848
dfn-cert: DFN-CERT-2020-1491
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2020-0982
dfn-cert: DFN-CERT-2020-0901
dfn-cert: DFN-CERT-2020-0527
dfn-cert: DFN-CERT-2020-0229
```

High (CVSS: 8.8)
NVT: Squid Multiple Vulnerabilities (SQUID-2016:5, SQUID-2016:6) - Linux

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     3.5.17
```

Impact

Successful exploitation will allow remote attackers to cause a denial of service, execute arbitrary code, or obtain sensitive stack layout information.

Solution:

Solution type: VendorFix

Update to version 3.5.17, 4.0.9 or later.

Affected Software/OS

Squid version 3.x before 3.5.17 and 4.x before 4.0.9.

Vulnerability Insight

Multiple flaws exist due to:
- A buffer overflow in the cachemgr.cgi tool.
- Multiple on-stack buffer overflow from incorrect bounds calculation in Squid ESI processing.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Squid Multiple Vulnerabilities (SQUID-2016:5, SQUID-2016:6) - Linux`
OID:1.3.6.1.4.1.25623.1.0.807963

Version used: `2023-07-21T05:05:22Z`

Product Detection Result

Product: `cpe:/a:squid-cache:squid:3.3.8`

Method: `Squid Detection (HTTP)`

OID: 1.3.6.1.4.1.25623.1.0.900611)

References

```
cve: CVE-2016-4051
cve: CVE-2016-4052
cve: CVE-2016-4053
cve: CVE-2016-4054
url: http://www.securitytracker.com/id/1035647
url: http://www.squid-cache.org/Advisories/SQUID-2016_6.txt
url: http://www.squid-cache.org/Advisories/SQUID-2016_5.txt
cert-bund: CB-K16/1294
cert-bund: CB-K16/1228
cert-bund: CB-K16/1227
cert-bund: CB-K16/0815
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K16/0708
cert-bund: CB-K16/0670
cert-bund: CB-K16/0605
dfn-cert: DFN-CERT-2016-1379
dfn-cert: DFN-CERT-2016-1297
dfn-cert: DFN-CERT-2016-1296
dfn-cert: DFN-CERT-2016-0866
dfn-cert: DFN-CERT-2016-0750
dfn-cert: DFN-CERT-2016-0718
dfn-cert: DFN-CERT-2016-0655
```

High (CVSS: 8.6)
NVT: Squid Poisoning Vulnerability (SQUID-2016:7) - Linux

Product detection result

`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary

Squid is prone to a cache poisoning vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     3.5.18
```

Impact

Successful exploitation will allow remote attackers to cause cache poisoning.

Solution:

Solution type: VendorFix

Update to version 3.5.18, 4.0.10 or later.

Affected Software/OS

Squid version 3.2.0.11 through 3.5.17 and 4.x before 4.0.10.

Vulnerability Insight

The flaw exists due to an incorrect data validation of intercepted HTTP Request messages.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Squid Poisoning Vulnerability (SQUID-2016:7) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808051

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2023-07-20T05:05:17Z

Product Detection Result
Product: cpe:/a:squid-cache:squid:3.3.8
Method: Squid Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
cve: CVE-2016-4553
url: http://www.squid-cache.org/Advisories/SQUID-2016_7.txt
cert-bund: CB-K16/1228
cert-bund: CB-K16/1227
cert-bund: CB-K16/0815
cert-bund: CB-K16/0708
cert-bund: CB-K16/0675
dfn-cert: DFN-CERT-2016-1297
dfn-cert: DFN-CERT-2016-1296
dfn-cert: DFN-CERT-2016-0866
dfn-cert: DFN-CERT-2016-0750
dfn-cert: DFN-CERT-2016-0723

High (CVSS: 8.6)
NVT: Squid Poisoning Vulnerability (SQUID-2016:8) - Linux

Product detection result
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)

Summary
Squid is prone to a cache poisoning vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.3.8
Fixed version: 3.5.18

Impact
Successful exploitation will allow remote attackers to cause cache poisoning and to bypass of same-origin security policy.

Solution:
Solution type: VendorFix
Update to version 3.5.18 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Squid version prior to 3.5.18.

Vulnerability Insight
The flaw exists due to an incorrect input validation in HTTP Request processing.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Poisoning Vulnerability (SQUID-2016:8) - Linux`
OID:1.3.6.1.4.1.25623.1.0.808041
Version used: `2023-07-21T05:05:22Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2016-4554
url: http://www.squid-cache.org/Advisories/SQUID-2016_8.txt
cert-bund: CB-K16/1294
cert-bund: CB-K16/1228
cert-bund: CB-K16/1227
cert-bund: CB-K16/0815
cert-bund: CB-K16/0708
cert-bund: CB-K16/0675
dfn-cert: DFN-CERT-2016-1379
dfn-cert: DFN-CERT-2016-1297
dfn-cert: DFN-CERT-2016-1296
dfn-cert: DFN-CERT-2016-0866
dfn-cert: DFN-CERT-2016-0750
dfn-cert: DFN-CERT-2016-0723
```

High (CVSS: 7.5)
NVT: Squid Security Update Advisory (SQUID-2018:1)

Product detection result
```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary
Squid is vulnerable to denial of service attack when processing ESI responses.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     4.0.23
```

Impact

This problem allows a remote server delivering certain ESI response syntax to trigger a denial of service for all clients accessing the Squid service.

Solution:

Solution type: VendorFix

Update to version 4.0.23 or later. Patches are available, please see the references for details.

Affected Software/OS

Squid versions 3.x through 3.5.27, 4.x through 4.0.22 with specific deployment variants described in the referenced Advisory.

Vulnerability Insight

Due to unrelated changes Squid-3.5 has become vulnerable to some regular ESI server responses also triggering this issue. This problem is limited to the Squid custom ESI parser.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Squid Security Update Advisory (SQUID-2018:1)`

OID:1.3.6.1.4.1.25623.1.0.107294

Version used: `2023-07-20T05:05:18Z`

Product Detection Result

Product: `cpe:/a:squid-cache:squid:3.3.8`

Method: `Squid Detection (HTTP)`

OID: 1.3.6.1.4.1.25623.1.0.900611)

References

```
cve: CVE-2018-1000024
url: http://www.squid-cache.org/Advisories/SQUID-2018_1.txt
cert-bund: WID-SEC-2022-2282
cert-bund: CB-K18/0220
cert-bund: CB-K18/0135
dfn-cert: DFN-CERT-2019-1466
dfn-cert: DFN-CERT-2018-0238
dfn-cert: DFN-CERT-2018-0147
```

High (CVSS: 7.5)
NVT: Squid Security Update Advisory (SQUID-2018:2)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is vulnerable to denial of service (DoS) attack when processing ESI responses.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     See references
```

Impact
This problem allows a remote server delivering certain ESI response syntax to trigger a denial of service for all clients accessing the Squid service.

Solution:
Solution type: VendorFix
Update to version 4.0.23 or later.

Affected Software/OS
Squid versions 3.x through 3.5.27 and 4.x through 4.0.22 with specific deployment variants described in the referenced advisory.

Vulnerability Insight
Due to incorrect pointer handling Squid is vulnerable to denial of service attack when processing ESI responses or downloading intermediate CA certificates.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Security Update Advisory (SQUID-2018:2)`
OID:1.3.6.1.4.1.25623.1.0.107297
Version used: `2023-07-20T05:05:18Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
`cve: CVE-2018-1000027`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.squid-cache.org/Advisories/SQUID-2018_2.txt
url: http://www.squid-cache.org/Versions/v3/3.5/changesets/SQUID-2018_2.patch
url: http://www.squid-cache.org/Versions/v4/changesets/SQUID-2018_2.patch
cert-bund: WID-SEC-2022-2282
cert-bund: CB-K18/0220
cert-bund: CB-K18/0135
dfn-cert: DFN-CERT-2019-1466
dfn-cert: DFN-CERT-2018-0238
dfn-cert: DFN-CERT-2018-0147
```

High (CVSS: 8.8)
NVT: Squid Security Update Advisory (SQUID-2020:7)

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

Squid is prone to a cache poisoning vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     4.12
```

Solution:

Solution type: VendorFix

Update to version 4.12, 5.0.3 or later.

Affected Software/OS

Squid versions 2.0 through 2.STABLE9, 3.0 through 3.5.28, 4.0 through 4.11 and 5.0.1 through 5.0.2.

Vulnerability Insight

Due to incorrect input validation Squid is vulnerable to a Request Smuggling and Poisoning attack against the HTTP cache.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Squid Security Update Advisory (SQUID-2020:7)`

OID:1.3.6.1.4.1.25623.1.0.144212

Version used: `2022-07-20T10:33:02Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:squid-cache:squid:3.3.8
Method: Squid Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
cve: CVE-2020-15049
url: https://github.com/squid-cache/squid/security/advisories/GHSA-qf3v-rc95-96j
↪5
cert-bund: CB-K20/1030
cert-bund: CB-K20/0644
dfn-cert: DFN-CERT-2021-0643
dfn-cert: DFN-CERT-2020-2389
dfn-cert: DFN-CERT-2020-2146
dfn-cert: DFN-CERT-2020-2104
dfn-cert: DFN-CERT-2020-1848
dfn-cert: DFN-CERT-2020-1608
dfn-cert: DFN-CERT-2020-1576
dfn-cert: DFN-CERT-2020-1361

High (CVSS: 7.5)
NVT: Squid Security Update Advisory SQUID-2020:6

Product detection result
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)

Summary
Squid is prone to a denial of service vulnerability in the TLS handshake.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.3.8
Fixed version: 4.12

Solution:
Solution type: VendorFix
Update to version 4.12, 5.0.3 or later.

Affected Software/OS
Squid versions 3.x - 3.5.28, 4.x - 4.11 and 5.x - 5.0.2.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Due to use of a potentially dangerous function Squid and the default certificate validation helper are vulnerable to a denial of service attack when processing TLS certificates.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Security Update Advisory SQUID-2020:6`
OID:1.3.6.1.4.1.25623.1.0.144211
Version used: `2022-07-20T10:33:02Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
`cve: CVE-2020-14058`
`url: http://www.squid-cache.org/Advisories/SQUID-2020_6.txt`
`cert-bund: WID-SEC-2023-1360`
`cert-bund: CB-K20/0615`
`dfn-cert: DFN-CERT-2020-2389`
`dfn-cert: DFN-CERT-2020-1393`
`dfn-cert: DFN-CERT-2020-1361`

High (CVSS: 7.5)
NVT: Squid Security Update Advisory SQUID-2020:9

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a denial of service vulnerability when processing Cache Digest responses.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     4.13
```

Impact
This problem allows a trusted peer to perform a Denial of Service by consuming all available CPU cycles on the machine running Squid when handling a crafted Cache Digest response message. This attack is limited to Squid using cache_peer with cache digests feature.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: VendorFix
Update to version 4.13, 5.0.4 or later.

Affected Software/OS
Squid versions 3.0 - 4.12 and 5.0.1 - 5.0.3.

Vulnerability Insight
Due to Improper Input Validation Squid is vulnerable to a denial of service attack against the machine operating Squid.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Security Update Advisory SQUID-2020:9`
OID:1.3.6.1.4.1.25623.1.0.144458
Version used: `2022-07-20T10:33:02Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2020-24606
url: https://github.com/squid-cache/squid/security/advisories/GHSA-vvj7-xjgq-g2j
↪g
cert-bund: WID-SEC-2023-2470
cert-bund: CB-K20/1030
cert-bund: CB-K20/1015
cert-bund: CB-K20/0838
dfn-cert: DFN-CERT-2020-2389
dfn-cert: DFN-CERT-2020-2303
dfn-cert: DFN-CERT-2020-2146
dfn-cert: DFN-CERT-2020-2104
dfn-cert: DFN-CERT-2020-1842
```

[return to 172.30.18.1]

2.1.2 Medium 3128/tcp

Medium (CVSS: 6.8)
NVT: Squid 'cache_peer' Security Bypass Vulnerability (SQUID-2015:2)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to an access bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     3.5.6
```

Impact
Successful exploitation will allow remote attackers to bypass security in an explicit gateway proxy.

Solution:
Solution type: VendorFix
Update to version 3.5.6 or later.

Affected Software/OS
Squid version 3.5.5 and prior.

Vulnerability Insight
The flaw is due to improper handling of CONNECT method peer responses when configured with cache_peer.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid 'cache_peer' Security Bypass Vulnerability (SQUID-2015:2)`
OID:1.3.6.1.4.1.25623.1.0.806518
Version used: `2023-07-25T05:05:58Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
`cve: CVE-2015-5400`
`url: http://www.squid-cache.org/Advisories/SQUID-2015_2.txt`
`url: http://www.securityfocus.com/bid/75553`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.openwall.com/lists/oss-security/2015/07/09/12
cert-bund: CB-K16/1228
cert-bund: CB-K16/1227
cert-bund: CB-K16/0388
cert-bund: CB-K15/1423
cert-bund: CB-K15/0975
dfn-cert: DFN-CERT-2016-1297
dfn-cert: DFN-CERT-2016-1296
dfn-cert: DFN-CERT-2016-0406
dfn-cert: DFN-CERT-2015-1499
dfn-cert: DFN-CERT-2015-1029
```

Medium (CVSS: 4.9)
NVT: Squid 1.0 < 4.14, 5.0 < 5.0.5 DoS Vulnerability (GHSA-m47m-9hvw-7447, SQUID-2021:3)

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

Squid is prone to a denial of service (DoS) vulnerability in the Cache Manager.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     4.15
Installation
path / port:       3128/tcp
```

Solution:

Solution type: VendorFix

Update to version 4.15, 5.0.6 or later. See the referenced vendor advisory for a workaround.

Affected Software/OS

Squid version 1.0 through 4.14 and 5.0 through 5.0.5.

Vulnerability Insight

Due to an incorrect parser validation bug Squid is vulnerable to a DoS attack against the Cache Manager API.

This problem allows a trusted client to trigger memory leaks which over time lead to a DoS against Squid and the machine it is operating on.

This attack is limited to clients with Cache Manager API access privilege.

. . . continues on next page . . .

. . . continued from previous page . . .

This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'Memory Leak in CacheManager URI Parsing'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid 1.0 < 4.14, 5.0 < 5.0.5 DoS Vulnerability (GHSA-m47m-9hvw-7447, SQUID-202.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.146028
Version used: `2024-11-01T05:05:36Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2021-28652
url: https://github.com/squid-cache/squid/security/advisories/GHSA-m47m-9hvw-744
↪7
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/cachemanager-memleak.html
cert-bund: WID-SEC-2022-0672
cert-bund: CB-K21/0500
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-0997
```

Medium (CVSS: 6.5)
NVT: Squid 2.0 - 4.17, 5.0.1 < 5.6 DoS Vulnerability (GHSA-f5cp-6rh3-284w, SQUID-2021:7)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     5.6
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Installation
path / port:        3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 5.6 or later.

Affected Software/OS
Squid version 2.0 through 4.17 and 5.0.1 through 5.5.

Vulnerability Insight
Due to improper buffer management Squid is vulnerable to a denial of service attack when processing Gopher server responses.
This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'Assertion in Gopher Response Handling'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid 2.0 - 4.17, 5.0.1 < 5.6 DoS Vulnerability (GHSA-f5cp-6rh3-284w, SQUID-202..`
OID:1.3.6.1.4.1.25623.1.0.148471
Version used: `2024-11-01T05:05:36Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2021-46784
url: https://github.com/squid-cache/squid/security/advisories/GHSA-f5cp-6rh3-284w
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/gopher-assert.html
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2022-0385
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2022-1573
dfn-cert: DFN-CERT-2022-1558
dfn-cert: DFN-CERT-2022-1552
dfn-cert: DFN-CERT-2022-1435
dfn-cert: DFN-CERT-2022-1401
```

Medium (CVSS: 6.5)
NVT: Squid 2.5.STABLE2 < 4.15, 5.0.1 < 5.0.6 Multiple DoS Vulnerabilities (GHSA-pxwq-f3qr-w2xf, SQUID-2021:4)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     4.15
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 4.15, 5.0.6 or later.

Affected Software/OS
Squid version 2.5.STABLE2 through 2.7.STABLE9, 3.0 through 4.14 and 5.0.1 through 5.0.5.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2021-31806: Due to an incorrect input validation bug Squid is vulnerable to a DoS attack against all clients using the proxy.
- CVE-2021-31807: Due to an incorrect memory management bug Squid is vulnerable to a DoS attack against all clients using the proxy.
- CVE-2021-31808: Due to an integer overflow bug Squid is vulnerable to a DoS attack against all clients using the proxy.
These flaws were part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'Partial Content Parsing Use-After-Free', 'Integer Overflow in Range Header' and 'Unsatisfiable Range Requests Assertion'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid 2.5.STABLE2 < 4.15, 5.0.1 < 5.0.6 Multiple DoS Vulnerabilities (GHSA-pxwq.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.146027
Version used: `2024-11-01T05:05:36Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:squid-cache:squid:3.3.8
Method: Squid Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.900611)

References

```
cve: CVE-2021-31806
cve: CVE-2021-31807
cve: CVE-2021-31808
url: https://github.com/squid-cache/squid/security/advisories/GHSA-pxwq-f3qr-w2x
↪f
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/range-uaf.html
url: https://megamansec.github.io/Squid-Security-Audit/range-assert-int.html
url: https://megamansec.github.io/Squid-Security-Audit/range-assert.html
cert-bund: WID-SEC-2023-0456
cert-bund: WID-SEC-2022-0672
cert-bund: CB-K21/0588
cert-bund: CB-K21/0500
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-0997
```

Medium (CVSS: 6.5)
NVT: Squid < 4.15, 5.0.x < 5.0.6 DoS Vulnerability (GHSA-572g-rvwr-6c7f, SQUID-2021:5)

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

Squid is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     4.15
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Update to version 4.15, 5.0.6 or later.

Affected Software/OS
Squid versions prior to 4.15 and 5.0.0 through 5.0.5.

Vulnerability Insight
Due to an input validation bug Squid is vulnerable to a DoS against all clients using the proxy. This problem allows a remote server to perform a DoS when delivering HTTP Response messages. The issue trigger is a header which can be expected to exist in HTTP traffic without any malicious intent by the server.
This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'Crash in Content-Range Response Header Logic'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid < 4.15, 5.0.x < 5.0.6 DoS Vulnerability (GHSA-572g-rvwr-6c7f, SQUID-2021:.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.146026
Version used: `2024-11-01T05:05:36Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2021-33620
url: https://github.com/squid-cache/squid/security/advisories/GHSA-572g-rvwr-6c7
↪f
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/range-fatal.html
cert-bund: WID-SEC-2022-0642
cert-bund: CB-K21/0595
dfn-cert: DFN-CERT-2022-1558
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-0997
```

Medium (CVSS: 6.1)
NVT: Squid < 7.0.1 XSS Vulnerability (SQUID-2023:6)

Product detection result

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary
Squid is prone to a cross-site scripting (XSS) vulnerability in cachemgr.cgi.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     7.0.1
```

Solution:
Solution type: VendorFix
Update to version 7.0.1 or later.

Affected Software/OS
Squid versions prior to version 7.0.1.

Vulnerability Insight
Squid, when certain web browsers are used, mishandles HTML in the host (aka hostname) parameter to cachemgr.cgi.
Note: This flaw had received an incomplete fix in version 4.9 back in 2019.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid < 7.0.1 XSS Vulnerability (SQUID-2023:6)`
OID:1.3.6.1.4.1.25623.1.0.143623
Version used: `2025-11-11T05:40:18Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References

```
cve: CVE-2019-18860
url: https://github.com/squid-cache/squid/security/advisories/GHSA-xxrg-5p7x-r66
↪h
url: https://www.openwall.com/lists/oss-security/2025/11/04/7
url: https://www.openwall.com/lists/oss-security/2025/11/05/7
url: https://github.com/squid-cache/squid/pull/2294
url: https://github.com/squid-cache/squid/pull/505
url: https://github.com/squid-cache/squid/pull/505
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/squid-cache/squid/pull/504
cert-bund: WID-SEC-2023-2759
cert-bund: CB-K20/0407
dfn-cert: DFN-CERT-2026-0218
dfn-cert: DFN-CERT-2020-2389
dfn-cert: DFN-CERT-2020-1848
dfn-cert: DFN-CERT-2020-1608
dfn-cert: DFN-CERT-2020-1491
dfn-cert: DFN-CERT-2020-1393
dfn-cert: DFN-CERT-2020-1031
dfn-cert: DFN-CERT-2020-0901
```

Medium (CVSS: 4.5)
NVT: Squid <= 4.14 Privilege Escalation Vulnerability

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

Squid is prone to a privilege escalation vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     No known solution
Installation
path / port:       3128/tcp
```

Impact

This behaviour makes it trivial for an attacker who has compromised the child process to escalate their privileges back to root.

Solution:

Solution type: WillNotFix

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS

Squid through version 4.7.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

When Squid is run as root, it spawns its child processes as a lesser user, by default the user nobody. This is done via the leave_suid call. leave_suid leaves the Saved UID as 0.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid <= 4.14 Privilege Escalation Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.113674
Version used: `2022-07-20T10:33:02Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
`cve: CVE-2019-12522`
`url: https://gitlab.com/jeriko.one/security/-/blob/master/squid/CVEs/CVE-2019-12`
`↪522.txt`

Medium (CVSS: 6.5)
NVT: Squid DoS Vulnerability (GHSA-j49p-553x-48rx, SQUID-2023:11)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     6.6
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 6.6 or later.

Affected Software/OS
Squid versions prior to 6.6.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Due to an expired pointer reference bug Squid is vulnerable to a denial of service attack against Cache Manager error responses.
This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'Use-After-Free in Cache Manager Errors'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid DoS Vulnerability (GHSA-j49p-553x-48rx, SQUID-2023:11)`
OID:1.3.6.1.4.1.25623.1.0.151598
Version used: `2024-11-01T05:05:36Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2024-23638
url: https://github.com/squid-cache/squid/security/advisories/GHSA-j49p-553x-48r
↪x
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/cache-uaf.html
cert-bund: WID-SEC-2024-0180
dfn-cert: DFN-CERT-2024-3050
dfn-cert: DFN-CERT-2024-1935
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-1017
dfn-cert: DFN-CERT-2024-0956
dfn-cert: DFN-CERT-2024-0642
dfn-cert: DFN-CERT-2024-0290
```

Medium (CVSS: 4.9)
NVT: Squid DoS Vulnerability (GHSA-wgvf-q977-9xjg, SQUID-2024:3)

Product detection result
```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

Squid is prone to a denial of service (DoS) vulnerability in ESI processing.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     6.10
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 6.10 or later.

Affected Software/OS
Squid version 3.0 through 6.9.

Vulnerability Insight
Due to an Out-of-bounds Write error when assigning ESI variables, Squid is susceptible to a Memory Corruption error, which can result in a Denial of Service.
This flaw was part of the 'Squid Caching Proxy Security Audit: 55 vulnerabilities and 35 0days' publication in October 2023 and filed as 'Buffer Underflow in ESI'.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid DoS Vulnerability (GHSA-wgvf-q977-9xjg, SQUID-2024:3)`
OID:1.3.6.1.4.1.25623.1.0.114674
Version used: `2024-11-01T05:05:36Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References

```
cve: CVE-2024-37894
url: https://github.com/squid-cache/squid/security/advisories/GHSA-wgvf-q977-9xj
↪g
url: https://megamansec.github.io/Squid-Security-Audit/
url: https://joshua.hu/squid-security-audit-35-0days-45-exploits
url: https://www.openwall.com/lists/oss-security/2023/10/11/3
url: https://gist.github.com/rousskov/9af0d33d2a1f4b5b3b948b2da426e77d
url: https://megamansec.github.io/Squid-Security-Audit/esi-underflow.html
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2024-1447
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2025-2816
dfn-cert: DFN-CERT-2025-1905
dfn-cert: DFN-CERT-2025-0630
dfn-cert: DFN-CERT-2024-1935
dfn-cert: DFN-CERT-2024-1706
```

Medium (CVSS: 5.9)
NVT: Squid DoS Vulnerability (SQUID-2018:3)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     4.0.13
Installation
path / port:       3128/tcp
```

Impact
Successful exploitation will allow remote attackers to cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 4.0.13 or later.
A patch and workaround is also available. Please see the references for more information.

Affected Software/OS
Squid versions 3.1.12.2 through 3.1.23, 3.2.0.8 through 3.2.14 and 3.3 through 4.0.12.

Vulnerability Insight
The flaw exists due to incorrect pointer handling.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid DoS Vulnerability (SQUID-2018:3)`
OID:1.3.6.1.4.1.25623.1.0.813402
Version used: `2023-07-20T05:05:18Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: cpe:/a:squid-cache:squid:3.3.8
Method: Squid Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
cve: CVE-2018-1172
url: http://www.squid-cache.org/Advisories/SQUID-2018_3.txt
cert-bund: CB-K18/0619
dfn-cert: DFN-CERT-2018-0757

Medium (CVSS: 5.0)
NVT: Squid HTTP Range Request Handling DoS Vulnerability (SQUID-2014:2)

Product detection result
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)

Summary
Squid is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.3.8
Fixed version: 3.3.13

Impact
Successful exploitation will allow remote attackers to cause a denial of service.

Solution:
Solution type: VendorFix
Apply the patch or update to version 3.4.7, 3.3.13 or later.

Affected Software/OS
Squid versions 3.x through 3.3.12 and 3.4 through 3.4.6.

Vulnerability Insight
Due to incorrect input validation in request parsing Squid is vulnerable to a denial of service attack when processing Range requests.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.

. . . continues on next page . . .

. . . continued from previous page . . .

Details: Squid HTTP Range Request Handling DoS Vulnerability (SQUID-2014:2)
OID:1.3.6.1.4.1.25623.1.0.806106
Version used: 2023-07-25T05:05:58Z

Product Detection Result
Product: cpe:/a:squid-cache:squid:3.3.8
Method: Squid Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
cve: CVE-2014-3609
url: http://www.squid-cache.org/Advisories/SQUID-2014_2.txt
url: http://www.securityfocus.com/bid/69453
cert-bund: CB-K14/1101
cert-bund: CB-K14/1081
dfn-cert: DFN-CERT-2014-1156
dfn-cert: DFN-CERT-2014-1124

Medium (CVSS: 5.3)
NVT: Squid Information Disclosure Vulnerability (SQUID-2020:12)

Product detection result
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)

Summary
Squid is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
Installed version: 3.3.8
Fixed version: 4.17
Installation
path / port: 3128/tcp

Impact
Successful exploitation would allow an attacker to read sensitive information.

Solution:
Solution type: VendorFix
Update to version 4.17, 5.2 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Squid proxy version 2.6 through 2.7.STABLE9, 3.x through 3.5.28, 4.x through 4.16 and 5.x through 5.1.

Vulnerability Insight
The vulnerability exists because of an out-of-bounds read in WCCP protocol data.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Information Disclosure Vulnerability (SQUID-2020:12)`
OID:1.3.6.1.4.1.25623.1.0.113797
Version used: `2022-07-20T10:33:02Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2021-28116
url: https://www.openwall.com/lists/oss-security/2021/10/04/1
url: https://www.zerodayinitiative.com/advisories/ZDI-21-157/
cert-bund: WID-SEC-2022-0481
cert-bund: CB-K21/0259
dfn-cert: DFN-CERT-2022-1552
dfn-cert: DFN-CERT-2022-1435
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2076
dfn-cert: DFN-CERT-2021-2062
dfn-cert: DFN-CERT-2021-0997
```

Medium (CVSS: 5.3)
NVT: Squid Request/Response Smuggling Vulnerability (GHSA-j83v-w3p4-5cqh, SQUID-2023:1)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a request/response smuggling vulnerability.

Quality of Detection (QoD): 30%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     6.4
Installation
path / port:       3128/tcp
```

Solution:
Solution type: VendorFix
Update to version 6.4 or later.

Affected Software/OS
Squid versions 2.6 through 6.3.

Vulnerability Insight
Due to chunked decoder lenience Squid is vulnerable to Request/Response smuggling attacks when parsing HTTP/1.1 and ICAP messages.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Request/Response Smuggling Vulnerability (GHSA-j83v-w3p4-5cqh, SQUID-2023.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.100765
Version used: `2023-11-16T05:05:14Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References

```
cve: CVE-2023-46846
url: https://github.com/squid-cache/squid/security/advisories/GHSA-j83v-w3p4-5cq
↪h
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2023-2725
dfn-cert: DFN-CERT-2024-3343
dfn-cert: DFN-CERT-2024-0642
dfn-cert: DFN-CERT-2024-0039
dfn-cert: DFN-CERT-2023-2934
dfn-cert: DFN-CERT-2023-2781
dfn-cert: DFN-CERT-2023-2746
dfn-cert: DFN-CERT-2023-2712
dfn-cert: DFN-CERT-2023-2609
```

Medium (CVSS: 6.1)
NVT: Squid Security Update Advisory (SQUID-2018:4)

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a cross-site scripting vulnerability to incorrect input handling when generating HTTPS response messages about TLS errors.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     4.4
```

Solution:
Solution type: VendorFix
Update to version 4.4 or later.

Affected Software/OS
Squid proxy versions 3.1.12.1 through 3.1.23, 3.2.0.4 through 3.5.28 and 4.x through 4.3.

Vulnerability Insight
This problem allows a malicious HTTPS server to trigger error page delivery to a client and also inject arbitrary HTML code into the resulting error response.
This problem is limited to Squid built with TLS / SSL support.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Security Update Advisory (SQUID-2018:4)`
OID:1.3.6.1.4.1.25623.1.0.142629
Version used: `2022-07-20T10:33:02Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2018-19131
url: http://www.squid-cache.org/Advisories/SQUID-2018_4.txt
cert-bund: WID-SEC-2023-2717
cert-bund: CB-K18/1038
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2018-2563
dfn-cert: DFN-CERT-2018-2193
```

Medium (CVSS: 6.1)
NVT: Squid Security Update Advisory (SQUID-2019:6)

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

Squid is prone to multiple cross-site scripting vulnerabilities due to incorrect input handling in the cachemgr.cgi tool.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     4.8
```

Solution:

Solution type: VendorFix

Update to version 4.8 or later.

Affected Software/OS

Squid proxy versions 2.x, 3.x through 3.5.28 and 4.x through 4.7.

Vulnerability Insight

This allows a malicious server to embed URLs in its content such that user credentials and other information can be extracted from a client or administrator with access to the Squid cachemgr.cgi tool URL.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Squid Security Update Advisory (SQUID-2019:6)`

OID:1.3.6.1.4.1.25623.1.0.142634

Version used: `2022-07-20T10:33:02Z`

Product Detection Result

Product: `cpe:/a:squid-cache:squid:3.3.8`

Method: `Squid Detection (HTTP)`

OID: 1.3.6.1.4.1.25623.1.0.900611)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2019-13345
url: http://www.squid-cache.org/Advisories/SQUID-2019_6.txt
cert-bund: CB-K19/0578
dfn-cert: DFN-CERT-2020-1848
dfn-cert: DFN-CERT-2020-1491
dfn-cert: DFN-CERT-2019-2500
dfn-cert: DFN-CERT-2019-2414
dfn-cert: DFN-CERT-2019-1660
dfn-cert: DFN-CERT-2019-1656
dfn-cert: DFN-CERT-2019-1466
dfn-cert: DFN-CERT-2019-1437
dfn-cert: DFN-CERT-2019-1427
dfn-cert: DFN-CERT-2019-1360
```

Medium (CVSS: 5.9)
NVT: Squid Security Update Advisory SQUID-2018:5

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

Squid is prone to a denial of service vulnerability due to a memory leak in the SNMP query rejection code.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     4.4
```

Solution:

Solution type: VendorFix

Update to version 4.4 or later.

Affected Software/OS

Squid versions 3.2.0.10 - 3.5.28, 4.x - 4.3.

Vulnerability Insight

This problem allows a remote attacker to consume all memory available to the Squid process, causing it to crash.

. . . continues on next page . . .

. . . continued from previous page . . .

In environments where per-process memory restrictions are not enforced strictly, or configured to large values this may also affect other processes operating on the same machine. Leading to a much worse denial of service situation.
This problem is limited to Squid built with SNMP support and receiving SNMP traffic.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Security Update Advisory SQUID-2018:5`
OID:1.3.6.1.4.1.25623.1.0.142628
Version used: `2022-07-20T10:33:02Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
`cve: CVE-2018-19132`
`url: http://www.squid-cache.org/Advisories/SQUID-2018_5.txt`
`cert-bund: WID-SEC-2023-2717`
`cert-bund: CB-K18/1038`
`dfn-cert: DFN-CERT-2020-1491`
`dfn-cert: DFN-CERT-2019-1437`
`dfn-cert: DFN-CERT-2018-2415`
`dfn-cert: DFN-CERT-2018-2193`

Medium (CVSS: 5.9)
NVT: Squid Security Update Advisory SQUID-2019:2

Product detection result
`cpe:/a:squid-cache:squid:3.3.8`
`Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)`

Summary
Squid is prone to a denial of service vulnerability due to incorrect buffer management when processing HTTP Basic Authentication credentials.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     4.8
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Solution type: VendorFix
Update to version 4.8 or later.

Affected Software/OS
Squid versions 2.x - 2.7.STABLE9, 3.x - 3.5.28 and 4.x - 4.7.

Vulnerability Insight
Due to incorrect string termination the Basic authentication credentials decoder may access memory outside the decode buffer.
On systems with memory access protections this can result in the Squid process being terminated unexpectedly. Resulting in a denial of service for all clients using the proxy.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Security Update Advisory SQUID-2019:2`
OID:1.3.6.1.4.1.25623.1.0.142631
Version used: `2022-07-20T10:33:02Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2019-12529
url: http://www.squid-cache.org/Advisories/SQUID-2019_2.txt
cert-bund: WID-SEC-2023-2486
cert-bund: CB-K19/0608
dfn-cert: DFN-CERT-2020-2389
dfn-cert: DFN-CERT-2020-1848
dfn-cert: DFN-CERT-2020-1491
dfn-cert: DFN-CERT-2019-2414
dfn-cert: DFN-CERT-2019-1656
dfn-cert: DFN-CERT-2019-1492
dfn-cert: DFN-CERT-2019-1481
dfn-cert: DFN-CERT-2019-1427
```

Medium (CVSS: 6.5)
NVT: Squid Security Update Advisory SQUID-2020:8 SQUID-2020:10

Product detection result
```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Squid is prone to multiple vulnerabilities.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     4.13
```

Impact
These vulnerabilities may lead to cache poisoning.

Solution:
Solution type: VendorFix
Update to version 4.13, 5.0.4 or later.

Affected Software/OS
Squid versions 2.5 - 3.5.28, 4.0 - 4.12 and 5.0.1 - 5.0.3.

Vulnerability Insight
The following vulnerabilities exist:
- HTTP(S) request smuggling (CVE-2020-15810)
- HTTP(S) request splitting (CVE-2020-15811)

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Security Update Advisory SQUID-2020:8 SQUID-2020:10`
OID:1.3.6.1.4.1.25623.1.0.144524
Version used: `2022-07-20T10:33:02Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2020-15810
cve: CVE-2020-15811
url: https://github.com/squid-cache/squid/security/advisories/GHSA-3365-q9qx-f98
↪m
url: https://github.com/squid-cache/squid/security/advisories/GHSA-c7p8-xqhm-49w
↪v
cert-bund: WID-SEC-2023-2470
cert-bund: CB-K20/1030
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K20/0838
dfn-cert: DFN-CERT-2022-0593
dfn-cert: DFN-CERT-2020-2146
dfn-cert: DFN-CERT-2020-2104
dfn-cert: DFN-CERT-2020-1927
dfn-cert: DFN-CERT-2020-1842
```

Medium (CVSS: 5.0)
NVT: Squid SSL-Bump HTTPS Requests Processing DoS Vulnerability (SQUID-2014:1)

Product detection result

```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary

Squid is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result

```
Installed version: 3.3.8
Fixed version:     3.3.12
```

Impact

Successful exploitation will allow remote attackers to cause a denial of service.

Solution:

Solution type: VendorFix

Apply the patch or update to version 3.4.4, 3.3.11 or later.

Affected Software/OS

Squid versions 3.1 through 3.3.11 and 3.4 through 3.4.3.

Vulnerability Insight

Due to incorrect state management Squid is vulnerable to a denial of service attack when processing certain HTTPS requests.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `Squid SSL-Bump HTTPS Requests Processing DoS Vulnerability (SQUID-2014:1)`
OID:1.3.6.1.4.1.25623.1.0.806107
Version used: `2023-07-25T05:05:58Z`

Product Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:squid-cache:squid:3.3.8
Method: Squid Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.900611)

References

```
cve: CVE-2014-0128
url: http://www.squid-cache.org/Advisories/SQUID-2014_1.txt
url: http://www.securityfocus.com/bid/66112
cert-bund: CB-K16/1227
cert-bund: CB-K14/0312
dfn-cert: DFN-CERT-2016-1296
dfn-cert: DFN-CERT-2014-0326
```

[return to 172.30.18.1]

2.1.3 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 4219338359
Packet 2: 4219339451
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
```
url: https://datatracker.ietf.org/doc/html/rfc1323
url: https://datatracker.ietf.org/doc/html/rfc7323
url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d
↪ownload/details.aspx?id=9152
url: https://www.fortiguard.com/psirt/FG-IR-16-090
```

[return to 172.30.18.1]

2.1.4 Low 3128/tcp

Low (CVSS: 2.1)
NVT: Squid Buffer Overflow Vulnerability (Sep 2025)

Product detection result
```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

Summary
Squid is prone to a buffer overflow vulnerability as it mishandles ASN.1 encoding of long SNMP OIDs.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     None
Installation
path / port:       3128/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: NoneAvailable
No known solution is available as of 30th September, 2025. Information regarding this issue will be updated once solution details are available.

Affected Software/OS
Squid version 7.1 and prior.

Vulnerability Insight
A stack-based buffer overflow vulnerability exists in the SNMP (Simple Network Management Protocol) message processing component of Squid Cache. The flaw is present in the asn_build_objid function located in the lib/snmplib/asn1.c library, which is responsible for encoding Object Identifiers (OIDs) into the ASN.1 BER format for SNMP responses.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid Buffer Overflow Vulnerability (Sep 2025)`
OID:1.3.6.1.4.1.25623.1.0.155471
Version used: `2025-10-01T05:39:08Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2025-59362
url: https://github.com/Microsvuln/advisories/blob/main/CVE-2025-59362/CVE-2025-
↪59362.md
url: https://github.com/squid-cache/squid/pull/2149
cert-bund: WID-SEC-2025-2143
dfn-cert: DFN-CERT-2025-3150
dfn-cert: DFN-CERT-2025-2910
dfn-cert: DFN-CERT-2025-2816
dfn-cert: DFN-CERT-2025-2758
```

Low (CVSS: 2.6)
NVT: Squid SSL-Bump Certificate Validation Bypass Vulnerability (SQUID-2015:1)

Product detection result
```
cpe:/a:squid-cache:squid:3.3.8
Detected by Squid Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900611)
```

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Squid is prone to certificate validation bypass vulnerability.

Quality of Detection (QoD): 30%

Vulnerability Detection Result
```
Installed version: 3.3.8
Fixed version:     3.3.14
```

Impact
Successful exploitation will allow remote attackers to bypass client certificate validation.

Solution:
Solution type: VendorFix
Update to version 3.5.4, 3.4.13, 3.3.14, 3.2.14 or later.

Affected Software/OS
Squid versions 3.2 through 3.2.13, 3.3 through 3.3.13, 3.4 through 3.4.12 and 3.5 through 3.5.3.

Vulnerability Insight
The client-first SSL-bump feature does not properly validate X.509 server certificate domain and hostname fields. A remote server can create a specially crafted certificate to bypass client certificate validation.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Squid SSL-Bump Certificate Validation Bypass Vulnerability (SQUID-2015:1)`
OID:1.3.6.1.4.1.25623.1.0.806104
Version used: `2023-07-25T05:05:58Z`

Product Detection Result
Product: `cpe:/a:squid-cache:squid:3.3.8`
Method: `Squid Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.900611)

References
```
cve: CVE-2015-3455
url: http://www.securitytracker.com/id/1032221
url: http://www.securityfocus.com/bid/74438
url: http://advisories.mageia.org/MGASA-2015-0191.html
url: http://www.squid-cache.org/Advisories/SQUID-2015_1.txt
cert-bund: CB-K16/1228
cert-bund: CB-K16/0388
cert-bund: CB-K15/1423
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: CB-K15/0612
dfn-cert: DFN-CERT-2016-1297
dfn-cert: DFN-CERT-2016-0406
dfn-cert: DFN-CERT-2015-1499
dfn-cert: DFN-CERT-2015-0641
```

[return to 172.30.18.1]

2.1.5 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2025-01-21T05:37:33Z

References
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792
url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658

[return to 172.30.18.1]

2.1.6 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Hostname determination for IP 172.30.18.1:
Hostname|Source
squid-old.trabalho_vulnnet|Reverse-DNS

Solution:

Log Method
Details: Hostname Determination Reporting
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: 2022-07-27T10:11:28Z

Log (CVSS: 0.0)
NVT: IP Forwarding Enabled - Active Check

Summary
Checks if the remote host has IP forwarding enabled.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
It was possible to route a TCP packet through the target host and received an an
↪swer which means IP forwarding is enabled.
```

Solution:

Log Method
Sends a crafted Local Link Layer (LLL) frame and checks the response.
Details: `IP Forwarding Enabled - Active Check`
OID:1.3.6.1.4.1.25623.1.0.147205
Version used: `2021-12-03T08:27:06Z`

References
`cve: CVE-1999-0511`

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Best matching OS:
OS:           Linux Kernel
CPE:          cpe:/o:linux:kernel
Found by VT:  1.3.6.1.4.1.25623.1.0.102002 (Operating System (OS) Detection (ICM
↪P))
Concluded from ICMP based OS fingerprint
Setting key "Host/runs_unixoide" based on this information
```

Solution:

Log Method
Details: `OS Detection Consolidation and Reporting`
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: `2026-01-21T05:50:46Z`

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://forum.greenbone.net/c/vulnerability-tests/7
```

Log (CVSS: 0.0)
NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Network route from scanner (172.30.0.2) to target (172.30.18.1):
172.30.0.2
172.30.18.1
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: `Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `2022-10-17T11:13:19Z`

[return to 172.30.18.1]

2.1.7 Log 3128/tcp

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

Summary
All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Missing Headers                   | More Information
--------------------------------------------------------------------------------
↪--------------------------------------------------------------------------------
↪-----------------------------------------------
Content-Security-Policy           | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy        | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                   | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Feature-Policy                    | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy                | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy                   | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User                    | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
X-Content-Type-Options            | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options                   | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection                  | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Log Method
Details: HTTP Security Headers Detection
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: 2025-03-21T15:40:43Z

References
url: https://owasp.org/www-project-secure-headers/
url: https://owasp.org/www-project-secure-headers/#div-headers
url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration

Summary
This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was possible to enumerate the following HTTP server banner(s):
Server banner       | Enumeration technique
--------------------------------------------------------------------------------
↪------
Server: squid/3.3.8 | Invalid HTTP 00.5 GET request (non-existent HTTP version)
↪to '/'
```

Solution:

Log Method
Details: HTTP Server Banner Enumeration
OID:1.3.6.1.4.1.25623.1.0.108708
Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: HTTP Server type and version

Summary
This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
The remote HTTP Server banner is:
Server: squid/3.3.8
```

Solution:

Log Method

Details: `HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `2023-08-01T13:29:10Z`

Log (CVSS: 0.0)
NVT: HTTP TRACE Method Enabled

Summary

Transparent or reverse HTTP proxies may be implement on some sites.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

```
The GET method revealed those proxies on the way to this web server :
HTTP/1.1     995dd3a6446f (squid/3.3.8)
```

Solution:

Log Method

Details: `HTTP TRACE Method Enabled`
OID:1.3.6.1.4.1.25623.1.0.11040
Version used: `2025-01-31T15:39:24Z`

Log (CVSS: 0.0)
NVT: Services

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
An HTTP proxy is running on this port
```

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`A web server is running on this port`

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: `Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `2025-03-05T05:38:53Z`

Log (CVSS: 0.0)
NVT: Squid Detection (HTTP)

Summary
HTTP based detection of the Squid.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

. . . continues on next page . . .

. . . continued from previous page . . .

```
Detected Squid
Version:       3.3.8
Location:      3128/tcp
CPE:           cpe:/a:squid-cache:squid:3.3.8
Concluded from version/product identification result:
Server: squid/3.3.8
```

Solution:

Log Method
Details: `Squid Detection (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.900611
Version used: `2024-06-11T05:05:40Z`

References
`url: https://www.squid-cache.org/`

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting

Summary
The script consolidates and reports various information for web application (formerly called 'CGI') scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Hostname/IP "squid-old.trabalho_vulnnet" was used to access the remote host.
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be able to host ASP scripts.
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was us
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪ed to access the remote host.
Historic /scripts and /cgi-bin are not added to the directories used for web app
↪lication scanning. You can enable this again with the "Add historic /scripts a
↪nd /cgi-bin to directories for CGI scanning" option within the "Global variabl
↪e settings" of the scan config in use.
The following directories were used for web application scanning:
http://squid-old.trabalho_vulnnet:3128/
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
```

Solution:

Log Method
Details: Web Application Scanning Consolidation / Info Reporting
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: 2026-01-13T05:47:36Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 172.30.18.1]

2.1.8 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
172.30.18.1|cpe:/a:squid-cache:squid:3.3.8
172.30.18.1|cpe:/o:linux:kernel

Solution:

. . . continues on next page . . .

. . . continued from previous page . . .

Log Method
Details: `CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: `2022-07-27T10:11:28Z`

References
`url: https://nvd.nist.gov/products/cpe`

[return to 172.30.18.1]