

1

2

3

4

5

6





PROTYPE

A








B


C

D




TOLERANCES:		FINITION:			MATERIAU:		A3	
+/- 0.25 mm							- +	
sauf indications contraires, unités en mm								
	NOM	SIGNATURE	DATE		REFERENCE: PROTYPE			
AUTEUR			13/03/2025					
VERIF.								
PROPRIETARY AND CONFIDENTIAL		VERSION:					ECHELLE:1:20	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0					NE PAS CHANGER L'ECHELLE	
		PAR:		LE: 20/01/2026		FEUILLE 1 SUR 34		

1	2	3	4	5	6																																																																		
<div>ARMSET-PART</div> <div>QUANTITY 1</div>																																																																							
A																																																																							
B																																																																							
C	<div></div> <div></div> <div></div> <div></div>																																																																						
D																																																																							
			<table><tr><td colspan="2">TOLERANCES:</td><td colspan="2">FINITION:</td><td colspan="2">MATERIAU:</td><td colspan="2">A3</td></tr><tr><td colspan="2">+/- 0.25 mm</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">sauf indications contraires, unités en mm</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td></td><td>NOM</td><td>SIGNATURE</td><td>DATE</td><td colspan="4" rowspan="3">REFERENCE: ARMSET-PART</td></tr><tr><td>AUTEUR</td><td></td><td></td><td>13/03/2025</td></tr><tr><td>VERIF.</td><td></td><td></td><td></td></tr><tr><td colspan="2">PROPRIETARY AND CONFIDENTIAL</td><td colspan="2">VERSION:</td><td colspan="2" rowspan="3">ECHELLE:1:5</td></tr><tr><td colspan="2">THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.</td><td colspan="2">1.0</td></tr><tr><td colspan="2">PAR:</td><td colspan="2">LE: 20/01/2026</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">NE PAS CHANGER L'ECHELLE</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">FEUILLE 2 SUR 34</td></tr></table>			TOLERANCES:		FINITION:		MATERIAU:		A3		+/- 0.25 mm								sauf indications contraires, unités en mm									NOM	SIGNATURE	DATE	REFERENCE: ARMSET-PART				AUTEUR			13/03/2025	VERIF.				PROPRIETARY AND CONFIDENTIAL		VERSION:		ECHELLE:1:5		THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0		PAR:		LE: 20/01/2026						NE PAS CHANGER L'ECHELLE						FEUILLE 2 SUR 34	
TOLERANCES:		FINITION:		MATERIAU:		A3																																																																	
+/- 0.25 mm																																																																							
sauf indications contraires, unités en mm																																																																							
	NOM	SIGNATURE	DATE	REFERENCE: ARMSET-PART																																																																			
AUTEUR			13/03/2025																																																																				
VERIF.																																																																							
PROPRIETARY AND CONFIDENTIAL		VERSION:		ECHELLE:1:5																																																																			
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0																																																																					
PAR:		LE: 20/01/2026																																																																					
				NE PAS CHANGER L'ECHELLE																																																																			
				FEUILLE 2 SUR 34																																																																			



TOLERANCES: +/- 0.25 mm <small>sauf indications contraires, unités en mm</small>		FINITION:			MATERIAU: WOOD PLATE 6 mm <small>(MASSE: x)</small>	A3
	NOM	SIGNATURE	DATE		REFERENCE: ARMSET-PLATE	
AUTEUR			13/03/2025			
VERIF.						
PROPRIETARY AND CONFIDENTIAL <small>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.</small>		VERSION: 1.0			ECHELLE:1:2 NE PAS CHANGER L'ECHELLE FEUILLE 3 SUR 34	
		PAR:		LE: 20/01/2026		



Technical Drawing of a Foot-Plate Assembly

Front View Dimensions:

- Overall Width: 680,00
- Overall Height: 694,00
- Top Flange Width: 340,00
- Top Flange Thickness: 22,00
- Bottom Flange Width: 304,00
- Bottom Flange Thickness: 22,00
- Distance between top and bottom flanges: 383,00
- Distance from left edge to center of top flange: 6,00
- Distance from left edge to center of bottom flange: 72,00
- Distance from center of top flange to center of bottom flange: 72,00
- Top Flange Hole Diameter: $\phi 3.50$
- Bottom Flange Hole Diameter: $\phi 5.00$

Side View Dimensions:

- Overall Width: 680,00
- Overall Height: 694,00
- Top Flange Width: 340,00
- Top Flange Thickness: 22,00
- Bottom Flange Width: 304,00
- Bottom Flange Thickness: 22,00
- Distance between top and bottom flanges: 383,00
- Distance from left edge to center of top flange: 6,00
- Distance from left edge to center of bottom flange: 72,00
- Distance from center of top flange to center of bottom flange: 72,00
- Top Flange Hole Diameter: $\phi 3.50$
- Bottom Flange Hole Diameter: $\phi 5.00$

Notes:

- FIXING HOLE FOR VISATON EX 80 S
- FIXING HOLE FOR WOOD SCREWS, DIAMETER 3.5MM, LENGTH 50MM

TOLERANCES:		FINITION:			MATERIAU:		A3	
+/- 0.25 mm								
sauf indications contraires, unités en mm					(MASSE: x)			
	NOM	SIGNATURE	DATE		REFERENCE:			
AUTEUR			13/03/2025		FOOT-PLATE			
VERIF.								
PROPRIETARY AND CONFIDENTIAL		VERSION:					ECHELLE:1:5	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0					NE PAS CHANGER L'ECHELLE	
		PAR:		LE:	20/01/2026		FEUILLE 5 SUR 34	

Technical drawing of a foot-plate, showing dimensions and a table.

Dimensions:

- Overall width: 680,00
- Overall height: 694,00
- Top section width: 340,00
- Top section height: 22,00
- Bottom section width: 304,00
- Bottom section height: 347,00
- Left section width: 6,00
- Left section height: 694,00
- Internal width: 72,00
- Internal height: 383,00
- Internal width: 72,00
- Internal height: 72,00
- Internal width: 304,00
- Internal height: 347,00

Notes:

- FIXING HOLE FOR VISATON EX 80 S
- FIXING HOLE FOR WOOD SCREWS, DIAMETER 3.5MM, LENGTH 50MM

Table:

TOLERANCES:		FINITION:			MATERIAU:		A3	
+/- 0.25 mm							-	
sauf indications contraires, unités en mm							+	
NOM		SIGNATURE		DATE		REFERENCE:		
AUTEUR				13/03/2025		FOOT-PLATE		
VERIF.						ECHELLE:1:5		
PROPRIETARY AND CONFIDENTIAL		VERSION:				NE PAS CHANGER L'ECHELLE		
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0				FEUILLE 5 SUR 34		
PAR:		LE:		20/01/2026				

Technical Drawing of a Foot-Plate Assembly

Front View Dimensions:

- Overall Width: 680,00
- Overall Height: 694,00
- Top Flange Width: 340,00
- Top Flange Thickness: 22,00
- Bottom Flange Width: 304,00
- Bottom Flange Thickness: 22,00
- Distance between top and bottom flanges: 383,00
- Distance from left edge to center of top flange: 6,00
- Distance from left edge to center of bottom flange: 72,00
- Distance from center of top flange to center of bottom flange: 72,00
- Top Flange Hole Diameter: $\phi 3.50$
- Bottom Flange Hole Diameter: $\phi 5.00$

Side View Dimensions:

- Overall Width: 680,00
- Overall Height: 694,00
- Top Flange Width: 340,00
- Top Flange Thickness: 22,00
- Bottom Flange Width: 304,00
- Bottom Flange Thickness: 22,00
- Distance between top and bottom flanges: 383,00
- Distance from left edge to center of top flange: 6,00
- Distance from left edge to center of bottom flange: 72,00
- Distance from center of top flange to center of bottom flange: 72,00
- Top Flange Hole Diameter: $\phi 3.50$
- Bottom Flange Hole Diameter: $\phi 5.00$


Notes:

- FIXING HOLE FOR VISATON EX 80 S
- FIXING HOLE FOR WOOD SCREWS, DIAMETER 3.5MM, LENGTH 50MM


TOLERANCES:		FINITION:			MATERIAU:		A3	
+/- 0.25 mm								
sauf indications contraires, unités en mm					(MASSE: x)			
	NOM	SIGNATURE	DATE		REFERENCE:			
AUTEUR			13/03/2025		FOOT-PLATE			
VERIF.								
PROPRIETARY AND CONFIDENTIAL		VERSION:					ECHELLE:1:5	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0					NE PAS CHANGER L'ECHELLE	
		PAR:		LE:	20/01/2026		FEUILLE 5 SUR 34	

FOOT-PLATE



QUANTITY 1




TOLERANCES: +/- 0.25 mm sauf indications contraires, unités en mm		FINITION:			MATERIAU: WOOD (MASSE: x)		A3		
	NOM	SIGNATURE	DATE		REFERENCE: WOODEN_BATTEN-44X44_L271				
AUTEUR			13/03/2025						
VERIF.							ECHELLE:1:2		
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		VERSION: 1.0					NE PAS CHANGER L'ECHELLE		
		PAR:		LE: 20/01/2026			FEUILLE 6 SUR 34		



TOLERANCES:		FINITION:			MATERIAU:		A3	
+/- 0.25 mm					WOOD		<div><div></div><div></div></div>	
sauf indications contraires, unités en mm					(MASSE: x)			
	NOM	SIGNATURE	DATE		REFERENCE:			
AUTEUR			13/03/2025		WOODEN_BATTEN-44X44_L506			
VERIF.							ECHELLE:1:5	
PROPRIETARY AND CONFIDENTIAL		VERSION:					NE PAS CHANGER L'ECHELLE	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0					FEUILLE 7 SUR 34	
		PAR:		LE: 20/01/2026				





1 2 3 4 5 6

A

B

C

D

HEAD-PART
QUANTITY 1

250312-NIM-HEAT-WOODEN_BATTEN-1

250312-NIM-HEAT-WOODEN_BATTEN-3

250312-NIM-HEAT-WOODEN_BATTEN-2

VISATON FR 58 170905

250312-NIM-HEAT-Synjet_Support_TB

250312-NIM-HEAT-Synjet_Plexi_TB

250312-NIM-HEAT-LEFT-EAR-Support_LED_P1

250312-NIM-HEAT-LEFT-EAR-Support_LED_P2



250312-NIM-HEAT-EAR

WARNING :
THE LEFT AND RIGHT PARTS ARE SYMMETRICAL.
CARE MUST BE TAKEN DURING ASSEMBLY.
MANUFACTURING DOES NOT POSE ANY ISSUES.

250312-NIM-HEAT-RIGHT-EAR-Support_LED_P1
AND
250312-NIM-HEAT-RIGHT-EAR-Support_LED_P2
GLUED OR TAPED DIRECTLY ONTO
250312-NIM-HEAT-EAR


TOLERANCES:		FINITION:		MATERIAU:		A3	
+/- 0.25 mm				WOOD / ACRYLIC / PLA		- - +	
sauf indications contraires, unités en mm				[MASSE: x]			
	NOM	SIGNATURE	DATE	REFERENCE: HEAD-PART			
AUTEUR			13/03/2025				
VERIF.							
PROPRIETARY AND CONFIDENTIAL		VERSION:				ECHELLE:1:20	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0				NE PAS CHANGER L'ECHELLE	
		PAR:		LE: 20/01/2026		FEUILLE 10 SUR 34	


**250312-NIM-HEAT-RIGHT-EAR-Support_LED_P1
AND
250312-NIM-HEAT-RIGHT-EAR-Support_LED_P2
GLUED OR TAPED DIRECTLY ONTO
250312-NIM-HEAT-EAR**


TOLERANCES: +/- 0.25 mm sauf indications contraires, unités en mm		FINITION:		MATERIAU: WOOD / ACRYLIC / PLA [MASSE, x]		A3 -  	
NOM		SIGNATURE		DATE		REFERENCE: HEAD-PART	
AUTEUR				13/03/2025			
VERIF.							
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		VERSION: 1.0				ECHELLE:1:20	
						NE PAS CHANGER L'ECHELLE	
		PAR:		LE: 20/01/2026		FEUILLE 10 SUR 34	


D

FEUILLE 11 SUR 34





TOLERANCES: +/- 0.25 mm sauf indications contraires, unités en mm		FINITION:			MATERIAU: WOOD (MASSE : x)		A3	
								
	NOM	SIGNATURE	DATE		REFERENCE: WOODEN_BATTEN-2			
AUTEUR			13/03/2025					
VERIF.					<div>ECHELLE:1:2</div> <div>NE PAS CHANGER L'ECHELLE</div> <div>FEUILLE 12 SUR 34</div>			
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		VERSION: 1.0						







TOLERANCES: +/- 0.25 mm <small>sauf indications contraires, unités en mm</small>		FINITION:			MATERIAU: WOOD <small>(MASSE: x)</small>	A3
	NOM	SIGNATURE	DATE		REFERENCE: EAR	
AUTEUR			13/03/2025			
VERIF.						
PROPRIETARY AND CONFIDENTIAL <small>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.</small>		VERSION: 1.0				ECHELLE:1:5
		PAR:		LE: 20/01/2026		NE PAS CHANGER L'ECHELLE
						FEUILLE 14 SUR 34







TOLERANCES: +/- 0.25 mm sauf indications contraires, unités en mm		FINITION:		MATERIAU: PLA (MASSE: g.)		A3	
						<div><div></div><div></div></div>	
	NOM	SIGNATURE	DATE		REFERENCE: LEFT-EAR-Support_LED_P2		
AUTEUR			13/03/2025				
VERIF.							
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		VERSION: 1.0			ECHELLE:1:2 NE PAS CHANGER L'ECHELLE FEUILLE 16 SUR 34		
		PAR:	LE: 20/01/2026				








TOLERANCES: +/- 0.25 mm sauf indications contraires, unités en mm		FINITION:			MATERIAU: PLA (MASSE: x)		A3			
										
	NOM	SIGNATURE	DATE		REFERENCE: RIGHT-EAR-Support_LED_P2					
AUTEUR			13/03/2025							
VERIF.										
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.									ECHELLE:1:2	
									NE PAS CHANGER L'ECHELLE	
VERSION: 1.0										
PAR:			LE: 20/01/2026							
					FEUILLE 18 SUR 34					




THIS PART WAS MACHINED USING LASER CUTTING.

THIS DIAMETER VARIES DEPENDING ON THE WIND SENSATIONS WE WISH TO CREATE, SEE DOCUMENT 250211-NIM-HEAT-XP

TOLERANCES: +/- 0.25 mm sauf indications contraires, unités en mm		FINITION:			MATERIAU: ACRYLIC [MASSE: x]		A3
							 
	NOM	SIGNATURE	DATE		REFERENCE: Synjet_Plexi_TB		
AUTEUR			13/03/2025				
VERIF.							
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		VERSION: 1.0					ECHELLE:1:1
							NE PAS CHANGER L'ECHELLE
		PAR:	LE: 20/01/2026	FEUILLE 19 SUR 34			






A

B

C

D



TOLERANCES:		FINITION:			MATERIAU:		A3	
+/- 0.25 mm					WOOD			
sauf indications contraires, unités en mm					(MASSE: x)			
	NOM	SIGNATURE	DATE		REFERENCE:			
AUTEUR			13/03/2025		BACK-PLATE			
VERIF.								
PROPRIETARY AND CONFIDENTIAL		VERSION:					ECHELLE:1:5	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0					NE PAS CHANGER L'ECHELLE	
							FEUILLE 22 SUR 34	
		PAR:	LE: 20/01/2026					

1200

1500

1800

2100

2400

2700

3000

3300

3600

3900

4200

4500

4800

5100

5400

5700

6000

6300

6600

6900

7200

7500

7800

8100

8400

8700

9000

9300

9600

9900

10200

10500

10800

11100

11400

11700

12000

12300

12600

12900

13200

13500

13800

14100

14400

14700

15000

15300

15600

15900

16200

16500

16800

17100

17400

17700

18000

18300

18600

18900

19200

19500

19800

20100

20400

20700

21000

21300

21600

21900

22200

22500

22800

23100

23400

23700

24000

24300

24600

24900

25200

25500

25800

26100

26400

26700

27000

27300

27600

27900

28200

28500

28800

29100

29400

29700

30000

30300

30600

30900

31200

31500

31800

32100

32400

32700

33000

33300

33600

33900

34200

34500

34800

35100

35400

35700

36000

36300

36600

36900

37200

37500

37800

38100

38400

38700

39000

39300

39600

39900

40200

40500

40800

41100

41400

41700

42000

42300

42600

42900

43200

43500

43800

44100

44400

44700

45000

45300

45600

45900

46200

46500

46800

47100

47400

47700

48000

48300

48600

48900

49200

49500

49800

50100

50400

50700

51000

51300

51600

51900

52200

52500

52800

53100

53400

53700

54000

54300

54600

54900

55200

55500

55800

56100

56400

56700

57000

57300

57600

57900

58200

58500

58800

59100

59400

59700

60000

60300

60600

60900

61200

61500

61800

62100

62400

62700

63000

63300

63600

63900

64200

64500

64800

65100

65400

65700

66000

66300

66600

66900

67200

67500

67800

68100

68400

68700

69000

69300

69600

69900

70200

70500

70800

71100

71400

71700

72000

72300

72600

72900

73200

73500

73800

74100

74400

74700

75000

75300

75600

75900

76200

76500

76800

77100

77400

77700

78000

78300

78600

78900

79200

79500

79800

80100

80400

80700

81000

81300

81600

81900

82200

82500

82800

83100

83400

83700

84000

84300

84600

84900

85200

85500

85800

86100

86400

86700

87000

87300

87600

87900

88200

88500

88800

89100

89400

89700

90000

90300

90600

90900

91200

91500

91800

92100

92400

92700

93000

93300

93600

93900

94200

94500

94800

95100

95400

95700

96000

96300

96600

96900

97200

97500

97800

98100

98400

98700

99000

99300

99600

99900

100200

100500

100800

101100

101400

101700

102000

102300

102600

102900

103200

103500

103800

104100

104400

104700

105000

105300

105600

105900

106200

106500

106800

107100

107400

107700

108000

108300

108600

108900

109200

109500

109800

110100

110400

110700

111000

111300

111600

111900

112200

112500

112800

113100

113400

113700

114000

114300

114600

114900

115200

115500

115800

116100

116400

116700

117000

117300

117600

117900

118200

118500

118800

119100

119400

119700

120000

120300


120600






120900


121200


121500



121800


TOLERANCES:		FINITION:		MATERIAU:		A3	
+/- 0.25 mm				WOOD			
sauf indications contraires, unités en mm				[MASSE: x]			
	NOM	SIGNATURE	DATE	REFERENCE: PROJECTION-PART			
AUTEUR			13/03/2025				
VERIF.							
PROPRIETARY AND CONFIDENTIAL		VERSION:				ECHELLE:1:10	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0				NE PAS CHANGER L'ECHELLE	
PAR:		LE: 20/01/2026				FEUILLE 23 SUR 34	


1	2	3	4	5	6																																																				
LACK_TABLE QUANTITY 1																																																									
A																																																									
B																																																									
C																																																									
D	<table><tr><td colspan="2">TOLERANCES:</td><td colspan="2">FINITION:</td><td>MATERIAU:</td><td rowspan="2">WOOD</td><td>A3</td></tr><tr><td colspan="2">+/- 0.25 mm</td><td colspan="2"></td><td></td><td></td></tr><tr><td colspan="5">sauf indications contraires, unités en mm</td><td>(MASSE: x)</td><td></td></tr><tr><td></td><td>NOM</td><td>SIGNATURE</td><td>DATE</td><td></td><td colspan="2" rowspan="3">LACK_TABLE</td></tr><tr><td>AUTEUR</td><td></td><td></td><td>13/03/2025</td><td></td></tr><tr><td>VERIF.</td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2" rowspan="3">PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.</td><td colspan="3">VERSION:</td><td rowspan="3"></td><td>ECHELLE:1:10</td></tr><tr><td colspan="3">1.0</td><td>NE PAS CHANGER L'ECHELLE</td></tr><tr><td colspan="2">PAR:</td><td>LE: 20/01/2026</td><td>FEUILLE 24 SUR 34</td></tr></table>					TOLERANCES:		FINITION:		MATERIAU:	WOOD	A3	+/- 0.25 mm						sauf indications contraires, unités en mm					(MASSE: x)			NOM	SIGNATURE	DATE		LACK_TABLE		AUTEUR			13/03/2025		VERIF.					PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		VERSION:				ECHELLE:1:10	1.0			NE PAS CHANGER L'ECHELLE	PAR:		LE: 20/01/2026	FEUILLE 24 SUR 34
TOLERANCES:		FINITION:		MATERIAU:	WOOD	A3																																																			
+/- 0.25 mm																																																									
sauf indications contraires, unités en mm					(MASSE: x)																																																				
	NOM	SIGNATURE	DATE		LACK_TABLE																																																				
AUTEUR			13/03/2025																																																						
VERIF.																																																									
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		VERSION:				ECHELLE:1:10																																																			
		1.0				NE PAS CHANGER L'ECHELLE																																																			
		PAR:		LE: 20/01/2026		FEUILLE 24 SUR 34																																																			




TOLERANCES:		FINITION:		MATERIAU:		A3	
+/- 0.25 mm							
sauf indications contraires, unités en mm				[MASSE: x]			
	NOM	SIGNATURE	DATE	REFERENCE: PROJECTION_BACK			
AUTEUR			13/03/2025				
VERIF.							
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		VERSION: 1.0				ECHELLE:1:10	
PAR:		LE: 20/01/2026				NE PAS CHANGER L'ECHELLE	
						FEUILLE 25 SUR 34	



TOLERANCES:		FINITION:			MATERIAU:		A3	
+/- 0.25 mm					WOOD & 3D PRINTING			
sauf indications contraires, unités en mm					(MASSE: x)			
	NOM	SIGNATURE	DATE		REFERENCE: SCENT_ASSEMBLY			
AUTEUR			13/03/2025					
VERIF.								
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		VERSION:					ECHELLE:1:10	
		1.0					NE PAS CHANGER L'ECHELLE	
		PAR:		LE: 20/01/2026			FEUILLE 26 SUR 34	



TOLERANCES: +/- 0.25 mm sauf indications contraires, unités en mm		FINITION:		MATERIAU: WOOD (MASSE: x)		A3 	
NOM		SIGNATURE		DATE		REFERENCE: ARM_WOOD_ASSEMBLY	
AUTEUR				13/03/2025			
VERIF.							
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		VERSION: 1.0				ECHELLE:1:5	
						NE PAS CHANGER L'ECHELLE	
		PAR:		LE: 20/01/2026		FEUILLE 27 SUR 34	

The drawing illustrates a wooden arm component, labeled ARM_WOOD_P1, with a quantity of 1. The main front view shows a vertical rectangular piece with a total height of 261,45 mm and a width of 26,00 mm. It features two circular holes, each with a diameter of 8,00 mm, positioned at the top and bottom. A side view above the main view shows a cross-section with a height of 26,00 mm. An isometric view to the right shows the 3D structure of the arm, which has a hexagonal cross-section. The title block in the bottom right corner provides technical specifications and project information.

TOLERANCES:		FINITION:			MATERIAU:	A3 - - +
+/- 0.25 mm					WOOD	
sauf indications contraires, unités en mm					(MASSE: x)	
	NOM	SIGNATURE	DATE		REFERENCE:	
AUTEUR			13/03/2025		ARM_WOOD_P1	
VERIF.						ECHELLE:1:2
PROPRIETARY AND CONFIDENTIAL		VERSION:				NE PAS CHANGER L'ECHELLE
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0				FEUILLE 28 SUR 34
		PAR:	LE: 20/01/2026			

TOLERANCES:		FINITION:			MATERIAU:		A3	
+/- 0.25 mm								
sauf indications contraires, unités en mm					[MASSE: x]			
	NOM	SIGNATURE	DATE		REFERENCE: ARM_WOOD_P1			
AUTEUR			13/03/2025					
VERIF.								
PROPRIETARY AND CONFIDENTIAL		VERSION:					ECHELLE:1:2	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0					NE PAS CHANGER L'ECHELLE	
		PAR:		LE: 20/01/2026			FEUILLE 28 SUR 34	


Technical drawing of a wooden arm (ARM_WOOD_P3) showing dimensions and a 3D perspective view.

Dimensions (mm):

- Overall length: 337,71
- Distance between mounting holes: 313,71
- Distance from end to mounting hole: 12,00
- Mounting hole diameter: $\varnothing 8,00$
- Thickness of the arm: 26,00
- Distance from mounting hole to end face: 13,00

3D View: Shows the arm with mounting holes and a thickness of 26,00 mm.

TOLERANCES:		FINITION:			MATERIAU:		A3	
+/- 0.25 mm					WOOD		-	
sauf indications contraires, unités en mm					[MASSE: x]		+	
	NOM	SIGNATURE	DATE		REFERENCE:			
AUTEUR			13/03/2025		ARM_WOOD_P3			
VERIF.								
PROPRIETARY AND CONFIDENTIAL		VERSION:			ECHELLE:1:2			
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0			NE PAS CHANGER L'ECHELLE			
		PAR:		LE: 20/01/2026	FEUILLE 30 SUR 34			



Technical drawing of a wooden arm (ARM_WOOD_P3) showing dimensions and a 3D perspective view.


Dimensions (mm):

- Overall length: 337,71
- Distance between mounting holes: 313,71
- Distance from end to mounting hole: 12,00
- Mounting hole diameter: $\varnothing 8,00$
- Thickness of the arm: 26,00
- Distance from mounting hole to end face: 13,00


3D View: Shows the arm with mounting holes and a dimension of 26,00 mm for the thickness.

Table:



TOLERANCES:		FINITION:			MATERIAU:	A3 - - +
+/- 0.25 mm					WOOD	
sauf indications contraires, unités en mm						
	NOM	SIGNATURE	DATE		REFERENCE: ARM_WOOD_P3	
AUTEUR			13/03/2025			
VERIF.						
PROPRIETARY AND CONFIDENTIAL		VERSION:			ECHELLE: 1:2 NE PAS CHANGER L'ECHELLE FEUILLE 30 SUR 34	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		1.0				
		PAR: LE: 20/01/2026				





TOLERANCES: +/- 0.25 mm sauf indications contraires, unités en mm		FINITION:			MATERIAU: WOOD & 3D PRINTING (MASSE: x)		A3			
	NOM	SIGNATURE	DATE		REFERENCE: SCENT_SUPPORT_ASSEMBLY					
AUTEUR			13/03/2025							
VERIF.										
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.									ECHELLE:1:2	
									NE PAS CHANGER L'ECHELLE	
VERSION: 1.0										
PAR:			LE: 20/01/2026							
					FEUILLE 31 SUR 34					



SIDE_SUPPORT
QUANTITY 2



THIS PART WAS MANUFACTURED USING A 3D PRINTER.
THE STL FILES FOR PRINTING ARE INCLUDED IN THE PROVIDED FOLDER.

TOLERANCES: +/- 0.25 mm sauf indications contraires, unités en mm		FINITION:			MATERIAU: PLA (MASSE: x)		A3
							 
	NOM	SIGNATURE	DATE		REFERENCE: SIDE_SUPPORT		
AUTEUR			13/03/2025				
VERIF.							
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF IMMERSION SAS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF IMMERSION SAS IS PROHIBITED.		VERSION: 1.0					ECHELLE:2:1
							NE PAS CHANGER L'ECHELLE
		PAR:	LE: 20/01/2026	FEUILLE 32 SUR 34			

