

Coding Journey Report

Data visualizations and summaries for exploring a coding journey.

Author: Joyash Shrestha

Task name: Program 3

Typing Time: 5 minutes

Total time spent: 24 minutes 22 seconds

Average typing speed: 28 character(s)/minute

Number of lines: 30

Number of characters: 476

Number of time points: 61 (Logged at 5 seconds)

Interactive version of this report is [available here](#).

Final Code

If the code contains more than one file, they are concatenated and shown.

==+==

FILE: Main.cpp

==+==

```
/* Sample C++ code */
#include <iostream>
using namespace std;

class avg{
private:
    int *p,sum=0;
    float a;

public:
    void input()
    {
        p=new int[10];
        cout<<"Enter 10 numbers:\n";
        for(int i=0;i<10;i++)
            cin>>p[i];
    }

    void calculate()
    {
        for(int i=0;i<10;i++)
            sum=sum+p[i];
        a=static_cast<float>(sum)/10.0;
        cout<<"Average is "<<a;
        delete []p;
    }
};

int main() {
    avg A;
    A.input();
    A.calculate();

    return 0;
};
```

Final Execution Output

Output of the most recent code execution.

```
Enter 10 numbers:
Average is 5.5
```

Inputs to the Code

Most recent user-typed inputs to the program (STDIN).

1 2 3 4 5 6 7 8 9 10

Most Common Error

The most common error that occurred during the coding process; "null" (if any) indicates no errors.

EXCEPTION:


main.cpp: In function 'int main()':

main.cpp:31:12: error: 'p' was not declared in this scope

```
31 |   delete []p;
    |           ^
```


Effort Summary

Active durations while working on the task, shown as green bars.




Text Added or Removed Over Time

Green and red circles show text add and removed; size of the circle shows change in the number of characters.



Code Executions

Green and red dots correspond to successful and failed executions.



Typing Speed

Typing speed can be negative when text is deleted.

animation: off ▼

