

A-HEALTH PROJECT (AHP)

Daily Engineering & Integration Report

13 September 2026

Current main app	http://localhost:3000
Current milestone	Unified staff web: Doctor + Admin + Analytics
Checkpoint commit	3c5a1f5499b12cf70e99be274bfcb9f037c423b1
Feature branch	feat/ahp-staff-ui-demo-20260913

Purpose: preserve the day's technical progress, key evidence, and the complete command/output transcript captured in ChatGPT/Codex exports.

Important note about command/output completeness

This PDF reproduces every command and output that was visible in the exported/pasted Codex transcripts available in this conversation for 13 Sep 2026. Where the Codex UI had already collapsed detail, the source itself contains markers such as "... +69 lines (ctrl + t to view transcript)". Those hidden lines were not present in the pasted export, so they cannot be reproduced verbatim here. The marker is preserved exactly so the audit trail remains honest.

1. Executive summary

Area	Result
Unified application	A single A-health staff application is available on localhost:3000, consolidating Doctor/Clinician, Admin/Operations and Analytics/Research.
Authentication / RBAC	Clinician lands on /doctor/queue. Platform admin lands on /admin/dashboard and can access /analytics. Clinician is denied Admin/Analytics routes.
Visual system	Plain HTML styling was replaced by a navy/dark shell with teal/green accent, blue analytics accent, styled cards/forms/tables, responsive navigation and a polished login.
Demo data	A namespaced AHP_STAFF_DEMO_V1 data set was added for local development. Seed/undo are narrowly scoped and opt-in.
Communication	Persisted clinician-to-specialist messaging was verified with separate sessions; reply/read-back and refresh persistence passed; unrelated clinician access was denied.
Quality checks	a-health-web type-check and production build passed; follow-up tests passed (18); Firefox verification passed after clean Next dev restart; CSS returned 200 text/css.
Safety checkpoint	A private local backup + Git checkpoint commit was created. Push was intentionally not completed because origin was confirmed public.

2. Current application structure


- Main URL: http://localhost:3000
- Doctor / Clinician: /doctor/*
- Admin / Operations: /admin/*
- Analytics / Research: /analytics/*
- Legacy apps on 3100 / 3200 / 3300 remain as fallback/reference and were not deleted.

3. Local development credentials used during verification

Role	Email	Password
Clinician	daktari@dev.local	Daktari#2026
Platform admin	msimamizi@dev.local	Msimamizi#2026

These are local development credentials shown in the session. Do not reuse them in production.


4. Visual evidence from the local application



The 'Staff sign in' form is a white box with a dark green 'Sign in' button. It contains the following elements:

- Staff sign in** (Section Header)
- Use clinician or platform administrator credentials.
- Email input field
- Password input field
- Sign in button

Unified staff login



Vipimo

Matokeo yenye thamani ya hatari yanawekwa juu. Matokeo haya hesabiwi kuwa yamepokelewa hadi uthibitishwe.

Malaria rapid diagnostic test

point_of_care - ordered - iliombwa 12 Sep, 13:49

Malaria rapid diagnostic test

point_of_care - ordered - iliombwa 12 Sep, 13:48


Malaria rapid diagnostic test

point_of_care - ordered - iliombwa 12 Sep, 13:44

Complete Blood Count (CBC)

laboratory - ordered - iliombwa 12 Sep, 11:31

Doctor / Clinician - Diagnostics



Admin / Operations dashboard

5. Git checkpoint and local backup state

- Checkpoint branch: checkpoint/ahp-unified-staff-20260913
- Checkpoint commit: 3c5a1f5499b12cf70e99be274bfc9f037c423b1
- Feature branch used for later UI/demo work: feat/ahp-staff-ui-demo-20260913
- Checkpoint backup directory: /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616
- Pre-seed demo backup directory: /home/kali/ahp-local-backups/ahp-staff-ui-demo-preseed-20260913-150843/
- Push was NOT completed because the configured GitHub repository was confirmed public.

6. Operational commands retained for tomorrow

```
# Start unified A-health staff web
cd /home/kali/Documents/cerificates/Projects/high_level/AHP
bash dev-web.sh web

# If backend services are already running and the wrapper refuses duplicate ports
pnpm --filter a-health-web dev

# Seed namespaced local demo data
AHP_STAFF_DEMO_CONFIRM=write-local-ahealth_dev pnpm seed:staff-demo

# Narrowly scoped undo of the same demo dataset
AHP_STAFF_DEMO_CONFIRM=write-local-ahealth_dev pnpm undo:staff-demo

# Regression checks (run build only when next dev is stopped)
pnpm --filter a-health-web type-check
pnpm --filter a-health-web build
```

Appendix A - Complete captured command/output transcript (13 Sep 2026)

The following sections reproduce the raw pasted Codex transcript files in chronological milestone order. Narrative lines are retained because they explain why each command was run and how failures were diagnosed. Collapsed transcript markers are preserved as supplied.

A.1 1. Unified web application implementation and verification

Source file: Pasted text(10).txt | 496 captured lines

```
• Running node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const seen=[]; const must=(cond,msg)=>{ if(!cond) throw new Error(msg); }; const path=p=>new URL(p.url()).pathname; const text=async p=>(await p.locator('body').innerText()).replace(/s+/g, ' ').slice(0,220); const capture=async(page,label)=>{ await page.locator('body').waitFor({state:'visible',timeout:10000}); const body=await text(page); must(body.length>20,label+' ... +27 lines
```

• Verification inaendelea kupitia routes zote sasa. Hii run ina assertions za URL/body badala ya kusubiri lifecycle event ambayo Next dev inaweza kucheleweshwa.

```
• Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const seen=[]; const must=(cond,msg)=>{ if(!cond) throw new Error(msg); }; const path=p=>new URL(p.url()).pathname; const text=async p=>(await p.locator('body').innerText()).replace(/s+/g, ' ').slice(0,220); const capture=async(page,label)=>{ await page.locator('body').waitFor({state:'visible',timeout:10000}); const body=await text(page); must(body.length>20,label+' ... +26 lines
  file:///home/kali/Documents/cerificates/Projects/high_level/AHP/[eval]:1
import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const seen=[]; const must=(cond,msg)=>{ if(!cond) throw new Error(msg); }; const ... +32 lines (ctrl + t to view transcript)

Node.js v22.23.1
```

• Firefox sasa imefika hadi logout ya clinician, lakini click ya Sign out haikuondoa session ndani ya sekunde 3 na bado ilikuwa /doctor/queue. Hii ni bug halisi ya logout/direct session behavior, kwa hiyo nitaifanya logout iwe deterministic kwa redirect: true na UI loading state.

```
• Ran tail -60 .dev-logs/a-health-web.log
  GET /api/auth/csrf 200 in 48ms
  POST /api/auth/callback/credentials 401 in 45ms
  ... +56 lines (ctrl + t to view transcript)
  GET /api/auth/session 200 in 319ms
  GET /bff/queue?scope=offered&limit=50 200 in 386ms
```

• Logs hazikuonyesha POST /api/auth/signout, kwa hiyo click haiku-trigger signOut reliably baada ya route/reload. Narekebisha Nav iwe na handler iliyo wazi: button type, loading state, signOut({ redirect:false }), kisha forced navigation to /login.

```
• Edited apps/web/components/Nav.tsx (+10 -2)
  5 import { signOut, useSession } from 'next-auth/react';
  6 +import { useState } from 'react';
  7 import {
  :
  58   const { data } = useSession();
  59 +   const [signingOut, setSigningOut] = useState(false);
  60   if (HIDE_ON.some((r) => pathname.startsWith(r))) return null;
  :
  97     <button
  96 -       onClick={() => signOut({ callbackUrl: '/login' })}
  98 +       type="button"
  99 +       disabled={signingOut}
  100 +       onClick={async () => {
  101 +         setSigningOut(true);
  102 +         await signOut({ redirect: false, callbackUrl: '/login' });
  103 +         window.location.assign('/login');
  104 +       }}
  105       className="flex min-h-10 items-center gap-2.5 rounded-md px-3 text-[0.95rem] text-slate-300 transition-colors
  hover:bg-navy-lift hover:text-white"
  :
  107       <LogOut size={17} aria-hidden />
  108 -       Sign out
  108 +       {signingOut ? 'Signing out...' : 'Sign out'}
  109     </button>
```

• Logout handler imewekwa kuwa explicit na deterministic. Najaribu clinician login/logout peke yake kwanza kabla ya kurudia suite nzima.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

```
• Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const browser=await firefox.launch({headless:true}); const page=await browser.newPage();
  | try { await page.goto('http://localhost:3000/login',{waitUntil:'domcontentloaded'}); await
```

```

page.getByLabel('Email').fill('daktari@dev.local'); await
  | page.getByLabel('Password').fill('Daktari#2026'); await page.getByRole('button',{name:/sign in/i}).click(); await
page.waitForTimeout(5000); console.log('after
... +2 lines
  | after login http://localhost:3000/login
  | node:internal/modules/run_main:123
  | ... +11 lines (ctrl + t to view transcript)

Node.js v22.23.1

```

• Baada ya hot reload, login ilibaki /login; inawezekana credentials zimefungwa kwa muda kutokana na majaribio yaliyopita au callback imerudisha error. Natazama body/
log badala ya kubonyeza Sign out isiyopo.

• Ran 2 commands · ctrl + t to view transcript

• Auth callback in logs ni 200, lakini client haikuondoka /login, kwa hiyo hii ni navigation-after-signin race kwenye client, si password failure. Nitaifanya login iwe deterministic pia: baada ya successful credentials callback, force window.location.assign('/'), middleware ndiyo itaamua role home.

• Edited apps/web/app/login/page.tsx (+1 -4)

```

4 import { signIn } from 'next-auth/react';
5 -import { useRouter } from 'next/navigation';
5 import { Button, Field, Notice, InputClass } from '@components/ui';
:
7 export default function Login() {
9 - const router = useRouter();
8 const [email, setEmail] = useState('');
:
27 }
30 - router.push('/');
31 - router.refresh();
28 + window.location.assign('/');
29 }

```

• Login redirect sasa inategemea full page navigation kupitia /, kwa hiyo middleware inatoa destination sahihi kwa role. Najaribu tena clinician login/logout ndogo.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

• Running node --input-type=module -e "import { firefox } from '@playwright/test'; const browser=await firefox.launch({headless:true}); const page=await browser.newPage(); try { await page.goto('http://localhost:3000/login',{waitUntil:'domcontentloaded'}); await page.getByLabel('Email').fill('daktari@dev.local'); await page.getByLabel('Password').fill('Daktari#2026'); await page.getByRole('button',{name:/sign in/

```

... +3 lines
  | after login http://localhost:3000/login A-HEALTH UNIFIED STAFF WEB Care operations and health intelligence in one secure
workspace. Clinician queue, cases and
  | follow-up Operations, verification and incidents Surveillance

```

• Bado imebaki /login; sasa nitachukua response ya signIn kutoka browser console badala ya kudhani. Inaonekana client handler haitoi error inayoonekana au bundle haijahydrate kama tunavyotarajia.

↳ Interacted with background terminal

• Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const browser=await firefox.launch({headless:true}); const page=await browser.newPage(); try { await page.goto('http://localhost:3000/login',{waitUntil:'domcontentloaded'}); await page.getByLabel('Email').fill('daktari@dev.local'); await page.getByLabel('Password').fill('Daktari#2026'); await page.getByRole('button',{name:/sign in/i}).click(); await page.waitForTimeout(5000); console.log('after

```

... +3 lines
  | after login http://localhost:3000/login A-HEALTH UNIFIED STAFF WEB Care operations and health intelligence in one secure
workspace. Clinician queue, cases and
  | follow-up Operations, verification and incidents Surveillance
... +11 lines (ctrl + t to view transcript)

Node.js v22.23.1

```

• Nitaangalia console/browser errors za login page sasa. Hii itatuambia kama hot reload inaonyesha bundle error au signIn callback inarudisha kitu tofauti.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

• Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const browser=await firefox.launch({headless:true}); const page=await browser.newPage(); page.on('console', m=>console.log('console',m.type(),m.text())); page.on('pageerror', e=>console.log('pageerror',e.message)); page.on('requestfinished', async r=>{ if(r.url().includes('/api/auth/callback')) console.log('callback status',(await r.response())?.status()); }); try { await page.goto('http://localhost:3000/

```

... +3 lines
  | console info Download the React DevTools for a better development experience: https://reactjs.org/link/react-devtools
  | callback status 200
... +2 lines (ctrl + t to view transcript)
  | body A-health Clinician CLINICIAN Queue Appointments Slots Diagnostics Follow-up Families Network Second opinions Assistant
  | Pharmacy Education Settings Sign out

```

Foleni Kesi zinapangwa kwa uharaka kisha kwa muda uliobaki. Unapokea kesi Zinasubiri jibu Zangu Hakuna kesi inayosubiri kwa sasa.

• Console trace inaonyesha login sasa inafika /doctor/queue; ilihitaji muda zaidi wakati Next dev ilihot-reload bundle. Narudia suite nzima kwa buffer ndefu kidogo baada ya login/logout.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

```
• Running node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const seen=[]; const must=(cond,msg)=>{ if(!cond) throw new Error(msg); }; const path=p=>new URL(p.url()).pathname; const text=async p=>(await p.locator('body').innerText()).replace(/\s+/g, ' ').slice(0,220); const capture=async(page,label)=>{ await page.locator('body').waitFor({state:'visible',timeout:10000}); const body=await text(page); ... +27 lines
```

• Suite inaendelea; buffer ndefu inaipa Next dev muda wa hydration/redirect baada ya auth operations. Nitachukua output ikimaliza.

• Bado inaendelea; kwa hesabu ya routes na intentional waits hii inaweza kuchukua zaidi ya dakika moja. Nitaendelea kusubiri hadi ipite au itoe failure ya route maalum.

• Run bado haijatoa output; inaweza kuwa imesimama kwenye admin login/logout au route moja yenye slow server component. Nikiipata timeout nitagawanya verification kwa role mbili ili tusipoteze ushahidi uliopita.

• Hii run ndefu haina streaming logs kwa sababu command ina-print mwisho tu, na imekuwa ndefu sana. Naisitisha na nitaendesha vipande viwili vyenye console.log kila route ili tuone maendeleo moja kwa moja.

↳ Interacted with background terminal

```
• Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const seen=[]; const must=(cond,msg)=>{ if(!cond) throw new Error(msg); }; const path=p=>new URL(p.url()).pathname; const text=async p=>(await p.locator('body').innerText()).replace(/\s+/g, ' ').slice(0,220); const capture=async(page,label)=>{ await page.locator('body').waitFor({state:'visible',timeout:10000}); const body=await text(page); must(body.length>20,label+' ... +27 lines node:internal/modules/run_main:123 triggerUncaughtException( ... +6 lines (ctrl + t to view transcript) Node.js v22.23.1
```

• Nitafanya sasa clinician-only verification yenye live output, kisha admin/analytics-only. Hii itatupa ushahidi mzuri na route ya mwisho iliyoonekana kama kuna hang.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

```
• Running node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const say=async(page,label)=>{ const body=(await page.locator('body').innerText()).replace(/\s+/g, ' ').slice(0,180); console.log(label, page.url(), '::-', body); if(body.length<20) throw new Error('too little body '+label); }; const pth=p=>new URL(p.url()).pathname; const browser=await firefox.launch({headless:true}); try { const page=await ... +12 lines login clinician http://localhost:3000/doctor/queue :: A-health Clinician CLINICIAN Queue Appointments Slots Diagnostics Follow-up Families Network Second opinions Assistant Pharmacy Education Settings Sign out Foleni Kesi zinapangwa k ... +8 lines (ctrl + t to view transcript) follow-up http://localhost:3000/doctor/follow-up :: A-health Signed In Sign out Ufuatiliaji Vipimo vya dawa vilivyoripotiwa. Dozi zilizokosa zinaonyeshwa kwanza. Hakuna ufuatiliaji unaoendelea.
```

• Clinician live run inaonyesha routes za queue/appointments/slots/diagnostics zikionekana na data halisi. Nasubiri sehemu iliyobaki: follow-up hadi logout.

• Clinician route checks na denial/refresh zimepita. Iko kwenye logout sasa; ikiwa bado haibadiliki nitakagua kwa nini POST /api/auth/signout haionekani au cookie haifutiki.

```
• Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const say=async(page,label)=>{ const body=(await page.locator('body').innerText()).replace(/\s+/g, ' ').slice(0,180); console.log(label, page.url(), '::-', body); if(body.length<20) throw new Error('too little body '+label); }; const pth=p=>new URL(p.url()).pathname; const browser=await firefox.launch({headless:true}); try { const page=await browser.newPage({viewport: ... +12 lines
```

```
login clinician http://localhost:3000/doctor/queue :: A-health Clinician CLINICIAN Queue Appointments Slots Diagnostics Follow-up Families Network Second opinions
Assistant Pharmacy Education Settings Sign out Foleni Kesi zinapangwa k
... +22 lines (ctrl + t to view transcript)
logout http://localhost:3000/login :: A-HEALTH UNIFIED STAFF WEB Care operations and health intelligence in one secure workspace. Clinician queue, cases and follow-up Operations, verification and incidents Surveillance
```

• Clinician verification imepita, pamoja na forbidden admin/analytics, direct refresh na logout. Sasa naendesha admin + analytics verification live.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

```
Running node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const say=async(page, label)=>{ const body=(await page.locator('body').innerText()).replace(/s+/g, ' ').slice(0,180); console.log(label, page.url(), '::-', body); if(body.length<20) throw new Error('too little body '+label); }; const pth=p=>new URL(p.url()).pathname; const browser=await firefox.launch({headless:true}); try { const page=await ... +13 lines
login admin http://localhost:3000/admin/dashboard :: A-health Platform Admin OPERATIONS Dashboard Emergency Devices Verification Facilities Incidents Payments Settings ANALYTICS Dashboard Surveillance Research Sign out Operations das
... +8 lines (ctrl + t to view transcript)
admin facilities http://localhost:3000/admin/facilities :: A-health Signed In Sign out Vituo Vituo vilivyothibitishwa pekee vinaonekana. Kiwango cha ushirikiano kinaonyesha ni kiasi gani cha data hai kinapatikana. Hospitali ya Majaribio ya
```

• Admin login na routes za dashboard/emergency/devices/verification zinaonekana. Nasubiri facilities/incidents/payments/triage/settings na analytics pages.

• Admin na Analytics route navigation zimepita, na direct refresh kwenye analytics page imeendelea kuwa signed-in. Iko kwenye mobile + role denial + logout hatua za mwisho.

```
Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const say=async(page, label)=>{ const body=(await page.locator('body').innerText()).replace(/s+/g, ' ').slice(0,180); console.log(label, page.url(), '::-', body); if(body.length<20) throw new Error('too little body '+label); }; const pth=p=>new URL(p.url()).pathname; const browser=await firefox.launch({headless:true}); try { const page=await browser.newPage({viewport: ... +13 lines
login admin http://localhost:3000/admin/dashboard :: A-health Platform Admin OPERATIONS Dashboard Emergency Devices Verification Facilities Incidents Payments Settings ANALYTICS Dashboard Surveillance Research Sign out Operations das
... +23 lines (ctrl + t to view transcript)
logout admin http://localhost:3000/login :: A-HEALTH UNIFIED STAFF WEB Care operations and health intelligence in one secure workspace. Clinician queue, cases and follow-up Operations, verification and incidents Surveillance
```

• Admin/Analytics Firefox verification imepita. Kitu pekee cha ziada: clinician queue ilikuwa empty, hivyo haikutoa case/patient links za kubofya. Nitatafuta existing consultation/patient IDs kupitia APIs zilizo tayari zipo ili nithibitisha direct case na patient-record routes bila broad seeding.

• Explored
└ Search consultations|patient-profiles|queue|appointments in consultation

• Badala ya kuanzisha appointment na kubadilisha state, nita-query /bff/consultations?limit=10 kupitia session ya clinician. Kama kuna consultation iliyopo, nitatumia ID yake kwa case route na patient record route.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

```
Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const browser=await firefox.launch({headless:true}); try { const page=await browser.newPage(); await page.goto(base+'/login',{waitUntil:'domcontentloaded'}); await page.waitForTimeout(1000); await page.getByLabel('Email').fill('daktari@dev.local'); await page.getByLabel('Password').fill('Daktari#2026'); await page.getByRole('button',{name:/sign in/ ... +2 lines
{"status":200,"body":{"data":{"id":"b61e0def-fdd1-4c65-8c64-ca47fb532173","care_thread_id":"70293526-30f4-45d4-b381-8c658757fc09","patient_profile_id":"746bce26-08c7-4cbe-b155-ccb0ad9ce9f","assigned_clinician_id":"c3a9e611-e39f-4af9-8d92-ee1bd7fea3e9","version":69,"updated_at":"2026-09-09T12:21:27.319Z","client_created_at":null,"accepted_at":"2026-09-12T08:11:25.131Z","completed_at":null,"2026-09-12T08:11:25.132Z"},"meta":{"next_cursor":null,"has_more":false}}}
```

• Kuna consultation IDs zilizopo bila mutation. Nitatumia 6a15695c-7887-44f5-87af-6957b3c74984 na patient c3f3fcf9-f070-41f6-a899-7db12c454e6c kuthibitisha case na patient-record routes.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

```
Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const show=async(page, label)=>console.log(label,
```

```

    | page.url(), '::', (await page.locator('body').innerText()).replace(/s+/g, ' ').slice(0,260)); const browser=await
  firefox.launch({headless:true}); try { const
    | page=await browser.newPage({viewport:{width:1366,height:900}}); await page.goto(base+'/login',{waitFor:'domcontentloaded'});
  await page.waitForTimeout(1000);
  ... +4 lines
  | case route http://localhost:3000/doctor/case/6a15695c-7887-44f5-87af-6957b3c74984 :: A-health Clinician CLINICIAN Queue
  Appointments Slots Diagnostics Follow-up
  Families Network Second opinions Assistant Pharmacy Education Settings Sign out Rudi kwenye foleni Kesi inayoendelea Muwasho wa
  ngozi mkononi kwa wiki mbili,
  ... +2 lines (ctrl + t to view transcript)
  Follow-up Families Network Second opinions Assistant Pharmacy Education Settings Sign out Rekodi ya mgonjwa Inaonekana kwa
  sababu umekubali kesi ya mgonjwa huyu.
  HATARI ZA MAGONJWA Hakuna alama

```

• Case na patient-record direct routes zimeonekana kwa IDs zilizopo, bila kubadilisha data. Nitafanya polish ndogo kwenye nav ili isiangukie "Signed In" wakati session bado inapakia, halafu nita-run final type-check/build na kuandika docs.

• Edited apps/web/components/Nav.tsx (+10 -2)

```

55
56 +function roleFromPath(pathname: string) {
57 +  if (pathname.startsWith('/doctor')) return 'clinician';
58 +  if (pathname.startsWith('/admin')) return 'platform_admin';
59 +  if (pathname.startsWith('/analytics')) return 'platform_admin';
60 +  return undefined;
61 +}
62 +
63 export function Nav() {
64   :
65   :
66   :
67   :
68   :
69   :
70   :
71   :
72   :
73   :
74   :
75   :
76   :
77   :
78   :
79   :
80   :
81   :

```

• Nav fallback sasa inategemea current staff area, kwa hiyo desktop/mobile haionekani tupu wakati session hook bado inapakia. Sasa naandika docs/UNIFIED-WEB-APP.md na evidence ya verification ya leo.

• Added docs/UNIFIED-WEB-APP.md (+112 -0)

```

1  +# A-health Unified Web App
2  +
3  +Main local URL: `http://localhost:3000`
4  +
5  +Normal local start command:
6  +
7  +`bash
8  +bash dev-web.sh web
9  +`
10 +
11 +`bash dev-web.sh` also defaults to the unified staff app. The old apps remain available as fallback/reference modes only:
12 +`doctor`, `admin`, `analytics`, or `a
13 +`ll`.
14 +
15 +### Staff Areas
16 +
17 +The unified app exposes only the existing working staff areas:
18 +
19 +- Doctor / Clinician
20 +- Admin / Operations
21 +- Analytics / Research
22 +
23 +Patient, pharmacy portal, laboratory portal, blockchain UI, mobile, USSD/SMS and other product surfaces are not part of
24 +apps/web`.
25 +
26 +### Roles And Access
27 +
28 +- `clinician` signs in through `/login` and lands on `/doctor/queue`.
29 +- `clinician` can access `/doctor/*`.
30 +- `clinician` is redirected back to `/doctor/queue` when trying `/admin/*` or `/analytics/*`.
31 +- `platform_admin` signs in through `/login` and lands on `/admin/dashboard`.
32 +- `platform_admin` can access `/admin/*` and `/analytics/*`.
33 +- `platform_admin` is redirected back to `/admin/dashboard` when trying `/doctor/*`.
34 +- Session cookies use the unified `a-health-web.*` cookie names. Access tokens stay server-side in the NextAuth JWT and are
35 +- attached only by the BFF.
36 +- Refresh is handled by NextAuth JWT refresh and by server-side BFF/server component token renewal.
37 +- Logout uses NextAuth signout and then navigates to `/login`.
38 +
39 +### Route Map
40 +
41 +- Doctor:
42 +-
43 +- `/doctor` -> `/doctor/queue`
44 +- `/doctor/queue`
45 +- `/doctor/case/[consultation_id]`
46 +- `/doctor/case/[consultation_id]/close`
47 +- `/doctor/patients/[patient_profile_id]`
48 +- `/doctor/appointments`
49 +- `/doctor/slots`
50 +- `/doctor/diagnostics`
51 +- `/doctor/diagnostics/[order_id]`
52 +- `/doctor/follow-up`
53 +- `/doctor/pharmacy`

```

```

50 +- `/doctor/families`
51 +- `/doctor/network`
52 +- `/doctor/network/[discussion_id]`
53 +- `/doctor/second-opinions`
54 +- `/doctor/education`
55 +- `/doctor/settings`
56 +- `/doctor/assistant`
57 +
58 +Admin:
59 +
60 +- `/admin` -> `/admin/dashboard`
61 +- `/admin/dashboard`
62 +- `/admin/emergency`
63 +- `/admin/emergency/[emergency_id]`
64 +- `/admin/devices`
65 +- `/admin/verification`
66 +- `/admin/facilities`
67 +- `/admin/facilities/[facility_id]`
68 +- `/admin/incidents`
69 +- `/admin/payments`
70 +- `/admin/triage`
71 +- `/admin/settings`
72 +
73 +Analytics:
74 +
75 +- `/analytics` -> `/analytics/dashboard`
76 +- `/analytics/dashboard`
77 +- `/analytics/surveillance`
78 +- `/analytics/research`
79 +- `/analytics/research/[query_id]`
80 +
81 +Shared:
82 +
83 +- `/login`
84 +- `/api/auth/[...nextauth]`
85 +- `/bff/[...path]`
86 +
87 +## Build And Test Evidence
88 +
89 +Verified on 2026-09-13 against `http://localhost:3000`.
90 +
91 +- `pnpm --filter a-health-web type-check`: passed.
92 +- `pnpm --filter a-health-web build`: passed.
93 +- Production build route output showed Doctor, Admin, Analytics, auth and BFF routes only; no `/patient/*` or `/patient-
auth/*` routes.
94 +- Real Firefox clinician login: `daktari@dev.local` landed on `/doctor/queue`.
95 +- Real Firefox platform admin login: `msimamizi@dev.local` landed on `/admin/dashboard`.
96 +- Doctor route navigation verified visible content for queue, appointments, slots, diagnostics, follow-up, pharmacy,
families, network, second opinions, educat
ion and settings.
97 +- Doctor active case verified with existing consultation `6a15695c-7887-44f5-87af-6957b3c74984`.
98 +- Doctor patient record access verified with existing patient profile `c3f3fcf9-f070-41f6-a899-7db12c454e6c`.
99 +- Admin route navigation verified visible content for dashboard, emergency, devices, verification, facilities, incidents,
payments, triage and settings.
100 +- Analytics route navigation verified visible content for dashboard, surveillance and research.
101 +- Clinician forbidden checks passed for `/admin/dashboard` and `/analytics/dashboard`; both redirected to `/doctor/queue`.
102 +- Platform admin forbidden check passed for `/doctor/queue`; it redirected to `/admin/dashboard`.
103 +- Direct refresh passed for clinician `/doctor/queue` and admin `/analytics/research`.
104 +- Logout passed for clinician and platform admin, returning to `/login`.
105 +- Desktop check used 1366 x 900 Firefox viewport.
106 +- Mobile-width check used 390 x 844 Firefox viewport on `/admin/dashboard`.
107 +
108 +## Remaining Migration Gaps
109 +
110 +- The unified app reuses the existing service-backed screens. Some pages can show empty states when local seed data has no
current records, for example offered
clinician queue items.
111 +- The old fallback apps still exist and are intentionally preserved.
112 +- The BFF service routing table remains a local gateway stand-in until the real API gateway is introduced.

```

• Docs zimeandikwa na route/access/evidence/remaining gaps. Sasa nafanya final type-check na production build baada ya docs/nav/login changes.

```

• Ran pnpm --filter a-health-web type-check
  └─> a-health-web@1.0.0 type-check /home/kali/Documents/cerificates/Projects/high_level/AHP/apps/web
    └─> tsc --noEmit

```

• Final type-check imepita. Naendesha final production build sasa ili output ya mwisho iwe baada ya mabadiliko yote.

• Final build imecompile na iko kwenye page generation. Nikiiona route list ikiwa bado staff-only, nitamalizia na handoff fupi ya Kiswahili kama ulivyoomba.

```

• Ran pnpm --filter a-health-web build
  └─> a-health-web@1.0.0 build /home/kali/Documents/cerificates/Projects/high_level/AHP/apps/web
    ... +69 lines (ctrl + t to view transcript)
    f (Dynamic) server-rendered on demand

```

• Imekamilika.

```

- URL kuu: http://localhost:3000
- Doctor routes: zinafanya kazi, ikiwemo queue, case, patient record, diagnostics, follow-up, appointments, pharmacy, families, network, education/settings
- Admin routes: zinafanya kazi, ikiwemo /admin/dashboard, emergency, devices, verification, facilities, incidents, payments, triage, settings
- Analytics routes: zinafanya kazi, ikiwemo dashboard, surveillance, research
- Login: clinician -> /doctor/queue; platform_admin -> /admin/dashboard; clinician amezuiwa Admin/Analytics; logout na direct refresh zimehakikiwa
- Build/test: pnpm --filter a-health-web type-check imepita; pnpm --filter a-health-web build imepita
- UI: unified navy shell, A-health teal/green accent, blue analytics accent, cards/forms/tables/states zimepolishwa
- Start command: bash dev-web.sh web
- Blockers za kweli: hakuna blocker ya matumizi; baadhi ya pages huonyesha empty state kama seed data haina records za sasa.

- Worked for 56m 17s

```

A.2 2. Styling pipeline diagnosis, UI polish and visual verification

Source file: Pasted text(20260913-105908).txt | 407 captured lines

```

• Ran bash dev-web.sh web
  ↳ Starting 20 service(s). Logs in .dev-logs/
    waiting..... ready
    ... +12 lines (ctrl + t to view transcript)
    Stopping...
    Stopped.

• Nimesimamisha dev stack ya sasa ili production build na Next dev zisishiriki .next kwa wakati mmoja. Sasa nitakimbiza regression build/check bila dev server, kisha nitaanza dev upya na kuchukua screenshots.

• Ran 2 commands - ctrl + t to view transcript

• Type-check imepita bila dev server. Ninaendesha production build sasa peke yake; kisha nitastart dev clean na kuthibitisha CSS request inarudi 200 text/css, si 404 text/html.

• Production build iko kwenye hatua za mwisho baada ya static pages 32 kupita. Naisubiri imalize kabisa kabla ya kurestart dev.

• Ran pnpm --filter a-health-web build
  ↳ a-health-web@1.0.0 build /home/kali/Documents/cerificates/Projects/high_level/AHP/apps/web
    ... +69 lines (ctrl + t to view transcript)
    f (Dynamic) server-rendered on demand

• Regression build imepita sasa ikiwa dev server haikimbii. Naianzisha bash dev-web.sh web upya kwa verification ya mwisho ya browser styling na screenshots.

✓ You approved codex to run bash dev-web.sh web this time

• Running bash dev-web.sh web
  ↳ waiting..... ready
    ... +5 lines (ctrl + t to view transcript)
    -----

• Dev stack imeanza tena na inasubiri baadhi ya services. Nikimaliza nitachukua screenshots kwenye test-results/, ambayo tayari iko gitignored.

• Server iko juu tena. Sasa nachukua Firefox screenshots na assertions za computed styles + CSS network; hapa ndiyo ushahidi wa mwisho kwamba browser inapata CSS halisi.

✓ You approved codex to run mkdir -p test-results/unified-web-visual && node --input-type=module -e "impo... this time

• Ran mkdir -p test-results/unified-web-visual && node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const out='test-results/unified-web-visual'; const must=(cond,msg)=>{ if(!cond) throw new Error(msg); }; const styleOf=async(page,sel)=>page.locator(sel).first().evaluate(el=>{ const s=getComputedStyle(el); return {fontFamily:s.fontFamily, ... +28 lines
  file:///home/kali/Documents/cerificates/Projects/high_level/AHP/[eval]:1
    import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const out='test-results/unified-web-visual';
const must=(cond,msg)=>{ if(!cond)
... +35 lines (ctrl + t to view transcript)

Node.js v22.23.1

```

- CSS sasa inapakia, lakini assertion yangu ilikuwa imeshika root layout wrapper (bg-paper) badala ya login shell (main > div). Nairudia kwa selector sahihi na nitaweka output ya computed styles kwenye ushahidi.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

- Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const out='test-results/unified-web-visual'; const must=(cond,msg)=>{ if(!cond) throw new Error(msg); }; const styleOf=async(page,sel)=>page.locator(sel).first().evaluate(el=>{ const s=getComputedStyle(el); return {fontFamily:s.fontFamily, backgroundColor:s.backgroundColor, color:s.color, padding:s.padding, border:s.border, borderRadius:s.borderRadius, ... +27 lines login CSS ok { "cssResponses": [... +62 lines (ctrl + t to view transcript) Node.js v22.23.1

- Sasa CSS evidence imepita: generated CSS 200 text/css, body si serif, login shell navy, button petrol, inputs styled. Login ya clinician kwenye run hiyo ilikwama kwenye /login; naitenganisha na visual checks ili nisichanganye styling fix na auth timing ya dev server.

- Ran 3 commands · ctrl + t to view transcript

- Logs zinaonyesha auth callback 200 na /doctor/queue ilirender, lakini ilichukua zaidi ya buffer ya script kwa sababu Next dev ilikuwa bado ina-compile route ya kwanza. Nitarudia baada ya warm compile kwa wait ya URL/visible content ndefu.

- Viewed Image
 - └ test-results/unified-web-visual/login-desktop.png

- Login screenshot sasa imeonyesha styling active, lakini copy yake bado ni nzito kuliko ulivyoomba. Nitaipunguza kuwa product login ya staff yenye branding fupi, panel safi, na bila marketing headline kubwa.

- Edited 2 files (+41 -9)
 - └ apps/web/app/globals.css (+26 -0)
 - 16
 - 17 +main table {
 - 18 + width: 100%;
 - 19 + border-collapse: collapse;
 - 20 +}
 - 21 +
 - 22 +main th {
 - 23 + color: #4A5F59;
 - 24 + font-size: 0.78rem;
 - 25 + font-weight: 700;
 - 26 + text-align: left;
 - 27 + text-transform: uppercase;
 - 28 +}
 - 29 +
 - 30 +main th,
 - 31 +main td {
 - 32 + border-bottom: 1px solid #D2D9D1;
 - 33 + padding: 0.75rem;
 - 34 + vertical-align: top;
 - 35 +}
 - 36 +
 - 37 +main select,
 - 38 +main input,
 - 39 +main textarea {
 - 40 + color: #10241F;
 - 41 +}
 - 42 +
 - 43 /* Keyboard focus stays visible. Removing it locks out anyone working without

- └ apps/web/app/login/page.tsx (+15 -9)
- 31 return {
- 32 - <div className="grid min-h-screen bg-navy text-white lg:grid-cols-[1.1fr_0.9fr]">
- 33 - <section className="flex min-h-[42vh] flex-col justify-between px-6 py-8 sm:px-10 lg:min-h-screen lg:px-14">
- 32 + <div className="grid min-h-screen bg-navy text-white lg:grid-cols-[0.9fr_1.1fr]">
- 33 + <section className="flex min-h-[34vh] flex-col justify-between px-6 py-8 sm:px-10 lg:min-h-screen lg:px-14">
- 34 <div>
- 35 <p className="text-sm font-semibold uppercase tracking-wide text-teal">A-health unified staff web</p>
- 36 <h1 className="mt-4 max-w-2xl text-4xl font-semibold tracking-tight sm:text-5xl">
- 37 Care operations and health intelligence in one secure workspace.
- 35 + <div className="grid size-12 place-items-center rounded-lg bg-teal text-navy">
- 36 + A
- 37 + </div>
- 38 + <p className="mt-6 text-sm font-semibold uppercase tracking-wide text-teal">A-health</p>
- 39 + <h1 className="mt-3 max-w-md text-3xl font-semibold tracking-tight sm:text-4xl">
- 40 + Unified staff workspace
- 41 </h1>
- 42 + <p className="mt-3 max-w-sm text-sm text-slate-300">
- 43 + Clinician care, operations and analytics access for authorised staff.
- 44 + </p>
- 45 </div>
- 40 - <div className="grid gap-3 text-sm text-slate-300 sm:grid-cols-3">
- 41 - <div className="rounded-lg border border-white/10 bg-white/5 p-4">Clinician queue, cases and follow-up</div>
- 42 - <div className="rounded-lg border border-white/10 bg-white/5 p-4">Operations, verification and incidents</div>
- 43 - <div className="rounded-lg border border-white/10 bg-white/5 p-4">Surveillance and research views</div>
- 46 + <div className="grid gap-2 text-sm text-slate-300 sm:grid-cols-3 lg:grid-cols-1">
- 47 + <div className="rounded-md border border-white/10 bg-white/5 px-3 py-2">Doctor / Clinician</div>

```

48 +         <div className="rounded-md border border-white/10 bg-white/5 px-3 py-2">Admin / Operations</div>
49 +         <div className="rounded-md border border-white/10 bg-white/5 px-3 py-2">Analytics / Research</div>
50 +     </div>

```

• Login copy imepunguzwa na global table/form polish imeongezwa bila kugusa flows. Sasa narudia Firefox screenshot pass kwenye dev server inayo-run na CSS assertions.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

• Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const out='test-results/unified-web-visual'; const must=(cond,msg)=>{ if(!cond) throw new Error(msg); }; const styleOf=async(page,sel)=>page.locator(sel).first().evaluate(el=>{ const s=getComputedStyle(el); return { fontFamily:s.fontFamily, backgroundColor:s.backgroundColor, color:s.color, padding:s.padding, border:s.border, borderRadius:s.borderRadius, ... +27 lines login CSS ok { 'cssResponses': [... +90 lines (ctrl + t to view transcript)] } }"

• Desktop screenshots za login, doctor, admin, analytics zimechukuliwa na computed style assertions zimepita kwa login. Script iko kwenye mobile/auth shell assertions za mwisho.

• Visual verification imepita: authenticated sidebar ni navy, active nav ni teal, cards styled. Nitaangalia screenshots haraka kwa macho kisha nitafanya regression kwa kusimamisha dev, type-check/build, na kurestart dev tena kama ulivyoomba.

• Ran 2 commands · ctrl + t to view transcript

• Screenshots zote tano zipo kwenye test-results/unified-web-visual/. Naangalia login na mobile/admin kwa macho ili kuthibitisha si CSS numbers tu.

• Viewed Image
└ test-results/unified-web-visual/login-desktop.png

• Login screenshot sasa ni bidhaa halisi ya staff: navy foundation, teal brand mark, card, fields, CTA. Nitaangalia mobile/admin shell pia.

• Viewed Image
└ test-results/unified-web-visual/admin-dashboard-mobile.png

• Mobile screenshot pia inaonyesha navy responsive nav, teal active state, na cards. Nitasimamisha dev sasa, niendeshe type-check/build bila concurrency, kisha nianzishe dev upya na kurudia screenshot check fupi kama regression ya mwisho.

↳ Interacted with background terminal

• Ran bash dev-web.sh web
└ waiting..... ready
... +11 lines (ctrl + t to view transcript)
Stopping...
Stopped.

• Dev stack ina-shutdown; nikithibitisha imesimama, build itaendeshwa peke yake.

• Dev imesimama. Naendesha regression commands sasa: type-check kwanza, build baada yake.

• Ran pnpm --filter a-health-web type-check
└ > a-health-web@1.0.0 type-check /home/kali/Documents/cerificates/Projects/high_level/AHP/apps/web
> tsc --noEmit

• Type-check imepita. Sasa production build, bado bila dev server.

• Build imecompile na page generation inaendelea. Nitaishubiri ikamilike, kisha dev itaanzishwa upya kwa final screenshot pass.

• Ran pnpm --filter a-health-web build
└

```
> a-health-web@1.0.0 build /home/kali/Documents/cerificates/Projects/high_level/AHP/apps/web
... +69 lines (ctrl + t to view transcript)
f (Dynamic) server-rendered on demand
```

• Build imepita bila /patient routes na bila dev concurrency. Sasa naanzisha dev clean tena, halafu narudia Firefox screenshot/check baada ya build ili kuhakikisha .next ya dev iko consistent.

✓ You approved codex to run bash dev-web.sh web this time

```
• Running bash dev-web.sh web
  L waiting..... ready
  ... +5 lines (ctrl + t to view transcript)
  -----
```

• Dev iko juu baada ya build. Nafanya final Firefox screenshot regression sasa kwenye app inayo-run, ikiwa na CSS response/assertions.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

```
• Running node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const
out='test-results/unified-web-visual';
  | const must=(cond,msg)=>{ if(!cond) throw new Error(msg); }; const
styleOf=async(page,sel)=>page.locator(sel).first().evaluate(el=>{ const
  | s=getComputedStyle(el); return {fontFamily:s.fontFamily, backgroundColor:s.backgroundColor, color:s.color, padding:s.padding,
border:s.border,
  | ... +27 lines
```

• Final screenshot pass inaendelea; route compiles za dev baada ya restart zinaweza kuongeza muda kidogo. Nitasubiri output kamili.

```
• Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const out='test-
results/unified-web-visual'; const
  | must=(cond,msg)=>{ if(!cond) throw new Error(msg); }; const
styleOf=async(page,sel)=>page.locator(sel).first().evaluate(el=>{ const s=getComputedStyle(el); return
  | {fontFamily:s.fontFamily, backgroundColor:s.backgroundColor, color:s.color, padding:s.padding, border:s.border,
borderRadius:s.borderRadius,
  | ... +27 lines
  L node:internal/modules/run_main:123
    triggerUncaughtException(
  ... +12 lines (ctrl + t to view transcript)

Node.js v22.23.1
```

• Final visual pass ilishindwa kwenye login navigation, si CSS assertion. Nitaangalia callback status/body sasa; huenda auth service bado ilikuwa ikiwarm au credential submit iligonga 401 wakati wa restart.

• Ran 2 commands · ctrl + t to view transcript

• NextAuth callback ilikuwa 200, lakini auth service log haikuonyesha /auth/login, kwa hiyo nahitaji kujua kama client bundle inatuma credentials vizuri au backend call inashindwa kabla ya kufika service. Nitafanya trace fupi ya network/body.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

```
• Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const browser=await firefox.launch({headless:true});
const page=await browser.newPage();
  | page.on('response', async r=>{ if(r.url().includes('/api/auth/callback')) console.log('callback',r.status(), await
r.text().catch(()=>'')); }); try { await
  | page.goto('http://localhost:3000/login',{waitUntil:'domcontentloaded'}); await page.waitForTimeout(2000); await
  | ... +3 lines
  L callback 200 {"url":"http://localhost:3000/"
url http://localhost:3000/doctor/queue
  | ... +3 lines (ctrl + t to view transcript)
a-health-web.callback-url:http%3A%2F%2Flocalho
a-health-web.session-token:eyJhbGciOiJIUzI1LCJl
```

• Trace fupi sasa imepita: callback returned {"url":"http://localhost:3000/"}, session cookie iliwekwa, na browser ilifika /doctor/queue. Narudia final screenshot capture kwa assertions zinazotumia URL baada ya buffer, si waitForURL inayosubiri load.

✓ You approved codex to run node --input-type=module -e "import { firefox } from '@playwright/test'; cons... this time

```
• Running node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const
out='test-results/unified-web-visual';
  | const must=(cond,msg)=>{ if(!cond) throw new Error(msg); }; const
styleOf=async(page,sel)=>page.locator(sel).first().evaluate(el=>{ const
  | s=getComputedStyle(el); return {fontFamily:s.fontFamily, backgroundColor:s.backgroundColor, color:s.color, padding:s.padding,
border:s.border,
  | ... +28 lines
```

- Final pass inaendelea na sasa inatumia explicit path checks baada ya buffer. Nitasubiri output ya JSON yenye CSS responses, computed styles, na paths za screenshots.
- Ran node --input-type=module -e "import { firefox } from '@playwright/test'; const base='http://localhost:3000'; const out='test-results/unified-web-visual'; const


```

      | must=(cond,msg)=>{ if(!cond) throw new Error(msg); }; const
styleOf=async(page,sel)=>page.locator(sel).first().evaluate(el=>{ const s=getComputedStyle(el); return
      | {fontFamily:s.fontFamily, backgroundColor:s.backgroundColor, color:s.color, padding:s.padding, border:s.border,
borderRadius:s.borderRadius,
      | ... +27 lines
      | {
      |   "cssResponses": [
      |     ... +113 lines (ctrl+ t to view transcript)
      |   ]
      | }
      
```

- Final post-build/post-restart visual pass imepita na screenshots zimeandikwa upya. Sasa nasasisha docs/UNIFIED-WEB-APP.md kwa root cause na visual evidence halisi, bila kudai polish bila ushahidi.
- Explored
 - ↳ Read UNIFIED-WEB-APP.md
- Edited docs/UNIFIED-WEB-APP.md (+5 -1)


```

91 - `pnpm --filter a-health-web type-check`: passed.
92 - `pnpm --filter a-health-web build`: passed.
92 + `pnpm --filter a-health-web build`: passed while `next dev` was stopped.
93 - Production build route output showed Doctor, Admin, Analytics, auth and BFF routes only; no `/patient/*` or `/patient-auth/*` routes.
94 +- Styling root cause found and verified: `next build` had been run while `next dev` was still serving the same
`apps/web/.next` directory. Firefox requested `/_next/static/css/app/layout.css`, but the running dev server returned `404` with `text/html`; computed styles were browser
defaults (`body` serif, default button
/input styles). Stopping dev, running the build alone, then restarting dev restored the generated CSS route.
95 +- Post-restart Firefox CSS checks passed: generated CSS returned `200 text/css`; login `body` used system sans, login shell
background was `rgb(7, 26, 47)`, primary button was `rgb(15, 76, 67)`, inputs had `1px` line border, `12px` horizontal padding and `6px` radius.
96 +- Post-restart authenticated CSS checks passed: app sidebar background was `rgb(7, 26, 47)`, selected nav background was
`rgb(32, 184, 159)`, and dashboard card
s rendered with white background, line border, padding and `8px` radius.
97 +- Firefox screenshots saved under `test-results/unified-web-visual/`: `login-desktop.png`, `doctor-queue-desktop.png`,
`admin-dashboard-desktop.png`, `analytics
-dashboad-desktop.png`, `admin-dashboad-mobile.png`.
98 - Real Firefox clinician login: `daktari@dev.local` landed on `/doctor/queue`.
      
```

- Docs sasa zina root-cause evidence na screenshot paths. App imeachwa iki-run kwenye http://localhost:3000 baada ya clean restart, na screenshots za mwisho zilitoka kwenye server hiyo hiyo.
- Ran git diff --name-only -- apps/web dev-web.sh docs/UNIFIED-WEB-APP.md | sort
 - ↳ dev-web.sh

- Kwa kuwa apps/web na doc mpya bado ni untracked kwenye repo, git diff --name-only inaonyesha tracked file moja tu. Nitachukua status scoped ili final iwe na orodha sahihi ya files changed.
- Ran git status --short -- apps/web docs/UNIFIED-WEB-APP.md dev-web.sh test-results/unified-web-visual
 - ↳ M dev-web.sh
 - ?? apps/web/
 - ?? docs/UNIFIED-WEB-APP.md

- Root Cause

apps/web styling pipeline was correct, but the running next dev server had a corrupted/stale .next asset state because next build was run while dev was still serving the same .next directory. Browser proof: /_next/static/css/app/layout.css returned 404 text/html, and computed styles were browser defaults. After stopping dev, building alone, then restarting dev, CSS returned 200 text/css.

Files Changed

apps/web/app/login/page.tsx, apps/web/app/globals.css, apps/web/app/layout.tsx, apps/web/components/Nav.tsx, apps/web/components/ui.tsx, apps/web/lib/auth.ts, apps/web/lib/roles.ts, apps/web/middleware.ts, dev-web.sh, docs/UNIFIED-WEB-APP.md.

Type-Check/Build

```

pnpm --filter a-health-web type-check: passed.
pnpm --filter a-health-web build: passed with dev server stopped.
      
```

Screenshot Paths

```

test-results/unified-web-visual/login-desktop.png
test-results/unified-web-visual/doctor-queue-desktop.png
test-results/unified-web-visual/admin-dashboard-desktop.png
test-results/unified-web-visual/analytics-dashboad-desktop.png
test-results/unified-web-visual/admin-dashboad-mobile.png
      
```

Exact Start Command

```

bash dev-web.sh web
      
```

— Worked for 16m 22s —

A.3.3. Git safety checkpoint, backups and local commit

Source file: Pasted text(20260913-114815).txt | 390 captured lines

Finish this checkpoint task only.

- Nitaifanya kama checkpoint ya usalama tu: kwanza nitakagua branch/status/origin bila kubadilisha chochote, kisha backups binafsi, staging iliyo chaguliwa kwa makini, secret checks, commit, na push kwenye branch mpya pekee. Sitagusa database records wala kusimamisha app.

- Ran 5 commands · ctrl + t to view transcript

- Hali ina noise nyingi ya generated .next na tsbuildinfo, lakini checkpoint inapaswa kuchukua source ya kureproduce milestone. Sasa nitatengeneza backups binafsi kwanza, zikiwa nje ya repo, kabla ya branch/stage yoyote.

✓ You approved codex to run `ts=$(date +%Y%m%d-%H%M%S); dest="$HOME/ahp-local-backups/ahp-checkpoint-$ts";... this time`

- Ran `ts=$(date +%Y%m%d-%H%M%S); dest="$HOME/ahp-local-backups/ahp-checkpoint-$ts"; mkdir -p "$dest"; chmod 700 "$HOME/ahp-local-backups" "$dest"; printf '%s\n' "$dest"`
└─ /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616

- Backup directory ipo na permissions za private. Nitaweka source archive bila caches/build/env, env archive binafsi tofauti, git bundle, na pg_dump ya ahealth_dev kutoka container iliyopo.

- Running `tar --exclude='.git' --exclude='node_modules' --exclude='.next' --exclude='.turbo' --exclude='dist' --exclude='build' --exclude='coverage' --exclude='.dev-logs' --exclude='test-results' --exclude='.env' --exclude='.env.*' -czf /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/source-no-env.tgz . && chmod 600 /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/source-no-env.tgz`

✓ You approved codex to run `tar --exclude='.git' --exclude='node_modules' --exclude='.next' --exclude='.t...' this time`

✓ You approved codex to run `git bundle create /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616... this time`

- Ran `find . -path './node_modules' -prune -o -path './.git' -prune -o -path './.next' -prune -o -path './.*/.next' -prune -o -path './.dev-logs' -prune -o -path './test-results' -prune -o \( -name '.env' -o -name '.env.*' \) -type f -print`
└─ ./apps/admin/.env.local
└─ ./apps/analytics/.env.local
... +25 lines (ctrl + t to view transcript)
└─ ./services/sync/.env
└─ ./services/network/.env

- Ran `git bundle create /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/git-history.bundle --all && chmod 600 /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/git-history.bundle && git bundle verify /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/git-history.bundle`
└─ /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/git-history.bundle is okay
The bundle contains these 4 refs:
... +4 lines (ctrl + t to view transcript)
The bundle records a complete history.
The bundle uses this hash algorithm: sha1

- Ran `tar --exclude='.git' --exclude='node_modules' --exclude='.next' --exclude='.turbo' --exclude='dist' --exclude='build' --exclude='coverage' --exclude='.dev-logs' --exclude='test-results' --exclude='.env' --exclude='.env.*' -czf /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/source-no-env.tgz . && chmod 600 /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/source-no-env.tgz`
└─ (no output)

- Source archive na Git bundle zimeundwa; bundle ime-verify complete history. Sasa naweka env files kwenye archive binafsi tofauti bila kuonyesha values, kisha pg_dump.

✓ You approved codex to run `find . -path './node_modules' -prune -o -path './.git' -prune -o -path './.ne...' this time`

- Ran `find . -path './node_modules' -prune -o -path './.git' -prune -o -path './.next' -prune -o -path './.*/.next' -prune -o -path './.dev-logs' -prune -o -path './test-results' -prune -o \(-name '.env' -o -name '.env.*' \) -type f -print > /tmp/ahp-env-files-20260913-143616.txt && tar -czf /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/local-env-private.tgz -T /tmp/ahp-env-files-20260913-143616.txt && chmod 600 /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/local-env-private.tgz`
└─ ... +1 lines
└─ (no output)

- Env archive imehifadhiwa privately. Sasa nitaangalia container env ya ahealth-pg kwa jina la user bila kuprint secrets, halafu nitafanya custom-format dump ya ahealth_dev.

✓ You approved codex to run `docker exec ahealth-pg sh -lc 'printf "POSTGRES_USER=%s\nPOSTGRES_DB=%s\n" "$..." this time`

- Ran `docker exec ahealth-pg sh -lc 'printf "POSTGRES_USER=%s\nPOSTGRES_DB=%s\n" "$POSTGRES_USER" "$POSTGRES_DB"`
└─ POSTGRES_USER=ahealth
└─ POSTGRES_DB=ahealth_dev

- Container inatumia user ahealth na db default ahealth_dev. Nafanya pg_dump -Fc kwa ahealth_dev kwenda backup private file; hii ni read-only dump, si restore wala

mutation.

✓ You approved codex to run docker exec ahealth-pg pg_dump -U ahealth -d ahealth_dev -Fc > /home/kali/ahp... this time

```
• Ran docker exec ahealth-pg pg_dump -U ahealth -d ahealth_dev -Fc >
/home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/ahhealth_dev.pgcustom && chmod 600 /
  | home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/ahhealth_dev.pgcustom && ls -lh /home/kali/ahp-local-backups/ahp-
checkpoint-20260913-143616/
  | ahealth_dev.pgcustom
  | -rw----- 1 kali kali 330K Sep 13 14:39 /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/ahhealth_dev.pgcustom
```

• pg_dump imekamiliwa kama custom-format file. Nita-verify archives kwa kuorodhesha yaliyomo/checksums na pg_restore -l kwa dump, bila kuuita restore test.

• Running tar -tzf /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/local-env-private.tgz | sed -n '1,80p' && tar -tzf /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/local-env-private.tgz | wc -l

• Running tar -tzf /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/source-no-env.tgz | sed -n '1,40p' && tar -tzf /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/source-no-env.tgz | wc -l

• Running pg_restore -l /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/ahhealth_dev.pgcustom | sed -n '1,40p'

✓ You approved codex to run tar -tzf /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/local-en... this time

✓ You approved codex to run sha256sum /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/source-... this time

```
• Ran sha256sum /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/source-no-env.tgz /home/kali/ahp-local-backups/ahp-
checkpoint-20260913-143616/
  | local-env-private.tgz /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/git-history.bundle /home/kali/ahp-local-
backups/ahp-checkpoint-20260913-143616/
  | ahealth_dev.pgcustom > /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/SHA256SUMS && chmod 600 /home/kali/ahp-local-
backups/
  | ... +1 lines
  | c3125e7950c16e793479f38f73fd927227fea3d69b197b8b4142a30f03234915
/home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/source-no-env.tgz
  | d57ee64fb4b34d9896a352c34d5bce3e40568a42e2bf56d05478030fbc5d4d
/home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/local-env-private.tgz
  | 4b0b28eeae0d0ae74456edef751f57855ed1c19215282abd6fd5a809c87a2330
/home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/git-history.bundle
  | 74b0fb9280eed2bb6b3a465ecc9f96e2a6fa31c553cd991b42bab65e4bcb30
/home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/ahhealth_dev.pgcustom
```

✓ You approved codex to run pg_restore -l /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/ah... this time

```
• Ran pg_restore -l /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/ahhealth_dev.pgcustom | sed -n '1,40p'
  | ;
  | Archive created at 2026-09-13 11:39:23 EAT
  | ... +36 lines (ctrl + t to view transcript)
  | 1115; 1247 28324 TYPE public DeviceAlertType ahealth
  | 1109; 1247 28296 TYPE public DeviceStatus ahealth
```

✓ You approved codex to run tar -tzf /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/source-n... this time

```
• Ran tar -tzf /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/local-env-private.tgz | sed -n '1,80p' && tar -tzf
/home/kali/ahp-local-backups/
  | ahp-checkpoint-20260913-143616/local-env-private.tgz | wc -l
  | ./apps/admin/.env.local
  | ./apps/analytics/.env.local
  | ... +26 lines (ctrl + t to view transcript)
  | ./services/network/.env
  | 29
```

• Env archive, pg_dump TOC, na checksums vimihakikiwa. Source archive listing bado inaendelea kwa sababu archive ni kubwa kidogo; nikimaliza nitaunda branch mpya ya checkpoint bila overwrite.

```
• Ran tar -tzf /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/source-no-env.tgz | sed -n '1,40p' && tar -tzf
/home/kali/ahp-local-backups/
  | ahp-checkpoint-20260913-143616/source-no-env.tgz | wc -l
  | ./
  | ./fix-deliver-after.sh
  | ... +37 lines (ctrl + t to view transcript)
  | ./apps/admin/app/devices/page.tsx
  | 1696
```

• Backups zimekamiliwa na zinaweza kuorodheshwa; pg_dump imeorodheshwa kwa pg_restore -l tu, si restore. Sasa nitaangalia kama branch jina lipo local/remote kabla ya kuunda branch mpya.

✓ You approved codex to run git ls-remote --heads origin 'checkpoint/ahp-unified-staff-20260913*' this time

• Ran 2 commands · ctrl + t to view transcript

• Branch jina halipo local wala remote. Naitengeneza sasa kutoka hali ya sasa ya worktree, bila overwrite.

```
• Ran git switch -c checkpoint/ahp-unified-staff-20260913
  | fatal: cannot lock ref 'refs/heads/checkpoint/ahp-unified-staff-20260913': unable to create directory for
.git/refs/heads/checkpoint/ahp-unified-staff-20260913
```

- Branch creation imegonga sandbox kwa sababu .git iko read-only ndani ya sandbox. Nitarudia command hiyo kwa ruhusa, bado bila overwrite.

✓ You approved codex to run git switch -c checkpoint/ahp-unified-staff-20260913 this time

- Ran git switch -c checkpoint/ahp-unified-staff-20260913
 - ↳ Switched to a new branch 'checkpoint/ahp-unified-staff-20260913'

- Sasa niko kwenye checkpoint branch. Nitachuja mabadiliko ya source/config/docs dhidi ya generated artifacts, kisha nita-stage kwa pathspec maalum tu.

- Ran 3 commands · ctrl + t to view transcript

- Nimeona source diffs zinazohusiana na auth/session refresh katika legacy apps na backend tests, pamoja na apps/web. Sitastage .next, tsbuildinfo, .env, logs, screenshots, au backup/private files. Nitakagua baadhi ya diffs na secret scan kabla ya staging ya mwisho.

- Ran 4 commands · ctrl + t to view transcript

- Nitastage source kwa file list, si git add .. Nitaziacha nje: .env*, dumps/backups, .next, node_modules, tsbuildinfo, screenshots/logs, na backup .bak files zisizohitajika. Pia sita-stage mabadiliko ya Postgres 18 kwa sababu hayahitajiki kwa milestone na yanaweza kubadili lifecycle ya database.

- Ran git diff -- apps/admin/lib/auth.ts apps/admin/lib/serverToken.ts apps/admin/app/bff/[...path]/route.ts apps/admin/app/login/page.tsx apps/analytics/lib/auth.ts apps/analytics/lib/serverToken.ts apps/analytics/app/bff/[...path]/route.ts apps/analytics/app/login/page.tsx apps/doctor-admin/lib/auth.ts apps/doctor-admin/lib/serverToken.ts apps/doctor-admin/app/bff/[...path]/route.ts apps/doctor-admin/app/login/page.tsx apps/doctor-admin/app/case/[consultation_id]/page.tsx apps/
 - ... +1 lines
 - ↳ zsh:1: no matches found: apps/admin/app/bff/[...path]/route.ts

- Ran 2 commands · ctrl + t to view transcript

- Nita-stage sasa: unified apps/web source only, docs za unified, lifecycle scripts, package lock/config, na source fixes zinazohusiana na auth/session integration. Nitaacha generated noise na mabadiliko ya DB image/CI scaffold nje.

✓ You approved codex to run git add --pathspec-from-file=/tmp/ahp-stage-web.txt && git add -- .gitignore ... this time

- Ran git add --pathspec-from-file=/tmp/ahp-stage-web.txt && git add -- .gitignore package.json pnpm-lock.yaml dev-web.sh docs/UNIFIED-WEB-APP.md scripts/local/lib.sh scripts/local/start.sh scripts/local/status.sh scripts/local/stop.sh apps/admin/app/bff/[...path]/route.ts apps/admin/app/globals.css apps/admin/app/layout.tsx apps/admin/app/login/page.tsx apps/admin/lib/auth.ts apps/admin/lib/serverToken.ts apps/admin/lib/authCookies.ts apps/admin/next.config.mjs apps/analytics/app/
 - ... +6 lines
 - ↳ (no output)

- Staging imefanyika kwa pathspec maalum. Sasa nakagua staged contents, diff check, na secret scan kabla ya commit.

- Ran 4 commands · ctrl + t to view transcript

- Staged diff-check imepita na hakuna env/cache paths staged. Sasa nafanya secret review kwa staged contents na hasa additions tu; nitaangalia paths bila kuchapisha values.

- Ran git diff --cached -U0 -- '*.ts' '*.tsx' '*.js' '*.mjs' '*.json' '*.md' '*.sh' '*.yaml' '*.yml' | rg '^\\+.*(BEGIN (RSA|DSA|EC|OPENSSH|PRIVATE) KEY|NEXTAUTH_SECRET|
 - DATABASE_URL|AWS_SECRET|SECRET_KEY|api[_-]?key|access[_-]?token|refresh[_-]?token|password)' -i -B1 | sed -n '1,200p'
 - ↳ Authorization: `Bearer \${token}`,
 - ↳ Authorization: `Bearer \${auth.accessToken}`,
 - ... +196 lines (ctrl + t to view transcript)
 - ↳ if (refreshed.error || !refreshed.accessToken) return null;
 - ↳ return { accessToken: refreshed.accessToken, cookie: await cookieFor(refreshed) };

- Ran git diff --cached --name-only | rg -n '(\\.env|\\.next|node_modules|tsbuildinfo|test-results|\\.dev-logs|pgcustom|dump|bundle|auth-state|\\.pem|\\.key)\$|
 - ahp-local-backups' || true
 - ↳ (no output)

- Explored
 - ↳ Search (BEGIN (RSA|DSA|EC|OPENSSH|PRIVATE) KEY|NEXTAUTH_SECRET|DATABASE_URL|AWS_SECRET|SECRET_KEY|api[_-]?key|access[_-]?token|refresh[_-]?token|password)

- Secret scan ya additions haikuonyesha secret values kwenye staged diff; path scan pia haikuonyesha .env, dumps, .next, tsbuildinfo, screenshots au backups staged. Nimeona pia concern ya kurithi: repo tayari ina generated .next files tracked kwenye index, lakini hazipo kwenye staged checkpoint hii. Sasa nathibitisha remote visibility kabla ya push.

✓ You approved codex to run `gh repo view Anonymouse407/AHP --json nameWithOwner,visibility,url,isPrivate ... this time`

- Ran `git remote get-url origin | sed -E 's#(https://)([^\@]+(:[^\@]+)?@)#\1[redacted]@#'`
`↳ https://github.com/Anonymouse407/AHP.git`
- Ran `gh repo view Anonymouse407/AHP --json nameWithOwner,visibility,url,isPrivate --jq '{nameWithOwner,visibility,url,isPrivate}'`
`↳ To get started with GitHub CLI, please run: gh auth login`
Alternatively, populate the `GH_TOKEN` environment variable with a GitHub API authentication token.

• `gh` haija-authenticate, kwa hiyo haikuweza kuthibitisha visibility. Nitajaribu GitHub API ya public metadata bila token; ikiwa visibility ibaki unknown, sitapush.

✓ You approved codex to run `curl -fsSL https://api.github.com/repos/Anonymouse407/AHP | sed -n 's/.*"full... this time`

- Ran `curl -fsSL https://api.github.com/repos/Anonymouse407/AHP | sed -n 's/.*"full_name": *"\([^"]*\)".*/full_name=\1/p; s/.*"private": *"\([^"]*\)".*/private=\1/p; s/.*"visibility": *"\([^"]*\)".*/visibility=\1/p'`
`full_name=Anonymouse407/AHP`
`private=false`
`visibility=public`

• Origin imethibitishwa kuwa public (visibility=public), kwa hiyo sitapush branch hii kwa remote kwa sababu checkpoint ina vifaa vya mradi wa ndani. Nitaendelea na local commit baada ya ukaguzi wa staged diff, na final itasema PUSH NOT COMPLETED kwa sababu ya visibility.

- Ran 3 commands · `ctrl + t` to view transcript

• Hakuna GitHub workflow/deploy automation iliyopatikana kwenye repo, na hakuna unpublished local commits kabla ya checkpoint. Nita-create local commit sasa; push
haitafanyika kwa sababu origin ni public.

✓ You approved codex to run `git commit -m "chore: checkpoint unified AHP staff application" this time`

- Ran `git commit -m "chore: checkpoint unified AHP staff application"`
`↳ [checkpoint/ahp-unified-staff-20260913 3c5a1f5] chore: checkpoint unified AHP staff application`
135 files changed, 6796 insertions(+), 135 deletions(-)
... +104 lines (`ctrl + t` to view transcript)
create mode 100755 scripts/local/status.sh
create mode 100755 scripts/local/stop.sh

• Local checkpoint commit imeundwa. Kwa sababu origin ni public, sitafanya push. Sasa nakusanya SHA, status iliyobaki, na kuhakikisha hakuna staged leftovers.

✓ You approved codex to run `ls -ld /home/kali/ahp-local-backups /home/kali/ahp-local-backups/ahp-checkpoi... this time`

✓ You approved codex to run `cat /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616/SHA256SUMS this time`

- Ran 4 commands · `ctrl + t` to view transcript

• Checkpoint local iko tayari; push imezuiwa kwa makusudi kwa sababu remote ni public. Nitathibitisha remote branch haikuundwa, na nitafanya ukaguzi wa mwisho wa commit/staged state.

✓ You approved codex to run `git ls-remote --heads origin checkpoint/ahp-unified-staff-20260913 this time`

- Ran `git show --check --format=short HEAD`
`↳ commit 3c5a1f5499b12cf70e99be274bfc9f037c423b1`
Author: Anonymouse407 <anonymouse407@gmail.com>

chore: checkpoint unified AHP staff application
- Ran `git show --name-status --format='commit %H\nsubject %s' --no-renames HEAD | sed -n '1,240p'`
`↳ commit 3c5a1f5499b12cf70e99be274bfc9f037c423b1`
subject chore: checkpoint unified AHP staff application
... +134 lines (`ctrl + t` to view transcript)
M services/auth/src/tests/auth.test.ts
M services/payment/src/tests/payment.test.ts
- Ran `git status --short --branch | sed -n '1,120p'`
`↳ ## checkpoint/ahp-unified-staff-20260913`
M apps/analytics/.next/app-build-manifest.json
... +116 lines (`ctrl + t` to view transcript)
D apps/doctor-admin/.next/cache/webpack/client-development/7.pack.gz
M apps/doctor-admin/.next/cache/webpack/client-development/index.pack.gz
- Ran `git ls-remote --heads origin checkpoint/ahp-unified-staff-20260913`
`↳ (no output)`
- Context compacted

• Ninaendelea kutoka checkpoint iliyofikiwa: commit ipo tayari ndani ya branch mpya, na sasa nafanya uthibitisho mfupi wa mwisho tu, bila kubadilisha faili wala kugusa app inayoendelea.

• Ran 4 commands · ctrl + t to view transcript

• Commit imethibitishwa kwenye branch ya checkpoint na staging area iko tupu. Kwa kuwa remote iligunduliwa kuwa public, nafanya ukaguzi wa kusoma tu kuona kama branch ya mbali ipo, bila push.

• Ran git ls-remote --heads origin checkpoint/ahp-unified-staff-20260913
└ fatal: unable to access 'https://github.com/Anonymousd407/AHP.git/': Could not resolve host: github.com

• Ukaguzi wa remote umekwama kwa DNS ndani ya sandbox. Nitarudia kama ombi la ruhusa la kusoma remote tu, ili nisiache hali ya remote ikiwa ya kubahatisha.

✓ You approved codex to run git ls-remote --heads origin checkpoint/ahp-unified-staff-20260913 this time

• Ran git ls-remote --heads origin checkpoint/ahp-unified-staff-20260913
└ (no output)

• Amri ya kusoma remote bado inaendelea; nasubiri matokeo yake tu kabla ya kufunga ripoti.

• Remote haikurudisha SHA kwa branch hiyo, hivyo branch haipo huko. Nafanya muhtasari wa hali ya worktree ili kuripoti kilichobaki bila kuisafisha.

• Ran git status --short --branch
└ ## checkpoint/ahp-unified-staff-20260913
 M apps/analytics/.next/app-build-manifest.json
 ... +223 lines (ctrl + t to view transcript)
 ?? docs/APPLICATION-COVERAGE.md
 ?? docs/LOCAL-INTEGRATION.md

• Checkpoint imekamilika bila kuongeza features mpya.

- Backup: /home/kali/ahp-local-backups/ahp-checkpoint-20260913-143616
- Validation: source/env archives zina-listiwa, permissions ni 700/600, Git bundle ime-verify complete, ahealth_dev.pgcustom imeorodheshwa kwa pg_restore -l, checksums zipo SHA256SUMS.

- Branch: checkpoint/ahp-unified-staff-20260913
- Commit SHA: 3c5a1f5499b12cf70e99be274bfc9f037c423b1
- Push: PUSH NOT COMPLETED. Origin iliyopo ni https://github.com/Anonymousd407/AHP.git, na visibility imethibitishwa kuwa public; kwa maelekezo yako siku-publish confidential checkpoint materials.

- Remote SHA match: hakuna remote branch iliyoundwa, hivyo hakuna SHA ya remote ya kulinganisha.
- Included: apps/web unified staff app, docs/UNIFIED-WEB-APP.md, local lifecycle scripts, package/lockfile updates, legacy auth/session integration fixes, relevant backend auth/payment test fixes.

- Left uncommitted/excluded: tracked legacy .next noise, tsconfig.tsbuildinfo, .bak files, local reports/docs, env files, screenshots/logs/backups/dumps, and Docker/CI Postgres image changes.

- Sensitive data: hakuna .env, dumps, auth state, tokens, screenshots, au private backups zilizostage/commit. Concern iliyorithiwa: repo tayari ina tracked generated .next artifacts kwenye legacy apps; hazikuongezwa kwenye checkpoint hii.

- Worked for 13m 15s

A.4 4. Staff UI/demo data, messaging verification and final regression

Source file: Pasted text(20260913-140055).txt | 404 captured lines

• Nimeona uchunguzi wa Prisma wa moja kwa moja kwenye eval ukigonga resolver issue, lakini codebase yenyewe inatumia import hiyo vizuri ndani ya script. Nitaangalia queue service yenyewe na kufanya correction kwenye seed kama record iko nje ya filter inayotarajiwa.

• Explored
└ Read queue.service.ts

• Queue filter ni wazi: offered inahitaji offer hai kwa clinician wa login, na mine inahitaji assigned clinician. Nitaverify data moja kwa moja kwa psq1 ya local container, bila kubadilisha DB.

✓ You approved codex to run docker exec ahealth-pg psql -U ahealth -d ahealth_dev -c "select cr.id, cr.st... this time

• Ran docker exec ahealth-pg psql -U ahealth -d ahealth_dev -c "select cr.id, cr.status, cr.primary_clinician_id, cr.assigned_clinician_id, co.clinician_id, co.status
| offer_status, co.expires_at, cr.symptom_text from consultation_requests cr left join consultation_offers co on
co.consultation_id=cr.id where cr.id in
└ ('11111111-1111-4111-8111-111111111122','11111111-1111-4111-8111-111111111125');" ERROR: column cr.primary_clinician_id does not exist
LINE 1: select cr.id, cr.status, cr.primary_clinician_id, cr.assigned...

- Column name tofauti na field ya Prisma; nitatazama schema ya meza, kisha narudia query read-only.

✓ You approved codex to run docker exec ahealth-pg psql -U ahealth -d ahealth_dev -c "\d consultation_req... this time

- Ran docker exec ahealth-pg psql -U ahealth -d ahealth_dev -c "\d consultation_requests"

```

      Column          |          Type          | Collation | Nullable |          Default
... +53 lines (ctrl + t to view transcript)
DELETE RESTRICT

```

- Schema imethibitisha queue hutumia assigned_clinician_id na offers; sasa ninasoma values hizo moja kwa moja.

✓ You approved codex to run docker exec ahealth-pg psql -U ahealth -d ahealth_dev -c "select cr.id, cr.st... this time

- Ran 3 commands · ctrl + t to view transcript

• Sababu imepatikana: fixture ilikuwa idempotent lakini expiresAt ya offer haikuwa inasasishwa, hivyo demo offer ilikuwa ime-expire. Ninaisahihisha seed isasishe muda/status wa synthetic offer pekee, bila ku-reset cases zilizopigwa hatua.

- Edited scripts/seed-staff-demo.ts (+8 -2)

```

247   where: { id: ids.consultationOffered },
248 -   update: {},
248 +   update: {
249 +     status: 'offered',
250 +     slaDeadlineAt: minutes(45),
251 +   },
252   create: {
  :
268   where: { consultationId_clinicianId: { consultationId: ids.consultationOffered, clinicianId: clinician.id } },
266 -   update: {},
269 +   update: {
270 +     status: 'offered',
271 +     expiresAt: minutes(45),
272 +   },
273   create: {

```

- Nitarudia seed sasa; hii itafanya demo offer ionekane tena kwenye queue bila kugusa assignments au rekodi za watumiaji zilizopo.

✓ You approved codex to run AHP_STAFF_DEMO_CONFIRM=write-local-ahealth_dev pnpm seed:staff-demo this time

- Ran AHP_STAFF_DEMO_CONFIRM=write-local-ahealth_dev pnpm seed:staff-demo

```

> a-health-platform@1.0.0 seed:staff-demo /home/kali/Documents/cerificates/Projects/high_level/AHP
... +66 lines (ctrl + t to view transcript)
"seededAt": "2026-09-13T13:47:43.431Z"
}

```

- Queue fixture imesasishwa vizuri. Ninarudia full Firefox pass sasa, ikijumuisha screenshots mpya na denial ya unrelated clinician.

✓ You approved codex to run node test-results/ahp-staff-demo/verify.mjs this time

- Running node test-results/ahp-staff-demo/verify.mjs

• Firefox verification bado inaendelea; inaendesha login nyingi, message send/read-back, admin analytics, mobile check, na screenshots.

• Bado inaendelea, inaonekana iko kwenye hatua za mwisho za browser assertions. Nitaingoja imalize badala ya kukatiza na kupata ushahidi nusu.

- Ran node test-results/ahp-staff-demo/verify.mjs

```

{
  "ok": true,
... +22 lines (ctrl + t to view transcript)
  "screenshots": "/home/kali/Documents/cerificates/Projects/high_level/AHP/test-results/ahp-staff-demo/screenshots"
}

```

• Verification ya browser imepita. Kwa kuwa build hairuhusiwi kutumia .next wakati dev server iko hai, nitazima tu process ya apps/web kwenye port 3000, niendeshe type-check/build, kisha nitairejesha kwa ajili ya handoff.

- Ran lsof -ti :3000

```

{ (no output)

```

- Port 3000 haionyeshi process kwa lsof; nitaangalia kwa ss kabla ya build, halafu nitaendelea kama server tayari imezimika.

```
• Ran ss -ltnp 'sport = :3000'  
  └─ Cannot open netlink socket: Operation not permitted  
    State Recv-Q Send-Q Local Address:Port Peer Address:PortProcess
```

• ss imezuiwa na sandbox kwa process info, lakini hakuna listener iliyopatikana. Nitaendesha regression sasa; baada yake nitaanza tena web dev.

```
• Ran pnpm --filter a-health-web type-check  
  └─  
    > a-health-web@1.0.0 type-check /home/kali/Documents/cerificates/Projects/high_level/AHP/apps/web  
    > tsc --noEmit
```

• Type-check imepita. Sasa ninaendesha production build ya apps/web; hakuna dev server ya port 3000 iliyokuwa ikishikilia .next kulingana na checks zilizotangulia.

• Build imecompile; iko kwenye hatua ya lint/type validity na static route generation.

```
• Ran pnpm --filter a-health-web build  
  └─  
    > a-health-web@1.0.0 build /home/kali/Documents/cerificates/Projects/high_level/AHP/apps/web  
    ... +69 lines (ctrl + t to view transcript)  
    f (Dynamic) server-rendered on demand
```

• Build imepita. Natairejesha apps/web kwenye port 3000 na kufanya smoke ya mwisho ya CSS/page kabla ya ripoti.

```
• Ran pnpm --filter a-health-web dev  
  └─  
    > a-health-web@1.0.0 dev /home/kali/Documents/cerificates/Projects/high_level/AHP/apps/web  
    ... +19 lines (ctrl + t to view transcript)  
  }
```

• Dev server inaanza tena. Nitangoja readiness kisha nitapiga check fupi ya browser, bila kurudia suite ndefu yote.

• Executor imezuia bind ya port 3000 kwa sandbox (EPERM). Hii ni sandbox issue baada ya build, hivyo nitaanzisha dev server kwa escalation ili localhost:3000 irudi hewani.

✓ You approved codex to run pnpm --filter a-health-web dev this time

```
• Ran pnpm --filter a-health-web dev  
  └─  
    > a-health-web@1.0.0 dev /home/kali/Documents/cerificates/Projects/high_level/AHP/apps/web  
    ... +19 lines (ctrl + t to view transcript)  
  }
```

• Server imeanzishwa kwa ruhusa ya bind; nangoja iwe tayari, kisha nitafanya smoke ya CSS/login.

• Port 3000 tayari imeshikwa na server nyingine ya app, kwa hivyo sikufungua process ya pili. Nitaitumia hiyo iliyopo kwa smoke ya mwisho.

✓ You approved codex to run node -e 'fetch("http://localhost:3000/login").then(async r=>{console.log(r.st... this time

```
• Ran node -e 'fetch("http://localhost:3000/login").then(async r=>{console.log(r.status, r.headers.get("content-type")); const  
t=await r.text();  
  └─ console.log(t.includes("A-health"), t.includes("/_next/static/css/"));}).catch(e=>{console.error(e.message); process.exit(1);})'  
    200 text/html; charset=utf-8  
    true true
```

• HTML smoke inaonyesha app na CSS link zinarudi. Kwa kuwa user aliomba browser check baada ya build, nitarudia Playwright pass kamili dhidi ya server iliyopo kwenye 3000.

✓ You approved codex to run node test-results/ahp-staff-demo/verify.mjs this time

```
• Ran node test-results/ahp-staff-demo/verify.mjs  
  └─ file:///home/kali/Documents/cerificates/Projects/high_level/AHP/test-results/ahp-staff-demo/verify.mjs:49  
    if (!cssResponses.some((r) => r.status === 200 && /css/.test(r.type ?? ''))) throw new Error('CSS response did not load  
successfully');  
    ... +4 lines (ctrl + t to view transcript)  
  
Node.js v22.23.1
```

- Post-build smoke imepata HTML ina CSS link, lakini Playwright response listener haikuona CSS response. Hii inaweza kuwa cache/timing au server state; ninathibitisha network path ya stylesheet moja kwa moja kabla sijarekebisha assertion.

✓ You approved codex to run node -e 'fetch("http://localhost:3000/login").then(r=>r.text()).then(t=>{cons... this time

- Ran node -e 'fetch("http://localhost:3000/login").then(r=>r.text()).then(t=>{const m=t.match(/href=\\\"([^\"]+app\\layout\\.css[^\"]*)\\\"/g); console.log(m?.[1]||"NO_CSS"); return m?.[1];}).then(async href=>{if(!href) process.exit(1); const r=await fetch(new URL(href,"http://localhost:3000")); console.log(r.status, r.headers.get("content-type")); const txt=await r.text(); console.log(txt.includes(".bg-navy"), txt.includes("--tw"), ... +1 lines NO_CSS

- CSS link ipo lakini jina la chunk si app/layout.css kwenye server hii. Nitaextract link zote za CSS badala ya kudhani jina lake.

✓ You approved codex to run node -e 'fetch("http://localhost:3000/login").then(r=>r.text()).then(async t=>... this time

- Ran node -e 'fetch("http://localhost:3000/login").then(r=>r.text()).then(async t=>{const hrefs=...t.matchAll(/href=\\\"([^\"]+\\.css[^\"]*)\\\"/g)].map(m=>m[1]); console.log(JSON.stringify(hrefs,null,2)); for (const href of hrefs){const r=await fetch(new URL(href,"http://localhost:3000")); const txt=await r.text(); console.log(href, r.status, r.headers.get("content-type"), txt.includes("bg-navy"), txt.includes("--tw"), txt.length);}}.catch(e=>{console.error(e); ... +1 lines ["/_next/static/css/app/layout.css?v=1789307738271"]/_next/static/css/app/layout.css?v=1789307738271 404 text/html; charset=utf-8 true false 10512

- Root cause ya post-build check imejitokeza: HTML inaomba /_next/static/css/app/layout.css, lakini server iliyopo inairudisha 404 HTML badala ya CSS. Hii ndiyo stale/incorrect Next dev state baada ya build. Nitazima tu process ya web kwenye port 3000 kisha nitaianzisha upya cleanly.

✓ You approved codex to run lsof -nP -iTCP:3000 -sTCP:LISTEN this time

- Ran lsof -nP -iTCP:3000 -sTCP:LISTEN
└ (no output)

- lsof haioni process licha ya localhost kujibu; nitajaribu fuser kwa port 3000 ili nisiguse services nyingine.

✓ You approved codex to run fuser -v 3000/tcp this time

- Ran fuser -v 3000/tcp
└

	USER	PID	ACCESS	COMMAND
3000/tcp:	kali	F...	next-server	(v1
200029				

- Nimepata process halisi ya next-server kwenye 3000. Nitaizima hiyo pekee, nisiguse Postgres/DVWA/microservices, kisha nitaanza dev server upya.

✓ You approved codex to run kill 200029 this time

- Ran kill 200029
└ (no output)
- Ran pnpm --filter a-health-web dev > .dev-logs/a-health-web.log 2>&1
└ (no output)

- Process ya zamani imezimwa. Nitaanzisha apps/web tena kwenye 3000.

✓ You approved codex to run pnpm --filter a-health-web dev this time

- Running pnpm --filter a-health-web dev
└

```
> a-health-web@1.0.0 dev /home/kali/Documents/cerificates/Projects/high_level/AHP/apps/web
└ +8 lines (ctrl + t to view transcript)
  ✓ Starting...
  ✓ Ready in 2.9s
```

- Dev server mpya inaendelea kuanza; nitasubiri readiness halafu nirudie CSS network check.

- Server iko tayari. Nitaangalia CSS response kwanza, kisha full Firefox verification ya mwisho.

✓ You approved codex to run node -e 'fetch("http://localhost:3000/login").then(r=>r.text()).then(async t=>... this time

- Ran node -e 'fetch("http://localhost:3000/login").then(r=>r.text()).then(async t=>{const hrefs=...t.matchAll(/href=\\\"([^\"]+\\.css[^\"]*)\\\"/g)].map(m=>m[1]); console.log(JSON.stringify(hrefs,null,2)); for (const href of hrefs){const r=await fetch(new URL(href,"http://localhost:3000")); const txt=await r.text(); console.log(href, r.status, r.headers.get("content-type"), txt.includes("bg-navy"), txt.includes("--tw"),

```
txt.length);}}).catch(e=>{console.error(e);
  [ ... +1 lines
    ] "/_next/static/css/app/layout.css?v=1789307850346"
  ]
  ]/_next/static/css/app/layout.css?v=1789307850346 200 text/css; charset=UTF-8 true true 29685
```

• CSS sasa inarudi 200 text/css na ina utility output. Ninarudia Firefox verification kamili mara ya mwisho.

✓ You approved codex to run node test-results/ahp-staff-demo/verify.mjs this time

• Running node test-results/ahp-staff-demo/verify.mjs

• Firefox pass ya mwisho bado inaendelea. Hii ndiyo inayotengeneza screenshots za "after" na kuthibitisha auth, routes, messaging, denied routes, mobile overflow, na CSS computed styles.

• Bado ina-run; inaonekana ipo kwenye sehemu za mwisho za multi-session messaging/admin. Nitaingoja imalize badala ya kuitisha upya.

• Ran node test-results/ahp-staff-demo/verify.mjs

```
  {
    "ok": true,
    ... +22 lines (ctrl + t to view transcript)
    "screenshots": "/home/kali/Documents/cerificates/Projects/high_level/AHP/test-results/ahp-staff-demo/screenshots"
  }
```

• Pass ya mwisho imepita baada ya restart safi, na CSS request sasa ni 200 text/css. Nitasasisha docs za milestone na kisha nifanye ukaguzi wa faili zilizobadilika.

• Ran git status --short --branch -- apps/web services/followup scripts docs package.json

```
  L ## feat/ahp-staff-ui-demo-20260913
    M apps/web/app/admin/dashboard/page.tsx
    ... +42 lines (ctrl + t to view transcript)
    ?? docs/STAFF-UI-DEMO.md
    ?? scripts/seed-staff-demo.ts
```

• Ran 3 commands · ctrl + t to view transcript

• Docs za milestone tayari zina ushahidi wa mwisho. Nitasasisha pia UNIFIED-WEB-APP.md ili ionyeshe pass mpya ya unrelated clinician na CSS 200 baada ya restart safi.

• Explored

- Read UNIFIED-WEB-APP.md

• Edited docs/UNIFIED-WEB-APP.md (+2 -1)

```
122 - `set -a; . services/followup/.env; set +a; pnpm --filter @a-health/followup test`: passed outside the sandbox with local
Postgres access, 18 tests passed.
123 -- Firefox verified real clinician, demo specialist clinician and platform admin sessions, Doctor/Admin/Analytics
navigation, clinician denial from Admin/Analyt
ics, persisted messaging/read-back/reply, direct refresh, logout, mobile width and generated CSS response.
123 +- Firefox verified real clinician, demo specialist clinician, demo unrelated clinician and platform admin sessions,
Doctor/Admin/Analytics navigation, clinicia
n denial from Admin/Analytics, unrelated clinician denial from the demo care thread, persisted messaging/read-back/reply,
direct refresh, logout, mobile width
and generated CSS response.
124 +- Final post-build CSS evidence after a clean dev restart: `/_next/static/css/app/layout.css` returned `200 text/css`;
login shell background was `rgb(7, 26, 4
7)` and the primary sign-in button was `rgb(15, 76, 67)`.
125
```

• Ninafanya ukaguzi wa mwisho wa branch/ref/status na screenshot paths, kisha nitatoa handoff fupi kwa Kiswahili kama ulivyoomba.

• Ran 4 commands · ctrl + t to view transcript

• Handoff

Branch: feat/ahp-staff-ui-demo-20260913. Checkpoint ref bado haijabadilika: checkpoint/ahp-unified-staff-20260913 -> 3c5a1f5499b12cf70e99be274bfc9f037c423b1. Hakuna commit mpya imefanywa.

URL kuu: http://localhost:3000

UI imeboreshwa kwenye apps/web: Doctor, Admin na Analytics sasa zinatumia shell ya navy/dark, teal/green accent, blue analytics accent, cards, badges, forms/tables/ list states, responsive mobile layout, na login page iliyostylewa. Doctor queue/case/messaging, Admin dashboard/emergency, na Analytics dashboard zimethibitishwa kwa Firefox.

Demo data: namespace AHP_STAFF_DEMO_V1. Seed imerun na manifest iko hapa: test-results/ahp-staff-demo/manifest.json

Seed command:

```
AHP_STAFF_DEMO_CONFIRM=write-local-ahealth_dev pnpm seed:staff-demo

Undo ya demo, narrowly scoped:

AHP_STAFF_DEMO_CONFIRM=write-local-ahealth_dev pnpm undo:staff-demo

Backup kabla ya seed:
/home/kali/ahp-local-backups/ahp-staff-ui-demo-preseed-20260913-150843/

Communication/actions verified: clinician login, persisted message send kupitia real BFF/API, demo specialist separate session
read-back/reply, refresh preserved
thread, unrelated clinician denied read/post, clinician denied Admin/Analytics, platform admin Admin + Analytics access,
logout/direct refresh/mobile checks.

Tests/build:
pnpm --filter a-health-web type-check passed.
pnpm --filter a-health-web build passed.
pnpm --filter @a-health/followup test passed with local Postgres access, 18 tests passed.
Post-build Firefox verification passed; CSS returned 200 text/css.

Screenshots:
Before: test-results/unified-web-visual/
After: test-results/ahp-staff-demo/screenshots/

Files changed: apps/web UI/pages/components/libs, services/followup/src/services/adherence.service.ts, scripts/seed-staff-demo.ts,
package.json, docs/STAFF-UI-
DEMO.md, docs/UNIFIED-WEB-APP.md.

Exact normal-terminal start command:

bash dev-web.sh web

Remaining gaps: baadhi ya secondary pages bado zina copy ya zamani na zinaweza kupolishwa zaidi. Katika executor hii, bash dev-
web.sh web inaweza kukataa kama service
nyingine tayari inashikilia port; kwa hali hiyo preserve services zilizopo na anzisha web pekee kwa pnpm --filter a-health-web
dev.

- Worked for 1h 57m 31s
```

Appendix B - End-of-day handoff

- Unified Doctor + Admin + Analytics staff application is working locally on port 3000.
- The full AHP blueprint is not complete; Patient, mobile, blockchain, USSD/SMS and other product surfaces remain future work.
- The current milestone intentionally focuses on the three staff areas and improves their UI, demo data and existing communication workflows.
- Tomorrow should resume from the existing feature branch/checkpoint rather than restarting architecture or integration work.