

Expert Preference Study on Detailed Use Case Generation

Instructions:

For each question, you will be presented with three detailed textual use cases generated by different methods for the same actor and use case.

Please read all options carefully and select the ONE option you consider the best overall, taking into account:

1. Clarity – the steps should be easy to understand and logically structured.
2. Correctness – the use case should reflect the intended functionality accurately.
3. Completeness – all relevant preconditions, main flows, exception flows, and postconditions should be covered.
4. Level of Detail and Granularity – the use case should provide a detailed, step-by-step description that is precise enough for requirements engineering, without unnecessary or redundant operational steps. Automated methods may produce a level of detail that is difficult or time-consuming for humans to achieve manually.
5. If an option contains no substantive content, it indicates that the corresponding method reports being unable to generate a result for the given use case.

Please select only one option per question.

Question 1

Actor: Auctioneer

Use Case: manage auction promotions

Option A

Precondition:

The Auctioneer is logged into the auction platform's management system with appropriate permissions to manage promotions.

Main Flow:

The Auctioneer navigates to the 'Promotions' section of the admin dashboard. They select an existing promotion or create a new one by entering details such as the promotion name, start and end dates, associated products or categories, discount type (e.g., percentage off, fixed amount), and any specific rules or conditions. The Auctioneer can preview the promotion's effect on product listings before activation. After reviewing, they click 'Save' or

'Activate' to publish the promotion to the live site. The system updates the relevant product pages and promotional banners accordingly.

Exception Flow:

If the Auctioneer attempts to activate a promotion with invalid dates (e.g., end date before start date) or missing required fields, the system displays an error message highlighting the specific issues. The Auctioneer must correct these errors before proceeding. If the promotion conflicts with another active promotion, the system warns the Auctioneer, who can then choose to override the conflict or adjust the settings.

Postcondition:

The promotion is successfully activated and visible to customers on the website according to the specified parameters. The system logs the creation or modification of the promotion in the audit trail.

Option B

Precondition:

The Auctioneer must be logged into the Auction Admin Global Settings page. The Auctioneer has the necessary permissions to manage auction promotions, including setting up shipping configurations and managing temporary shipping promotions.

Main Flow:

1. The Auctioneer navigates to the Auction Admin Global Settings page.
2. The Auctioneer selects the 'Shipping Configuration' section.
3. The Auctioneer sets up the Preferred Customer Free Shipping flag for customers with over \$1000 in spending.
4. The Auctioneer configures shipping charges for initial and subsequent items won on the same calendar day.
5. The Auctioneer schedules a temporary shipping promotion by entering the start and end dates and times, ensuring the dates are in the future and the end date is after the start date, and the promotion duration does not exceed seven days.
6. The Auctioneer enters the promotional shipping charge in the provided field.
7. The Auctioneer clicks the 'Apply Changes' button to save the settings.
8. The system validates the entered data, ensuring the dates are in the future and the end date is after the start date, and the promotion duration does not exceed seven days.
9. The system applies the changes and displays a confirmation message.

Exception Flow:

1. If the Auctioneer enters invalid dates (e.g., past dates or the end date before the start date), the system highlights the offending data and displays an error message.
2. If the Auctioneer attempts to set a promotion duration exceeding seven days, the system highlights the offending data and displays an error message.
3. If the Auctioneer tries to apply a profile to a grouping of items that do not match the

profile's eligibility criteria, the system generates an error message and prevents the application of the profile.

Postcondition:

1. The system reflects the temporary shipping promotions set by the Auctioneer, including the start and end dates and times, ensuring they are in the future and do not exceed seven days.
2. The promotional shipping charge entered by the Auctioneer is applied accordingly.
3. The Auctioneer can view and confirm the changes made by clicking the 'Apply Changes' button, and the system saves the modifications.

Option C

Precondition:

The Auctioneer is logged into the Auctions administration system and has access to the auction management features.

Main Flow:

1. The Auctioneer navigates to the 'Manage Global Settings' page within the auction administration interface.
2. The Auctioneer selects the 'Shipping Promotion' section to configure a temporary shipping promotion.
3. The system displays fields for entering the start date/time and end date/time of the promotion.
4. The Auctioneer inputs the start and end dates and times, ensuring that the end date is after the start date and both are in the future.
5. The system validates the input to ensure the promotion does not exceed seven days in duration.
6. The Auctioneer enters the temporary promotional shipping charge in the designated field.
7. The Auctioneer clicks the 'Apply Changes' button to save the promotion settings.
8. The system confirms the successful creation of the promotion and updates the auction schedule accordingly.

Exception Flow:

If the entered dates are invalid (e.g., end date before start date or not in the future), the system displays an error message prompting the Auctioneer to correct the input. If the promotion duration exceeds seven days, the system prevents submission and notifies the Auctioneer of the restriction.

Postcondition:

The temporary shipping promotion is successfully configured and active within the specified timeframe, visible to customers during the auction period. The promotion details are stored in the system and can be reviewed or modified later by the Auctioneer.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 2

Actor: Business User

Use Case: create new auctions

Option A

Precondition:

The Business User is logged into the auction platform with appropriate permissions to create auctions.

Main Flow:

The Business User navigates to the 'Create New Auction' page. They input details such as item name, description, starting bid, reserve price, and auction duration. The user can upload images of the item and select categories or tags for better visibility. After reviewing all entered information, the user submits the auction for approval. The system validates the data and, if valid, queues the auction for review by an administrator before it goes live on the site.

Exception Flow:

If any required fields are missing or invalid (e.g., negative bid amount, no image uploaded), the system displays an error message highlighting the issues. The user must correct the errors before resubmitting. If the system encounters a server error during submission, it notifies the user to try again later.

Postcondition:

The new auction is successfully created and queued for administrative approval. The Business User receives a confirmation message indicating the auction ID and status. The auction will appear on the site only after approval.

Option B

Precondition:

The Business User has access to the Auction Administration (AA) application and is logged in.

Main Flow:

1. The Business User navigates to the 'Main Menu' page of the AA application.
2. From the 'Main Menu', the user selects the 'Create New Auctions' feature.
3. The system displays a form for creating a new auction, which includes fields for product ID, description, cost range, and other auction settings.
4. The Business User fills in the required details, such as product information, pricing, and auction settings.
5. After entering all the necessary information, the Business User submits the form to create the new auction.

6. The system processes the request and creates the new auction, making it available on the platform.

Exception Flow:

1. If the Business User enters invalid or incomplete information, the system will display an error message and highlight the fields that need to be corrected.
2. If there is a system error during the auction creation process, the system will display an error message and provide an option to try again or contact support.

Postcondition:

The new auction is successfully created and is now available on the auction platform. The Business User can view and manage the newly created auction through the AA application.

Option C

Precondition:

The Business User is logged into the Auction Administration Application and has the necessary permissions to create new auctions.

Main Flow:

1. The Business User navigates to the 'Create New Auctions' page via the Auction Administration Main Menu.
2. The user selects products for the auction using the search section, filtering by Retail Category, Product Type, Gemstone Type, Material Type, Material Purity, Brand, cost range, or product ID (SKU number).
3. The user can enable or disable thumbnail images in the search results and executes the search using the 'Find Product' button.
4. From the search results, the user selects one or more SKUs by holding the Control key for multiple selections.
5. The user applies a profile to the selected SKUs, including an event name and scheduling parameters. The profile may be selected from existing profiles such as 'Bella Luce', 'Night Owl', etc., or a new profile can be created.
6. The user schedules the auction with a start and end date/time, ensuring that the dates are not identical. The system supports standard durations such as 20-minute, 30-minute, 1-hour, up to 30-day intervals, or allows manual entry of start and end times.
7. The user may choose to apply the auction profile to specific product categories (e.g., gemstones only) or all items scheduled into the event.
8. If applicable, the user specifies SKU prefixes to limit the application of the profile to certain product IDs.
9. The system checks for overlapping quantities of the same item already scheduled in other auctions and displays a warning if conflicts exist.
10. The user reviews the scheduled auction details and submits the creation of the auction.
11. The system confirms the successful creation of the auction and displays it in the list of current auctions.
12. Optionally, the user may utilize the Auto-Scheduler capability to randomly select and

schedule products within a specified timeframe, based on parameters such as product types, cost ranges, or categories. The auto-scheduler can randomize closing times in 5-minute intervals and evenly distribute scheduled items.

Exception Flow:

If the user attempts to schedule an auction with identical start and end dates/times, the system displays an error message and highlights the conflicting data. If no valid products are selected or if required fields are missing, the system prevents submission and prompts the user to correct the input. If the user tries to apply a profile restricted to a specific category (e.g., gemstones) to ineligible items, the system generates an error message indicating the restriction. If the user attempts to schedule overlapping quantities of the same item, the system displays a warning via a popup window before finalizing the auction.

Postcondition:

A new auction is successfully created and scheduled in the system, with all associated SKUs linked to it. The auction appears in the list of current auctions, and the user is notified of its creation. If the auto-scheduler was used, the system has randomly distributed the items across the specified timeframe according to the defined parameters.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 3

Actor: Customer Service Representative

Use Case: unlock customer accounts from Review Status

Option A

Precondition:

The customer account is currently in 'Review' status, and the Customer Service Representative has access to the administrative interface for managing user accounts.

Main Flow:

The Customer Service Representative logs into the admin system, navigates to the user management section, locates the specific customer account marked as 'Review', verifies the account details and any associated notes or flags, and then executes the 'Unlock Account' action. The system updates the account status from 'Review' to 'Active' and records the change with a timestamp and the representative's ID.

Exception Flow:

If the system fails to update the account status due to a database error, an error message is displayed to the representative, and the account remains in 'Review' status. If the representative lacks the necessary permissions, the system denies the action and displays an access denied message.

Postcondition:

The customer account is successfully unlocked and its status is changed from 'Review' to 'Active', allowing the customer to resume normal site activities such as bidding and purchasing.

Option B

Precondition:

The customer's account is in Review Status, and the customer has not paid for up to three times. The Customer Service Representative (CSR) has access to the system and the necessary permissions to unlock customer accounts.

Main Flow:

1. The CSR receives a request from a customer to unlock their account.
2. The CSR verifies the customer's identity and checks the account status to confirm it is in Review Status.
3. The CSR reviews the customer's payment history and confirms that the customer has not exceeded three unpaid orders.
4. The CSR updates the customer's account with a valid credit card.
5. The CSR removes the account from Review Status, unlocking it for normal use.
6. The CSR informs the customer that their account has been unlocked and they can now place new orders, but they must use the updated credit card for future transactions.

7. The CSR reminds the customer that they may not use PayPal or Amazon Payments until their order cancel rate falls below 10%.

Exception Flow:

1. If the customer has more than three unpaid orders, the CSR informs the customer that their account cannot be unlocked at this time and provides guidance on how to resolve the outstanding payments.
2. If the customer's email address is on an email blacklist, the CSR informs the customer that a new account cannot be created with that email address and suggests using a different email address.
3. If the CSR encounters any system errors or issues while updating the account, the CSR logs the issue and contacts the IT support team for assistance.

Postcondition:

The customer's account is removed from Review Status and is unlocked for normal use. The customer is informed of the update and the restrictions on their account. The CSR documents the interaction and any actions taken.

Option C

Precondition:

The customer's account is in 'Review Status' due to unresolved auction winnings, typically resulting from unpaid orders that have expired after 7 days. The Customer Service Representative (CSR) has access to the Customer History Page and possesses the necessary authorization to perform account modifications.

Main Flow:

1. The CSR accesses the Customer History Page via the Auction Administration interface.
2. The CSR searches for the customer using their email address, phone number, or name.
3. Upon locating the customer, the CSR verifies the account status and confirms it is in 'Review Status'.
4. The CSR initiates the process to unlock the account by selecting the appropriate action, such as 'Place Account in Review Status' or similar functionality, which may require a supervisor's authorization code if deactivation is involved.
5. If required, the CSR enters the supervisor's authorization code to proceed with unlocking the account.
6. The system updates the account status, removing it from 'Review Status', allowing the customer to bid again.
7. The CSR logs the action in the Account Notes section of the Customer History Page for audit purposes.

Exception Flow:

If the CSR does not have sufficient permissions or the supervisor's authorization code is incorrect, the system will prevent the account from being unlocked. In such cases, the CSR must contact a supervisor to obtain the correct authorization or escalate the issue.

Postcondition:

The customer's account is successfully removed from 'Review Status', enabling them to participate in auctions again. The change is recorded in the system, and the customer can now place bids without restriction.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 4

Actor: Customer Service Representative

Use Case: view customer notes

Option A

Precondition:

The Customer Service Representative is logged into the Auction Platform with appropriate permissions to access customer records.

Main Flow:

The Customer Service Representative navigates to the customer management section of the platform. They search for or select a specific customer by entering identifying information such as name or customer ID. Upon locating the customer's record, they click on the 'Customer Notes' tab or section. The system displays all existing notes associated with that customer, including the date, time, author (if available), and content of each note. The representative reviews the notes to understand the customer's history or issue.

Exception Flow:

If no customer notes exist for the selected customer, the system displays a message indicating 'No notes found'. If the representative lacks the necessary permissions, the system displays an 'Access Denied' error and prevents viewing the notes. If the customer record cannot be found, the system displays a 'Customer not found' error.

Postcondition:

The Customer Service Representative has successfully viewed the customer's notes, gaining context for their interaction. The system state remains unchanged except for any audit logs recording the access event.

Option B

Precondition:

The Customer Service Representative (CSR) is logged into the system and has navigated to the Customer History Page. The CSR must have a special email account: which is required for their role.

Main Flow:

1. The CSR locates the customer's record in the 'Results' section of the Customer History Page.
2. The CSR clicks on the 'View Notes' button associated with that customer. This button utilizes an anchor tag to take the user to the correct section further down the page where the Account Notes for the customer are displayed.
3. The Account Notes are displayed in a free-form text field with a vertical scroll bar on the right side of the text box. The CSR can view the notes in this section.

Exception Flow:

If the CSR encounters an error while trying to view the customer notes, such as a system failure or lack of access rights, the system should display an appropriate error message. The CSR may need to contact the IT support team for assistance.

Postcondition:

The system remains in the same state, with the Account Notes section open and the customer notes visible. The CSR can now read and review the notes. No changes are made to the system or the customer notes unless the CSR decides to edit them.

Option C

Precondition:

The Customer Service Representative (CSR) is logged into the Auctions administrative system with appropriate permissions to access customer information.

Main Flow:

1. The CSR navigates to the Customer History Page using the search functionality by entering a customer's email address, phone number, or name.
2. Upon successful search, the system displays the customer's details including account information and order history.
3. The CSR locates the 'Account Notes' section on the page, which is a free-form text field designed for use by CSRs.
4. The CSR views the existing notes in the 'Account Notes' section, which may include previous interactions, complaints, or other relevant information.
5. The CSR can scroll through the notes if they exceed the visible area of the text box.

Exception Flow:

If the customer account does not exist or cannot be found based on the search criteria, the system displays an error message indicating no results were found. If the CSR lacks sufficient permissions, access to the Account Notes section is restricted.

Postcondition:

The CSR has successfully viewed the customer notes associated with the specified customer account. No changes are made to the notes unless explicitly initiated by the CSR in a separate action.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 5

Actor: Business User

Use Case: control site settings

Option A

Precondition:

The Business User is logged into the auction platform's administrative interface with appropriate permissions to access site settings.

Main Flow:

The Business User navigates to the 'Site Settings' section of the admin interface. They can view and modify various configuration parameters, including general site information (e.g., site name, contact details), payment gateway settings, shipping options, tax rules, and user registration policies. After making desired changes, the Business User saves the updated settings, which are then applied to the live auction site.

Exception Flow:

If the Business User attempts to save invalid or incomplete data, the system displays an error message indicating the specific fields that need correction. If the user lacks the necessary permissions to modify certain settings, those sections are displayed as read-only or inaccessible.

Postcondition:

The site settings are successfully updated in the system database, and the changes are reflected on the public-facing auction website for all users.

Option B

Precondition:

The Business User must be logged into the Auction Administration (AA) application and have the necessary permissions to manage site settings.

Main Flow:

1. The Business User navigates to the global settings section within the AA application.
2. The user selects the 'Control Site Settings' option from the menu.
3. The system displays a page with various site settings, including auction profiles, SKU histories, customer account management, and other relevant settings.
4. The user can edit or modify any of the displayed settings as needed.
5. After making the desired changes, the user clicks the 'Save Changes' button to apply the modifications.
6. The system validates the changes and saves them, updating the site settings accordingly.
7. The system provides a confirmation message indicating that the changes have been saved successfully.

Exception Flow:

1. If the user does not have the necessary permissions to access or modify the site settings, the system will display an error message: 'You do not have permission to perform this action.'
2. If the user enters invalid data (e.g., incorrect format, missing required fields), the system will display an error message: 'Please correct the following errors: [list of errors].' The user must correct the errors and resubmit the changes.

Postcondition:

The site settings are updated according to the changes made by the Business User, and the changes are immediately reflected in the system. The user is informed of the successful update via a confirmation message.

Option C

Precondition:

The Business User is logged into the admin application with appropriate permissions to manage global settings.

Main Flow:

1. The Business User navigates to the 'Manage Global Settings' page from the Auction Admin Main Menu.
2. The system displays the current global settings, including Reserve Tier & Bid Increment defaults, Overtime Bidding configuration, Shipping charges, and Preview/Post-Close periods.
3. The Business User modifies one or more settings: a. Adjusts reserve bid amounts or percentages for cost tiers. b. Enables or disables overtime bidding and sets the time extension duration (10 seconds to 60 minutes). c. Updates site-wide shipping charges for first and subsequent items. d. Configures preferred customer shipping thresholds and new per-item shipping charges. e. Sets shipping promotion dates and promotional shipping charge. f. Specifies preview period (hours and minutes) before auctions begin accepting bids. g. Sets post-close removal duration (hours and minutes) for closed auctions in browse results.
4. The Business User clicks 'Apply Changes' to save the modifications.
5. The system confirms the update and applies the new settings globally across the auction platform.

Exception Flow:

If the Business User enters invalid values (e.g., negative bid increments, conflicting time extensions, invalid dates), the system displays an error message and prevents saving until valid inputs are provided.

Postcondition:

The global settings are updated according to the Business User's input, and the changes are applied site-wide, affecting all auctions and user interactions accordingly.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 6

Actor: Customer

Use Case: manage email preferences

Option A

Precondition:

The customer is logged into their account on the auction platform.

Main Flow:

The customer navigates to the 'My Account' section and selects the 'Email Preferences' option. The system displays a page listing various email categories, such as promotional offers, auction reminders, and order updates. The customer reviews the options and toggles the checkboxes for each category to enable or disable notifications. After making their selections, the customer clicks the 'Save Preferences' button. The system validates the input and updates the customer's profile with the new email settings, confirming the changes with a success message.

Exception Flow:

If the customer attempts to save preferences without being logged in, the system redirects them to the login page. If there is a server error during the save process, the system displays an error message and retains the previous settings, prompting the customer to try again later.

Postcondition:

The customer's email preferences are successfully updated in the system, and they will receive or stop receiving emails according to their new settings.

Option B

Precondition:

The customer must be logged into their account to access the 'My Email Preferences' section. The user should have an active account and be on the 'My Account Edit Page 4' or the 'Registration Page 2' where the 'My Email Preferences' link is available.

Main Flow:

1. The customer navigates to the 'My Account Edit Page 4' or the 'Registration Page 2'.
2. The customer clicks on the 'My Email Preferences' link.
3. The system displays the 'My Email Preferences' page, which includes checkboxes for transactional emails (outbid, winner, shipping notifications) and a link to change the email newsletter subscription.
4. The customer selects or deselects the checkboxes for the desired transactional emails.
5. If the customer wants to change their email newsletter subscription, they click on the provided link, which directs them to the email subscription center.
6. After making the necessary changes, the customer clicks the 'SAVE CHANGES' button.

7. The system saves the updated preferences and, if during the registration process, displays a pop-up message instructing the user to add xxx.com to their address book or whitelist and enable cookies in their web browser for proper functionality.

Exception Flow:

If the system encounters an error while saving the changes, it will not provide a specific error message. The customer may need to try again or contact support for assistance. However, no explicit error handling or recovery processes are mentioned in the current evidence.

Postcondition:

The customer's email preferences are immediately updated, and the changes take effect. No confirmation message is specified, but the implication is that the preferences are saved as soon as the 'SAVE CHANGES' button is clicked. The system does not provide further feedback, but the changes are assumed to be effective.

Option C

Precondition:

The customer is logged into their account on the Auctions platform.

Main Flow:

1. The customer navigates to the 'My Account Edit Page' and selects the 'My Email Preferences' section.
2. The system displays three checkboxes for transactional emails: - 'Please notify me via email when I am outbid.' - 'Please notify me when I win an auction.' (Note: PayPal & Amazon Payments users may not opt out of 'winner' emails.) - 'Please notify me when my winnings are shipped.'
3. By default, all checkboxes are pre-checked. If the customer has selected PayPal or Amazon as their payment method, the 'winning auction' checkbox will be grayed out and unselectable.
4. A link labeled 'Change my "Auction Insider" Email Newsletter Subscription' is displayed, which redirects the user to the email subscription center.
5. The customer selects or deselects the desired preferences.
6. The customer clicks the 'Save Changes' button.
7. Upon clicking 'Save Changes', a pop-up message appears with instructions: - Add xxx.com to the address book or safe senders list. - Enable cookies in the web browser.
8. The system saves the updated email preferences and returns the user to the 'My Account' page.

Exception Flow:

If the customer uses PayPal or Amazon Payments, they cannot opt out of 'winner' emails. If cookies are not enabled, the system may fail to deliver notifications. If the specified email is not added to the safe senders list, emails may be filtered as spam.

Postcondition:

The customer's email preferences are updated and saved in the system. The customer is redirected to the 'My Account' page, and a confirmation message may appear indicating successful update.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 7

Actor: Third-Party Vendor

Use Case: maintain an 'About Me' page

Option A

Precondition:

Main Flow:

Exception Flow:

Postcondition:

Option B

Precondition:

The Third-Party Vendor (TPV) is logged into the auction platform and has navigated to their 'About Me' page, which is linked from their logo.

Main Flow:

1. The TPV clicks on the 'Edit' button on the 'About Me' page.
2. The system presents an editable form with fields for the TPV to update or add information about themselves.
3. The TPV fills in or modifies the information as needed.
4. The TPV clicks the 'Save' button to submit the changes.
5. The system validates the input and saves the updated information.
6. The system displays a confirmation message that the 'About Me' page has been successfully updated.

Exception Flow:

1. If the TPV encounters an error while trying to update their 'About Me' page (e.g., network issue, server error), the system will display an error message indicating the problem.
2. The TPV can try again by clicking the 'Retry' button, or they can contact support for further assistance.

Postcondition:

The 'About Me' page is updated with the new information provided by the TPV, and the changes are visible to all users who view the TPV's profile.

Option C

Precondition:

The Third-Party Vendor (TPV) is registered and authenticated on the auctions platform.

Main Flow:

1. The TPV logs into the auctions platform using their credentials.
2. The TPV navigates to their account settings or profile section.
3. The TPV accesses the 'About Me' page editing interface.
4. The TPV updates their vendor information, such as business description, contact details, and branding content.
5. The TPV saves the changes.
6. The system stores the updated information and links the 'About Me' page to the TPV's logo on the auction site.

Exception Flow:

If the TPV fails to save changes due to invalid input or system error, the system displays an error message and prompts the TPV to correct the issue before resubmitting.

Postcondition:

The 'About Me' page is updated with the TPV's information and is accessible to users via a link from the TPV's logo on the auction site.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 8

Actor: Site Designer

Use Case: update auction schedule page

Option A

Precondition:

The Site Designer is logged into the auction platform's administrative interface and has access to the page management or content management system.

Main Flow:

The Site Designer navigates to the 'Auction Schedule Page' within the admin interface. They review the current schedule, which displays upcoming auctions with details such as date, time, and featured items. The designer then edits the schedule by adding new auction entries, modifying existing ones (e.g., changing times or featured products), or removing past or cancelled auctions. After making changes, they save the updated schedule. The system validates the input data (e.g., ensuring dates are in the future, no overlapping times) and updates the live auction schedule page for public viewing.

Exception Flow:

If the system detects invalid data during validation (e.g., a start time set before the end time, or an empty required field), it displays an error message to the Site Designer, highlighting the specific fields that need correction. The designer must correct these errors before the changes can be saved. If a network error occurs during saving, the system notifies the designer that the update failed and suggests retrying.

Postcondition:

The auction schedule page on the public-facing website is successfully updated to reflect the changes made by the Site Designer, displaying the correct and current auction information to users.

Option B

Precondition:

The Site Designer has access to the CMS and is logged in with the necessary permissions to update the auction schedule page. The CMS is operational and accessible.

Main Flow:

1. The Site Designer logs into the CMS.
2. The Site Designer navigates to the section of the CMS that manages the auction schedule page.
3. The Site Designer selects the 'Edit' or 'Update' option for the auction schedule page.
4. The Site Designer makes the necessary changes to the auction schedule, such as updating dates, times, or other relevant details.

5. The Site Designer saves the changes and publishes the updated auction schedule page.
6. The CMS confirms that the updates have been successfully saved and published.

Exception Flow:

1. If the Site Designer encounters an error while logging into the CMS, they should verify their credentials and try again. If the problem persists, they should contact the system administrator.
2. If the CMS is not operational or inaccessible, the Site Designer should check the system status and try again later. If the issue continues, they should contact the system administrator.
3. If the Site Designer encounters an error while saving or publishing the updates, they should ensure that all required fields are correctly filled and try saving again. If the problem persists, they should contact the system administrator.

Postcondition:

The auction schedule page is updated and published on the website. The changes are visible to all users accessing the auction schedule page. The Site Designer can log out of the CMS or continue with other tasks.

Option C

Precondition:

The Site Designer has access to the Content Management System (CMS) and is logged in with appropriate permissions to update site content.

Main Flow:

1. The Site Designer navigates to the CMS interface.
2. The Site Designer selects the 'Auction Schedule' page for editing.
3. The Site Designer updates the auction schedule information, including dates, times, and any relevant details.
4. The Site Designer saves the changes.
5. The updated auction schedule page is published to the live site.

Exception Flow:

If the Site Designer encounters an error while saving or publishing the changes, they will be notified via the CMS interface. They can then attempt to resolve the issue by checking input data validity or contacting technical support.

Postcondition:

The auction schedule page on the Auctions website reflects the updated information and is accessible to site visitors.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 9

Actor: Customer

Use Case: subscribe to Auction Insider newsletter

Option A

Precondition:

The customer is on the Auctions website and has navigated to a page containing the 'Subscribe to Auction Insider' form, such as the footer or a dedicated newsletter page.

Main Flow:

The customer enters their email address into the designated input field on the 'Subscribe to Auction Insider' form. The customer then clicks the 'Subscribe' button. The system validates the email address format. If valid, the system processes the subscription request, adds the email to the mailing list, and displays a confirmation message to the customer indicating that they have successfully subscribed to the Auction Insider newsletter.

Exception Flow:

If the email address entered is invalid (e.g., missing '@' or domain), the system displays an error message prompting the customer to correct the email address. If the subscription fails due to a system error, the system displays a generic error message and may prompt the customer to try again later.

Postcondition:

The customer's email address is successfully added to the Auction Insider newsletter mailing list, and they will receive future newsletters as scheduled.

Option B

Precondition:

The customer is on a page where the 'Auction Insider' subscription field is visible, typically located at the top right of the page. The subscription option is also available on multiple pages, including the Sign In Page Mockup and the Registration Page 2 Mockup (Bottom Half).

Main Flow:

1. The customer enters their email address in the 'Auction Insider' field.
2. The customer clicks the 'GO' button to subscribe to the Auction Insider newsletter.
3. The system processes the subscription request and adds the customer's email to the Auction Insider newsletter list.
4. The system sends a confirmation email to the customer's provided email address, welcoming them and thanking them for registering with Auctions.
5. The confirmation email includes instructions to add the specific email addresses and the website URL to their 'Safe Senders' list or 'Whitelist' to ensure they receive future newsletters.

Exception Flow:

Since the current evidence does not provide specific details about possible errors or issues a customer might encounter while subscribing, no exception flow can be detailed at this time. However, it is mentioned that customers can unsubscribe from the Auction Insider newsletter through their MyAccount settings if they are no longer interested.

Postcondition:

The customer is successfully subscribed to the Auction Insider newsletter and has received a confirmation email. The customer is prompted to add the specific email addresses and the website URL to their 'Safe Senders' list or 'Whitelist' to ensure they receive future newsletters. Additionally, the customer can manage their newsletter preferences, including unsubscribing, through the 'Change my Email Newsletter Subscriptions' link in the MyAccount settings.

Option C

Precondition:

The customer is on the Auctions website and has access to the registration or account management pages.

Main Flow:

1. The customer navigates to the 'Sign In' page, 'Registration Page', 'My Account Edit Page', or any page featuring the 'Auction Insider' newsletter subscription section.
2. The customer locates the 'Auction Insider' newsletter subscription field, which includes a text box for entering an email address and a 'GO' button.
3. The customer enters their email address in the provided field.
4. The customer clicks the 'GO' button to subscribe.
5. The system processes the request and confirms the subscription via an email confirmation message.
6. Alternatively, during registration, the customer can opt-in by checking the 'Change my "Auction Insider" Email Newsletter Subscription' link or similar option on the registration page.
7. If the customer is already registered, they may also subscribe via the 'My Account' settings under 'Email Preferences'.

Exception Flow:

If the customer's email address is invalid or already subscribed, the system displays an error message prompting the user to correct the input or confirm existing subscription status.

Postcondition:

The customer is successfully subscribed to the Auction Insider newsletter, and a confirmation email is sent to their provided email address.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 10

Actor: Customer

Use Case: view bid history

Option A

Precondition:

The customer is logged into their account on the auction platform.

Main Flow:

The customer navigates to an item's detail page. On this page, there is a section or link labeled 'Bid History'. The customer clicks on this link or section. The system then displays a list of all previous bids for that item, including the bid amount and the time it was placed. This information is presented in a clear, readable format, typically in chronological order.

Exception Flow:

If the customer is not logged in, the system may redirect them to the login page or display a message indicating that viewing bid history requires an account. If there are no bids for the item, the system displays a message such as 'No bids yet' or leaves the bid history section empty.

Postcondition:

The customer has successfully viewed the complete bid history for the selected auction item.

Option B

Precondition:

The customer is logged into the auction platform and has previously bid on items, either winning or not winning them. The 'My Bid History' page is a Phase 1 must-have requirement. The platform uses Secure Sockets Layer (SSL) technology to encrypt sensitive information during online transactions, ensuring that personal data and credit card information are protected from unauthorized access. The site is PCI compliant and employs industry-standard firewalls to keep information secure and inaccessible to other internet users. The 'My Bid History' page is specifically noted to be secure.

Main Flow:

1. The customer navigates to the 'My Bid History' page.
2. The system displays a list of items the customer has previously bid on, including both won and not won items, sorted by ending time with the most recent on top.
3. The 'Current Date/Time' is dynamically updated without requiring a user refresh.
4. Each item number is linked to the Product Details (Bidding) page, allowing the customer to view more details about the item.
5. The page includes two sections: 'Items I've Won' and 'Items I Bid On, But Did Not Win'.
6. In the 'Items I've Won' section, there is a 'Payment Status' column that shows 'Paid' if the default payment type is a credit card or 'Not Paid' in bold red if PayPal or Amazon Payments

is the default until payment is made.

7. The page includes links to the 'Returning Winners Payments' page and the 'Recently Ended Auctions' page, which shows 24 hours worth of history.
8. The page uses the global site header & footer but does not include Endeca navigation.
9. If the customer has no previous bids, the system displays a message indicating that the bid history is empty.

Exception Flow:

The provided evidence does not specify any exception flows or error handling scenarios for when a customer attempts to view their bid history. However, if the customer has no previous bids, the system will display a message indicating that the bid history is empty.

Postcondition:

The customer has successfully viewed their bid history, including both won and not won items, and can access additional pages such as 'Product Details (Bidding)', 'Returning Winners Payments', and 'Recently Ended Auctions'. The Current Date/Time remains dynamically updated, and the 'Payment Status' column accurately reflects the payment status of won items. If the bid history is empty, the customer is informed accordingly.

Option C

Precondition:

The customer is logged into their account on the Auctions website.

Main Flow:

1. The customer navigates to the 'My Bid History' page from the main navigation menu.
2. The system displays a list of auctions the customer has participated in, divided into two sections: 'Items I've Won' and 'Items I Bid On, But Did Not Win'.
3. For each item, the system shows details including Item Number, Description, Auction Number, Winning High Bid, Total Bids, Last Bid Time, Ending Time, and Payment Status.
4. The customer can review their bid history, including the highest bid they placed and whether they won the auction.
5. If the auction is still active, the status will show as 'Active'; otherwise, it will display the closing date and time.
6. The system displays the customer's last bid amount, their SmartBid (maximum bid) if one was placed, and the winning bid value, regardless of who placed that bid. If the customer won the auction, the last bid value will be equal to the winning bid value.
7. The system also indicates if any user is using 'SmartBids', with a link explaining what that is and why they should consider using it.
8. The bid history includes a timestamp for computer-generated SmartBids based on when the computer placed the last bid, not when the original SmartBid was placed.
9. The system displays the auction sequence numbers, product ID (SKU) numbers, and the customer's last bid on that auction.
10. The system highlights deactivated accounts in red if applicable.

Exception Flow:

If the customer is not logged in, the system redirects them to the login page before allowing access to the bid history.

Postcondition:

The customer has successfully viewed their bid history, including details of both won and lost auctions, with additional information about SmartBid usage, timestamps, and account status indicators.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 11

Actor: Third-Party Vendor

Use Case: apply vendor branding to product listings

Option A

Precondition:

Main Flow:

Exception Flow:

Postcondition:

Option B

Precondition:

The Third-Party Vendor (TPV) is registered and verified on the auction platform. The TPV has a valid logo or text link for their branding, and the items to be listed are fed into the system through a common scheduling interface managed by the TPV.

Main Flow:

1. The TPV logs into the auction platform using their credentials.
2. The TPV accesses the product listing section of the platform.
3. The TPV selects the product they want to list and adds it to the catalog.
4. The TPV applies their branding to the product listing by adding their logo or text link to the product details page.
5. The TPV includes unique branding in the listing description section of the product detail page.
6. The TPV saves the changes and publishes the product listing.
7. The branded product listing appears on the catalog/browse/search results pages and the product detail page with the TPV's branding visible.

Exception Flow:

1. If the TPV's branding (logo or text link) is not accepted by the system, an error message is displayed, and the TPV is prompted to upload a valid branding image or text link.
2. If the TPV tries to publish a product listing without applying the required branding, the system displays a warning and prevents the listing from being published until the branding is applied.
3. If there is an issue with the scheduling interface, the TPV is notified, and the system provides instructions on how to resolve the issue or contact support.

Postcondition:

The product listings are successfully branded with the TPV's logo or text link, and the branding is visible on the catalog/browse/search results pages and the product detail page. The TPV's 'About Me' page is linked from their logo, and the TPV can manage their own auctions using the platform's scheduling application. The system will export order data to the TPV's systems, and the TPV will fulfill their own orders and pay a commission to for each sold item.

Option C

Precondition:

The Third-Party Vendor (TPV) has been registered and approved on the platform. The TPV has access to the vendor management interface and has products scheduled or ready to be listed in auctions.

Main Flow:

1. The TPV logs into the vendor portal using their credentials.
2. The TPV navigates to the product management section where they can view and manage their scheduled or active auction items.
3. The TPV selects a product listing for which they wish to apply branding.
4. The TPV accesses the branding customization options for the selected product, which may include uploading a logo or text link to represent their brand.
5. The TPV inputs or uploads their branding elements (e.g., logo, text link) and configures how it should appear on the catalog/browse/search results pages and the product details page.
6. The TPV reviews the branding settings and confirms the changes.
7. The system saves the branding configuration and applies it to the specified product listing.
8. The branded product is now displayed with the vendor's branding on relevant pages of the consumer-facing site, including unique branding in the listing description section of the item's product detail page.
9. Each TPV will have an 'About Me' page linked from their logo, providing additional information about the vendor.
10. The system ensures that the vendor's branding is consistent across all applicable views, including the product detail page and search results.

Exception Flow:

If the TPV attempts to upload an image that does not meet the required specifications (e.g., size, format), the system displays an error message and prompts the TPV to correct the issue. If the TPV cancels the branding process before saving, no changes are applied to the product listing.

Postcondition:

The product listing now includes the vendor's branding as configured by the TPV, visible to consumers on the catalog, browse, search results, and product detail pages, with unique

branding in the listing description section of the item's product detail page. Additionally, the vendor's 'About Me' page is accessible via the logo link on the product listing.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 12

Actor: Auctioneer

Use Case: create auction event profiles

Option A

Precondition:

The Auctioneer is logged into the auction platform's management system with appropriate permissions to create and manage auction events.

Main Flow:

The Auctioneer navigates to the 'Auction Event Management' section of the platform. They select the option to create a new auction event profile. The system presents a form where the Auctioneer inputs details such as the event name, date, time, description, and associated categories. The Auctioneer can also upload images or videos for the event and assign specific items from the inventory to be featured. After entering all required information, the Auctioneer reviews the details and submits the profile for approval. The system validates the data, assigns a unique identifier to the event, and saves it in the database. A confirmation message is displayed to the Auctioneer, indicating that the event profile has been successfully created and is pending final review.

Exception Flow:

If the Auctioneer enters invalid or incomplete data, the system displays an error message highlighting the specific fields that need correction. If the Auctioneer attempts to create an event with a conflicting date or time, the system alerts them and suggests available slots. If the system encounters a technical error during submission, it notifies the Auctioneer and advises them to retry later or contact support.

Postcondition:

A new auction event profile is successfully created in the system, assigned a unique ID, and marked as pending approval. The Auctioneer is notified of the successful creation, and the event is now visible in the management dashboard for further actions like editing or publishing.

Option B

Precondition:

The Auctioneer must have access to the 'Create / Edit Auction Event Profiles' page. The system should be operational and the Auctioneer should have the necessary permissions to create new auction event profiles.

Main Flow:

1. The Auctioneer accesses the 'Create / Edit Auction Event Profiles' page.
2. The Auctioneer clicks into the 'Create New Profile' field, enters a new profile name, and clicks 'Create'.

3. The Auctioneer fills in the upper range of the cost tier in the second column. The system automatically fills in the lower range of the subsequent cost tier by adding \$0.01 to the last value entered.
4. The Auctioneer selects either 'amount' or '% of cost' for the opening bid, fills in the appropriate field, and designates a bid increment and auction duration for each cost tier.
5. The Auctioneer chooses one of the radio button options to specify product eligibility (e.g., 'Apply to Gemstones Only').
6. The Auctioneer clicks the 'Apply' button to finish profile creation. The system saves the changes, and the profile is available for use.

Exception Flow:

1. If the Auctioneer tries to apply a profile to a grouping of jewelry items when the profile is only applicable to gemstones, the system will generate an error message indicating that the profile can only be applied to products in the gemstone category.
2. If any '% of cost' values are under 100%, they will automatically appear in BOLD RED as a warning to the Auctioneer, though this does not prevent the Auctioneer from proceeding.
3. If any of the items being scheduled have additional quantities of the same item already scheduled in overlapping auction events, the system should provide a warning, preferably via a popup window.

Postcondition:

After successfully creating an auction event profile, the Auctioneer can apply the profile to eligible products based on the specified criteria, such as product categories or SKU prefixes. The profile is saved and available for use. If the profile is restricted to certain categories (e.g., gemstones only), attempting to apply it to incompatible items will result in an error message. The system also provides warnings for low '% of cost' values and overlapping auction events.

Option C

Precondition:

The Auctioneer is logged into the Auctions platform and has access to the Auction Administration section. The system displays the current date and time, and the Auctioneer has navigated to the 'Create/Edit Auction Event Profiles' page.

Main Flow:

1. The Auctioneer accesses the 'Auction Event Profiles' page.
2. The Auctioneer selects a profile from the dropdown list or clicks on 'Create New Profile' to define a new profile.
3. The Auctioneer enters a name for the new profile in the 'Create New Profile' field and clicks 'Create'.
4. The Auctioneer fills in the cost tiers by entering the upper range of each tier in the second column; the system automatically populates the lower range of the next tier by adding \$0.01 to the last entered value.
5. For each cost tier, the Auctioneer selects either 'Amount' or '% of Cost' using the radio

buttons and enters the corresponding opening bid value.

6. The Auctioneer specifies the bid increment and auction duration for each cost tier.
7. The Auctioneer selects one of the radio button options to specify product eligibility (e.g., 'Can be applied to gemstones only', 'Apply to All Items scheduled into this event', etc.).
8. If the 'Apply only to Product IDs with the following SKU Prefix' option is selected, the Auctioneer enters the SKU prefix.
9. The Auctioneer reviews the profile settings and clicks 'Apply' to save the changes.
10. The system saves the profile and updates the list of available profiles.

Exception Flow:

If the Auctioneer attempts to apply a profile to a product category that does not match the eligibility criteria (e.g., applying a gemstone-only profile to jewelry), the system displays an error message indicating the mismatch. The Auctioneer must correct the selection before proceeding.

Postcondition:

The auction event profile is successfully created or updated, and it is available for use in scheduling auctions. The profile includes defined cost tiers, opening bids, bid increments, durations, and product eligibility rules.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 13

Actor: Customer

Use Case: view recently ended auctions

Option A

Precondition:

The customer is on the Auctions website and has navigated to a page that displays auction information, such as the homepage or a dedicated auctions page.

Main Flow:

The customer views a list of recently ended auctions. This list is presented in a table format with columns for 'Auction ID', 'Item Name', 'Start Time', 'End Time', 'Winning Bidder', and 'Final Price'. The customer can scroll through this list to review the results of past auctions. The system automatically populates this list with data from completed auctions, and the customer may also use filters or sorting options (if available) to refine the displayed results.

Exception Flow:

If there are no recently ended auctions to display, the system shows a message indicating that no results were found. If the customer's session expires or they lose internet connectivity while viewing the page, the system may prompt them to log back in or reload the page to continue.

Postcondition:

The customer has successfully viewed the list of recently ended auctions, including details such as the winning bidder and final price for each item. The system has recorded the customer's interaction with the page for analytics purposes.

Option B

Precondition:

The customer is logged into the auction platform. The 'Recently-Ended Auctions' page is accessible from the 'My Account' page and other customer-facing pages, as part of the customer navigation flow. Closed auctions are immediately removed from the site's category pages and appear on the 'Recently-Ended' page for 24 hours, sorted by closing time with the most recent at the top. The page uses the global site header & footer and does not include Endeca left navigation. The 'Current Date/Time' must be dynamic and update without requiring a user refresh.

Main Flow:

1. The customer navigates to the 'Recently-Ended Auctions' page from the 'My Account' page or another customer-facing page.
2. The system displays the 'Recently-Ended Auctions' page, which includes a list of recently ended auctions sorted by closing time, with the most recent at the top.
3. Each auction item in the list shows the following details: Item #, Description, Auction

Number, Winning Amount, Winner, and Ending Time.

4. The Current Date/Time' is displayed dynamically and updates without requiring a user refresh.

Exception Flow:

The provided evidence does not specify any exception flows or error handling. Therefore, no specific exception process can be detailed based on the current evidence.

Postcondition:

The customer has viewed the 'Recently-Ended Auctions' page, which displays a list of recently ended auctions for 24 hours, sorted by closing time. The Current Date/Time' is dynamically updated without requiring a user refresh. The customer can navigate back to other pages or continue to interact with the auction platform.

Option C

Precondition:

The customer is logged into the auctions website or is browsing as a guest. The customer has navigated to the 'Recently-Ended Auctions' page.

Main Flow:

1. The system displays the 'Recently-Ended Auctions' page with a list of auctions that have closed within the last 24 hours.
2. The auctions are sorted by closing time, with the most recent at the top.
3. Each auction entry includes the Item #, Description, Auction Number, Winning Amount, Winner, and Ending Time.
4. The Current Date/Time' is displayed dynamically at the top of the page without requiring user refresh.
5. The page uses the global site header and footer, but does not include the Endeca left navigation.
6. The customer views the list of recently ended auctions. These items do not appear in search results.

Exception Flow:

If no auctions have ended in the past 24 hours, the system displays a message indicating that there are no recently ended auctions.

Postcondition:

The customer has viewed the list of recently ended auctions for the past 24 hours. The page content remains accessible until the next refresh or navigation away from the page.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 14

Actor: Third-Party Vendor

Use Case: customize product display

Option A

Precondition:

Main Flow:

Exception Flow:

Postcondition:

Option B

Precondition:

The third-party vendor has access to the auction platform and has the necessary permissions to customize product display. The system supports the customization of third-party products, including the ability to add unique branding in the listing description section.

Main Flow:

1. The third-party vendor logs into the auction platform.
2. The vendor navigates to the product management interface.
3. The vendor selects the product they wish to customize.
4. The vendor adds or updates the vendor branding (e.g., logo or text link) for the product on the catalog/browse/search results pages and the product details page.
5. The vendor can also include unique branding in the listing description section of the product details page.
6. The vendor saves the changes and the system updates the product display accordingly.

Exception Flow:

If the vendor encounters an error during the customization process (e.g., unable to save changes, branding not displaying correctly):

1. The system displays an error message indicating the issue.
2. The vendor can contact support for assistance.
3. The vendor can try again or revert to the previous settings if needed.

Postcondition:

The customized product display is updated and visible on the auction platform. The vendor's branding is correctly displayed on the catalog/browse/search results pages and

the product details page, and any unique branding in the listing description section is also shown.

Option C

Precondition:

The Third-Party Vendor has successfully logged into the Auctions platform and has access to the vendor management interface.

Main Flow:

1. The Third-Party Vendor navigates to the vendor dashboard.
2. The vendor selects the option to manage third-party products.
3. The system displays a list of products fed into the system through the common scheduling interface.
4. The vendor chooses a specific product to customize its display.
5. The vendor modifies the product's display settings, including adding vendor branding (such as a logo or text link) to the catalog/browse/search results pages and the product details page.
6. The vendor can also add unique branding in the listing description section of the item's product detail page.
7. Each TPV will have an 'About Me' page, linked from their logo, which may be included in the customization options.
8. The vendor saves the changes.
9. The system updates the product display according to the customizations made by the vendor.

Exception Flow:

If the vendor attempts to save changes without providing required branding information, the system prompts the vendor to fill in the missing details before saving.

Postcondition:

The product display for the selected item is customized with the vendor's branding and unique content as specified by the vendor, visible on the catalog/browse/search results pages and the product details page. The 'About Me' page associated with the vendor's logo is also updated if modifications were made.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 15

Actor: Customer Service Representative

Use Case: resolve customer inquiries

Option A

Precondition:

The Customer Service Representative is logged into the Auctions system and has access to customer account information and order history.

Main Flow:

The Customer Service Representative receives a customer inquiry, either via phone, email, or internal ticketing system. The representative accesses the customer's profile by searching for their name or account number in the system. They review the customer's order history, auction participation, and any previous support tickets. Based on this information, the representative provides an answer or resolution to the customer's question. If necessary, they may update the customer's account information, process a refund, or escalate the issue to another department. The representative logs the details of the interaction in the customer's support ticket and marks it as resolved.

Exception Flow:

If the Customer Service Representative cannot find the customer's account or order information, they will request additional identifying information from the customer. If the issue requires escalation and the relevant department is unavailable, the representative will inform the customer of the expected response time and log the escalation request. In cases where the system is down or inaccessible, the representative will manually record the inquiry and resolve it once the system is restored.

Postcondition:

The customer inquiry is resolved, and a record of the interaction is saved in the customer's support ticket history. The customer's account information is updated if necessary, and any required follow-up actions are scheduled or assigned.

Option B

Precondition:

The customer has an active account and is in need of assistance. The Customer Service Representative (CSR) is logged into the system with the necessary permissions to access and edit customer information, handle complaints, and manage accounts.

Main Flow:

1. The CSR receives a customer inquiry through the designated customer service email or via the internal ticketing system.
2. The CSR reviews the customer's inquiry and accesses the customer's account information using the provided tools.

3. The CSR investigates the issue by reviewing the customer's account history, recent activities, and any relevant notes or documents.
4. The CSR determines the appropriate resolution for the inquiry, which may include: - Providing information or guidance to the customer. - Editing the customer's account details if necessary. - Removing bids in emergency circumstances only. - Researching and resolving bidding issues. - Entering account notes to document the interaction and resolution. - Suspending the customer's account by placing it in 'Review' status if there is evidence of fraudulent activity or at the customer's request.
5. The CSR communicates the resolution to the customer via email or the internal messaging system.
6. If the resolution involves a permanent suspension of bidding rights, the CSR must obtain approval from a Customer Care Manager via code.

Exception Flow:

1. If the customer's email address is on the email blacklist, the system will not allow the creation of a new account. The CSR informs the customer that they cannot create a new account and provides alternative contact methods.
2. If the CSR encounters an issue that requires additional authorization, such as a permanent suspension of bidding rights, the CSR contacts the Customer Care Manager for approval. If the manager is unavailable, the CSR logs the issue and follows up at a later time.
3. If the customer has unpaid orders and their account is locked, the CSR reminds the customer of their obligation to pay and unlocks the account if the customer agrees to make the payment. If the customer refuses, the CSR documents the interaction and leaves the account locked.

Postcondition:

The customer's inquiry is resolved, and the CSR has documented the interaction and any changes made to the customer's account. The customer is informed of the resolution, and any necessary follow-up actions are scheduled. If the account was suspended, it is placed in 'Review' status, and the Customer Care Manager is notified for further action if needed.

Option C

Precondition:

The Customer Service Representative (CSR) is logged into the Auctions administrative system with appropriate access rights. The customer's account information is accessible via the Customer History Page.

Main Flow:

1. The CSR accesses the Customer History Page using the customer's email address, phone number, or name.
2. The CSR reviews the customer's order history, bid history, and account notes to gather relevant information about the inquiry.
3. If necessary, the CSR edits customer account information or enters notes in the Account Notes section.

4. The CSR resolves the customer inquiry by providing assistance based on the gathered information.
5. The CSR updates the account notes to document the resolution of the inquiry.

Exception Flow:

If the customer's account needs to be suspended or deactivated due to fraudulent activity or other issues, the CSR places the account in 'Review' status and requests approval from a Customer Care manager for permanent suspension. Deactivation requires a supervisor's authorization code. Additionally, if the email address used to create a new account exists on an email blacklist, the system will prevent account creation.

Postcondition:

The customer inquiry is resolved, and the resolution is documented in the account notes. If applicable, the customer's account status is updated accordingly.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 16

Actor: Business User

Use Case: manage content

Option A

Precondition:

The Business User is authenticated and has the necessary permissions to access the Content Management System (CMS) interface.

Main Flow:

The Business User logs into the CMS. The user navigates to the 'Content' section, where they can view a list of existing content items such as pages, banners, or promotional blocks. The user selects an existing item to edit or chooses to create a new one. For editing, the user modifies the content fields (e.g., title, body text, image URL, active status) and saves the changes. For creating new content, the user fills in all required fields, assigns it to a category or page, and publishes it. The system validates the input and updates the live site with the new or modified content. The user may also manage the order or visibility of content items through drag-and-drop or status toggles.

Exception Flow:

If the user attempts to save content with invalid data (e.g., missing required fields, incorrect image format), the system displays an error message and prevents saving until the errors are corrected. If the user loses their session due to timeout, they are redirected to the login page and must re-authenticate before continuing. If a conflict occurs (e.g., another user edited the same item simultaneously), the system notifies the user and prompts them to resolve the conflict by either overwriting or merging changes.

Postcondition:

The specified content is successfully updated or created in the system database and is reflected on the live auction website. The system logs the change for audit purposes, and the Business User receives a confirmation of the successful operation.

Option B

Precondition:

The Business User must have valid credentials to access the Auction Administration (AA) application. The application must be accessible via a Virtual Private Network (VPN) for remote users, and there should be no non-functional links/commands in the user interface.

Main Flow:

1. The Business User logs into the Auction Administration (AA) application using their valid credentials.
2. The Business User navigates to the content management section of the AA application.
3. The Business User creates a new auction by providing the necessary details such as

auction name, start and end times, and other relevant information.

4. The Business User views and edits existing auctions by selecting the specific auction and making the required changes.
5. The Business User manages global settings by navigating to the settings section and adjusting the parameters as needed.
6. The Business User edits auction profiles by selecting the specific profile and updating the details.
7. The Business User views SKU histories by navigating to the SKU history section and reviewing the historical data.
8. The Business User views, suspends, and deactivates customer accounts by navigating to the customer account management section and performing the required actions.
9. The Business User views the status of current auctions by navigating to the auction status section and reviewing the ongoing auctions.
10. The Business User creates and views sales & chum reports by navigating to the reporting section and generating the required reports.
11. The Business User generates and reviews customer activity reports, inventory performance reports, and other relevant reports by navigating to the respective sections and viewing the generated reports.
12. The Business User manages user access by navigating to the user management section and assigning or revoking permissions as needed.

Exception Flow:

1. If the Business User encounters an error while creating, editing, or managing content, the system will display an error message with a description of the issue.
2. If the Business User attempts to perform an action that requires higher permissions, the system will display a message indicating that the user does not have the necessary permissions.
3. If the Business User tries to access a non-functional link or command, the system will display a message indicating that the link or command is not available.
4. If the Business User encounters any issues with the application's functionality, they should contact the Help Desk for assistance.

Postcondition:

After the Business User has managed the content, the following conditions are met:

- New auctions are created and visible in the system.
- Existing auctions are updated with the latest changes.
- Global settings are adjusted according to the user's specifications.
- Auction profiles are updated with the latest information.
- SKU histories are reviewed and any necessary actions are taken.
- Customer accounts are managed, including suspensions and deactivations.
- The status of current auctions is up-to-date and visible.
- Sales & chum reports, customer activity reports, and inventory performance reports are generated and available for review.
- User access is managed, and permissions are assigned or revoked as needed.

- Any triggered events (e.g., scheduled auctions not beginning or ending, orders not processing) are monitored, and the Help Desk and Auctioneer are notified via email if necessary.

Option C

Precondition:

The Business User is logged into the Auction Administration Application with appropriate permissions to manage content.

Main Flow:

1. The Business User navigates to the Content Management section via the Main Menu.
2. The system displays the Content Management interface, allowing the user to add, edit, or remove content such as auction descriptions, promotional materials, and site announcements.
3. The Business User selects an existing content item to edit or creates a new one by clicking the appropriate option.
4. The user enters or modifies the required content details (e.g., title, description, images, effective dates).
5. The user saves the changes, and the system updates the content in the database.
6. The updated content becomes available on the consumer-facing auction site according to the configured publication settings.
7. The system supports Endeca link generation capability for dynamic content linking.
8. The system allows scheduling of promotional banners and text bars.
9. The system enables updating the auction schedule page.
10. The system ensures that all content adheres to SEO best practices, including proper use of <Title> and <Description> tags, especially for SEO-optimized landing pages based on gemstone or product type.
11. The system allows the inclusion of links to specific product categories, such as loose tanzanite stones or tanzanite rings, from SEO landing pages.
12. The system may integrate content from the Learning Library or allow the Auctioneer to publish customer survey comments to these pages.
13. The system provides a way to update SEO landing pages with fresh content, including potential integration of product reviews, highlighted products, or customer survey comments, possibly sourced from CMS updates.
14. The system includes functionality to manage and display content related to the Learning Library, ensuring educational material is accessible from relevant landing pages.
15. The system supports publishing content derived from online customer surveys to SEO landing pages, enabling dynamic content updates based on customer feedback.
16. The system allows for the inclusion of general product information on landing pages, such as 'what to look for' guidance regarding stone types, metal types, and buying considerations.
17. The system ensures that SEO landing pages contain links to the Learning Library for additional educational resources.

18. The system facilitates the creation of SEO-optimized landing pages for various gemstone types and product types (e.g., 'tanzanite page', 'Rings page') with specific metadata and content tailored to search engine optimization.

19. The system enables the Auctioneer to contribute content to landing pages in the form of comments from customer surveys, enhancing engagement and relevance.

20. The system supports the routine updating of landing pages with fresh content, including options for highlighting products or incorporating customer insights.

Exception Flow:

If the user attempts to save invalid or incomplete content, the system displays an error message indicating the missing or incorrect fields. The user must correct the errors before saving.

Postcondition:

The content has been successfully added, updated, or removed in the system and is reflected on the consumer-facing auction site based on publication rules.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 17

Actor: Business User

Use Case: view auctions RFM report

Option A

Precondition:

The Business User is logged into the auction platform's administrative interface and has access permissions to view reports.

Main Flow:

The Business User navigates to the Reports section of the administrative interface. From the available report options, the user selects the RFM (Recency, Frequency, Monetary) report for auctions. The system displays a summary table or chart showing customer segments based on their purchasing behavior in auctions, including metrics such as recency of last purchase, frequency of purchases, and total monetary value spent. The user can optionally apply filters or drill down into specific segments for more detailed data.

Exception Flow:

If the user does not have the required permissions, the system displays an 'Access Denied' message. If there is no data available for the RFM report, the system displays a message indicating that no data is available for the selected period or criteria. If the system encounters a technical error while generating the report, it displays a generic error message and logs the incident for review.

Postcondition:

The Business User has successfully viewed the RFM report for auctions, which provides insights into customer purchasing behavior to inform marketing and merchandising strategies.

Option B

Precondition:

Main Flow:

1. The Business User accesses the Auction Admin Main Menu Page.
2. The user navigates to the 'Auction Customer RFM Report' option.
3. The user is then presented with a set of radio buttons to choose the time frame for the report, either a 'lifetime' report using all available sales data or a report limited to the past 12 months.
4. After selecting the desired time frame, the system generates and displays the RFM report.
5. The report shows the Recency, Frequency, and Monetary (RFM) analysis segmented into tiers: 0-30 days, 31-60 days, 61-90 days, 91-180 days, 181-365 days, and over 365 days.
6. The report includes the total number of accounts, revenue, and orders within each tier,

along with calculated fields such as revenue per account, orders per account, and percentage of total accounts.

7. The final row of the report provides totals for each column, allowing the user to analyze customer behavior trends over time.

Exception Flow:

Postcondition:

Option C

Precondition:

The Business User is logged into the Auction Administration Application and has appropriate permissions to access reports.

Main Flow:

1. The Business User navigates to the 'Reports' section in the Auction Administration Application.
2. The user selects the 'Auctions RFM Report' option.
3. The system displays a form allowing the user to choose the timeframe for the report via radio buttons: 'lifetime' or 'past 12 months'.
4. The user selects the desired timeframe.
5. The system generates the RFM report, displaying data segmented into six Recency tiers (0-30 days, 31-60 days, 61-90 days, 91-180 days, 181-365 days, over 365 days).
6. For each tier, the report shows the total number of accounts, revenue, and order amounts.
7. Calculated fields include revenue per account, orders per account, and percentage of total accounts within each tier.
8. The final row of the report displays totals for each column.
9. The Monetary and Frequency sections use the same data columns as the Recency section with corresponding tiers.
10. The report is displayed in a tabular format with clear labeling of each section.
11. The user can view additional details such as the frequency of transactions and monetary value across different customer segments.

Exception Flow:

If the user does not have sufficient permissions, the system denies access to the report and displays an error message. If no data is available for the selected timeframe, the system displays a message indicating that no data was found.

Postcondition:

The RFM report is successfully generated and displayed to the Business User, providing insights into customer behavior based on recency, frequency, and monetary value.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 18

Actor: Business User

Use Case: view inventory performance and aging

Option A

Precondition:

The Business User is logged into the auction platform's backend system with appropriate permissions to access inventory reports.

Main Flow:

The Business User navigates to the 'Inventory Performance and Aging' report section. The system displays a summary dashboard with key metrics such as total inventory value, aging categories (e.g., 0-30 days, 31-60 days, 61-90 days, >90 days), and performance indicators like sell-through rate. The user can filter the data by date range, product category, or specific item SKU. Upon selecting a filter, the system updates the dashboard and underlying tables to reflect the filtered data. The user can also click on specific aging categories or items to drill down into more detailed information, such as individual item history or supplier performance. The system may provide options to export the report data in CSV or PDF format for offline analysis.

Exception Flow:

If the user attempts to access the report without the required permissions, the system displays an 'Access Denied' message. If the selected date range or filters result in no data, the system displays a message indicating 'No data available for the selected criteria'. If there is a system error while generating the report, an error message is displayed, and the user is prompted to try again later.

Postcondition:

The Business User has successfully viewed the inventory performance and aging report, including any filtered or drilled-down data, and the system state remains unchanged except for any temporary session data related to the report view.

Option B

Precondition:

The Business User must have access to the Auction Administration application, be logged in as a user with appropriate permissions, and navigate to the 'Reports Menu' on the Main Menu page. The system must have relevant inventory data available, including items that are both 'Auction Available' and 'Auction Eligible' in the enterprise systems, and must be in a valid, sellable physical inventory location with an image available in the SuperNova system.

Main Flow:

1. The Business User accesses the Auction Administration application.

2. The Business User navigates to the 'Reports Menu' on the Main Menu page.
3. The Business User selects the 'Inventory Performance & Aging Report' option.
4. The report interface is displayed, allowing the Business User to filter by criteria such as Retail Category, Product Type, Gemstone, Material, Material Purity, Brand, Inventory Realm, and others.
5. The Business User can use a wildcard-capable search box to search for auction items, choose between 'Items currently online only' or 'All sellable auction inventory', and filter by image availability and location status.
6. The Business User can group the results by various options like Retail Category, Product Type, Gemstone, Material, Material Purity, Product Group, Brand, Inventory Realm (Red, White), Inventory Aging Bucket, J/G Score, and Ring Size.
7. The Business User views the results, which include columns such as Product ID, Active Date, Last Shown Date, Qty on Open Purchase Order, Last Receipt Date, Buyer Name, Item Description, Retail Category, Gemstone, Product Type, Brand, J/G Score, GM/FTE, Cost, Has Image, Location, Available (Total Company Inventory On Hand), Auction Available, White Total Qty, White Total Cost, Red Unsellable Total Quantity, and Red Unsellable Total Cost.

Exception Flow:

The document does not specify any exceptions or error scenarios related to viewing the inventory performance and aging report. It only describes the report's purpose, criteria section, results columns, and mockup layout without addressing potential errors or their handling.

Postcondition:

After successfully viewing the inventory performance and aging report, the Business User gains visibility into the currently available auction inventory. The report displays criteria such as search for auction items with wildcard capability, radio button options for filtering items currently online or all sellable auction inventory, options to show items with or without images and valid locations, and a group by scrolling list box with options like Retail Category, Product Type, Gemstone, Material, Material Purity, Product Group, Brand, Inventory Realm, Inventory Aging Bucket, J/G Score, and Ring Size. The results section includes columns such as Product ID, Active Date, Last Shown Date, Qty on Open Purchase Order, Last Receipt Date, Buyer Name, Item Description, Retail Category, Gemstone, Product Type, Brand, J/G Score, GM/FTE, Cost, Has Image, Location, Available (Total Company Inventory On Hand), Auction Available, White Total Qty, White Total Cost, Red Unsellable Total Quantity, and Red Unsellable Total Cost.

Option C

Precondition:

The Business User is logged into the Auction Administration Application and has access to the Inventory Performance & Aging Report. The system has imported inventory data from current inventory system, meeting criteria for auction eligibility.

Main Flow:

1. The Business User navigates to the 'Inventory Performance & Aging Report' from the Reports Menu in the Auction Administration Main Menu.
2. The user selects filtering options in the criteria section, including search for auction items (with wildcard capability), choosing between 'Items currently online only' or 'All sellable auction inventory', and selecting whether to show items with or without images and valid locations.
3. The user chooses a grouping option from the 'Group By' list box, such as Retail Category, Product Type, Gemstone, Material, etc.
4. The system displays the results in a table format, including columns such as Product ID, Active Date, Last Shown Date, Qty on Open Purchase Order, Last Receipt Date, Buyer Name, Item Description, Retail Category, Gemstone, Product Type, Brand, J/G Score, GM/FTE, Cost, Has Image, Location, Available Quantity, Auction Available Quantity, White Total Qty, White Total Cost, Red Unsellable Total Quantity, and Red Unsellable Total Cost.
5. The report includes a summary section showing key metrics like SKU count, total cost, units, and unique SKUs categorized by gemstones, jewelry, and other items.
6. The user reviews the report to analyze inventory performance and aging, identifying trends and areas requiring action.

Exception Flow:

If the user selects an invalid filter or grouping option, the system displays an error message prompting the user to correct the input. If no matching inventory items are found, the system displays a message indicating that no results were returned.

Postcondition:

The Business User has reviewed the Inventory Performance & Aging Report, which provides detailed insights into available auction inventory, including aging, costs, availability, and sellability status. The report data is updated based on the selected filters and grouping criteria.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 19

Actor: Auctioneer

Use Case: apply event profiles to items

Option A

Precondition:

Main Flow:

Exception Flow:

Postcondition:

Option B

Precondition:

The Auctioneer must have a list of items that are both 'Auction Available' and 'Auction Eligible' in the enterprise systems. The items must be in a valid, 'sellable' physical inventory location and sellable realm ('white'), and must have an image available in the SuperNova system.

Main Flow:

1. The Auctioneer searches for and selects a group of items to which they wish to apply an event profile.
2. The Auctioneer chooses one of the available event profiles from a list box under the search results.
3. The Auctioneer can edit fields such as opening bid, bid increment, duration, and ending time. The opening time is system-generated once the duration and ending time are filled in.
4. The Auctioneer clicks the 'Apply' button to apply the selected event profile to all selected items.
5. The system applies the common set of characteristics defined in the profile to the selected group of products, including cost tier values, opening bid amounts, bid increments, auction duration, and product eligibility.
6. The changes are saved when the Auctioneer clicks the 'Apply' button on the profile creation or editing page.

Exception Flow:

If the Auctioneer tries to apply an event profile to a group of items but the profile is only applicable to a specific category (e.g., gemstones), the system will generate an error message indicating that the profile can only be applied to products in the specified category.

For example, if the Auctioneer attempts to apply a gemstone-only profile to jewelry items, the system will display an error message stating that the profile can only be applied to products in the gemstone category.

Postcondition:

After the Auctioneer successfully applies event profiles to items, the system ensures consistency, reduces data entry errors, and makes scheduling groups of products easier and faster. The selected items will have the common set of characteristics defined in the event profile applied to them, including cost tier values, opening bid amounts, bid increments, auction duration, and product eligibility.

Option C

Precondition:

The Auctioneer is logged into the Auctions platform and has navigated to the 'View/Edit Current & Scheduled Auctions' page. The Auctioneer has already searched for and selected a list of auction items, which are displayed in the search results.

Main Flow:

1. The Auctioneer selects one or more items from the search results by checking the corresponding checkboxes under the 'Action' column.
2. The Auctioneer clicks on the 'Choose All' checkbox if they wish to select all items in the results.
3. Under the 'Action' column, the Auctioneer opens the scrolling 'Action' list box and selects 'Apply Profile to Selected Items'.
4. A dropdown list appears showing available event profiles (e.g., 'Bella Luce', 'Night Owl'). The Auctioneer selects one profile from the list.
5. The Auctioneer clicks the 'Apply' button next to the dropdown list.
6. The system applies the selected event profile to all checked items, updating their opening bid, bid increment, duration, and other parameters as defined in the profile.
7. The changes are reflected in the search results table immediately.
8. The Auctioneer clicks the 'Apply Changes' button located in the bottom right corner of the screen to save the changes.

Exception Flow:

If the selected event profile is restricted to certain product types (e.g., 'Gemstones Only') and the user attempts to apply it to ineligible items, the system displays an error message indicating that the profile cannot be applied to those items. The Auctioneer must then either deselect the incompatible items or choose a different profile.

Postcondition:

The selected auction items have been successfully updated with the parameters defined in the applied event profile. The changes are saved, and the Auctioneer can proceed to manage other aspects of the auction.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 20

Actor: Business User

Use Case: set temporary shipping promotions

Option A

Precondition:

Main Flow:

Exception Flow:

Postcondition:

Option B

Precondition:

The Business User must be logged into the system and have the necessary permissions to set temporary shipping promotions.

Main Flow:

1. The Business User navigates to the 'Set Temporary Shipping Promotions' section of the system.
2. The Business User enters the starting date and time for the promotion in the designated field.
3. The Business User enters the ending date and time for the promotion in the designated field.
4. The system validates that both the starting and ending dates are in the future and that the ending date is after the starting date.
5. The system also ensures that the duration of the promotion does not exceed seven days.
6. The Business User enters the temporary promotional shipping charge in the designated field.
7. The Business User clicks the 'Apply Changes' button to save the promotion.
8. The system confirms the successful creation of the temporary shipping promotion.

Exception Flow:

1. If the Business User enters a starting date or time that is not in the future, the system displays an error message: 'Starting date and time must be in the future.'
2. If the Business User enters an ending date or time that is not after the starting date, the system displays an error message: 'Ending date and time must be after the starting date and time.'

3. If the Business User sets a promotion duration that exceeds seven days, the system displays an error message: 'Promotion duration cannot exceed seven days.'
4. If the Business User fails to enter a valid promotional shipping charge, the system displays an error message: 'Please enter a valid promotional shipping charge.'

Postcondition:

The temporary shipping promotion is set and active within the specified date and time range, with the specified promotional shipping charge. The system prevents any further changes to the promotion once it is applied.

Option C

Precondition:

The Business User is logged into the Auction Administration Application with appropriate permissions to manage shipping promotions.

Main Flow:

1. The Business User navigates to the section for setting temporary shipping promotions.
2. The user enters the starting date and time for the promotion using the provided fields.
3. The user enters the ending date and time for the promotion, ensuring it is after the start date and within a maximum duration of seven days.
4. The system validates that both dates are in the future and that the end date is after the start date.
5. The user enters the temporary promotional shipping charge in the designated field.
6. The user clicks the 'Apply Changes' button to save the promotion settings.
7. The system saves the promotion details and confirms the successful setup.

Exception Flow:

If the entered dates are not valid (e.g., end date before start date or dates not in the future), the system displays an error message and prevents saving the promotion until valid dates are provided.

Postcondition:

The temporary shipping promotion is successfully configured and will be active during the specified period. The promotion details are stored in the system and can be viewed or modified later.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 21

Actor: Auctioneer

Use Case: schedule auctions

Option A

Precondition:

The Auctioneer is logged into the auction platform with administrative privileges to manage auctions.

Main Flow:

The Auctioneer navigates to the 'Auction Management' section and selects 'Schedule New Auction'. They input details such as the auction start time, end time, item ID or category, reserve price, and any special conditions. The system validates the inputs for completeness and correctness. Upon successful validation, the Auctioneer confirms the schedule, and the system saves the auction details to the database, making it visible on the consumer-facing site according to the scheduled time.

Exception Flow:

If the Auctioneer enters invalid data (e.g., past date, missing required fields), the system displays an error message and prompts the Auctioneer to correct the input. If the system fails to save the auction due to a database error, it notifies the Auctioneer and suggests retrying or contacting support.

Postcondition:

The auction is successfully scheduled in the system, appears in the auction calendar, and is set to go live at the specified time on the consumer-facing website.

Option B

Precondition:

The Auctioneer has the necessary permissions and access to the system. The inventory data is up-to-date, and the products to be scheduled have valid and sellable inventory locations with available images.

Main Flow:

1. The Auctioneer logs into the system.
2. The Auctioneer navigates to the 'Create New Auctions' page.
3. The Auctioneer searches for and selects a list of auction products.
4. The Auctioneer edits the selected auction items by filling in the required fields such as product ID (SKU number), customer (participant) email address, scheduled start and end dates/times, cost range, product type, auction duration, opening bid, high bid, item unit cost, start time, end time, duration, and increment.
5. The Auctioneer can apply an 'event profile' to the group of items or manually set each item's parameters.

6. The Auctioneer can use the Auto-Scheduler to randomly select and schedule products over a chosen timeframe, down to 5-minute intervals, based on parameters like product types and cost ranges.
7. The system generates the opening time and validates that no auction can have the same starting and ending date/time, preventing overlapping scheduled quantities for the same item.
8. The Auctioneer reviews the details and confirms the scheduling.
9. The system schedules the auctions and provides a confirmation message.

Exception Flow:

1. If the Auctioneer tries to schedule an auction with the same starting and ending date/time, the system will display an error message and highlight the offending data.
2. If the Auctioneer attempts to schedule an auction with overlapping times for the same item, the system will provide a warning, preferably via a pop-up window, before the auction is created.
3. If any of the items being scheduled have additional quantities already scheduled in overlapping auction events, the system will provide a warning.
4. If the Auctioneer tries to schedule an auction for a product without available images or not in a valid, sellable inventory location, the system will prevent the scheduling and notify the Auctioneer.

Postcondition:

The auctions are successfully scheduled and visible in the system. The Auctioneer can view and edit the currently running and scheduled auctions using the 'View/Edit Current & Scheduled Auctions' page. The system monitors the auctions and notifies the Help Desk and Auctioneer via email if scheduled auctions do not begin or end as expected, or if orders do not process from the site.

Option C

Precondition:

The Auctioneer is logged into the auctions platform and has access to the auction scheduling functionality. The system contains available inventory with valid, sellable items that have an available image and are in a valid inventory location.

Main Flow:

1. The Auctioneer navigates to the 'Create New Auctions' page.
2. The Auctioneer uses the search section to filter products by Retail Category, Product Type, Gemstone Type, Material Type, Material Purity, and Brand, using multiple selections via the Control key.
3. The Auctioneer applies cost-based filters by entering low and high cost values or searches by product ID (SKU number) using wildcards.
4. The Auctioneer enables or disables thumbnail images in search results using a checkbox.
5. The Auctioneer clicks the 'Find Product' button to execute the search.
6. From the search results, the Auctioneer selects one or more items for scheduling using

the 'Choose All' checkbox or individual selection.

7. Under the 'Action' column, the Auctioneer uses the scrolling 'Action' list box to perform bulk actions such as removing items, editing durations, bid increments, reserve amounts, applying ending/starting times, or creating groupings/events.

8. The Auctioneer edits selected auction items, navigating between fields using the TAB key, arrow keys, or mouse.

9. The Auctioneer copies and pastes data between fields as needed.

10. The Auctioneer either applies an 'event profile' to the group of selected items or manually sets each item's opening bid, bid increment, duration, and ending time.

11. If duration and ending time are provided, the system calculates the opening time automatically.

12. The Auctioneer chooses a standard auction duration (e.g., 20-minute, 1-hour, up to 30 days) or manually sets start and end times from a dropdown list in the column header.

13. The system checks for overlapping scheduled quantities of the same item and warns the Auctioneer via a popup if any conflicts exist.

14. Optionally, the Auctioneer uses the auto-scheduler capability to randomly select and schedule products within a specified timeframe, category, product type, and cost range, with auction ending times down to 5-minute intervals. The auto-scheduler can be configured to apply event profiles based on eligibility rules.

15. The Auctioneer applies an event profile by selecting it from a list box under the search results and clicking 'Apply'.

16. The Auctioneer confirms changes by clicking the 'Apply Changes' button located in the bottom right corner of the screen.

17. The Auctioneer reviews the final auction setup and confirms the schedule, which is then published on the Event Schedule Page visible to site visitors.

Exception Flow:

If the Auctioneer attempts to set identical starting and ending dates/times for an auction, the system displays an error message and highlights the conflicting data with color-coding. If any selected items lack an available image or are not in a valid, sellable inventory location, they will not appear in the search results or be eligible for scheduling. If an event profile is applied to items outside its eligible product categories, the system generates an error message indicating the restriction.

Postcondition:

A new auction event is successfully created and scheduled, with all relevant details (items, bids, durations, times) saved in the system. The auction appears in the public Event Schedule Page, and any warnings about overlapping quantities are addressed before finalization. Event profiles are properly applied to eligible items, and the auto-scheduler function operates within defined parameters.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 22

Actor: Business User

Use Case: view, suspend, and deactivate customer accounts

Option A

Precondition:

The Business User is logged into the Auctions system with appropriate administrative privileges to manage customer accounts.

Main Flow:

The Business User navigates to the Customer Management section of the admin interface. They search for or select a specific customer account using provided filters such as name, email, or customer ID. The system displays the customer's profile and activity history. The Business User can then choose to view detailed information, suspend the account by selecting a 'Suspend' option which may require a reason, or deactivate the account permanently via a 'Deactivate' option, which might prompt for confirmation. Upon successful suspension or deactivation, the system updates the customer's status and logs the action with a timestamp and the user's ID.

Exception Flow:

If the Business User attempts an action without sufficient permissions, the system displays an error message denying access. If the customer account is not found during the search, the system notifies the user that no matching records exist. If a required field (e.g., reason for suspension) is left blank, the system prompts the user to complete it before proceeding. In case of a system error during the update, the system rolls back any changes and displays a generic error message, advising the user to retry later.

Postcondition:

The customer account status is updated in the system database to reflect either suspended or deactivated, and an audit log entry is created recording the change, the actor who performed it, and the timestamp. The customer's ability to interact with the platform (e.g., bidding, purchasing) is restricted or terminated according to the new status.

Option B

Precondition:

The business user must have the appropriate permissions granted through the 'Create or Edit User Page' in the Auction Administration application, including specific permissions such as 'Permission to deactivate a customer account' and 'Permission to place a customer account in review status'. The user must also have access to the Customer History Page. Deactivating accounts requires a supervisor's authorization code, which is generated by administrators and known only to supervisors. The system will not allow any new account creation if the email address is on a blacklist.

Main Flow:

1. The business user logs into the Auction Administration application.
2. The user navigates to the Customer History Page.
3. The user searches for a customer account using the customer's email, phone number, or name.
4. The user selects the desired customer account from the search results.
5. To view the account, the user simply reviews the displayed information.
6. To suspend the account, the user clicks the 'Suspend' button, and the system prompts for a supervisor's authorization code. The user enters the code, and the system verifies it. If the code is valid, the account is suspended, and the status is updated to 'suspended'.
7. To deactivate the account, the user clicks the 'Deactivate' button, and the system prompts for a supervisor's authorization code. The user enters the code, and the system verifies it. If the code is valid, the account is deactivated, and the status is updated to 'deactivated', with the account listed in RED.

Exception Flow:

1. If the user does not have the required permissions, the system will display an error message: 'You do not have the necessary permissions to perform this action. Please contact your administrator.'
2. If the user attempts to suspend or deactivate an account without a valid supervisor's authorization code, the system will display an error message: 'Invalid authorization code. Please enter a valid code or contact your supervisor.'
3. If the user tries to create a new account with an email address on the blacklist, the system will display an error message: 'This email address is on the blacklist. You cannot create an account with this email address. Please use a different email address.'

Postcondition:

The customer account's status is updated to either 'suspended' or 'deactivated' based on the user's action. Suspended accounts are placed in review status, and no new orders will be generated for auctions in progress. Deactivated accounts are listed in RED, and the user is prevented from logging in with a closed or suspended account, with a pop-up message directing them to contact Customer Care.

Option C

Precondition:

The Business User is logged into the Auction Administration Application with appropriate permissions to view, suspend, or deactivate customer accounts.

Main Flow:

1. The Business User navigates to the Customer History Page via the main menu.
2. The user searches for a customer using criteria such as email address, phone number, or customer name.
3. The system displays the search results including Last Name, First Name, City, ST, Zip, Phone, E-mail address, and account status. Deactivated accounts are listed in RED.

4. The user selects a customer account from the results list.
5. The system displays the customer's detailed history, including bid history, order history, and account notes.
6. To suspend an account, the user clicks the 'Place Account in Review Status' button; the system prompts for a supervisor's authorization code if required.
7. To deactivate an account, the user clicks the 'Deactivate an Account' button; the system again prompts for a supervisor's authorization code if required.
8. Upon successful suspension or deactivation, the system updates the account status and displays confirmation.
9. The user can return to the main page or perform additional actions.

Exception Flow:

If the user attempts to deactivate the last administrator account, the system prevents the action and displays an error message stating that there must always be at least two administrators. If the supervisor's authorization code is incorrect or missing, the system rejects the request and prompts for re-entry.

Postcondition:

The customer account is either suspended (placed in review status) or deactivated, and the changes are reflected in the system. Deactivated accounts appear in red in the results list, and the user receives confirmation of the action taken.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 23

Actor: Business User

Use Case: view competition reports

Option A

Precondition:

The Business User is logged into the auction platform's management system and has access permissions to view reports.

Main Flow:

The Business User navigates to the 'Reports' section of the management interface. They select the 'Competition Reports' option from the available report categories. The system displays a list of competition reports, including metrics such as competitor pricing, sales volume, and market share. The user can filter or sort the data by date range, product category, or specific competitor. After reviewing the desired report, the user may export the data to a CSV file for further analysis.

Exception Flow:

If the user does not have permission to view competition reports, the system displays an access denied message. If no data is available for the selected filters, the system shows a message indicating that no records were found. If the export function fails, the system notifies the user with an error message.

Postcondition:

The Business User has successfully viewed the requested competition report data, which may have been exported for external use. The system logs the access event for audit purposes.

Option B

Precondition:

The Business User must have access to the Auction Admin Main Menu Page and the necessary permissions to view competition reports.

Main Flow:

1. The Business User accesses the Auction Admin Main Menu Page.
2. The user navigates to the Competition Report, which is accessible via the 'Auction Admin Application Pages' diagram.
3. The user selects the desired criteria for the report, including Start and End Date fields, Auction Length, Retail Category, Product Type, Gemstone, Material Type, and Material Purity.
4. The user chooses the grouping options from the 'groupings' drop-down list, such as Ring Size, Brand, Auction Length, Retail Category, Product Type, Gemstone, Material Type, Material Color, Material Purity, Cut Style, Department, Gemstone Group, Gem Buy Color,

Motif, Style, Treatment, Stone Shape, Link, Setting, Closure, Product Line, G/J Score, and Buyer.

5. The user generates the report by applying the selected filters and groupings.

6. The report is displayed, showing the data grouped by the user's preferences, with color-coded column headers and metrics such as Total Product Cost, Gross Product Sales, Product Gross Margin, Average PP, Total Auctions Scheduled, Total Auctions Won, Churn Rate, Unique SKUs, Unique Winners, Total Bidders, Total Bids/All Won, Avg Bids/Auction Won, Gross Sales/Unique Customer, Canceled Orders, New Registrations, and New Customers.

Exception Flow:

If the user does not have the necessary permissions to view the Competition Report, an error message will be displayed, and the user will be redirected to the main menu. If the system encounters an issue while generating the report, an error message will be shown, and the user will be prompted to try again or contact support.

Postcondition:

The Business User has successfully viewed and analyzed the Competition Report, gaining insights into the competitiveness of auctions based on the selected criteria and groupings. The report remains available for further analysis or export.

Option C

Precondition:

The Business User is logged into the Auction Administration Application and has access to the reporting module. The system has imported auction data, including auction outcomes, bids, customer registrations, and product details.

Main Flow:

1. The Business User navigates to the 'Competition Report' section within the Auction Administration Application.
2. The user selects criteria for filtering the report, including Start and End Date fields, Auction Length, Retail Category, Product Type, Gemstone, Material Type, Material Color, Material Purity, and other optional filters from the SKU Creation application.
3. The user chooses a grouping option from the 'groupings' dropdown list (e.g., Ring Size, Brand, Auction Length, Retail Category, etc.) to organize the report data.
4. The system generates the Competition Report based on the selected criteria and grouping, displaying columns such as Retail Category, Gross Product Sales, Total Product Cost, Product Gross Margin, Average PP, Total Auctions Scheduled, Total Auctions Won, Churn Rate, Unique SKUs, Unique Winners, Total Bids, Total Bids / All Won, Avg Bids / Auction Won, Gross Sales / Unique Customer, Cancelled Orders, New Registrations, and New Customers.
5. Column headers are color-coded to indicate related data categories, enhancing readability.
6. The report displays metrics such as churn rate, average bids per auction won, and new customer registrations, which help assess auction competitiveness.

7. The Business User reviews the generated report to analyze auction performance and competitiveness.

Exception Flow:

If the selected date range contains no relevant auction data, the system displays a message indicating no results were found. If any required filter is missing or invalid, the system prompts the user to correct the input before generating the report.

Postcondition:

The Competition Report is displayed with filtered and grouped data reflecting auction competitiveness based on the selected criteria. The Business User can use this information to evaluate auction performance, identify trends, and make informed decisions about future auctions.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 24

Actor: System Administrator

Use Case: view customer history

Option A

Precondition:

The System Administrator is logged into the auction platform's administrative interface.

Main Flow:

The System Administrator navigates to the 'Customer History' section within the admin panel. The system displays a list of customers, allowing the administrator to search or filter by customer ID, name, or email. Upon selecting a specific customer, the system presents a detailed history including past purchases, bidding activity, account status, and any associated notes or flags. The administrator can review this information for auditing or customer service purposes.

Exception Flow:

If the customer record is not found, the system displays an error message indicating 'No customer found with the specified criteria.' If there is a system error while retrieving data, the system displays a generic error message and logs the incident for technical review.

Postcondition:

The System Administrator has successfully viewed the selected customer's history, and the system remains in a stable state, ready for further administrative actions.

Option B

Precondition:

The System Administrator must be logged into the Auction Admin application and have access to the Auction Admin Main Menu Page.

Main Flow:

1. The System Administrator navigates to the Auction Admin Main Menu Page.
2. From the main menu, the System Administrator selects the 'Customer History' option, which directs them to the Customer History Page.
3. On the Customer History Page, the System Administrator can search for a customer by entering the customer's email address, home phone number, or name in the provided search fields.
4. After entering the search criteria, the System Administrator submits the search request, and the system displays the search results, showing a list of customers that match the search criteria.
5. The System Administrator selects a specific customer from the search results to view detailed information about that customer, including last name, first name, city, state, ZIP, phone, email address, bid history, order history, view notes, reset password, and last IP

address.

6. The page also displays account notes, order history with order date, auction sequence, item number, amount, and status, as well as bid history with closed date/time, auction sequence, item number, last bid, max bid (smart bid), and winning bid.

7. The System Administrator has the option to deactivate the customer's account or place it in review status, which requires a supervisor's authorization code.

Exception Flow:

If the search does not return any results, the system will display a message indicating that no matching records were found. If the System Administrator attempts to deactivate an account or place it in review status without a valid supervisor's authorization code, the system will prompt for a valid code and will not proceed until a valid code is entered.

Postcondition:

The System Administrator has successfully viewed the customer's history, and if necessary, taken actions such as deactivating the account or placing it in review status. The system updates the customer's account status accordingly, and all changes are recorded in the system.

Option C

Precondition:

The System Administrator is logged into the Auction Administration system with appropriate access rights.

Main Flow:

1. The System Administrator navigates to the Customer History page by selecting the 'Customer History' option from the administration menu.
2. The System Administrator enters a search criterion such as customer email address, phone number, or customer name in the search fields.
3. The system displays a list of matching customer records in the 'Results' section, including Last Name, First Name, City, State, Zip, Phone, Email Address, and action buttons for Bid History, Order History, View Notes, and Reset Password.
4. The System Administrator selects a customer record to view detailed information.
5. The system displays the selected customer's account details, including the Method of Payment (MOP), Account Notes, Order History, and Bid History.
6. In the Order History section, the system shows order dates, auction sequence numbers, product ID (SKU) numbers, order amounts (including shipping/tax), and status. Cancelled orders are displayed in red.
7. In the Bid History section, the system shows the item's closing date/time (or 'Active' if the auction is still live), auction sequence numbers, product ID (SKU) numbers, the customer's last bid on that auction, their SmartBid (max bid) if one was placed, and the winning bid value.
8. The System Administrator can interact with the page to view additional details such as notes or reset passwords if needed.

9. Deactivated accounts will appear in red in the results list. If the System Administrator attempts to deactivate an account, a pop-up DIV layer will prompt for a supervisor's authorization code. Upon correct code entry, the account will be deactivated or placed in review status.

10. The IP Address column may be displayed if available, though it is not required.

11. The Method of Payment section displays the customer's current default payment method, showing card type, expiration date, and last four digits if it is a credit card.

12. The Account Notes section provides a free-form text field for Customer Service Representatives to add comments, with a scroll bar for longer entries.

Exception Flow:

If the System Administrator enters invalid or non-existent search criteria, the system will display an empty results list. If the System Administrator attempts to deactivate an account without a supervisor's authorization code, a pop-up DIV layer will prompt for the code. If the code is incorrect or not provided, the deactivation will be denied.

Postcondition:

The System Administrator has viewed the customer history details, including order and bid history, account notes, and payment information. Any actions taken (e.g., viewing notes, resetting password) are reflected in the system state. Deactivated accounts are visually indicated in red.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 25

Actor: Customer

Use Case: browse and search the site

Option A

Precondition:

The customer is on the auction website and has access to the public-facing pages.

Main Flow:

The customer navigates the site by clicking on menu items such as 'Jewelry', 'Watches', 'Coins & Currency', 'Collectibles', or 'Home & Garden' to browse categories. They can also use the search bar at the top of the page to enter keywords for specific items. The system displays a list of matching products with images, titles, prices, and bid counts. The customer can refine results using filters like price range, condition, or category. Clicking on a product title takes them to the item's detail page, showing more information, photos, and bidding options. The customer can add items to their watchlist or proceed to bid if logged in.

Exception Flow:

If no results are found for a search query, the system displays a message indicating no matches. If a product page cannot be loaded due to an error, the system shows an error page with a link to return to the homepage. If the customer is not logged in and attempts to bid, they are redirected to the login page.

Postcondition:

The customer has viewed a list of items or a specific item's details based on their browsing or search actions. Their session may include added items to a watchlist or attempted bids if authenticated.

Option B

Precondition:

Main Flow:

The Customer navigates to the auction platform. The Customer uses the global header components, which include a search form with functionality similar to the current search. The Customer can search for items by keyword or item number. The search supports all active auction item attributes such as product ID, auction number, product category, product type, stone type, metal type, current price, and full-text search on the description field, with wildcard support. If there is only one search match, the product details page loads. If multiple items are found, a category/search result page loads using the default catalog view. The platform also features a 'No Results Found' page with a 'Popular Searches' section containing static lists of popular gemstone and jewelry searches, along with dynamically updated search terms from Omniture data. The Customer can also browse the

site using the navigation menu, which expands into DHTML dropdown menus for categories like Jewelry, Gemstones, Jewelry Making, Collectibles, Watches, and Learning Library. Under each category, subcategories are available, such as 'Shop by Type' (Rings, Earrings, Bracelets, Necklaces, Pendants, Jewelry Sets) and 'Shop by Material' (Diamonds, Colored Stones, Tanzanite, Gold, Sterling Silver).

Exception Flow:

If the search returns no results, the Customer is directed to the 'No Results Found' page, which includes a 'Popular Searches' section and dynamically updated search terms. If the Customer's account is deactivated, it appears in red, and deactivating an account requires a supervisor's authorization code. If the Customer's credit card information has expired, a pop-up message appears, prompting the Customer to update their credit card information with options to 'Yes, update now' or 'I'll do it later.'

Postcondition:

Option C

Precondition:

The customer is accessing the auction site and is not required to be logged in to browse or search the site.

Main Flow:

The customer navigates to the auction site. The customer uses the top menu bar, left navigation panel, or search bar to browse or search for items. The system supports full-text search on product ID, auction number, product category, product type, stone type, metal type, current price, and description field with wildcard support. If a single match is found, the product details page loads directly. If multiple matches are found, the system displays a category/search result page using the default catalog view. The results include thumbnail images, short descriptions, countdown timers showing time remaining, current high bids, and a 'QuickBid' button. The customer can refine searches using filters such as category, product type, auction duration (e.g., 'Closing Time' ranges), gemstone type, and retail category. Breadcrumbs are displayed to indicate navigation path: Home > Browse/search criteria 1 > Additional criteria > Additional criteria. The system also supports Endeca-like drill-down capabilities for navigating through a large number of SKUs. In the case of no results, the system displays a 'No Results Found' message with search tips and suggestions for related searches. The 'Popular Searches' section includes static lists of popular gemstone and jewelry searches, as well as dynamically updated search terms based on furniture data.

Exception Flow:

If the customer enters invalid search terms or no matching items are found, the system displays a 'No Results Found' message with search tips and suggestions for related searches. The 'Popular Searches' section includes static lists of popular gemstone and jewelry

searches, as well as dynamically updated search terms based on furniture data. If an item has been closed, it will be removed from the display within one minute of closure.

Postcondition:

The customer has successfully browsed or searched the site and viewed relevant auction items. If an item was clicked, the customer is taken to the product details page.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 26

Actor: Customer Service Representative

Use Case: update customer account notes

Option A

Precondition:

The Customer Service Representative is logged into the admin system and has navigated to the customer account management section.

Main Flow:

The Customer Service Representative locates the specific customer account, accesses the account details page, and finds the notes or comments section. They then enter or edit the relevant information in the designated text field and save the changes. The system records the update with a timestamp and the representative's user ID.

Exception Flow:

If the customer account cannot be found, the system displays an error message. If the representative attempts to save invalid or incomplete data, the system prompts them to correct the entry before saving.

Postcondition:

The customer account notes are successfully updated in the database, and the change is reflected in the customer's profile for future reference by other representatives.

Option B

Precondition:

The Customer Service Representative (CSR) is logged into the system with appropriate permissions. The CSR has access to the Customer History Page, which allows them to edit account notes.

Main Flow:

1. The CSR navigates to the Customer History Page.
2. The CSR locates the 'Account Notes' section, which is a free-form text field with a scroll bar.
3. The CSR enters or edits the detailed notes related to customer interactions or issues in the 'Account Notes' section. There are no specific rules or limitations mentioned regarding the content that can be added to this section.
4. The CSR saves the changes by clicking the 'Save' button or equivalent action.

Exception Flow:

Since the document does not specify any exceptions or errors that may occur when a CSR tries to update customer account notes, and it does not provide guidance on how such

issues should be handled, no specific exception flow can be defined based on the current evidence.

Postcondition:

The updated account notes are saved in the system. No further details about system reflections or consequences of such actions are provided in the document.

Option C

Precondition:

The Customer Service Representative (CSR) is logged into the Auctions administrative system with appropriate permissions to access customer account information and update account notes.

Main Flow:

1. The CSR navigates to the Customer History Page using the search functionality by entering a customer's email address, phone number, or name.
2. The system displays the customer's details, including their order history, bid history, and account notes section.
3. The CSR clicks on the 'View Notes' button associated with the customer's record to open the Account Notes section.
4. The CSR enters or edits the account notes in the free-form text field provided.
5. The CSR saves the updated notes, which are then stored in the system for future reference.

Exception Flow:

If the CSR attempts to access a customer record without proper authorization, the system denies access and displays an error message. If the account notes section fails to save due to a system error, the CSR receives a notification prompting them to retry or contact technical support.

Postcondition:

The customer's account notes are successfully updated and saved in the system, accessible to authorized personnel for future reference.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 27

Actor: Customer Service Representative

Use Case: reset customer password

Option A

Precondition:

The Customer Service Representative is logged into the admin system and has access to customer account management functions.

Main Flow:

The Customer Service Representative navigates to the customer account management section, locates the specific customer's profile using their email or account ID, and initiates the password reset procedure. The system generates a temporary password or sends a password reset link to the customer's registered email address. The representative may then communicate the new credentials or instructions to the customer via phone or email.

Exception Flow:

If the customer's account cannot be found or if there is an issue with the email delivery, the system displays an error message. The representative may need to verify the customer's identity through alternative means or escalate the issue to technical support.

Postcondition:

The customer's password is successfully reset, and they are able to log in with the new credentials or reset link. The system logs the password reset action for audit purposes.

Option B

Precondition:

The Customer Service Representative (CSR) is logged into the system and has navigated to the Customer History Page. The CSR has access to the 'Reset Password' button for the customer's account.

Main Flow:

1. The CSR clicks on the 'Reset Password' button for the specific customer.
2. The system prompts the CSR to confirm if they want to reset the password, with a 'Yes' or 'No' option.
3. If the CSR selects 'Yes', the system generates an email with a temporary password and sends it to the customer's email address.
4. The CSR advises the customer to check their email for the temporary password and to change it upon first login.

Exception Flow:

1. If the CSR encounters an error while trying to reset the password (e.g., network issues, system unavailability), the system displays an error message.

2. The CSR should inform the customer about the issue and that the password reset was not successful.
3. The CSR should log the error and escalate it to the IT support team for further investigation.

Postcondition:

The customer's password is reset, and a temporary password is sent to the customer's email. The customer is advised to change the temporary password upon first login. If an error occurs, the CSR logs the error and escalates it to the IT support team.

Option C

Precondition:

The Customer Service Representative (CSR) is logged into the Auctions administrative system with appropriate permissions to manage customer accounts.

Main Flow:

1. The CSR navigates to the Customer History Page via the Auction Administration interface.
2. The CSR searches for the customer using one of the following: email address, phone number, or customer name.
3. Upon finding the customer record, the CSR locates the 'Reset Password' button in the results section.
4. The CSR clicks the 'Reset Password' button, which triggers a system action to generate and send a new password to the customer's registered email address.
5. The system confirms the password reset request has been processed and displays a success message.

Exception Flow:

If the customer's account is deactivated or suspended, the 'Reset Password' button may be disabled or unavailable. In such cases, the CSR must first reactivate the account before proceeding with the password reset.

Postcondition:

The customer receives an email with a new password, allowing them to log in to their account. The system logs the password reset action for audit purposes.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 28

Actor: Business User

Use Case: manage auction events

Option A

Precondition:

The Business User is authenticated and has the necessary permissions to manage auction events within the Auctions platform.

Main Flow:

The Business User navigates to the 'Manage Auction Events' section of the admin interface. They can view a list of upcoming, active, and past auctions. To create a new event, they select 'Create New Auction', input details such as event name, date, time, and associated products, then save the event. To edit an existing event, they select it from the list, modify the required fields, and save changes. To cancel an event, they select the event and choose the 'Cancel' option, confirming the action. The system updates the event status and notifies relevant parties. To review performance, the user can access reports for each event, including sales data and viewer metrics.

Exception Flow:

If the user attempts to save an auction event with missing mandatory fields, the system displays an error message highlighting the incomplete fields and prevents saving until they are filled. If the user tries to cancel an auction that has already started, the system displays a warning that cancellation is not permitted at this stage. If the system encounters a database error during any operation, it logs the error and displays a generic 'Operation Failed' message to the user.

Postcondition:

The auction event data in the system is successfully updated to reflect the user's actions (created, edited, or cancelled). Any associated notifications or reports are generated and made available. The user's session remains active, allowing them to perform further management tasks.

Option B

Precondition:

The Business User must be logged into the Auction Administration (AA) application and have the appropriate permissions to manage auction events, such as creating, editing, or removing auctions.

Main Flow:

1. The Business User navigates to the 'Main Menu' page in the AA application.
2. From the 'Main Menu', the user selects the 'Manage Auctions' option.
3. The system displays a list of current and past auctions.

4. To create a new auction, the user clicks on the 'Create New Auction' button, fills out the required details, and submits the form. The system then creates the new auction and adds it to the list.
5. To view or edit an existing auction, the user selects the auction from the list, and the system displays the auction details. The user can then make any necessary changes and save them.
6. To manage global settings, the user selects the 'Global Settings' option from the 'Main Menu'. The system displays the current settings, and the user can make any necessary changes and save them.
7. To manage customer accounts, the user selects the 'Customer Accounts' option from the 'Main Menu'. The system displays a list of customer accounts, and the user can view, suspend, or deactivate accounts as needed.
8. To view the status of current auctions, the user selects the 'Current Auctions' option from the 'Main Menu'. The system displays the status of all active auctions.
9. To generate reports, the user selects the 'Reports' option from the 'Main Menu'. The system provides options to create and view sales & churn reports, customer activity reports, and inventory performance reports.
10. To manage user access, the user selects the 'User Access' option from the 'Main Menu'. The system displays a list of users, and the user can assign roles (Administrator or User) and specific permissions to each user.

Exception Flow:

If the Business User does not have the appropriate permissions to perform a specific action (e.g., creating a new auction), the system will display an error message indicating that the user does not have the required permissions. The user should contact an Administrator to request the necessary permissions.

Postcondition:

The auction events are managed according to the Business User's actions. New auctions are created, existing auctions are updated, global settings are modified, customer accounts are managed, and reports are generated. The system ensures that all changes are saved and reflected in the AA application.

Option C

Precondition:

The business user is logged into the Auction Administration (AA) application via a web browser, and has the necessary permissions to manage auction events.

Main Flow:

1. The business user navigates to the 'Main Menu' page in the Auction Administration application.
2. The user selects the option to 'Create new auctions' or 'View & edit existing auctions'.
3. If creating a new auction, the user inputs auction details such as product information, pricing, start/end times, and auction rules.

4. The user may apply filters or profiles to select inventory from current inventory system that meets specific criteria.
5. The system validates the input and displays a confirmation or error message.
6. Upon successful creation or editing, the auction event is saved and becomes visible in the list of current or scheduled auctions.
7. The user can view the status of current auctions through the 'Current Auctions Status Page' in both daily and hourly views.
8. The user can also manage auction event profiles, which define default settings for auctions, and apply them during creation.
9. After saving, the auction appears in the 'Today's Auction Inventory Recap' section on the main menu with relevant data such as cost, units, and unique SKUs.
10. The user can access the 'Manage Auction Event Profiles' page to create or edit predefined auction profiles, including setting cost tiers, opening bids, bid increments, durations, and eligibility rules.
11. When applying an event profile to items, the system checks compatibility; if the profile is restricted to certain product categories (e.g., gemstones only), it will prevent application to incompatible items and display an error message.
12. The user can finalize changes by clicking 'Apply' to save modifications to the profile or auction settings.
13. The user can edit existing auction event profiles by selecting a profile from the dropdown list, modifying its parameters, and clicking 'Apply' to save changes.
14. The system supports bulk actions on auction items, including removing items, editing durations, bid increments, reserve amounts, and applying starting/ending times.
15. The user can apply an event profile to multiple selected items using the 'Apply Profile to Selected Items' functionality, ensuring consistent auction settings across groups of products.
16. The user can choose to show thumbnail images for products in the auction list, enhancing visual identification.
17. The user can use the 'Choose All' checkbox to select all items in the search results for bulk operations.
18. The 'Action' column includes a scrolling list box offering options like Remove checked items, Edit durations, Edit bid increments, Edit reserve amounts, Apply ending time to all, Apply starting time to all, and Create grouping/event.
19. The 'Apply Changes' button is located in the bottom right corner of the screen at 1024 x 768 resolution, allowing the user to confirm and save bulk edits.
20. If the search results contain too many columns to display in 1024 x 768 resolution, the list boxes or action buttons are contained within a fixed-width area without requiring horizontal scrolling.
21. The user can randomize closing times within a chosen interval, as suggested in the discussion notes, though this feature may require further development.
22. The system automatically populates the lower range of subsequent cost tiers by adding \$0.01 to the last value entered, reducing manual input errors.
23. Percentages of cost values under 100% appear in BOLD RED as a warning to the auctioneer, but do not prevent proceeding with the entry.

24. The user can schedule auctions using standard durations (e.g., 20-minute, 30-minute, 1-hour, up to 30 days) or manually set start and end times.
25. The system provides a warning if any item being scheduled already has additional quantities of the same item scheduled in overlapping auction events.
26. The auto-scheduler capability allows the user to randomly choose and schedule products from an available list over a timeframe, with options to specify categories, product types, and cost ranges.
27. The user can navigate between fields using the TAB key, arrow keys, or mouse.
28. The user can copy-and-paste data between fields during auction setup.
29. The user can edit currently running or scheduled auctions, with the system preventing creation of auctions with identical start and end times.
30. The user can search for products based on product ID, customer email, scheduled dates, cost range, product type, or auction duration.
31. The search results include columns such as Action, Item thumbnail image, Product ID, Auction ID number, Description, Opening Bid, High Bid, Item Unit Cost, Start time, End time, Duration, Product Type, and Increment.
32. The user can filter search results using autofilters, rearrange columns, and enable/disable thumbnail images in results.
33. The user can click on the Product ID to access the SKU History page.
34. The system generates a 'Today's Auction Inventory Recap' report showing total cost, units, and unique SKUs for the day.
35. The user can access global settings to configure reserve tiers, bid increments, overtime bidding, and shipping charges.
36. Overtime bidding can be enabled or disabled, with time extensions ranging from 10 seconds to 60 minutes.
37. The system notifies participants when overtime bidding is active.
38. Shipping settings allow configuration of first-item and subsequent-item shipping charges, including preferred customer thresholds and per-item rates.

Exception Flow:

If the user attempts to create an auction with invalid data or missing required fields, the system displays an error message indicating the issue. The user must correct the input before proceeding. If the user lacks appropriate access rights, they are redirected to an access denied page. If the user tries to apply an auction profile to incompatible products (e.g., applying a gemstone-only profile to jewelry), the system generates an error message and prevents the action. If the user enters a percentage of cost less than 100%, the system displays a warning in BOLD RED but allows the entry to proceed. If the user attempts to create an auction with the same start and end time as another auction, the system highlights the conflicting data and prevents creation. If the user tries to schedule an item that already has overlapping quantities in another auction, the system displays a warning. If the user attempts to apply a profile to a product category not allowed by the profile, the system prevents the action and displays an error message.

Postcondition:

The auction event is successfully created or updated in the system, and its status is reflected in the relevant reports and dashboards within the Auction Administration application.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 29

Actor: Customer

Use Case: sign in to account

Option A

Precondition:

The customer has an existing account on the auction platform and is accessing the website.

Main Flow:

The customer navigates to the login page, enters their username and password into the designated fields, and clicks the 'Sign In' button. The system validates the credentials against the stored user data. If the credentials are correct, the system logs the customer in and redirects them to their account dashboard or the previous page they were viewing.

Exception Flow:

If the entered credentials are incorrect, the system displays an error message indicating invalid username or password. The customer can then re-enter their credentials or choose to reset their password via a provided link.

Postcondition:

The customer is successfully authenticated and granted access to their account features, such as bidding on auctions, viewing purchase history, and managing personal information.

Option B

Precondition:

The user has an existing account and is on the sign-in page. The system must be operational and accessible.

Main Flow:

1. The customer enters their Member ID or Email and Password in the sign-in section.
2. The customer may check the 'Keep me signed in for today' checkbox if they wish to stay signed in for the day.
3. The customer clicks the 'Sign In' button.
4. The system verifies the entered credentials.
5. If the credentials are correct, the system checks the default payment method.
6. If the default payment method is a credit card, the system verifies the credit card expiration date. If the card is expired, a popup message prompts the user to update it.
7. If the default payment method is PayPal or Amazon Payments, the system checks for any unpaid auction winnings and displays a 'Winning Alert' if there are any.
8. If the user hasn't signed in within the past 3 months, the system sends an authorization request to validate the card on file.
9. The system provides a personalized greeting to the user after successful sign-in.

Exception Flow:

1. If the user forgets their password, they can click the 'Forgot Password' link, which opens a separate DIV with a blank for the customer's email address and instructions to check their email inbox for a new password.
2. If the user forgets their Member ID, they can click the 'Forgot Member ID' link, which also opens a separate DIV with a blank for the customer's email address and instructions to check their email inbox for their Member ID.
3. If the user's account is closed or suspended, a popup message appears stating, 'We're sorry, this account has been closed [suspended]. If you believe this is an error, please call or email Customer Care.'
4. If the user's default payment method is a credit card and it has expired, a DIV layer prompts the user to enter a new credit card.
5. If the user's default payment method is PayPal or Amazon Payments and there are unpaid auction winnings, a 'Winning Alert' side-wide text bar is displayed.

Postcondition:

The user is successfully signed into their account and can access all functionalities of the platform. If the user's account is closed or suspended, they are not allowed to sign in and are directed to contact Customer Care. If the user's default payment method is a credit card and it has expired, the user is prompted to update it. If the user's default payment method is PayPal or Amazon Payments and there are unpaid auction winnings, the 'Winning Alert' is displayed.

Option C

Precondition:

The customer has an existing account on the auctions platform with a valid Member ID or email address and password. The customer is accessing the website via a web browser.

Main Flow:

1. The customer navigates to the sign-in page
2. The system displays the sign-in form with fields for 'Member ID or Email' and 'Password'.
3. The customer enters their Member ID or email and password.
4. The customer selects the 'Keep me signed in for today' checkbox if desired.
5. The customer clicks the 'Sign In' button.
6. The system verifies the credentials: a. If the credentials are valid, the system checks the default payment method. b. If the default payment method is a credit card, the system verifies its expiration date. i. If the credit card is expired, a DIV layer appears prompting the user to update it with options: 'Yes, update now' or 'I'll do it later'. - Selecting 'Yes, update now' redirects the user to the My Account Edit page. - Selecting 'I'll do it later' redirects the user to the home page. c. If the default payment method is PayPal or Amazon Payments, the system checks for unpaid auction winnings. i. If there are unpaid winnings, a 'Winnings Alert' sidebar appears with a link to the 'Returning Winners Payments' page. d. If the user hasn't signed in within the past 3 months, the system sends an authorization request to validate the default credit card before allowing access.

7. The system grants access to the customer's account and displays a personalized greeting upon successful login.

Exception Flow:

1. If the account is closed or suspended, a popup message appears stating: 'We're sorry, this account has been closed [suspended]. If you believe this is an error, please call or email Customer Care.
2. If the entered credentials are invalid, the system displays an error message prompting the user to check their input.
3. If the customer clicks 'Forgot Password' or 'Forgot Member ID', a separate DIV opens with instructions to reset the password or retrieve the Member ID via email.

Postcondition:

The customer is successfully logged into their account, and the system displays the personalized dashboard. If applicable, the customer is prompted to update an expired credit card or address unpaid winnings. The session remains active until the user logs out or the session expires.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 30

Actor: Third-Party Vendor

Use Case: access auction management tools

Option A

Precondition:

Main Flow:

Exception Flow:

Postcondition:

Option B

Precondition:

The Third-Party Vendor (TPV) must be PCI-compliant and have an active account on the platform. The TPV should have access to the scheduling application provided by which allows them to manage their own auctions with limited access, ensuring they cannot see other vendors' data.

Main Flow:

1. The TPV logs into the platform using their credentials.
2. The TPV navigates to the auction management tools section of the platform.
3. The TPV uses the scheduling application to set up and manage their own auctions, including setting auction times, adding items, and customizing the display with their branding.
4. The system exports order data to the TPV's system, allowing the TPV to fulfill their own orders.
5. does not take physical possession of the TPV's inventory.
6. In exchange for placement on the TPV pays a commission to for each sold item.

Exception Flow:

1. If the TPV encounters an error while logging in, the system will display an error message and prompt the TPV to check their credentials or contact support.
2. If the TPV attempts to access other vendors' data, the system will deny access and display a message indicating that they only have limited access to their own data.
3. If there is a technical issue with the scheduling application, the system will display an error message and provide a link to contact support.

Postcondition:

After successfully accessing and using the auction management tools, the TPV's auctions are scheduled and managed within the platform. The TPV can view and manage their own auction data, and the system will export order data to the TPV's system for fulfillment. The TPV's products are displayed with their branding on the catalog and product detail pages, and the TPV is responsible for fulfilling their own orders. will receive a commission for each sold item.

Option C

Precondition:

The Third-Party Vendor has been registered and authenticated on the platform with appropriate access rights to manage auction-related activities.

Main Flow:

1. The Third-Party Vendor logs into the platform using their credentials.
2. Upon successful login, the vendor navigates to the Auction Administration section via the main menu.
3. The vendor accesses the 'View / Edit Current & Scheduled Auctions' page to manage existing auctions.
4. The vendor uses the search functionality to locate specific products by criteria such as product ID (SKU), customer email address, scheduled start/end date, cost range, product type, or auction duration.
5. The vendor can enable or disable thumbnail images in search results via a checkbox.
6. The vendor executes the search using the 'Find Product' button.
7. The search results display data in columns including Action, Image, Product ID, Auction ID, Description, Open Bid, High Bid, Unit Cost, Starts, Ends, Duration, Product Type, and Increment.
8. The vendor can filter search results using autofilters similar to Excel's functionality, which can be toggled on/off via a checkbox.
9. The vendor can rearrange the order of item attribute columns in the search results.
10. Under the 'Action' column, the vendor selects items for batch operations using checkboxes, including a 'Choose All' option.
11. The vendor uses the scrolling 'Action' list box to perform actions such as removing items from an auction, editing durations, bid increments, reserve amounts, applying start/end times to selected items, or creating groupings/events.
12. When applying start/end times, the vendor selects a time from a dropdown list in the column header.
13. The vendor selects an event profile from a list box and applies it to selected items by clicking the 'Apply' button.
14. The vendor clicks the 'Apply Changes' button located in the bottom right corner of the screen to confirm modifications.
15. The vendor may use the 'View/Edit Current & Scheduled Auctions Page Mockup' to review how the interface appears with or without thumbnails, ensuring visibility and

usability across different display settings.

16. The vendor can also access the 'Auction Event Profiles' page to create or edit event profiles, including setting cost tiers, opening bids, bid increments, and durations.

17. The vendor can apply event profiles to multiple items by selecting them and clicking 'Apply'.

18. The vendor can configure options such as applying profiles only to gemstones or jewelry, or applying to all items in an event or those with specific SKU prefixes.

Exception Flow:

If the vendor attempts to create an auction with overlapping start and end dates, the system will display an error message and highlight the conflicting data. If the vendor lacks sufficient permissions, access to the auction management tools will be denied. If invalid search parameters are entered, no results will be displayed, but the system will not prevent submission. If the vendor attempts to apply changes without selecting any items, the system may prompt a warning or ignore the action.

Postcondition:

The Third-Party Vendor successfully accesses and modifies auction settings for scheduled and active auctions using the View/Edit Current & Scheduled Auctions page. The vendor can search, filter, and batch-edit auction details, including timing, pricing, and event profiles, with visual feedback and control over display options such as thumbnails and column layout. The vendor can also configure and apply auction event profiles to multiple items efficiently.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 31

Actor: Customer Service Representative

Use Case: search customer information

Option A

Precondition:

The Customer Service Representative is logged into the Auction Management system with appropriate permissions to access customer data.

Main Flow:

The Customer Service Representative navigates to the 'Search' function within the admin interface. They enter a search criterion, such as a customer's name or email address, into the designated field and click the 'Search' button. The system retrieves and displays a list of matching customer records. The representative selects the desired customer record from the list to view detailed information, including contact details, purchase history, and account status.

Exception Flow:

If no customer records match the search criteria, the system displays a message indicating 'No results found.' If the search query is malformed or contains invalid characters, the system may display an error message prompting the user to correct the input. If the system encounters a technical error during the search, it may display a generic error message and log the incident for IT review.

Postcondition:

The Customer Service Representative has successfully retrieved and viewed the requested customer's information. The system's state remains unchanged except for the display of the customer data on the screen.

Option B

Precondition:

The Customer Service Representative (CSR) must be logged in with the appropriate permissions. The CSR should have a special email account: The system requires that the email address being used does not exist on an email blacklist.

Main Flow:

1. The CSR navigates to the Customer History Page.
2. The CSR enters the customer's email address, phone number, or name into the search field and initiates the search.
3. The system checks the entered information against the database and displays the search results, including the customer's last name, first name, city, state, ZIP, phone, email address, and buttons for Bid History, Order History, View Notes, and Reset Password.
4. The results also include the IP address if available, with deactivated accounts listed in red.

5. The Method of Payment section shows the customer's current default payment method, such as card type, expiration date, and last four digits.
6. The Account Notes section provides a free-form text field for the CSR to use with a vertical scroll bar.
7. The Order History section lists order dates, auction sequence numbers, product ID numbers, order amounts (including shipping/tax), and status, with canceled orders appearing in red.
8. The Bid History section includes the item's closing date/time, auction sequence numbers, product ID numbers, the customer's last bid, their SmartBid (max bid) if placed, and the winning bid value.

Exception Flow:

1. If the entered email address is on the email blacklist, the system will display an error message indicating that the email is invalid and cannot be used for the search.
2. If no matching customer is found, the system will display a message indicating that no results were found for the provided search criteria.

Postcondition:

The system displays the customer's detailed information, including personal details, payment methods, account notes, order history, and bid history. The CSR can now proceed with further actions based on the retrieved information.

Option C

Precondition:

The Customer Service Representative (CSR) is logged into the Auctions administration system with appropriate permissions to access customer information.

Main Flow:

1. The CSR navigates to the Customer History Page within the Auction Administration interface.
2. The CSR enters a search criterion in one of the following fields: Customer Email Address, Customer Home Phone, or Customer Name (Last, First).
3. The CSR clicks the 'Go' button associated with the entered search field.
4. The system displays a list of matching customer records in the 'Results' section, including Last Name, First Name, City, State, ZIP, Phone, Email Address, and action buttons for Bid History, Order History, View Notes, and Reset Password.
5. If multiple matches are found, the CSR selects the correct customer by clicking on their email address or other identifying detail.
6. The system loads the detailed customer profile, including Account Notes, Order History, and Bid History sections.
7. The CSR reviews the customer's information as needed for troubleshooting or service purposes.

Exception Flow:

If no matching records are found, the system displays a message indicating no results were found. If the search criteria are invalid or incomplete, the system may prompt the CSR to correct the input before proceeding.

Postcondition:

The CSR has accessed the customer's complete history, including order and bid details, account notes, and payment information, enabling them to resolve customer inquiries or issues.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 32

Actor: Customer Service Representative

Use Case: suspend customer accounts

Option A

Precondition:

The Customer Service Representative is logged into the admin system and has access to customer account management functions.

Main Flow:

The Customer Service Representative navigates to the customer account management section, searches for the specific customer account by name or ID, selects the account, and initiates the suspension process. The system prompts for a reason for suspension, which the representative provides. Upon confirmation, the system updates the account status to 'suspended' and logs the action with a timestamp and the representative's ID.

Exception Flow:

If the account is already suspended, the system displays a message indicating the current status and prevents duplicate suspension. If the representative lacks sufficient permissions, the system denies access to the suspension function and logs the attempted action.

Postcondition:

The customer account is successfully suspended, the suspension is recorded in the system audit log, and the customer is notified via email that their account has been suspended with the provided reason.

Option B

Precondition:

The customer's account is active and there is a need to suspend the account due to fraudulent or undesirable activity, at the customer's request, or for other valid reasons. The system must have the capability to place accounts in a 'Review' status, and the Customer Care Manager must be available to approve permanent suspensions via a code.

Main Flow:

1. The Customer Service Representative (CSR) identifies an account that needs to be suspended based on evidence of fraudulent or undesirable activity, at the customer's request, or for other valid reasons.
2. The CSR places the auction customer in a 'Review' status, which temporarily suspends their bidding rights.
3. If a permanent suspension is required, the CSR contacts the Customer Care Manager (CCM) to obtain approval.
4. The CCM reviews the case and, if approved, provides an authorization code to the CSR.
5. The CSR uses the provided code to permanently deactivate the account, which includes

revoking bidding rights and preventing the creation of new accounts with the same email address if it exists on an email blacklist.

6. The system displays a pop-up message to the user informing them that their account has been closed or suspended, along with contact information for Customer Care if they believe this is an error.

Exception Flow:

1. If the Customer Care Manager is not available, the CSR cannot proceed with a permanent suspension and must wait for the CCM to become available.
2. If the system fails to place the account in 'Review' status, the CSR should attempt to retry the process. If the issue persists, the CSR should escalate the problem to the IT support team for further investigation and resolution.

Postcondition:

The customer's account is suspended, and they are informed via a pop-up message. The system prevents the creation of new accounts with the same email address if it is on an email blacklist. The customer can contact Customer Care if they believe the suspension is an error.

Option C

Precondition:

Main Flow:

Exception Flow:

Postcondition:

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 33

Actor: System Administrator

Use Case: review site metrics and KPIs

Option A

Precondition:

The System Administrator is logged into the auction platform's administrative interface.

Main Flow:

The System Administrator navigates to the 'Site Metrics' section of the admin dashboard. The system displays a summary of key performance indicators (KPIs) including page views, unique visitors, session duration, bounce rate, and conversion rates. The administrator can select different time periods (e.g., daily, weekly, monthly) to view historical trends. The system presents data in charts and tables, allowing the administrator to drill down into specific metrics for detailed analysis. The administrator may export this data to a CSV or PDF report for further review or sharing with stakeholders.

Exception Flow:

If the system fails to load the metrics data, an error message is displayed indicating a server-side issue. The administrator may attempt to refresh the page or contact technical support if the issue persists. If the selected time period has no available data, the system displays a message stating 'No data available for the selected period.'

Postcondition:

The System Administrator has successfully reviewed the site metrics and KPIs for the selected time period, and the system has recorded the access event in the audit log.

Option B

Precondition:

The System Administrator has access to the Auction Admin Main Menu page, which includes a Reports Menu. The necessary KPIs and site metrics data are available and automatically populated when the 'Auctioneer' opens the Auction Admin Main Menu page.

Main Flow:

1. The System Administrator logs into the auction platform.
2. The System Administrator navigates to the Auction Admin Main Menu page.
3. On the Auction Admin Main Menu page, the System Administrator selects the Reports Menu.
4. The Reports Menu displays various options such as Status of Current Auctions, Sales Report, Competition Report, RFM Report, Customer Ranking Report, Inventory Performance & Aging Report, and Omniture Reports.
5. The System Administrator reviews the specific KPIs and site metrics, which include Gross Revenue, Gross Margin Dollars, Gross Margin Percent, Total Auctions Closed, Total Orders

(before cancels), Churn Rate, Unique Customers, New Registrations, New Customers, Average Price Point, Total Bids, and Bids per Auction.

6. These KPIs and metrics are broken down into categories such as Auction Jewelry, Auction Gemstones, Auction Other, and Total Auctions.

7. The System Administrator can also view the data in the current Omniture interface, which includes site traffic, customer frequency, sales/conversions, marketing promotions, and entry/exit pathing.

8. The System Administrator completes the review of the KPIs and site metrics.

Exception Flow:

If the KPIs and site metrics do not populate automatically or if there is an error in the data:

1. The System Administrator checks the network connection and ensures that the system is properly connected to the internet.

2. The System Administrator refreshes the page to see if the data populates.

3. If the issue persists, the System Administrator contacts the IT support team for further assistance.

Postcondition:

The System Administrator has reviewed the site metrics and KPIs, and the data is available for further analysis or reporting. No specific actions are required from the System Administrator after reviewing the metrics, but the data is now ready for any additional tasks or decision-making processes.

Option C

Precondition:

The System Administrator is logged into the Auction Admin Main Menu Page and has access to the Reports Menu Section.

Main Flow:

1. The System Administrator navigates to the 'Reports Menu Section' on the Auction Admin Main Menu Page.

2. The System Administrator selects one of the available reports: 'Status of Current Auctions', 'Sales Report', 'Competition Report', 'RFM Report', 'Customer Ranking Report', 'Inventory Performance and Aging Report', or 'Omniture Reports'.

3. The system displays the selected report, which includes relevant site metrics and KPIs such as Gross Revenue, Gross Margin Dollars, Gross Margin Percent, Total Auctions Closed, Total Orders (before cancels), Churn Rate, Unique Customers, New Registrations, New Customers, Average Price Point, Total Bids, and Bids per Auction.

4. The System Administrator reviews the displayed KPIs, which are automatically populated for yesterday's data.

5. The System Administrator may navigate between different reports to compare various metrics.

6. If the 'Omniture Reports' link is selected, the system redirects to an external URL (<https://sitecatalyst.omniture.com/login/?r=sc13/reports/index.html>) for further analysis.

7. The System Administrator can also review 'Yesterday's KPIs Section' on the Auction Admin Main Menu Page, which provides a summary of sales metrics broken down by auction category (Jewelry, Gemstones, Other, and Total Auctions).
8. The System Administrator can view 'Today's Auction Inventory Recap' section, which shows key inventory data in terms of cost, units, and unique SKUs, categorized by product type and availability status.
9. The System Administrator may use filters in the Sales Report to analyze data by Retail Category, Product Type, Material Color, Cut Style, Department, Style, and other dimensions.
10. The System Administrator can access the 'Current Auctions Status Page (Daily View)' to monitor expected performance for future auctions, including closing dates, total bids, total cost, number of closings scheduled, number of bidders, average cost per auction, total number of bids placed so far, and average number of bids per item.
11. The System Administrator can switch between hourly and daily views and filter by jewelry, gemstone, or all auctions.
12. The System Administrator can view detailed information about current auctions, including aggregate winning bids, total cost of items closing on a given date, and the number of bidders.

Exception Flow:

If the System Administrator does not have access to the Reports Menu Section, the system will display an error message indicating insufficient permissions.

Postcondition:

The System Administrator has reviewed the site metrics and KPIs for the specified period, including detailed breakdowns by auction category and inventory status, and the data remains available for further analysis or export.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 34

Actor: Business User

Use Case: use auto-scheduler to schedule auctions

Option A

Precondition:

The Business User is logged into the auction platform's management interface and has access to the Auction Scheduler module.

Main Flow:

The Business User navigates to the 'Auction Scheduler' page. The system displays a calendar view with existing scheduled auctions. The user selects a date and time slot for a new auction. The user then selects items from the inventory list to be included in the auction, specifying quantities and starting prices. The user configures auction parameters such as duration, reserve price, and bidding increments. The user clicks the 'Schedule Auction' button. The system validates the input data, checks for scheduling conflicts, and if valid, saves the auction schedule to the database. The system updates the calendar view to display the newly scheduled auction.

Exception Flow:

If the selected time slot conflicts with an existing auction, the system displays an error message and prompts the user to select a different time. If the user inputs invalid data (e.g., negative price, zero quantity), the system highlights the erroneous fields and prevents submission until corrected. If the system encounters a database error during save, it displays a generic error message and advises the user to try again later.

Postcondition:

A new auction is successfully created and scheduled in the system's database, visible on the auction calendar, and ready for execution at the specified time.

Option B

Precondition:

The system has a list of available products and their details. The Auctioneer has defined the start and end times for the auction event, as well as any specific parameters such as product categories, cost ranges, and time intervals.

Main Flow:

1. The Business User navigates to the Scheduling Menu and selects the 'Auto-Scheduler' option.
2. The system prompts the Business User to input the start and end times for the auction event.
3. The Business User specifies any additional parameters such as product categories, cost ranges, and time intervals (e.g., 5-minute or 10-minute intervals).

4. The system validates the input and checks for any overlapping auction events with the same items. If there are any overlaps, the system displays a warning message in a pop-up window.
5. If there are no conflicts, the system randomly and evenly schedules the products from the available list over the specified time frame, using the provided parameters.
6. The system generates a schedule that includes the randomly chosen products and their corresponding auction ending times.
7. The Business User reviews the generated schedule and confirms it. The system then finalizes the schedule and saves it.

Exception Flow:

1. If the Business User inputs invalid start and end times (e.g., the end time is before the start time), the system displays an error message and prompts the user to re-enter the times.
2. If the Business User specifies parameters that result in no available products (e.g., a very narrow cost range with no matching products), the system displays a warning message and suggests adjusting the parameters.
3. If the system detects overlapping auction events with the same items, it displays a warning message in a pop-up window. The Business User can either adjust the parameters or confirm to proceed, in which case the system will create the auction with the overlap.

Postcondition:

The auction schedule is created and saved in the system. The Business User can view the finalized schedule, and the auctions will be automatically launched at the scheduled times.

Option C

Precondition:

The Business User (Auctioneer) has logged into the Auction Administration Application and has access to the Create New Auctions Page. The user has defined a timeframe for scheduling auctions and may have specified parameters such as product categories, cost ranges, or other criteria.

Main Flow:

1. The Auctioneer navigates to the Create New Auctions Page.
2. The Auctioneer selects the 'Auto-Scheduler' capability from the scheduling menu.
3. The Auctioneer defines the timeframe for scheduling auctions (e.g., start and end times).
4. The Auctioneer specifies any additional parameters such as product types, categories, or cost ranges.
5. The system automatically selects a random assortment of SKUs from the available inventory that meet the specified criteria.
6. The auto-scheduler randomly and evenly schedules the selected items within the defined timeframe, with auction ending times set in 5-minute intervals.
7. The system displays the scheduled auctions, confirming completion of the auto-scheduling process.

Exception Flow:

If no eligible SKUs are available based on the specified criteria, the system displays an error message indicating the lack of suitable inventory. If the specified timeframe overlaps with existing auctions containing the same item quantities, the system provides a warning via a popup window.

Postcondition:

The auctions are successfully scheduled within the specified timeframe using the auto-scheduler functionality. The system updates the auction schedule, and the Auctioneer can view the newly created auctions in the Current Auctions Status Page.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 35

Actor: Third-Party Vendor

Use Case: participate in network of branded auction sites

Option A

Precondition:

Main Flow:

Exception Flow:

Postcondition:

Option B

Precondition:

The Third-Party Vendor (TPV) must be PCI-compliant and have an 'About Me' page linked from their logo. The TPV should have access to the platform's scheduling application with limited permissions, and the system must be able to export order data to the TPV's systems.

Main Flow:

1. The TPV logs into the platform using their credentials.
2. The TPV navigates to the scheduling application and schedules their own auctions, ensuring that they do not have access to other vendors' data.
3. The TPV customizes the display of their items on catalog/browse/search results pages and product detail pages, including unique branding in the listing description section.
4. The TPV fulfills their own orders without taking physical possession of their inventory.
5. The system exports order data to the TPV's systems for order fulfillment.
6. The TPV pays a commission to for each sold item in exchange for placement on
7. Transaction processing details are discussed, including whether all transactions go through card processor (Lite) and if taxes are collected on third-party transactions.

Exception Flow:

1. If the TPV encounters issues with the scheduling application, they contact support for assistance.
2. If there are discrepancies in the exported order data, the TPV must verify the data with to ensure accuracy.
3. If the TPV is not PCI-compliant, they must rectify this before participating in the network.
4. If the TPV fails to fulfill orders, may take corrective actions, such as suspending the TPV's account or removing their listings.

Postcondition:

The TPV has successfully scheduled and conducted their auctions, fulfilled their orders, and paid the required commission to The system has exported the necessary order data to the TPV's systems, and all transaction processing details have been clarified and adhered to.

Option C

Precondition:

The Third-Party Vendor (TPV) has been approved and onboarded onto the platform. The TPV has access to the scheduling application for managing auctions and has fulfilled PCI compliance requirements.

Main Flow:

1. The TPV logs into the platform using their credentials.
2. The TPV uses the scheduling application to schedule their own auctions, ensuring that their inventory is listed on the appropriate branded auction site within the network.
3. The TPV's inventory is shared across multiple separately branded auction sites (e.g., Zales, ICE.com, as part of the networked platform).
4. The system exports order data to the TPV's systems after an item is sold.
5. The TPV fulfills the orders directly using their own inventory and shipping capabilities.
6. The TPV receives a commission from for each sold item based on placement on
7. The TPV ensures all transactions are processed through card processor (Litle), if applicable, and complies with tax collection policies for third-party transactions.
8. The TPV can customize the display of their items with vendor branding (e.g., logo or text link) on catalog/browse/search results pages and product detail pages.
9. The TPV can include unique branding in the listing description section of the item's product detail page.
10. Each TPV has an 'About Me' page linked from their logo, providing information about the vendor.
11. The TPV manages their own auction types, durations, and bidding rules, such as 1-hour, 1-day, 3-day, or 7-day auctions, within the platform's framework.
12. The TPV may participate in drop-shipping arrangements where items are shipped directly from the vendor to the buyer without physical possession by
13. The TPV's items may be featured across different branded sites targeting specific market segments (e.g., high-end luxury vs. low-cost jewelry).
14. The TPV ensures that their products meet international shipping requirements and currency conversion needs for global customers.

Exception Flow:

If the TPV fails to fulfill an order within the specified timeframe, the system may flag the issue for review. If the TPV does not comply with PCI standards, access to the platform may be restricted until compliance is achieved. If transaction processing issues arise (e.g., disputes over tax collection or payment routing), the TPV must resolve them in coordination with support.

Postcondition:

The TPV's inventory is successfully listed and sold across the network of branded auction sites. Order data is exported to the TPV's systems, and commissions are paid by for each sale. The TPV maintains control over fulfillment and transaction processing while adhering to platform policies. The TPV's branding is visible and customizable on relevant pages, enhancing brand recognition and customer trust.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 36

Actor: Customer

Use Case: view watch list

Option A

Precondition:

The customer is logged into their account on the Auctions website.

Main Flow:

The customer navigates to the 'My Watch List' page. The system displays a list of items the customer has added to their watch list, including item details such as title, current bid, time remaining, and an option to remove the item from the watch list. The customer can review this information for each item in the list.

Exception Flow:

If the customer's watch list is empty, the system displays a message indicating that there are no items in the watch list.

Postcondition:

The customer has successfully viewed their watch list, which may contain zero or more items with their respective details.

Option B

Precondition:

The customer must be signed in to the auction platform, as indicated by the 'Sign in' option in the navigation bar of the My Watch List page. The page also requires the use of the global site header and footer and does not include Endeca navigation.

Main Flow:

1. The customer navigates to the 'My Watch List' page.
2. The page displays a list of items the customer is interested in but not bidding on, with data sortable by clicking on column headers, defaulting to ending time (soonest on top).
3. The Current Date/Time' is dynamic and updates without user refresh.
4. Each item number links to the Product Details (Bidding) page, and the Bid button also links to the same page.
5. A vanity URL allows for bookmarking.
6. The page includes links to the 'Recently Ended Auctions' and 'Returning Winners Payments' pages.
7. The page uses the global site header and footer and does not include Endeca navigation.

Exception Flow:

No specific exceptions or errors are documented for this use case. If any issues occur, they

should be handled according to the standard error handling procedures of the auction platform.

Postcondition:

The customer successfully views their watch list, which displays a list of items they are interested in but not bidding on. The data is sortable by column headers, with the default sort being by ending time (soonest on top). The Current Date/Time' is dynamically updated. Each item number and the Bid button link to the Product Details (Bidding) page. The vanity URL is available for bookmarking. The page includes links to the 'Recently Ended Auctions' and 'Returning Winners Payments' pages and uses the global site header and footer without Endeca navigation.

Option C

Precondition:

The customer is logged into their account on the Auctions website.

Main Flow:

1. The customer navigates to the 'My Watch List' page via the navigation menu.
2. The system displays a list of items the customer is interested in but not currently bidding on.
3. The list includes columns for Item #, Description, Auction Number, Current High Bid, Total Bids, Last Bid Time, Ending Time, and Action.
4. The data is sorted by ending time, with the soonest ending auctions displayed first.
5. The customer can sort the data by clicking on any column header.
6. The Current Date/Time' is displayed dynamically without requiring a page refresh.
7. Each item number is clickable and links to the Product Details (Bidding) page.
8. The 'Bid' button for each item links to the Product Details (Bidding) page.
9. The customer may access the 'Recently Ended Auctions' page or the 'Returning Winners Payments' page via links on the page.
10. A vanity URL is available for bookmarking.

Exception Flow:

If the customer has no items in their watch list, the system displays a message indicating that the watch list is empty.

Postcondition:

The customer has viewed their watch list, and the system maintains the dynamic display of the current date/time and allows sorting of the list based on user interaction.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 37

Actor: Auctioneer

Use Case: edit auction event profiles

Option A

Precondition:

The Auctioneer is logged into the auction platform's management system and has navigated to the auction event management section.

Main Flow:

The Auctioneer selects an existing auction event from a list or search results. The system displays the event's current profile, including details such as date, time, item categories, and associated products. The Auctioneer modifies one or more fields in the profile, such as updating the start time or adding a new product to the event. After making changes, the Auctioneer clicks the 'Save' button. The system validates the input data and, if valid, updates the auction event profile in the database and displays a confirmation message to the Auctioneer.

Exception Flow:

If the Auctioneer enters invalid data (e.g., a past date for the auction start time) and clicks 'Save', the system displays an error message indicating the specific validation failure and prevents the profile from being saved until the error is corrected. If the system encounters a technical error during the save operation, it displays a generic error message and logs the incident for administrative review.

Postcondition:

The auction event profile is successfully updated with the new information provided by the Auctioneer, and this updated information is reflected in all subsequent system operations related to that event, such as scheduling and reporting.

Option B

Precondition:

The auctioneer must be logged in and have access to the auction administration section.

Main Flow:

1. The auctioneer navigates to the 'Auction Event Profiles' page, where they are greeted with a welcome message and the current date.
2. The auctioneer selects a profile to edit from a dropdown menu labeled 'Choose Profile to Edit:'.
3. Upon selecting a profile, the previously entered values for that profile will populate the page.
4. The auctioneer can then modify the settings for the selected auction, such as cost tiers, opening bid amounts or percentages, bid increments, and duration.

5. After making the necessary changes, the auctioneer clicks the 'Apply' button to save the changes.
6. The system saves the updated profile and the changes are applied to the specific items or product IDs based on the selected options.

Exception Flow:

If there is a failure while the auctioneer is trying to edit an auction event profile, such as a system error or incorrect input, the system should display an appropriate error message and allow the auctioneer to either correct the input or try again later. (Note: This exception handling is not explicitly detailed in the current evidence but is a common practice in system design.)

Postcondition:

The auction event profile is updated with the new settings, and these changes are saved and applied to the specific items or product IDs associated with the profile.

Option C

Precondition:

The Auctioneer is logged into the Auctions system and has navigated to the Auction Administration section. The Auctioneer has access to the 'Create / Edit Auction Event Profiles' page.

Main Flow:

1. The Auctioneer selects the 'Edit Auction Event Profiles' option from the auction administration menu.
2. The system displays a list of existing profiles, including the currently editing profile (e.g., 'Bella Luce Profile').
3. The Auctioneer chooses a profile from the dropdown list to edit or creates a new one by entering a name in the 'Create New Profile' field and clicking 'Create'.
4. The Auctioneer fills in the cost tier ranges in the second column; the system automatically populates the lower range of the subsequent tier by adding \$0.01 to the last value entered.
5. For each cost tier, the Auctioneer selects either 'Amount' or '% of Cost' for the opening bid and enters the corresponding value. Values under 100% appear in bold red as a warning.
6. The Auctioneer sets the bid increment and auction duration for each cost tier.
7. The Auctioneer selects radio button options to specify product eligibility: 'Can be applied to gemstones only', 'Can be applied to jewelry only', 'Apply to All Items scheduled into this event', or 'Apply only to Product IDs with the following SKU Prefix'.
8. The Auctioneer clicks 'Apply' to save the changes. If an incompatible profile is applied to ineligible products, the system displays an error message.
9. The system updates the profile with the new settings.

Exception Flow:

If the Auctioneer attempts to apply a profile restricted to gemstones to jewelry items, the system displays an error message indicating that the profile can only be applied to

gemstone products. If the Auctioneer enters invalid data (e.g., negative values), the system may prevent submission or display validation errors.

Postcondition:

The auction event profile is successfully updated with the new settings. The changes are saved, and the profile is available for use in future auctions. The Auctioneer can now apply the updated profile to eligible items during auction scheduling.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 38

Actor: Business User

Use Case: view and edit existing auctions

Option A

Precondition:

The Business User is logged into the auction platform with appropriate permissions to manage auctions.

Main Flow:

The Business User navigates to the 'Auction Management' section of the platform. They select an existing auction from a list or search results. The system displays the auction's details, including item information, bidding status, and schedule. The Business User can edit fields such as the item description, starting bid, reserve price, or end time. After making changes, the user saves the updated auction details. The system validates the input and updates the auction record in the database, reflecting the changes on the live auction page if applicable.

Exception Flow:

If the Business User attempts to save invalid data (e.g., negative bid amount, past end date), the system displays an error message and prevents saving until corrections are made. If the auction is already closed or in progress, the system may restrict certain edits or require special authorization.

Postcondition:

The auction details are successfully updated in the system, and any changes are reflected in the live auction interface for customers. The system logs the modification event for audit purposes.

Option B

Precondition:

The Business User must be logged into the Auction Administration (AA) application and have the necessary permissions to view and edit auctions. The user should access the AA application through a secure connection, potentially using a Virtual Private Network (VPN).

Main Flow:

1. The Business User logs into the Auction Administration (AA) application securely.
2. The user navigates to the 'Main Menu' page within the AA application.
3. From the 'Main Menu', the user selects the option to 'View and Edit Existing Auctions'.
4. The system displays a list of existing auctions, including details such as product information, pricing, and scheduling.
5. The user selects an auction from the list to view its details.
6. The system presents the auction details, allowing the user to review and edit the

information as needed.

7. The user makes any necessary changes to the auction details, such as updating product information, adjusting pricing, or modifying the schedule.

8. After making the desired changes, the user saves the updated auction details.

9. The system confirms that the auction details have been successfully updated and provides a confirmation message.

Exception Flow:

1. If the user does not have the necessary permissions to view and edit auctions, the system will display an error message indicating insufficient permissions and redirect the user to the 'Main Menu' page.

2. If there are any validation errors during the editing process (e.e., invalid pricing, incorrect date format), the system will display an error message and highlight the fields with issues, allowing the user to correct them.

3. If the system encounters an unexpected error while saving the auction details, it will display an error message and provide the option to retry or cancel the operation.

Postcondition:

The auction details are updated in the system, and the changes are reflected in the Auction Administration (AA) application. The user can continue to manage other auctions or log out of the application.

Option C

Precondition:

The Business User is logged into the Auction Administration Application and has the necessary permissions to view and edit auctions.

Main Flow:

1. The Business User navigates to the 'View / Edit Current & Scheduled Auctions' page via the Main Menu.

2. The system displays the search section where the user can input criteria such as product ID, customer email, scheduled dates, cost range, product type, or auction duration.

3. The user selects search criteria and clicks the 'Find Product' button to execute the search.

4. The system displays a list of search results with columns including Action, Item thumbnail image, Product ID, Auction ID number, Description, Opening Bid, High Bid, Item Unit Cost, Start time, End time, Duration, Product Type, and Increment.

5. The user may filter the results using checkboxes similar to Excel's autofilter functions.

6. The user may rearrange the column order by dragging and dropping the column headers.

7. The user selects one or more auctions by checking the 'Action' checkbox.

8. The user chooses an action from the dropdown menu (e.g., Remove Checked Items from Auction, Edit Reserve Amounts, Edit Bid Increment Amounts, etc.).

9. If the action involves applying a time (start/end), the user selects the desired time from the dropdown in the column header.

10. If the action involves applying an event profile, the user selects one available event

profile from the list box and clicks the 'Apply' button.

11. The user clicks the 'Apply Changes' button located in the bottom right corner of the screen.

12. The system updates the auction details accordingly and confirms the changes.

13. The system returns to the list of auctions with the changes reflected.

Exception Flow:

If the user attempts to create an auction with overlapping start and end times, the system displays an error message and highlights the conflicting data. If the user does not have sufficient permissions, the system denies access to editing functionality. If any of the items being scheduled have additional quantities of the same item already scheduled in overlapping auction events, the system provides a warning via a popup window.

Postcondition:

The auction details are updated in the system, and the user is returned to the list of auctions with the changes reflected.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 39

Actor: Third-Party Vendor

Use Case: fulfill their own orders

Option A

Precondition:

Main Flow:

Exception Flow:

Postcondition:

Option B

Precondition:

The Third-Party Vendor (TPV) is registered and has limited access to the platform. The TPV has scheduled their own auctions using the platform's scheduling application. The TPV must be PCI-compliant. The system will export order data to the TPV systems.

Main Flow:

1. The TPV schedules their own auctions using the platform's scheduling application with limited access, ensuring they cannot see other vendors' data.
2. The auction is conducted on the platform, and once an item is sold, the system exports the order data to the TPV's system.
3. The TPV receives the order data and begins the fulfillment process for the orders.
4. The TPV processes the payment, either through card processor (Lite) or through an alternative payment method such as PayPal or Amazon Payments. If an alternative payment method is used, the order is placed in a Hold status until payment is received.
5. Once the payment is confirmed, the TPV fulfills the order by shipping the item to the customer.
6. The TPV updates the order status in their system, and this information is synchronized back to the platform.
7. Orders generated and passed to order pipeline should be accumulated for each customer and submitted into the OPL once per day to facilitate combined product shipments.

Exception Flow:

1. If the payment is not received within 168 hours, the order is automatically canceled, and the system sends an email to the second-place finisher (if there is one) offering them the item at their last bid price. The second-place finisher has three options: accept, decline, or

request more information.

2. If the TPV encounters any issues during the fulfillment process (e.g., out of stock, damaged item), they can update the order status to reflect the issue, and the platform will notify the customer accordingly.

Postcondition:

The TPV has fulfilled the orders, and the order status is updated in both the TPV's system and the platform. The TPV pays a commission to for each sold item. does not take physical possession of the TPV's inventory. The transaction processing details, including whether all transactions go through card processor and if taxes are collected on third-party transactions, need to be discussed and finalized. Orders are accumulated and submitted into the OPL once per day to facilitate combined product shipments.

Option C

Precondition:

The Third-Party Vendor (TPV) has successfully scheduled their auction using the platform's scheduling application and has received winning bids for items listed in their auction. The TPV has access to the order data exported from the system.

Main Flow:

1. The TPV logs into the platform using their vendor credentials.
2. The system displays a list of orders generated from the auctions they have hosted, including details such as item description, winning bidder information, and order status.
3. The TPV reviews the order data exported from the system to ensure accuracy.
4. The TPV fulfills the orders by preparing and shipping the items directly to the winning bidders.
5. The TPV updates the order status in the system to reflect that the order has been shipped.
6. The system records the fulfillment status and notifies the customer via email or other communication methods that the item has been shipped.

Exception Flow:

If an order cannot be fulfilled due to inventory issues or other reasons, the TPV must contact the support team to report the issue. The system will flag the order as 'unfulfilled' until resolved. If the TPV fails to fulfill the order within the specified timeframe, the system may automatically cancel the order and return the item to the inventory pool for re-auction.

Postcondition:

The orders are fulfilled by the TPV, and the system reflects the updated order status. The winning bidders receive their items, and the TPV receives a commission from for each sold item.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 40

Actor: Auctioneer

Use Case: schedule promotional elements

Option A

Precondition:

The Auctioneer is logged into the auction platform's management interface with appropriate permissions to manage promotional elements.

Main Flow:

The Auctioneer navigates to the 'Promotions' or 'Merchandising' section of the admin dashboard. They select an option to create or edit a promotional element, such as a banner, featured item, or special event. The Auctioneer inputs details including the promotion's title, description, start and end dates, associated products or categories, and any specific display rules. They preview the promotional element to verify its appearance and placement on the site. After confirming all details are correct, the Auctioneer saves and publishes the promotional element, which then becomes active according to the specified schedule.

Exception Flow:

If the Auctioneer attempts to schedule a promotion with overlapping dates for a conflicting element, the system displays an error message and prevents saving until the conflict is resolved. If required fields are missing, the system prompts the Auctioneer to complete them before proceeding. If the system encounters a technical error during saving, it notifies the Auctioneer and advises retrying or contacting support.

Postcondition:

The promotional element is successfully scheduled and will be displayed on the website according to the defined parameters. The system logs the creation or modification of the promotional element in the audit trail.

Option B

Precondition:

The Auctioneer, acting as the primary site Administrator, is logged into the Auction CMS. The Auction CMS is operational and accessible. The content for the promotions will be populated from the CMA.

Main Flow:

1. The Auctioneer logs into the Auction CMS using their credentials.
2. The Auctioneer navigates to the promotional elements scheduling section within the CMS.
3. The Auctioneer selects the type of promotional element they want to schedule (e.g., promotional events such as 'Lunchtime Lunacy', promotional spots on the homepage, etc.).
4. The Auctioneer specifies the details for the promotional element, including start and end dates, target audience, and any other relevant parameters. The system validates that the

dates are in the future and that the ending date is after the start date, and ensures that the promotion does not last more than seven days.

5. The Auctioneer reviews the scheduled promotional element for accuracy and completeness.

6. The Auctioneer confirms the scheduling by saving the changes in the CMS.

7. The system updates the Auction Schedule page and other relevant sections, such as the top and bottom promotional spots on the homepage, with the new promotional element.

Exception Flow:

1. If the Auctioneer provides invalid input (e.g., dates in the past, ending date before the start date, or a promotion lasting more than seven days), the system will display an error message and highlight (color-code) the offending data.

2. In case of system timeouts or network issues, the system will provide an appropriate error message and allow the Auctioneer to retry the operation.

Postcondition:

The promotional elements are successfully scheduled and will be displayed on the site according to the specified parameters. The Auction Schedule page and other relevant sections, such as the top and bottom promotional spots on the homepage, are updated to reflect the new promotional elements.

Option C

Precondition:

The Auctioneer is logged into the Auctions platform with appropriate administrative permissions. The promotional elements are available in the CMS, and the Auctioneer has access to the Auction CMS interface.

Main Flow:

1. The Auctioneer navigates to the promotional elements section within the Auction CMS.
2. The Auctioneer selects a promotional element (e.g., banner, event announcement) from the available list.

3. The Auctioneer specifies the scheduling details, including start and end times, target audience, and placement on the site.

4. The system validates the input and confirms the schedule.

5. The promotional element is published and displayed on the site according to the scheduled parameters.

Exception Flow:

If the selected promotional element conflicts with an existing promotion or exceeds allowed duration limits, the system displays an error message. The Auctioneer must resolve the conflict before proceeding.

Postcondition:

The promotional element is successfully scheduled and will be displayed on the site at the specified time and location. The schedule is recorded in the CMS for future reference.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 41

Actor: System Administrator

Use Case: manage global settings

Option A

Precondition:

The System Administrator is logged into the auction platform's administrative interface.

Main Flow:

The System Administrator navigates to the 'Global Settings' section of the admin panel. They review the current configuration values for site-wide parameters such as time zone, currency, and default categories. The administrator then modifies one or more settings, for example, changing the default currency from USD to EUR. After making the changes, they click the 'Save Changes' button to apply the new configuration. The system validates the input and updates the global settings database record. A confirmation message is displayed to the administrator indicating that the settings have been successfully updated.

Exception Flow:

If the administrator attempts to save invalid data, such as a non-existent time zone code, the system displays an error message highlighting the invalid field and prevents the save operation. If the administrator tries to access the Global Settings page without proper permissions, the system redirects them to a permission denied page or displays an access error.

Postcondition:

The global settings for the auction platform are updated to reflect the administrator's changes, and these new settings are immediately applied across all relevant parts of the system.

Option B

Precondition:

The System Administrator has logged into the system and has the necessary permissions to access and modify global settings. The system is operational and accessible.

Main Flow:

1. The System Administrator accesses the 'Manage Global Settings Page' from the Auction Admin Main Menu Page.
2. The page contains four sections: Reserve Tier and Bid Increment Site-wide Default Settings, Overtime Bidding, Shipping Settings, and Preview Period/Post-Close Removals.
3. In the Reserve Tier section, the administrator can define cost tiers with corresponding reserve (opening bid) amounts and bid increments, choosing between fixed amounts or percentages of cost.
4. In the Overtime Bidding section, the administrator can enable or disable overtime bidding

and set the time extension duration from 10 seconds to 60 minutes.

5. In the Shipping Settings section, the administrator can configure site-wide first item and subsequent item shipping charges, preferred customer shipping charge, revenue threshold for preferred status, and new per-item shipping charge. There are also options for shipping promotions. The system includes data validation to ensure that the start and end dates for temporary shipping promotions are in the future and that the ending date is after the start date. Additionally, the system prevents the promotion from lasting for more than seven days.

6. In the Preview Period/Post-Close Removals section, the administrator can set the preview period and post-close removal durations. The preview section allows setting a time period for new items to appear online before accepting bids, with a maximum of 24 hours. There are fields for entering hours and minutes for the preview period, and an 'Apply Changes' button is provided to confirm modifications.

7. After making any changes in these sections, the administrator clicks the 'Apply Changes' button to save the modifications.

Exception Flow:

The document does not provide specific details about exception flows or error scenarios that can occur when a System Administrator is managing global settings on the auction platform, nor does it describe how such exceptions should be handled. However, based on the current evidence, if the administrator enters invalid data (e.g., end date before start date, promotion duration longer than seven days, or preview period longer than 24 hours), the system will likely display an error message and prevent the changes from being saved.

Postcondition:

The global settings have been updated according to the System Administrator's modifications. The changes are immediately applied to the system, and all relevant configurations are updated. No notifications, logs, or alerts are generated as part of this process.

Option C

Precondition:

The System Administrator is logged into the Auctions platform and has access to the Auction Administration section.

Main Flow:

1. The System Administrator navigates to the 'Manage Global Settings' page from the Auction Administration menu.
2. The administrator reviews and modifies the following global settings: a. Reserve Tier & Bid Increment Sitewide Default Settings: Adjusts cost tiers, opening bid amounts (either fixed amount or percentage of cost), and bid increments. The low end of each next tier automatically populates as the high end of the previous range plus \$0.01. Percentages under 100% appear in bold red. Changes are saved by clicking 'Apply Changes'. b. Overtime Bidding: Enables or disables overtime bidding via a radio button option. Sets time extension

duration in minutes and seconds (from 10 seconds to 60 minutes). When enabled, a message 'Overtime Bidding is On!' appears on Product Details pages. Changes are saved by clicking 'Apply Changes'. c. Shipping: Configures sitewide shipping charges for first and subsequent items. Sets preferred customer shipping charge, revenue threshold to qualify for preferred status (resets to zero annually on January 1), and new per-item shipping charge. Also configures temporary shipping promotions with start/end dates (maximum seven days) and promotional shipping charge. Changes are saved by clicking 'Apply Changes'. d. Preview Period: Sets how long before bids begin new auction items appear online, with fields for hours and minutes (maximum 24 hours). e. Post-Close Removals: Specifies how long closed auctions remain visible in browse results, with fields for hours and minutes.

3. After making changes, the administrator clicks the 'Apply Changes' button to save the updated settings.

Exception Flow:

If the administrator attempts to save invalid configurations (e.g., overlapping cost tiers, negative values, end date before start date for promotions, or promotion longer than seven days), the system displays an error message indicating the specific issue. The administrator must correct the input before saving.

Postcondition:

The global settings are updated and applied across the platform, affecting all future auctions and user interactions according to the configured parameters.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 42

Actor: Auctioneer

Use Case: end or delete an auction

Option A

Precondition:

The auctioneer is logged into the Auction Management system and has access to the 'Auction Control Panel' or 'Manage Auctions' section. The auction to be ended or deleted must exist in the system and be in a state that allows modification (e.g., not yet completed or archived).

Main Flow:

The auctioneer navigates to the 'Auction Control Panel' or 'Manage Auctions' page. They locate the specific auction by searching or browsing the list of active auctions. The auctioneer selects the target auction, which displays its details. From the auction's detail view or an action menu, the auctioneer chooses the 'End Auction' or 'Delete Auction' option. For ending an auction, the system may prompt for confirmation or require entering a reason. For deleting an auction, the system may display a warning about irreversible deletion and require a final confirmation. Upon confirming the action, the system processes the request, updates the auction's status to 'Ended' or removes it from the active list, and provides feedback to the auctioneer that the operation was successful.

Exception Flow:

If the auction is already in a final state (e.g., completed, archived), the system displays an error message indicating that the auction cannot be ended or deleted. If the auctioneer lacks the necessary permissions, the system denies access and displays a permission error. If the auction has associated bids or sales, the system may prevent deletion or require additional steps to handle those records. Network errors or system timeouts during the process may result in an error message, leaving the auction's status unchanged.

Postcondition:

The specified auction is either marked as 'Ended' with a timestamp recorded, or it is permanently removed from the active auction list. The system reflects this change in all relevant views and reports. The auctioneer receives a confirmation message indicating the successful completion of the action.

Option B

Precondition:

The auction must be in an active state and the Auctioneer must have the necessary permissions to end or delete the auction. Additionally, if the auction is being ended, participants with PayPal or Amazon Payments as their default payment method must pay for their winnings within 7 days (168 hours) of the auction ending time.

Main Flow:

1. The Auctioneer logs into the auction platform.
2. The Auctioneer navigates to the auction management section.
3. The Auctioneer selects the specific auction they wish to end or delete.
4. The Auctioneer chooses the 'End Auction' or 'Delete Auction' option from the available actions.
5. If the Auctioneer chooses 'End Auction', the system will prompt for confirmation and, upon confirmation, the auction will be ended immediately, and all bids will be finalized. The system will also set a 7-day (168 hours) deadline for participants with PayPal or Amazon Payments as their default payment method to pay for their winnings. If the payment is not made within this period, the orders will be canceled, and the items will be placed in a 'hold' status. This will trigger an automated email to the second-place finisher, if there is one, offering them the item at their last bid price, providing them with three options.
6. If the Auctioneer chooses 'Delete Auction', the system will prompt for confirmation and, upon confirmation, the auction will be deleted, and all associated data will be removed from the system.

Exception Flow:

No information regarding exceptions that can occur during the process of ending or deleting an auction by an Auctioneer is provided in the current evidence list.

Postcondition:

If the Auctioneer ends the auction, the auction status is updated to 'Ended', and all bids are finalized. Participants with PayPal or Amazon Payments as their default payment method must pay for their winnings within 7 days (168 hours) of the auction ending time. If the payment is not made, the orders will be canceled, and the items will be placed in a 'hold' status, triggering an automated email to the second-place finisher, if there is one. If the Auctioneer deletes the auction, the auction and all associated data are removed from the system.

Option C

Precondition:

The Auctioneer is logged into the auction administration application with appropriate administrative privileges.

Main Flow:

1. The Auctioneer navigates to the auction management section of the auction administration interface.
2. The Auctioneer selects the specific auction they wish to end or delete from the list of active auctions.
3. The system displays the auction details, including options to 'End Auction' or 'Delete Auction'.
4. The Auctioneer clicks on the 'End Auction' button to end the auction early, or the 'Delete Auction' button to remove it entirely.

5. A confirmation dialog box appears, asking the Auctioneer to confirm the action (e.g., 'You have chosen to end/delete this auction. Are you sure?').
6. The Auctioneer confirms by clicking 'Yes, End/Delete Auction'.
7. The system processes the request and updates the auction status accordingly (ended or deleted).
8. The system displays a confirmation message indicating the auction has been successfully ended or deleted.

Exception Flow:

If the Auctioneer attempts to end or delete an auction that is not in a valid state for such actions (e.g., already ended), the system displays an error message indicating that the operation cannot be performed.

Postcondition:

The auction is either ended early or completely removed from the system, and the changes are reflected in the auction inventory and related reports.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 43

Actor: Auctioneer

Use Case: configure overtime bidding

Option A

Precondition:

The Auctioneer is logged into the auction platform with administrative privileges and has navigated to the auction management section.

Main Flow:

The Auctioneer accesses the 'Auction Setup' or 'Auction Configuration' page. They locate the 'Overtime Bidding' settings, which may be under a tab or section labeled 'Bidding Rules' or 'Auction Parameters'. The Auctioneer selects the option to enable overtime bidding. They then configure the specific parameters for the overtime period, such as the duration (e.g., 5 minutes) and the condition that triggers it (e.g., a bid placed in the last minute). After setting these values, the Auctioneer saves the configuration, which updates the system's rules for the specified auction or for all future auctions.

Exception Flow:

If the Auctioneer attempts to save an invalid configuration (e.g., a negative duration or a duration exceeding a maximum limit), the system displays an error message indicating the invalid parameter and prevents the save operation until the issue is corrected. If the system fails to save the configuration due to a server error, it displays a generic error message and prompts the Auctioneer to try again later.

Postcondition:

The overtime bidding rules are successfully configured and active for the designated auction(s), ensuring that any bid placed within the final moments of the auction will extend the closing time by the specified duration.

Option B

Precondition:

The Auctioneer has access to the system and is logged in. The system's Overtime Bidding functionality is available and administratively configurable.

Main Flow:

1. The Auctioneer navigates to the 'Manage Global Settings' page.
2. The Auctioneer locates the 'Overtime Bidding' section.
3. The Auctioneer uses the radio button option to toggle Overtime Bidding ON or OFF.
4. If Overtime Bidding is enabled, the Auctioneer can enter the duration of the time extension in minutes (ranging from 10 seconds to 60 minutes).
5. The Auctioneer clicks the 'Apply Changes' button to save the settings.
6. The system validates the input and saves the configuration.

7. The system notifies auction participants with a prominent message stating 'Overtime Bidding is On!' on the Product Details pages when this feature is active.

Exception Flow:

1. If the Auctioneer enters an invalid value for the time extension (e.g., outside the 10 seconds to 60 minutes range), the system displays an error message and does not save the changes.
2. If there is a system failure during the configuration process, the system displays an error message and prompts the Auctioneer to try again later.

Postcondition:

The Overtime Bidding settings are successfully configured and saved. If Overtime Bidding is ON, the auction will extend by the set duration if a bid is placed before the scheduled end. The system will notify auction participants with a prominent message stating 'Overtime Bidding is On!' on the Product Details pages.

Option C

Precondition:

The Auctioneer is logged into the Auctions administration panel and has navigated to the Manage Global Settings page.

Main Flow:

1. The Auctioneer accesses the 'Overtime Bidding Section' on the Manage Global Settings page.
2. The Auctioneer selects either 'ON' or 'OFF' using the radio button option for overtime bidding.
3. If 'ON' is selected, the Auctioneer enters a time extension duration in the provided fields (minutes and seconds), with values ranging from 10 seconds to 60 minutes.
4. The Auctioneer clicks the 'Apply Changes' button to save the configuration.
5. Once configured, if overtime bidding is enabled, the system notifies auction participants on Product Details pages with a message: 'Overtime Bidding is On!'.
6. During an auction, if a bid is placed within the time extension window before the scheduled end, the auction extends by the specified duration. If another bid occurs before the extension ends, it resets again by the same duration.

Exception Flow:

If the Auctioneer does not enter a valid time extension value (e.g., less than 10 seconds or more than 60 minutes), the system may display an error message prompting the user to correct the input before applying changes.

Postcondition:

The overtime bidding settings are saved and applied globally across auctions unless overridden by specific Event Profiles. The system will now enforce the configured behavior during active auctions, including automatic extensions based on last-minute bids.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 44

Actor: Customer

Use Case: manage payment method

Option A

Precondition:

The customer is logged into their account on the auction platform.

Main Flow:

The customer navigates to the 'My Account' section and selects the 'Payment Methods' option. The system displays a list of existing payment methods. The customer can add a new payment method by selecting 'Add Payment Method', entering the required details (e.g., card number, expiration date, CVV, billing address), and confirming the addition.

Alternatively, the customer can edit an existing payment method by selecting it, updating the information, and saving the changes. The customer can also delete a payment method by selecting it and confirming the deletion. The system validates the entered information and updates the customer's profile accordingly.

Exception Flow:

If the customer enters invalid payment information (e.g., incorrect card number or expired card), the system displays an error message indicating the specific validation failure and prompts the customer to correct the information. If the customer attempts to delete a payment method that is currently set as the default or is associated with an active order, the system prevents deletion and displays a warning message explaining why the action cannot be completed.

Postcondition:

The customer's payment methods are successfully updated in their account profile, reflecting any additions, edits, or deletions made during the session.

Option B

Precondition:

The customer must be logged into their account and have an active account to access the 'My Account Edit Page 3' where they can manage their payment method. The page includes a personalized welcome message based on a cookie, indicating that the user is authenticated.

Main Flow:

1. The customer navigates to the 'My Account Edit Page 3'.
2. The page displays a personalized welcome message and a global site header & footer.
3. The top section, 'My Current Payment Method', shows the user's previously chosen payment method (PayPal, Amazon Payments, or credit cards) with details such as name on card, billing address, card type, last four digits, and expiration date if a credit card was

selected.

4. If multiple credit cards are on file, both are displayed with one designated as default, and each has a checkbox to delete it from the account.
5. The bottom section, 'My New Payment Method', allows the user to choose between PayPal, Amazon Payments, or a new credit card via radio buttons. If a credit card is chosen, fields for new card type, number, and expiration date are provided.
6. The customer can update or delete existing payment methods and add new ones.
7. The page includes a 'Save Changes' button and a red 'Cancel' button.
8. Upon clicking 'Save Changes', the system checks the credit card information to ensure it is not expired and prompts the user to enter a new credit card if it is expired.
9. The system does not store the card security code and ensures the billing address matches the credit card statement exactly.
10. After saving changes or canceling, the user is returned to the My Account page.

Exception Flow:

1. If the customer tries to save changes without entering a valid credit card or if the billing address does not match the credit card statement, the system will display an error message and prompt the user to correct the information.
2. If the customer's credit card is expired, the system will prompt the user to enter a new credit card before allowing the changes to be saved.
3. If the customer encounters any technical issues (e.g., server errors), the system will display an appropriate error message and provide a link to contact support.

Postcondition:

The customer's payment method is updated in the system, and the changes are saved. The user is returned to the My Account page. If the user canceled, no changes are made, and the user is also returned to the My Account page.

Option C

Precondition:

The customer is logged into their account on the Auctions website.

Main Flow:

1. The customer navigates to the 'My Account' section and selects 'Edit Payment Method'.
2. The system displays the 'Change Membership Account Information' page with two sections: 'My Current Payment Method' and 'My New Payment Method'.
3. In the 'My Current Payment Method' section, the system shows the customer's existing payment methods including PayPal, Amazon Payments, or credit cards (with card type, last four digits, expiration date, and billing address). If multiple credit cards are saved, one is designated as the default.
4. The customer can select a new payment method from the options in the 'My New Payment Method' section: - Choose PayPal: A link to sign up for a free PayPal account is provided. - Choose Amazon Payments: A message indicates that if the customer has previously purchased from Amazon, they already have an Amazon Payments account. -

Choose Credit Card: The customer selects the card type (V/MC/D/Amex), enters the card number, expiration date, and billing address information.

5. The customer may delete an existing credit card by checking the corresponding checkbox.

6. After entering or selecting the desired payment method, the customer clicks the 'Save Changes' button.

7. The system saves the updated payment method and redirects the user back to the 'My Account' page.

Exception Flow:

If the customer cancels the changes by clicking the 'Cancel' button, the system returns them to the 'My Account' page without saving any modifications. If the customer provides incomplete or invalid payment details (e.g., missing card number or incorrect expiration date), the system displays an error message and does not save the changes.

Postcondition:

The customer's payment method is successfully updated or remains unchanged based on their actions. The system reflects the updated payment method in the 'My Account' section.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 45

Actor: Business User

Use Case: filter auction data by category

Option A

Precondition:

The Business User is logged into the auction platform's management interface and has navigated to a page that displays auction data, such as the 'Auction Report' or 'Inventory Report'.

Main Flow:

The Business User selects a category from a dropdown menu or list of available categories. The system processes this selection and filters the displayed auction data (e.g., items, sales, inventory) to show only records matching the selected category. The filtered results are then presented in a table or report format on the screen.

Exception Flow:

If no data exists for the selected category, the system displays a message indicating 'No data found for this category.' If the user's account lacks permission to view certain categories, an access denied error message is shown.

Postcondition:

The auction data displayed on the screen is successfully filtered to reflect only the items or records belonging to the chosen category, allowing the Business User to analyze specific segments of the auction data.

Option B

Precondition:

The Auction Administration Application is up and running, and the Business User has access to the application. The user is on the Create New Auctions Page where the Search Section is available.

Main Flow:

1. The Business User navigates to the 'Create New Auctions' page within the Auction Administration Application.
2. The user locates the Search Section, which includes a scrolling list box for Retail Category, Product Type, Gemstone Type, Material Type, Material Purity, and Brand.
3. The user selects the 'Category' drop-down menu from the Search Section.
4. From the drop-down menu, the user chooses a specific category, such as 'Jewelry', 'Gemstones', 'Collectibles', or 'Other'.
5. The user applies the filter by clicking the 'Apply' button or pressing 'Enter' (if applicable).
6. The system filters the auction data based on the selected category and displays the relevant auction data.

Exception Flow:

1. If the user selects an invalid or unsupported category, the system will display an error message indicating that the category is not valid or supported.
2. If there is no data available for the selected category, the system will display a message indicating that no auction data is available for the selected category.
3. If the user tries to apply multiple conflicting filters, the system will display a warning message and prompt the user to resolve the conflict before proceeding.

Postcondition:

The auction data is filtered and displayed according to the selected category. The user can view the filtered auction data and proceed with further actions, such as creating new auctions or generating reports.

Option C

Precondition:

The Business User is logged into the Auctions platform and has access to the auction administration or reporting modules.

Main Flow:

1. The Business User navigates to the Sales Report Mockup or Customer Ranking Report page where filtering options are available.
2. The Business User selects one or more categories from the 'Retail Category' dropdown menu (e.g., Jewelry, Gemstones, Collectibles) using the mouse or keyboard.
3. If multiple selections are desired, the user holds down the Control key to select multiple categories simultaneously.
4. The system filters the displayed data based on the selected category(ies).
5. The filtered results are shown in the report table, including metrics such as Gross Product, Net Revenue, Return Rate, and other relevant statistics.
6. The Business User can further refine the filter by selecting additional criteria such as Product Type, Material Purity, Brand, or Department using scrolling listboxes.
7. The system supports filtering via checkboxes for enabling/disabling thumbnail images and toggling autofilters on/off.
8. The user may also apply filters based on cost range, product ID (SKU), or other attributes like Cut Style, Motif, or Treatment.
9. The filtered results update dynamically as selections are made.
10. The Business User can export or download the filtered report data if needed.

Exception Flow:

If the selected category does not have any associated data, the system displays a message indicating no results found. If invalid or non-sellable inventory items are included in the search results, they are excluded from scheduling eligibility but may still appear in reports with appropriate flags.

Postcondition:

The auction data is successfully filtered by the selected category(ies), and the Business User can view the relevant metrics and details for those categories. The system ensures that only valid, sellable inventory with available images is eligible for scheduling, while maintaining visibility into all inventory for reporting purposes.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 46

Actor: Auctioneer

Use Case: view auction inventory recap

Option A

Precondition:

The Auctioneer is logged into the auction platform's management system.

Main Flow:

The Auctioneer navigates to the 'Inventory Recap' section of the management dashboard. The system displays a summary report that includes key metrics such as total inventory count, items currently on auction, items sold, and items pending auction. The Auctioneer can view this data in a tabular format with columns for item ID, description, current status, and sale price if applicable. The Auctioneer may also apply filters or sort the data by different criteria (e.g., date added, category) to refine the view. The system updates the display in real-time based on the selected filters.

Exception Flow:

If the system fails to load the inventory data due to a server error, an error message is displayed stating 'Unable to retrieve inventory data. Please try again later.' If no inventory records are found matching the applied filters, the system displays a message indicating 'No results found for the selected criteria.'

Postcondition:

The Auctioneer has successfully viewed the auction inventory recap report with the requested data and filters applied.

Option B

Precondition:

The Auction Admin Main Menu page is the starting point where the auctioneer accesses the system. The auction inventory recap section will populate automatically when the 'Auctioneer' opens the Auction Admin Main Menu page.

Main Flow:

1. The auctioneer logs into the system and navigates to the Auction Admin Main Menu page.
2. Upon opening the Auction Admin Main Menu page, the auction inventory recap section populates automatically with a summary of key inventory data in terms of cost, units, and unique SKUs.
3. The data includes items that are both 'Auction Available' and 'Auction Eligible' in the enterprise systems, must be in a valid, sellable physical inventory location and sellable realm ('white'), and must have an image available in the SuperNova system.
4. The auction inventory recap section provides a summary of key inventory data for categories such as Gemstones, Jewelry, Other, and Total Auction Available Inventory.

5. The auctioneer can view the detailed inventory numbers under each category, including the total cost, number of units, and unique SKUs.

Exception Flow:

No specific exception flows or error scenarios are provided in the current evidence list.

Postcondition:

The auctioneer has successfully viewed the auction inventory recap, which includes a summary of key inventory data in terms of cost, units, and unique SKUs for the categories of Gemstones, Jewelry, Other, and Total Auction Available Inventory. The data is populated automatically and reflects the current state of the inventory that meets the specified criteria.

Option C

Precondition:

The Auctioneer is logged into the Auction Administration system and has navigated to the Auction Admin Main Menu page.

Main Flow:

1. The system automatically populates the 'Today's Auction Inventory Recap' section when the Auctioneer opens the Auction Admin Main Menu page.
2. The system displays a summary of key inventory data, including cost, units, and unique SKUs.
3. The inventory data is categorized into Auction Available Inventory (Gemstones), Auction Available Inventory (Jewelry), Auction Available Inventory (Other), and Total Auction Available Inventory.
4. Only products that are both 'Auction Available' and 'Auction Eligible' in the enterprise systems, located in a valid sellable physical inventory location, marked as 'white' in the sellable realm, and having an image available in the SuperNova system are included in the inventory recap.

Exception Flow:

If the system fails to retrieve inventory data, it will display an error message or placeholder indicating that data could not be loaded.

Postcondition:

The Auctioneer has viewed the current auction inventory recap with detailed summaries of available inventory by category, including total value, units, and unique SKUs.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 47

Actor: Business User

Use Case: view customer activity reports

Option A

Precondition:

The Business User is logged into the auction platform's administrative interface and has the necessary permissions to access reporting modules.

Main Flow:

The Business User navigates to the 'Reports' section of the administrative interface. They select the 'Customer Activity Reports' option from the available report categories. The system displays a list of predefined customer activity reports, such as 'Customer Registration Trends', 'Bidder Activity by Region', or 'Purchase History Summary'. The Business User selects a specific report and can optionally apply filters (e.g., date range, customer segment) before clicking 'Generate Report'. The system processes the request and displays the generated report in a tabular or graphical format on the screen. The Business User can then review the data, export the report to a file (e.g., CSV, PDF), or print it for further analysis.

Exception Flow:

If the Business User does not have permission to view customer activity reports, the system displays an 'Access Denied' message and prevents access to the report generation interface. If no data exists for the selected report criteria (e.g., no customers registered in the specified date range), the system displays a message indicating that the report is empty. If the report generation process fails due to a system error, the system displays an error message and logs the failure for administrator review.

Postcondition:

The requested customer activity report is successfully displayed to the Business User, allowing them to analyze customer behavior. The system may also log the report generation event for auditing purposes.

Option B

Precondition:

The Business User must be logged into the Auction Administration (AA) application and have the appropriate access rights to view customer activity reports. The user should navigate to the 'Main Menu' page where the reporting functionalities are accessible.

Main Flow:

1. The Business User logs into the Auction Administration (AA) application.
2. The user navigates to the 'Main Menu' page.
3. From the 'Main Menu', the user selects the option to view customer activity reports.

4. The system displays the customer activity report, which includes relevant data such as customer interactions, transactions, and other activities.
5. The user reviews the customer activity report on the screen.

Exception Flow:

If the user does not have the appropriate access rights:

1. The system will display an error message indicating that the user does not have the necessary permissions to view the customer activity report. If there is a system or network issue preventing the report from being generated or displayed:

1. The system will display an error message indicating that the report cannot be generated at this time, and the user should try again later.

Postcondition:

The Business User has successfully viewed the customer activity report. The system state and data remain unchanged, and the user can continue with other tasks or log out of the application.

Option C

Precondition:

The Business User is logged into the Auction Administration (AA) application with appropriate permissions to access customer activity reports.

Main Flow:

1. The Business User navigates to the 'Main Menu' page in the Auction Administration application.
2. The Business User selects the option to view customer activity reports from the menu.
3. The system displays a report interface where the user can specify filtering criteria such as Date Range, Product Type, Gemstone Type, Retail Category, and Auction Duration or Event Profile.
4. The user applies filters and the system retrieves customer activity data including Customer's Member ID ('Handle'), Email Address, Total Items Bid On, Total Bids Placed, Gross Items Won, Gross Winnings, Average Price Point, Cancelled Orders, Cancel Rate (Units), Cancelled Order Value, Cancel Rate (\$\$), Total Items Returned, Total \$\$ Returned, Net Kept Winnings, and Net Kept Units.
5. The report output allows the user to export data to Excel or copy-and-paste for further analysis, enabling sorting and filtering to identify specific customer behaviors or trends.
6. The system supports viewing both new and long-term customers, distinguishing their behavior patterns based on metrics like items won, revenue generated, cancel rate, return rate, and kept orders.
7. The user may also access additional details such as order history and bid history through the Customer History Page, which includes information like order status, amounts, and winning bids.

Exception Flow:

If the Business User does not have sufficient permissions, the system will display an error message indicating access is denied. If no data matches the search criteria, the system will display a message indicating no records found.

Postcondition:

The Business User has successfully viewed the customer activity reports, which include detailed metrics on customer behavior such as bidding history, order status, cancellation rates, returns, and net winnings. The system retains the user's session and allows further navigation within the application.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 48

Actor: Business User

Use Case: edit auction profiles

Option A

Precondition:

The Business User is logged into the auction platform's management interface and has the necessary permissions to access and modify auction profiles.

Main Flow:

The Business User navigates to the 'Auction Profile' section within the management interface. They select a specific auction profile from a list or search for it using provided filters. The system displays the current details of the selected profile, including item information, bidding rules, and schedule. The Business User edits the desired fields, such as updating the item description, changing the start/end times, or adjusting reserve prices. After making changes, the user saves the updated profile. The system validates the input and confirms the successful update of the auction profile.

Exception Flow:

If the Business User attempts to save an auction profile with invalid data (e.g., negative price, past end date), the system displays an error message indicating the specific validation failure and prevents the profile from being saved until the errors are corrected. If the user tries to edit a profile that is currently active or has already ended, the system may display a warning or restrict editing to certain non-critical fields.

Postcondition:

The auction profile is successfully updated in the system database with the new information provided by the Business User. The changes are reflected in the live auction site and any related reports or dashboards.

Option B

Precondition:

The Business User must be logged into the Auction Administration application and have the necessary permissions to edit auction profiles. The specific permission required is 'Edit Auctions,' which is granted through Yes/No radio buttons on the Create or Edit User Page, as stated in section 9.10.4 of the document.

Main Flow:

1. The Business User accesses the 'Create / Edit Auction Event Profiles' page within the Auction Administration application.
2. The user selects a profile to edit from the dropdown menu labeled 'Choose Profile to Edit:'.
3. The user can then edit the settings for Cost Tiers, Opening Bid (Amount or % of Cost), Bid

Increment, and Duration.

4. The user can specify conditions like applying the profile to gemstones only, jewelry only, all items, or specific product IDs with a SKU prefix. These options are available in the Auction Event Profiles Page Mockup under the section labeled 'Profile Settings for Bella Luce Auctions.'

5. The system automatically fills in the lower range of the subsequent cost tier by adding \$0.01 to the last value entered.

6. Any % of cost values under 100% will appear in BOLD RED as a warning.

7. The user can also designate a bid increment and auction duration for all items within the cost tier.

8. Once changes are made, the user clicks the 'Apply' button to save the changes.

Exception Flow:

If the Business User encounters an error, such as a system failure or input validation error, the system should display an appropriate error message. The user should be able to correct the input and try again, or contact support if the issue persists.

Postcondition:

After the Business User successfully edits and applies the changes to the auction profile, the updated profile is saved in the system. The changes are reflected in the database, and any relevant notifications are sent out, though the exact details of these postconditions are not specified in the current evidence list.

Option C

Precondition:

The Business User is logged into the Auction Administration Application and has access to the auction profile management section.

Main Flow:

1. The Business User navigates to the 'Create / Edit Auction Event Profiles' page.

2. The user selects an existing auction profile from the dropdown list labeled 'Choose Profile to Edit'.

3. The previously entered values for the selected profile populate the form fields, including cost tiers, opening bid amounts or percentages of cost, bid increments, and duration for each tier.

4. The user edits the profile settings as needed: - Updates cost tier ranges (upper and lower bounds), with the system automatically populating the lower bound of the next tier based on the previous upper bound plus \$0.01. - Specifies opening bid amounts either as a discrete amount or as a percentage of cost; any percentage under 100% appears in BOLD RED as a warning. - Sets bid increments for each tier. - Defines auction duration for each tier (e.g., 3-Hour, 6-Hour).

5. The user selects radio button options to define eligibility criteria: 'Can be applied to gemstones only', 'Can be applied to jewelry only', 'Apply to All Items scheduled into this

event', or 'Apply only to Product IDs with the following SKU Prefix'.

6. The user clicks 'Apply' to save the changes.

Exception Flow:

If the user attempts to save invalid data (e.g., overlapping cost tiers, invalid percentages), the system displays an error message and prevents saving until corrections are made.

Additionally, if the user tries to apply a profile restricted to gemstones to a group of jewelry items, the system generates an error message indicating incompatibility.

Postcondition:

The auction profile is updated with the new settings, and the changes are saved in the system.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 49

Actor: Business User

Use Case: manage user access

Option A

Precondition:

The Business User is authenticated and has administrative privileges to manage user access within the auction platform.

Main Flow:

The Business User navigates to the 'User Access Management' section of the admin interface. They select a user from the list or initiate the creation of a new user account. For existing users, they can modify roles, permissions, or status (active/inactive). For new users, they input required details such as username, email, and assign an initial role. After making changes, the Business User saves the updates, which are then applied to the system's user database.

Exception Flow:

If the Business User attempts to assign a role for which they do not have authorization, the system displays an error message and prevents the action. If required fields are left blank during new user creation, the system prompts the user to complete them before saving. If the system encounters a database error during save, it notifies the Business User and reverts any unsaved changes.

Postcondition:

The user's access rights are successfully updated in the system, reflecting the changes made by the Business User. The user can now perform actions according to their new role or permissions, or if deactivated, will be unable to log in.

Option B

Precondition:

The Business User must have 'Administrator' level access, which grants full access to all platform functions. The system ensures there will always be a minimum of two administrators, preventing any administrator from making themselves the sole administrator. The user must also have the appropriate permissions granted via Yes/No radio buttons for specific functions such as creating new auctions, editing existing auctions, deactivating customer accounts, and placing customer accounts in review status.

Main Flow:

1. The Business User accesses the User Access Management (UAM) option from the Administration Menu in the Auction Administration Main Menu.
2. The UAM interface includes three pages: a main page with 'List All Users' and 'Create New User' buttons, a 'List All Users' page, and a 'Create or Edit User' page.

3. On the 'Create or Edit User' page, the user can input details such as First Name, Last Name, Title, Email Address, and password, select access level (Administrator or User), and assign specific permissions using Yes/No radio buttons for functions like creating new auctions, editing auctions, deactivating customer accounts, and placing customer accounts in review status.
4. The user can also check a box labeled 'Require user to change PW on next login.'
5. After entering or modifying the user details, the Business User clicks the 'Save Changes' button to save the changes or the 'Cancel' button (highlighted in red) to cancel the operation.

Exception Flow:

If the Business User attempts to make themselves the sole administrator, the system will prevent this action, ensuring that there are always at least two administrators. If the Business User tries to perform an action without the necessary permissions, the system will not allow the action to proceed.

Postcondition:

The user's access and permissions are updated in the system. If the 'Save Changes' button is clicked, the changes are saved, and the user is returned to the UAM main page. If the 'Cancel' button is clicked, no changes are saved, and the user is returned to the UAM main page.

Option C

Precondition:

The Business User is logged into the Auction Administration application with appropriate permissions to manage user access.

Main Flow:

1. The Business User navigates to the User Access Management (UAM) option from the Administration Menu.
2. The system displays the User Access Management page with two options: 'List All Users' and 'Create New User'.
3. To view existing users, the Business User clicks on 'List All Users'.
4. The system displays a table listing all authorized users with columns for Last Name, First Name, Title, Login ID, Admin status, Delete, and Edit options.
5. To create a new user, the Business User clicks on 'Create New User'.
6. The system displays the 'Create or Edit User' page where the Business User enters user details such as First Name, Last Name, Title, Email Address, Change PW, and Confirm PW.
7. The Business User selects the user role (Administrator or User) using radio buttons.
8. If the user role is set to 'Administrator', the system ensures that there are at least two administrators; if this would result in only one administrator, the system prevents the action.
9. The Business User assigns specific permissions using Yes/No radio buttons, including permissions to create new auctions, edit or remove existing auctions, deactivate a customer account, and place a customer account in review status.
10. The Business User can choose to require the user to change their password on next login

by checking the corresponding checkbox.

11. The Business User clicks 'Save Changes' to save the new user profile.
12. To edit an existing user, the Business User clicks the 'Edit' button next to the user in the list.
13. The system displays the 'Create or Edit User' page with the existing user's information pre-filled.
14. The Business User modifies the required fields and clicks 'Save Changes'.
15. To delete a user, the Business User clicks the 'Delete' button next to the user.
16. A confirmation dialog appears asking if the user wants to proceed with deletion.
17. If confirmed, the system removes the user from the list; otherwise, it cancels the action.

Exception Flow:

If the Business User attempts to delete a user without proper authorization, the system displays an error message indicating insufficient permissions. If the Business User enters invalid data (e.g., duplicate email address), the system displays an error message and prevents saving the changes. If the Business User attempts to make themselves the sole administrator, the system prevents the action and displays an error message stating that there must always be at least two administrators.

Postcondition:

The user access management actions are completed successfully, and the user list reflects the current state of user accounts, including any newly created, edited, or deleted users.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 50

Actor: Auctioneer

Use Case: apply event profiles to auction groups

Option A

Precondition:

Main Flow:

Exception Flow:

Postcondition:

Option B

Precondition:

The auction group must be created before the Auctioneer can apply an 'event profile' to the group. The Auctioneer is logged into the system and has access to the auction management interface.

Main Flow:

1. The Auctioneer accesses the auction management interface.
2. The Auctioneer searches for and selects the auction group to which they want to apply an event profile.
3. The Auctioneer clicks on the 'Apply Event Profile' button or similar action to initiate the process.
4. A list of available event profiles is displayed, and the Auctioneer selects one from the list, ensuring no more than one profile is selected at a time.
5. The Auctioneer clicks the 'Apply' button to confirm the selection.
6. The system applies the selected event profile to all items in the auction group, setting common characteristics such as opening bid, bid increment, auction duration, and other relevant settings.
7. The system generates an opening time for each auction item based on the filled-in duration and ending time.
8. The applied profile settings are reflected in the auction items' fields, such as opening bid, bid increment, and duration, based on the profile parameters.

Exception Flow:

1. If the Auctioneer tries to apply an event profile to a group of items that do not meet the profile's eligibility criteria (e.g., applying a profile designed for gemstones to jewelry items),

the system will generate an error message indicating that the profile can only be applied to products in the specified category.

2. If the Auctioneer attempts to apply a profile that is not applicable to the selected items, the system will display an error message and prevent the application of the profile.

3. If the Auctioneer selects more than one event profile at a time, the system will generate an error message and prompt the Auctioneer to select only one profile.

Postcondition:

After the Auctioneer successfully applies event profiles to auction groups, the system will apply a common set of characteristics to the group of products, including cost tier values, opening bid amounts, bid increments, auction duration, and product eligibility. These settings will make scheduling groups of products easier and faster, providing consistency and reducing data entry errors. The applied profile settings will be reflected in the auction items' fields, and if the profile is restricted to specific product types, the system will enforce this restriction, preventing application to incompatible items.

Option C

Precondition:

The Auctioneer has logged into the Auctions platform and navigated to the auction management section. A list of auction items has been searched for and selected, forming an auction group. The Auctioneer has access to the 'Create / Edit Auction Event Profiles' page and has defined at least one event profile.

Main Flow:

1. The Auctioneer selects a group of auction items from the search results.
2. Under the 'Action' column, the Auctioneer checks the 'Choose All' checkbox to select all items in the group or individually selects specific items.
3. From the dropdown list box under the 'Action' column, the Auctioneer selects 'Apply Profile to Selected Items'.
4. The system displays a list of available event profiles. The Auctioneer selects one event profile from the list.
5. The Auctioneer clicks the 'Apply' button to apply the selected event profile to the selected auction items.
6. The system applies the profile settings (cost tiers, opening bid, bid increment, duration, etc.) to the selected items and updates the auction details accordingly.
7. The Auctioneer reviews the changes and clicks 'Apply Changes' to save the modifications.

Exception Flow:

If the selected event profile is not applicable to certain items (e.g., due to product category restrictions), the system displays an error message indicating the incompatibility. The Auctioneer can then either deselect incompatible items or choose a different profile. If the Auctioneer attempts to apply a profile that would result in overlapping quantities of the same item in conflicting auctions, the system displays a warning popup before finalizing the action.

Postcondition:

The selected auction items have been updated with the settings from the applied event profile. The changes are saved, and the auction group is ready for further scheduling or modification.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

Question 51

Actor: Help Desk

Use Case: access help and FAQ information

Option A

Precondition:

Main Flow:

Exception Flow:

Postcondition:

Option B

Precondition:

The Help Desk operator is logged into the system with a test account, which has been created for the purpose of accessing and using the Help & FAQ information. The operator is on any page of the auction platform that includes the global site header or footer.

Main Flow:

1. The Help Desk operator navigates to the global site header or footer.
2. The operator clicks on the 'Help & FAQ' link, which is accessible from the Home Page and other customer-facing pages as indicated in section 4.2 of the site diagram.
3. The system displays the Help & FAQ page, which includes a list of frequently asked questions categorized under topics such as Auction types, How do I get started?, Bidding methods, and more. The page also features external links to PayPal and Amazon Payments FAQ pages.
4. The Help & FAQ page uses the global site header and footer, does not include Endeca navigation, and will use current / text. Additionally, it includes a section for auction types explaining Reserve Price Auctions and No-Reserve Auctions, along with details on bidding, payment methods, return policies, and shipping charges.
5. The operator can review the information and, if needed, access the external links to PayPal and Amazon Payments FAQ pages.

Exception Flow:

The document does not provide specific details about exception flows when a Help Desk operator tries to access help and FAQ information on the auction platform. It only mentions that the Help & FAQ page will include external links to PayPal & Amazon Payments FAQ

pages and that the page is a Phase 1 must-have requirement with a global site header & footer, but no exception handling details are described.

Postcondition:

The Help Desk operator has successfully accessed and reviewed the Help & FAQ information, including the categorized frequently asked questions and external links to PayPal and Amazon Payments FAQ pages. The operator is now better equipped to assist users with their queries related to the auction platform.

Option C

Precondition:

The Help Desk user is logged into the auctions platform with appropriate access rights.

Main Flow:

1. The Help Desk user navigates to the Help & FAQ page via the global site header or footer.
2. The system displays the Help and FAQ (Frequently Asked Questions) section, which includes a list of common questions categorized under topics such as auction types, bidding methods, payment options, and return policies.
3. The Help Desk user reviews the FAQ content for relevant information.
4. If needed, the user can click on external links provided for PayPal and Amazon Payments FAQs to access additional support information.
5. The Help & FAQ page uses current / text and does not include Endeca navigation.
6. The page includes a global site header and footer, ensuring consistent navigation across the platform.

Exception Flow:

If the Help Desk user encounters an issue not covered in the FAQ, they may need to contact customer service directly or escalate the issue to software engineering.

Postcondition:

The Help Desk user has accessed the Help & FAQ information and can proceed with resolving user inquiries based on the provided content.

Please select ONE option:

☐ Option A ☐ Option B ☐ Option C

