





This is to certify that: Rashmi Metaliks Limited (DIP Division)

Vill-Gopinathpur

PO-Changual, Kharagpur, Paschim Medinipur

West Bengal 721301 India

Holds Certificate Number: KM 793698

In respect of:

#### **BS ISO 2531**

Ductile iron pipes, fittings, accessories and their joints for water applications

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI: Shahm Barhom, Group Product Certification Director

First Issued: 2023-09-28 Effective Date: 2023-09-28 Latest Issue: 2023-09-28 Expiry Date: 2026-08-23

Page: 1 of 7

No. KM 793698

### BS ISO 2531:2009 - Ductile iron pipes, fittings, accessories and their joints for water applications

Product:	Pipes (non-flange type)														
	Material: Ductile iron														
	Installation	ı/use:	Abo	ove c	r bel	ow									
			Zin eith	•	er fo	llowe	ed by								
	External co	ating:	*1 E	Bitumen <b>Interna</b>						*3 Cement					
		*2 Blue epoxy			II	ining	<b>j</b> :								
	Branded as	:	RAS	RASHMI AQUA											
			Pressure rating							ting					
Description size DN/	Nominal size, DN/OD (mm)	Lgth (m)	PN10	PN16	PN25	<b>K9*</b> 4	K12*4	C20	C25	C30	C40	C50	C64	C100	Mfg. Loc
Socket and spigot pipes with push-in flexible joints *1, 2* 3*	DN 100 - 300	5.5	_	-	-	<b>✓</b>	<b>✓</b>	-	-	-	<b>✓</b>	-	-	-	001
Socket and spigot pipes with push-in flexible joints *1, 2* 3*	DN 350 - 600	5.5	_	-	_	<b>✓</b>	~	-	-	<b>~</b>	_	-	-	_	001
Notes:	*1, *2, *5 Exteri	nal coati	ngs i	n acc	corda	nce	with	BS IS	50 2!	531:2	2009	(clau	ıse 4	.5.1)	and
	holding WRAS material approval.														
	*3, *6 Internal linings in accordance with BS ISO 2531:2009 (clause 4.5.2) and														
	holding WRAS material approval.														
	*4 Denotes class K9 and K12 are as per BS ISO 2531:1998.														
General note:	Only products denoted by a '✓' are covered for the specific pressure rating stated.														

First Issued: 2023-09-28 Effective Date: 2023-09-28 Latest Issue: 2023-09-28 Expiry Date: 2026-08-23

Page: 2 of 7

No. KM 793698

### BS ISO 2531:2009 - Ductile iron pipes, fittings, accessories and their joints for water applications

Product:	Pipes (flan	Pipes (flange type)													
	Material:	Material: Ductile iron													
	Installation	ı/use:	Abo	ove o	r bel	ow									
			eith	ner:		llowe	d by								
	External coating:		nal coating: *1 Bitumen *2 Blue epoxy					Internal lining:				*3			
	Branded as	:	RAS	RASHMI AQUA											
				Pressure rating											
Description siz	Nominal size, DN/OD (mm)	Lgth (m)	PN10	PN16	PN25	<b>K9</b> *4	K12*4	C20	C25	C30	C40	C50	C64	C100	Mfg. Loc
Welded flange pipe *1, 2* 3*	DN 100 - 300	<u>&lt;</u> 5.5	<b>✓</b>	<b>✓</b>	-	_	_	-	-	-	-	-	-	-	003
Welded flange pipe *1, 2* 3*	DN 350 - 600	<u>&lt;</u> 5.5	<b>✓</b>	<b>✓</b>	_	_	_	-	-	-	_	_	-	_	003
Notes:	*1, *2, *5 Exter	*1, *2, *5 External coatings in accordance with BS ISO 2531:2009 (clause 4.5.1) and													
	holding WRAS material approval.														
	*3, *6 Internal linings in accordance with BS ISO 2531:2009 (clause 4.5.2) and														
	holding WRAS material approval.														
	*4 Denotes class K9 and K12 are as per BS ISO 2531:1998.														
General note:	Only product	Only products denoted by a '✓' are covered for the specific pressure rating stated.													

First Issued: 2023-09-28 Effective Date: 2023-09-28 Latest Issue: 2023-09-28 Expiry Date: 2026-08-23

Page: 3 of 7

No. KM 793698

### BS ISO 2531:2009 - Ductile iron pipes, fittings, accessories and their joints for water applications

Product:	Fittings (non-flang	je type)		
	Material:	Ductile iron		
	Installation/use:	Above or below		
		Zinc layer followed be either:	ру	
	External coating:	*1 Bitumen	Internal	*3 Cement
		*5 Blue fusion bonde	ed lining:	*6 Blue fusion
		ероху		bonded epoxy
	Branded as:	RASHMI		
Description	Nominal Size, DN/OD (mm)	External Coating	Internal Lining	Mfg. Loc.
Double Socket 11° 15′ (1/32) Bend	DN 100 - 600	*1, 5*	*3, *6	003
Double Socket 22° 30′ (1/16) Bend	DN 100 - 600	*1, 5*	*3, *6	003
Double Socket 45° (1/8) Bend	DN 100 - 600	*1, 5*	*3, *6	003
Double Socket 90° (1/4) Bend	DN 100 – 600	*1, 5*	*3, *6	003
All Socket Tees	DN 100 - 600	*1, 5*	*3, *6	003
Double Socket Tapers	DN 100 - 600	*1, 5*	*3, *6	003
Collars	DN 100 - 600	*1, 5*	*3, *6	003

First Issued: 2023-09-28 Effective Date: 2023-09-28 Latest Issue: 2023-09-28 Expiry Date: 2026-08-23

Page: 4 of 7

No. KM 793698

### BS ISO 2531:2009 - Ductile iron pipes, fittings, accessories and their joints for water applications

Product:	Fittings (flange type)												
	Material: Ductile iron												
	Installation/us		Zinc layer followed by either:				Internal *3 Cement lining: *6 Blue fusion bonded epoxy						
	Branded as:		RASHMI										
	SIZO DRI/OD						l	essu atin	_				
Description			eternal pating	Internal Coating			PN10	PN16	PN25	Mfg. Loc.			
Double Flange 11° 15′ (1/32) Bend	DN 100 - 600		*1, 5*	*3, *6	5		<b>✓</b>	~	-	003			
Double Flange 22° 30′ (1/16) Bend	DN 100 - 600	N 100 – 600		*3, *6	*3, *6		~	<b>✓</b>	4	003			
Double Flange 45° (1/8) Bend	DN 100 - 600		*1, 5*	*3, *6	5		<b>✓</b>	~	_	003			
Double Flange 90° (1/4) Bend	DN 100 - 600		*1, 5*	*3, *6	5		~	~	-	003			
Double Flange Duck-Foot 90° (1/4) Bend	DN 100 – 600		*1, 5*	*3, *6	5		✓	~	-	003			
Flanged Socket	DN 100 – 600		*1, 5*	*3, *6	5		<b>✓</b>	✓	-	003			
Flanged Spigot	DN 100 - 600		*1, 5*	*3, *6	5		<b>✓</b>	<b>✓</b>	_	003			
All Flanged Tees	DN 100 - 600		*1, 5*	*3, *6	5		<b>✓</b>	<b>✓</b>	_	003			
Double Flanged Tapers	DN 100 – 600		*1, 5*	*3, *6	5		✓	✓	_	003			

First Issued: 2023-09-28 Effective Date: 2023-09-28 Latest Issue: 2023-09-28 Expiry Date: 2026-08-23

Page: 5 of 7

No. KM 793698

### BS ISO 2531:2009 - Ductile iron pipes, fittings, accessories and their joints for water applications

Product:	luct: Fittings (flange type) continued								
	Material:	Material: Ductile iron							
	Installation/us	se:	Above or be	low					
			Zinc layer for either:	ollowed by					
	External coating	*1 Bitumen			erna	ı		*3 Cement	
			*5 Blue fusion	lining:				*6 Blue fusion	
			epoxy					bonded epoxy	
	Branded as:		RASHMI						
							essu atin		
Description	Nominal Size, DN/OD (mm)		ternal pating	Internal Coating		PN10	PN16	PN25	Mfg. Loc.
Double Flanged Socket with Flanged branch	DN 100 - 600		*1, 5*	*3, *6		<b>√</b>	<b>√</b>	7	003
Reducing Flange	DN 100 - 600		*1, 5*	*3, *6		~	<b>✓</b>	_	003
Blanking Flange	DN 100 - 600		*1, 5*	*3, *6		<b>✓</b>	~	_	003

First Issued: 2023-09-28 Effective Date: 2023-09-28 Latest Issue: 2023-09-28 Expiry Date: 2026-08-23

Page: 6 of 7

No. KM 793698

West Bengal 721301 India

#### BS ISO 2531:2009 - Ductile iron pipes, fittings, accessories and their joints for water applications

Manufacturing locations:	Manufacturing reference:	Products manufactured:
Rashmi Metaliks Limited Gokulpur, PO: Shyamraipur Dist. West Midnapore West Bengal 721301 India	001	Pipes (non-flange type)
Rashmi Metaliks Limited (DIP Division) Vill-Gopinathpur PO-Changual,Kharagpur, Paschim Medinipur	003	Pipes (flange type) Fittings (non-flange type) Fittings (flange type)

First Issued: 2023-09-28 Effective Date: 2023-09-28 Latest Issue: 2023-09-28 Expiry Date: 2026-08-23

Page: 7 of 7