

Assignment 8 - Connected Data Using RDBs

Part 1

AccTransfers	
from_id	bigint
to_id	bigint
amount	bigint
ts	timestamp
channel	varchar

Part 2

1.

a. `memory D select distinct(from_id) from AccTransfers where to_id=2;`

from_id	
int64	
	1
	5
	6
	8

b. `memory D select distinct(to_id) from AccTransfers where from_id=1;`

to_id	
int64	
	2

memory D select from_id, to_id, amount from AccTransfers where amount > 500;

from_id int64	to_id int64	amount int64
7	8	995
8	9	990
9	10	985
10	11	980
11	12	975

c.

2.

memory D select b.to_id from AccTransfers a inner join AccTransfers b on a.to_id = b.from_id where a.from_id = 1;

to_id int64
3

a.

memory D select * from AccTransfers a inner join AccTransfers b on a.to_id = b.from_id;

from_id int64	to_id int64	amount int64	ts timestamp	channel varchar	from_id int64	to_id int64	amount int64	ts timestamp	channel varchar
1	2	500	2025-03-01 00:00:00	ACH	2	3	480	2025-03-02 00:00:00	ACH
2	3	480	2025-03-02 00:00:00	ACH	3	7	200	2025-03-04 00:00:00	ACH
3	4	470	2025-03-03 00:00:00	ACH	4	1	460	2025-03-04 00:00:00	ACH
4	1	460	2025-03-04 00:00:00	ACH	1	2	500	2025-03-01 00:00:00	ACH
5	2	300	2025-03-05 00:00:00	wire	2	3	480	2025-03-02 00:00:00	ACH
5	3	320	2025-03-06 00:00:00	wire	3	7	200	2025-03-04 00:00:00	ACH
6	5	290	2025-03-07 00:00:00	ACH	5	3	320	2025-03-06 00:00:00	wire
6	2	150	2025-03-08 00:00:00	ACH	2	3	480	2025-03-02 00:00:00	ACH
7	8	995	2025-03-01 00:00:00	crypto	8	2	250	2025-03-05 00:00:00	wire
8	9	990	2025-03-01 00:00:00	crypto	9	10	985	2025-03-02 00:00:00	crypto
9	10	985	2025-03-02 00:00:00	crypto	10	11	980	2025-03-02 00:00:00	crypto
10	11	980	2025-03-02 00:00:00	crypto	11	12	975	2025-03-03 00:00:00	crypto
3	7	200	2025-03-04 00:00:00	ACH	7	8	995	2025-03-01 00:00:00	crypto
8	2	250	2025-03-05 00:00:00	wire	2	3	480	2025-03-02 00:00:00	ACH
2	3	480	2025-03-02 00:00:00	ACH	3	4	470	2025-03-03 00:00:00	ACH
5	3	320	2025-03-06 00:00:00	wire	3	4	470	2025-03-03 00:00:00	ACH
6	5	290	2025-03-07 00:00:00	ACH	5	2	300	2025-03-05 00:00:00	wire
7	8	995	2025-03-01 00:00:00	crypto	8	9	990	2025-03-01 00:00:00	crypto

b.

3.

memory D select c.to_id from AccTransfers a inner join AccTransfers b on a.to_id = b.from_id inner join AccTransfers c on b.to_id = c.from_id where a.from_id = 1;

to_id int64
4
7

a.

```
memory D select a.from_id, b.from_id, c.from_id from AccTransfers a inner join AccTransfers b on a.to_id = b.from_id inner joins c on b.to_id = c.from_id;
```

from_id int64	from_id int64	from_id int64
4	1	2
8	2	3
5	3	4
3	4	1
6	5	2
6	5	3
3	7	8
7	8	9
8	9	10
9	10	11
5	3	7
7	8	2
8	2	3
6	5	3
3	7	8
6	2	3
2	3	4
2	3	7
6	2	3
5	2	3
5	2	3
1	2	3
1	2	3

b.