


Assignment 2 Report

whoaxyrs

Task 1



```
apeter40@zeus-2:~ — ssh apeter40@zeus.cec.gmu.edu
~/Documents/gmu-semester-8

ce and
  100000 files. Your current utilization is displayed when you log in. Additio
nal tools to
  help manage your storage are coming. If you need additional storage, email c
echelp@gmu.edu.

Last login: Fri Mar 28 21:40:29 2025 from 10.172.18.23
You have used 193Mi (1%) of your 10Gi storage quota
You have used 6203 (6%) of your 100000 files quota
[apeter40@zeus-2 ~]$ sqlplus

SQL*Plus: Release 18.0.0.0.0 - Production on Sun Feb 8 13:02:18 2026
Version 18.5.0.0.0

Copyright (c) 1982, 2018, Oracle. All rights reserved.

Enter user-name: APETER40
Enter password:

Connected to:
Oracle Database 18c Enterprise Edition Release 18.0.0.0.0 - Production
Version 18.6.0.0.0

SQL>
```



apeter40@zeus-2:~ — ssh apeter40@zeus.cec.gmu.edu

~/Documents/gmu-semester-8



Copyright (c) 1982, 2018, Oracle. All rights reserved.

Enter user-name: APETER40

Enter password:

ERROR:

ORA-01005: null password given; logon denied

Enter user-name: APETER40

Enter password:

Last Successful login time: Sun Feb 08 2026 13:02:54 -05:00

Connected to:

Oracle Database 18c Enterprise Edition Release 18.0.0.0.0 - Production

Version 18.6.0.0.0

```
SQL> select sysdate
       2  from dual;
```

SYSDATE

08-FEB-26

SQL> █

Task 2

New / Select Database Connection

Connection Name | Connection Det...

Name: 

Database Type: **Oracle**

User Info | Proxy User

Authentication Type: **Default**

Username: Role: **default**

Password: ☒ Save Password

Connection Type: **Basic**

Details | Advanced

Hostname:

Port:

☐ SID:

☒ Service name:

Status: Success

Help **Save** **Clear** **Test** **Connect** **Cancel**

Oracle SQL Developer : 'CS450-Oracle18c'

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Oracle Connections
- 'CS450-Oracle18c'
- Database Schema Service Connections

Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table

Worksheet Query Builder


```
select sysdate from dual;
```

Query Results

SYSDATE
1 08 -FEB-26

Line 1 Column 26 | Insert | Modified | Unix/Mac LI

Task 3



Answers

1. This database contains information for cars at Honda dealerships. It keeps track of which car is at which dealership (found in tblHondaAuto), along with car information such as VIN, model, color, price. In tblHondaDealer, information about Honda dealerships around the US is shown, with information like name, id, and what state of the US they are in.
2. Following questions will show SQL query used and output
 - a.

- i. select DealerName, DealerID from tblhondadealer where dealerstate = 'VA';

	DEALERNAME	DEALERID
1	Capital Honda	1
2	Patriot Honda	3
3	Lakeside Honda	7

- ii.

- b.

- i. select * from tblhondaauto where issold = 1

VIN	YEAR MODEL	MTRIM	COLOR	PRICE	DEALERID	ISSOLD
1HG2025ACC001002	2025 Accord	Sport	Black	30500	2	1
2HG2026CVC001005	2026 Civic	EX	Red	24500	5	1
3CZ2025HRV001008	2025 HRV	EX-L	Black	29500	2	1
5J62025CRV001011	2025 CRV	LX	Silver	31500	1	1
2HG2025CVC001014	2025 Civic	Touring	Blue	27500	4	1
3CZ2026HRV001015	2026 Civic	EX	Green	26500	5	1
1HG2025ACC001017	2025 Accord	EX-L	Gray	32500	7	1
5J62025CRV001020	2025 CRV	EX-L	Red	34900	10	1
2HG2025CVC001022	2025 Civic	EX-L	White	25500	5	1
3CZ2026HRV001023	2026 HRV	Touring	Black	30500	3	1
5J62026CRV001024	2026 CRV	LX	Gray	32500	4	1

11 rows selected.

ii.

c.

i. select avg(price) from tblhondaauto where model = 'Civic'

AVG(PRICE)
1 25000

ii.

d.

i. select * from tblhondaauto where model = 'Accord' and issold = 0 order by price desc, year desc

VIN	YEAR MODEL	MTRIM	COLOR	PRICE	DEALERID	ISSOLD
1HG2026ACC001003	2026 Accord	Touring	Blue	35500	3	0
1HG2026ACC001021	2026 Accord	Sport-L	Blue	34500	1	0
1HG2025ACC001001	2025 Accord	EX	White	28950	1	0
1HG2026ACC001013	2026 Accord	LX	Red	27900	3	0
1HG2025ACC001025	2025 Accord	LX	Silver	27500	5	0

ii.

e.

i. select * from tblHondaAuto where model = 'Accord' and price < 35000

VIN	YEAR	MODEL	MTRIM	COLOR	PRICE	DEALERID	ISSOLD
1 1HG2025ACC001001	2025	Accord	EX	White	28950	1	0
2 1HG2025ACC001002	2025	Accord	Sport	Black	30500	2	1
3 1HG2026ACC001013	2026	Accord	LX	Red	27900	3	0
4 1HG2025ACC001017	2025	Accord	EX-L	Gray	32500	7	1
5 1HG2026ACC001021	2026	Accord	Sport-L	Blue	34500	1	0
6 1HG2025ACC001025	2025	Accord	LX	Silver	27500	5	0

ii.

3.

a. I would use sql to go through each dealership and see what cars they have sold, and check if out of any of the cars they have sold, any were not civics. However, this is tricky because we would need to be cross-referencing information from two different tables, and find a way to do nested queries in sql.

b.

i. Prompt: (attaching the sql file used to generate the database) i want you to take a look at this sql file, as it contains the schema for a database containing information for cars at Honda dealerships. It keeps track of which car is at which dealership (found in tblHondaAuto), along with car information such as VIN, model, color, price. In tblHondaDealer,

information about Honda dealerships around the US is shown, with information like name, id, and what state of the US they are in. write a sql query that gets the name and state of dealerships that only sold civics.

- ii. Response:

```
SELECT DISTINCT d.DealerName, d.DealerState
FROM tblHondaDealer d
WHERE d.DealerID IN (
    -- Dealers that have sold at least one Civic
    SELECT DealerID
    FROM tblHondaAuto
    WHERE Model = 'Civic' AND IsSold = 1
)
AND d.DealerID NOT IN (
    -- Dealers that have sold any non-Civic vehicle
    SELECT DealerID
    FROM tblHondaAuto
    WHERE Model != 'Civic' AND IsSold = 1
);
```

- iii. Output:

DEALERNAME	DE
Seaside Honda	DE

- c. The AI query was correct.