



DAY 64 HACKATHON 63









SHOP.CO Shop ~ Filter Is it accessible? Is it styled? Is it animated? Is it animated? price \$50 \$100 Colors Size Medium Small X-Large Large Small Medium X-Large Large Filter

All Reviws Latest Sarah M. John D. Data in M. "
"I'm blown away by the quality and style of the clothes I received from Shop.co. From casual wear to elegant dresses, every piece I've bought has exceeded my expectations." Finding clothes that align with my personal style used to be a challenge until I discovered Shop.co. The range of options they offer is truly remarkable, catering to a variety of tastes and occasions." Posted on August 14, 2023 Posted on August 14, 2023 Emma L. Michael B. As someone who's always on the lookout for unique fashion pieces, i'm thrilled to have stumbled upon Shop on. The selection of clothes is not only diverse but also on-point with the latest trends. As someone who's always on the lookout for unique fashion pieces, I'm thrilled to have stumbled upon Shop.co. The selection of clothes is not only diverse but also on-point with the latest trends.

Sophia K.

Posted on August 14, 2023

unique fashion pieces, i'm thrilled to have stumbled upon out also on-point with the latest trends.

Sophia K.

As someone who's always on the lookout for unique facilion pieces, I'm thrilled to have stumbled upon Shop.co. The selection of clothes is not only diverse but also on-point with the latest trends.

Posted on August 14, 2023

Posted on August 14, 2023

```
P Hackathon_2_ui_ux-main
                                                                    8 ~
                                                                                          ard.tsx
               slider.tsx ×
src > components > ui > 🥸 slider.tsx > ...
      "use client"
      import * as React from "react"
      import * as SliderPrimitive from "@radix-ui/react-slider"
      import { cn } from "@/lib/utils"
      const Slider = React.forwardRef<</pre>
       React.ElementRef<typeof SliderPrimitive.Root>,
       React.ComponentPropsWithoutRef<typeof SliderPrimitive.Root>
      >(({ className, ...props }, ref) => (
        <SliderPrimitive.Root</pre>
          ref=[ref]
          className={cn(
            className
          {...props}
         <SliderPrimitive.Track className="relative h-1.5 w-full grow overflow-hidden rounded-full bg-</p>
            <SliderPrimitive.Range className="absolute h-full bg-primary" />
          </SliderPrimitive.Track>
          <SliderPrimitive.Thumb className="block h-4 w-4 rounded-full border border-primary/50 bg-back
        </SliderPrimitive.Root>
      Slider.displayName = SliderPrimitive.Root.displayName
```

```
src > components > ui > 👑 card.tsx > ...
      import * as React from "react"
  1
      import { cn } from "@/lib/utils"
      const Card = React.forwardRef<
       HTMLDivElement,
       React.HTMLAttributes<HTMLDivElement>
      >(({ className, ...props }, ref) => (
          ref={ref}
          className=[cn(
            "rounded-xl border bg-card text-card-foreground shadow",
            className
          {...props}
      Card.displayName = "Card"
      const CardHeader = React.forwardRef<
      HTMLDivElement,
       React.HTMLAttributes<HTMLDivElement>
      >(({ className, ...props }, ref) => (
          ref={ref}
          className={cn("flex flex-col space-y-1.5 p-6", className)}
          {...props}
      CardHeader.displayName = "CardHeader"
      const CardTitle = React.forwardRef<
                                                                           Ln 1, Col 1 Spaces: 2 UTF-8
```

```
card.tsx
              sheet.tsx X
src > components > ui > 👙 sheet.tsx > ...
      "use client"
      import * as React from "react"
      import * as SheetPrimitive from "@radix-ui/react-dialog"
      import { cva, type VariantProps } from "class-variance-authority"
      import { X } from "lucide-react"
      import { cn } from "@/lib/utils"
     const Sheet - SheetPrimitive.Root
     const SheetTrigger = SheetPrimitive.Trigger
     const SheetClose - SheetPrimitive.Close
      const SheetPortal = SheetPrimitive.Portal
      const SheetOverlay = React.forwardRef<
      React.ElementRef<typeof SheetPrimitive.Overlay>,
      React.ComponentPropsWithoutRef<typeof SheetPrimitive.Overlay>
      >(({ className, ...props }, ref) -> (
        <SheetPrimitive.Overlay</pre>
          className={cn(
            "fixed inset-0 z-50 Dbg-black/80 data-[state=open];animate-in data-[state=closed]:animate
          className
          {...props}
          ref=(ref)
      SheetOverlay.displayName = SheetPrimitive.Overlay.displayName
```

```
src > components > 45 Header.tsx > ...
  1 import { FaCartShopping } from "react-icons/fa6";
       import { FaSearchengin } from "react-icons/fa6";
       import Link from "next/link";
      import { SheetSide } from "./sheet";
import { NavigationMenuDemo } from "./NavigationMenu";
       export default function Header() {
            cheader className="w-full h-[60px] ■bg-white flex justify-between items-center max-w-scree
                   <dly className="flex justify-center items-center">
                    <h1 className="text-xl sm:text-3xl font-bold pl-2">SHOP.CO</h1>
                    className="space-x-5 flex items-center">
                            <Link href={""}> <NavigationMenuDemo/></Link>
                            <Link href={"/"}>On Sale</Link>
<Link href={"/products"}>New Arrivals</Link>
<Link href={"/"}>Brands</Link>
                        <div className="hidden md:block">
                        cdiv className="flex justify-start items-center w-[330px] h-[40px] rounded-[62px
                            <FaSearchengin className="text-x1 ml-2"/>
                            cinput placeholder="search item..." className="w-full ml-2 outline-none h-ful
                                                                               Ln 1, Col 1 Spaces: 4 UTF-8 LF () TypeScript JSX Q
                                                                                                                9:00 PM
                                                                                                             ^ 1/21/2025
```

```
src > components > 💀 footer.tsx > ...
      import { FaInstagram } from "react-icons/fa";
      import Offers from "./offers";
      import { FaFacebook, FaGithub, FaTwitter } from "react-icons/fa6";
      import { Images } from "lucide-react";
      import Image from "next/image";
                                                                                                              THE .
       export default function Footer(){
           return (
                                                                                                              To be the
               <main className=" ■ bg-[#F0F0F0] w-full h-full md:h-[450px] relative mt-32 max-w-screen-2</p>
                 <span className="absolute top-[-80px]">
                 <Offers/>
               <div className="flex h-full md:h-[400px] flex-col md:flex-row justify-between items-star</p>
                 <div className="flex flex-col justify-center items-center w-[200px]">
                       <h2 className="text-2xl sm:text-3xl font-extrabold">SHOP.CO</h2>
                       op className="text-sm mt-1"> We have clothes that suits your style and which you?
                          <div className="flex items-center space-x-3 mt-1">
                           <FaInstagram className="text-xl"/>
                            <FaFacebook className="text-xl"/>
                              <FaGithub className="text-x1"/>
                             <FaTwitter className="text-x1"/>
                 <div className="w-full md:w-[900px] grid grid-cols-2 sm:grid-cols-4 place-items-center</p>
```

Ln 1, Col 1 Spaces: 2 UTF-8 LF () TypeScript JSX Q





