

Cisco Unified Communications Manager 15

Technical Decision Maker Presentation

[Name]

[Date]

Safe harbor statement

This presentation contains “forward-looking” statements that involve risks, uncertainties and assumptions. If the risks or uncertainties ever materialize or the assumptions prove incorrect, our results may differ materially from those expressed or implied by such forward-looking statements. All statements other than statements of historical fact could be deemed forward-looking, including, but not limited to, any projections of financial information; any statements about historical results that may suggest trends for our business; any statements of the plans, strategies, and objectives of management for future operations; any statements of expectation or belief regarding future events, technology developments, or enforceability of our intellectual property rights; and any statements of assumptions underlying any of the foregoing.

These statements are based on estimates and information available to us at the time of this presentation and are not guarantees of future performance. Actual results could differ materially from our current expectations as a result of many factors, including but not limited to: the unpredictable nature of our rapidly evolving market and quarterly fluctuations in our business; the effects of competition; and any adverse changes in our indirect channel relationships. These and other risks and uncertainties associated with our business are described in the company’s annual report on Form 10-K. The forward-looking statements in this presentation are made as of the date of the initial publication of this presentation, and we disclaim any obligation to update these statements at any time in the future.

Connected calling



Hear



See



Do

Powering all workers



Knowledge workers



Frontline workers




Support workers



Regulated workers

Cloud FIRST
but NOT
Cloud ONLY....




On-Premises Calling Portfolio Strategy

- Maintain the highest product quality for long term architecture support
- Deliver best in class security, certification and compliance
- Help customers modernize their business through continuing solution ecosystem evolution
- Offer flexible hybrid journey options that allow customers to benefit from Webex cloud services at their pace


Unified Communication Manager

The “glue” that binds it all together

- Unified delivery of calling, meetings, and messaging, with 1:1 redundancy
- Rich IM, presence and unified messaging
- Integrated contact center
- Centralized dial plan authority
- Centralized SIP endpoint registration
- Firewall traversal and mobile and remote access
- Rich APIs enabling management and interop
- LDAP/Azure AD provisioning and authentication
- Emergency communications services
- Remote site survivability




UCM “Where Used” in Collaboration Portfolio



Unified Communication Manager

The “glue” that binds it all together

The most complete and flexible enterprise-grade calling experience is now part of the Webex Suite



CUCM Solution Updates – Last 24+ months

Keeping pace with Innovation, Security and Compliance

	Simplified Administration	Security / Compliance	Better User Experience	Connected to Cloud
14	- Simple Phone refresh - Higher cluster scale Fresh Install w/ Data import	- E911 compliance Simple Phone Security (oAuth) and revocation Simple certificate mgmt.	- MRA HA – Expressway & LTE/Wifi failover Jabber zero downtime - Headset based EM login	- Cloud-Connected UC – Analytics - IM&P Open Federation - Unified Messaging w/ Google and O365
14 SU1	- Serviceability for Jabber/ MRA, Persistent chat mgmt - TFTP large file download - BAT support for VG 420	- E911 for remote worker - PLR Support for licensing - SHA-2 for SCCP analog gw and conf bridge	- Wx App Self provisioning IPv6 over MRA Opus transcoding	CCUC – Jabber App Migraion, Self Enable, Analytics, Certificate Management. Operations Dashboard, WebRTMT
14 SU2	- Expressway Smart Licensing (w/ PLR/SLR) - Cluster s/w location for simple upgrades	- National suicide prevention Hotline (988) Redsky E911 loc service - EST for Cert enrollment - Authenticated SMTP	- Borderless CTI for MRA - Accessibility enhancements	CCUC – Borderless CTI, Troubleshooting, Touchless provisioning of Webex App, Migrations,
14 SU3	- SRST and Webex Calling SGW colocation. CUC Scale >100K	- DTMF interworking for Secure Media MTP - HA for oAuth Refresh Token renewal - CRL enhancement - ExpWay – ECDSA ExpWay – Select >2500 - CUBE – Secure media forking for cloud speech services	iOS Local Push Notification Presence, DND sync w/ Wx App - VDI Support for Webex app <i>Webex Calling Dedicated Instance – Remote Survivability Mode</i>	- CCUC – Presence Synchronization, Azure AD support for UCM/CUC, DND Sync MS Teams integration – Call History, Presence, Voicemail
Quality – Automation, Library/Platform updates Cisco Product Security Baseline, Federal Certification				

CUCM 15

User Experience

- Improved Webex App experience with persistent CUCM login flow
- *Local Push Notification (14SU3)*
- CUC – Better noise cancellation for VM deposit via Babble Labs integration

Admin Simplicity & Platform Updates

- Core Linux Transition
 - Python 3
 - IDS
 - Kernel crypto
 - FIPS Toolkit
 - 64-bit Support
- Support for VG410
- CER – New device support for Switch Port tracking

Security & Compliance

- Certificate based Multi Factor Authentication for RTMT
- FIP 140-2 Certification
- USGv6 R1 Certification
- DOD-IN APL Certification

Bridges to the Cloud

- *Microsoft Teams Integration (via CCUC) – Call History, Voicemail, Bi-directional Presence, Call Forwarding Status and more*

Low new Feature Content

Focus on Quality

Accelerate migration to CUCM 15

Important updates with UCM 15

- ✓ No additional phone or device deprecation from CUCM 12.5 or CUCM 14.0 versions.
- ✓ VMware ESXi Version 7 or 8 support. No ESXi 6.X support.
- ✓ Check your Hardware specifications – [Hardware specifications will increase](#)
- ✓ Simple upgrade paths to v15. Some preparation required for some deployments
- ✓ Plan ahead – Work with your Cisco Account team and customers to establish the best migration path

For more info:

- www.cisco.com/go/quotecollab
- www.cisco.com/go/virtualized-collaboration

UCM 15SU1 - UCM, CUC, CER, BE6K/7K

15 SU1 (Q1CY24)

Admin Simplicity



- CER : IPv6 subnet-based tracking
- CUCM: PUSH Notification Service enhancements
- UCM: Cisco Desk Phone 9800 Series Support
- UCM, CUC : Licensing SDK Agent upgrade

Client and User Experience



Security and Compliance



- CUCM : SQL Injection + XSS Vulnerability Mitigation
- CUCM Autocomplete Disablement

Cloud Enablement



webex

15SU1 (Mar 2024)

- Focus on Quality
- Mostly Bug Fix
- Allow you to get upgraded to 15 to remove CentOS7 from your environment

UCM 15SU2 – UCM, CUC, CER, BE6K/7K

15SU2 (Oct 2024)

Admin Simplicity



- CUCM enhancements to optimize MTP insertion in IPv4/ IPv6 SME case
- CUCM Resilient CTI Manager Service
- SCH Deprecation and Smart Receiver support
- PAWS API to Simple Upgrades
- CER : config REST API enhancements

Client and User Experience



- Multi Line support for Webex App on Mobile
- Enhanced Serviceability Node (ESN) : TAPI/TSP Support
- CUCM : Common Call History – WxApp
- CUC 15 SU2 / 14SU4 : Migration to Webex In house transcription service

Security and Compliance



- TLS1.3
- BC-FIPS
- FCC Accessibility mandate
- DOD-IN APL Certification (H2CY24)

Cloud Enablement



webex


15SU2

- Focus on US Federal Certification
- Higher Security – TLS 1.3
- Call History for Webex App

End of Support for CentOS Linux distro

Overview

- Support for CentOS Linux was expected to continue until at least 2029
- However, the CentOS Project announced the discontinuation of CentOS in 2020
- As a result of CentOS discontinuation, end-of-support will occur in 2024
- CentOS will not be a reliable platform for business use after end-of-support
- Cisco is focused on providing customers with a reliable and stable platform for the future based on **Alma Linux** from **UCM v15**.



CUCM 12.5 End of Life

<https://www.cisco.com/c/en/us/products/collateral/unified-communications/unified-communications-manager-callmanager/v-12-5-on-premises-calling-applications-eol.html>

The screenshot shows the Cisco website's end-of-life announcement for CUCM 12.5. The page has a header with the Cisco logo and navigation links: Products and Services, Solutions, Support, Learn, and Explore Cisco. A breadcrumb trail indicates the path: Cisco Unified Communications Manager (CallManager) / End-of-Life and End-of-Sale Notices. The main heading is "End-of-Sale and End-of-Life Announcement for the Cisco Version 12.5 of On-premises Calling applications (including Cisco Unified Communications Manager) and associated On-premises Flex subscriptions". It is dated "Updated: March 2, 2023" and includes a "Bias-Free Language" link. A left sidebar contains a "Table of Contents" menu with links to Overview, End-of-life milestones, Product part numbers, Product migration options, and For more information. The main content area features an "Overview" section with the ID "EOL14949" and a paragraph stating that the end-of-sale dates for CUCM 12.5 are August 31, 2023, for renewals and August 31, 2025, for existing subscriptions. Action buttons for Save, Download, and Print are located above the main text.

How to Buy Partners Log in

Products and Services Solutions Support Learn Explore Cisco

... / Cisco Unified Communications Manager (CallManager) / End-of-Life and End-of-Sale Notices /

End-of-Sale and End-of-Life Announcement for the Cisco Version 12.5 of On-premises Calling applications (including Cisco Unified Communications Manager) and associated On-premises Flex subscriptions

Updated: March 2, 2023

Bias-Free Language

Table of Contents

- Table of Contents
- Overview
- End-of-life milestones
- Product part numbers
- Product migration options
- For more information

Overview

EOL14949

Cisco announces the end-of-sale dates for the Cisco Version 12.5 of On-premises Calling applications (including Cisco Unified Communications Manager) and associated On-premises Flex subscriptions. The last day to order the affected product(s) is August 31, 2023. The last day to renew or add to an existing subscription is August 31, 2025. Customers with active service contracts and subscriptions (as applicable)

Save Download Print

- 12.5 End of Life Dates
- End of SW Maintenance:
Aug 2024
- End of Support:
Aug 2025

CUCM 14 Release End of Life (recently announced)

... / Cisco Unified Communications Manager (CallManager) / End-of-Life and End-of-Sale Notices /

End-of-Sale and End-of-Life Announcement for the Cisco Version 14 of On-premises Calling applications (including Cisco Unified Communications Manager) and associated On-premises Flex subscriptions

Updated: October 7, 2024

The screenshot shows a web page with a dark blue header and sidebar. The sidebar contains a 'Table of Contents' menu with links to 'Overview', 'End-of-life milestones', 'Product part numbers', 'Product migration options', and 'For more information'. The main content area has a title 'Overview' and a sub-header 'EOL15219'. The text below states: 'Cisco announces the end-of-sale and end-of-life dates for the Cisco Version 14 of On-premises Calling applications (including Cisco Unified Communications Manager) and associated On-premises Flex subscriptions. The last day to order the affected product(s) is April 7, 2025. The last day to renew or add to an existing subscription is April 7, 2027. Customers with active service contracts and subscriptions (as applicable) will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts and subscriptions (as applicable), support will be available under the terms and conditions of customers' service contract and subscription.'

Version 14 of CUCM only.

- CUCM the product continues via version 15.
- On-premises continues.

End of Life milestone dates:

- External Announce 7-Oct-CY24
- End of Bug/Security Fix 7-Apr-CY26
- End of TAC Support 30-Apr-CY27

EOL bulletins:

Release 14 in Subscription: <https://www.cisco.com/c/en/us/products/collateral/unified-communications/unified-communications-manager-callmanager/v-14-premises-flex-subscriptions-eol.html>

Release 14 in Perpetual: <https://www.cisco.com/c/en/us/products/collateral/unified-communications/unified-communications-manager-callmanager/v-14-premises-calling-applications-eol.html>

Supported UCM Versions

Available releases for

- UCM – Unified Communications Manager

To which these applications and cloud services also align:

- SME – Session Management Edition
- IM&P – Instant Messaging & Presence service
- CUC – Unity Connection
- CER – Cisco® Emergency Responder
- PCD – Prime Collaboration Deployment
- And parts of
 - UCCX – Contact Center Express
 - P/UCCE – Packaged/Unified Contact Center Enterprise
 - UCM-powered clouds (Webex Calling dedicated instances, UCMC-G, Webex Contact Center Enterprise)

15
(Currently Shipping)

14
(End of Life
Announced –
Oct 2024)

12.5
(End of SW
Maintenance –
Aug 2024)

12.0
(End of Support
– Aug 2023)


11.5
(End of Support
– May 2024)

11.0
(End of Support
– July 2020)

10.5
(End of Support
– July 2022)


CUCM Release FCS/EOL

12.0, 11.5, 11.0, 10.5 and older are already end of support.




Products that this timing applies to:

- UCM – Unified Communications Manager
- SME – Session Management Edition
- IM&P – Instant Messaging & Presence service
- CUC – Unity Connection
- CER – Cisco® Emergency Responder
- PCD – Prime Collaboration Deployment
- Elements of Webex Calling dedicated instances, UCMC-G, Webex Contact Center Enterprise



Cisco Unified Communications Manager Release Timeline



Upgrading to 15 will require Deployment planning

Release Set

Application versions from Collab System Release 15

Follow compatibility matrix across UC components

Cluster Scale

15 vs. 14 no change. 14 has higher scale/density than 12.5.

15 will not support legacy filesystems (dual vdisks, ext3, legacy guest OS partition schemes).

Future SUs may increase density/scale and/or reduce Cluster VM count

VM Specification Change

15 requires 4-6GB more vRAM & 30+ GB more vDisk on all VMs from 14/older.

Small OVAs must direct migrate, can't direct upgrade.

Future SU's may reduce Cluster VM count.

ESXi Compatibility

15 requires ESXi 7.0 or 8.0 (6.7/older not supported).

UCM 14 supported on ESXi 6.7, 7.0 and 8.0.

VM placement, min HW spec, ESXi/HW compatibility

15 vs. 14 no change.

14 has more flexible min CPU spec than 12.5.

Deploying 15

Minor changes to Install Wizard, Touchless Install, VMware OVF Tool (from 14) and PCD Fresh Install Task.

All native install methods can be used for direct migration via Fresh Install w/ Data Import.

Direct Upgrade/Migrate

12.5 to 15 and 14 to 15 are **Direct STANDARD upgrades**, NOT refresh upgrades; simple upgrades available.

Direct Migration (Fresh Install w/ Data Import and PCD Migration Task) supported for 10.5/11.x/12.x/14/15 to 15.

Improved Webex App experience with persistent CUCM login flow

Problem Summary

- Webex app registered to CUCM Registered prompts user to login every 60 days to maintain phone service.
- User may cancel login for phone service and still have access to messaging, meetings, and internal calls as the account is still authenticated with IdP on Cisco Webex cloud
- If the user on Webex app is not authenticated by CUCM:
 - Phone service disconnects which results in Missed calls
 - Mixed calling User Experience. Internal calls may work as connectivity to Cisco Webex cloud is maintained, but PSTN calls don't.

Solution



- The refresh token in Webex App is automatically renewed without user intervention so that the user does not get logged out of the phone service.
- Expressway will be able to pass through the auto-renew parameter for refresh token so that the clients will renew the tokens automatically

Benefits


- Improved Webex App user experience resulting in end users not missing calls due to phone service disconnects

Supported Releases:

- UCM 15, Expressway X15
- Webex App 43.8



iOS Local Push Connectivity for calls (LPNS)



Benefits

- **Reliable & Secure** way to notify Webex App / Jabber users on iOS devices of incoming VoIP call and messages when iOS devices operate in a WiFi constrained network when there is **no internet connection** and doesn't have access to APNs


Key Features

- To the user, LPNS and APNS notifications will be identical
- Mission critical / Time critical Local notifications get delivered when App is suspended and running in background
- Persistent connectivity to LPNS service

Supported Releases:


- Cisco UCM: 15, 14SU3 onwards
- Webex App 43.6
- Jabber: 14.2

iOS Local Push Connectivity for calls (LPNS)



- App Extension can directly communicate directly with your CUCM (LPNS) on a local WiFi network
- Web Socket Protocol between CUCM (LPNS) and App Extension to deliver the notifications
- App must specify WiFi networks where you wish to enable local push connectivity
- When device joins specified WiFi network App Extension is responsible for maintaining network connection with CUCM(LPNS) and receiving the notifications
- App Extension continues to run in background as long as device is associated to the specified Wifi network System stops all extension when devices loses connectivity to specified wifi network

Certificate based Multi Factor Authentication for RTMT



Problem Summary: UCM supports Certificate based Multifactor Authentication along with SSO from the regular web interface, but this is not available for RTMT.

Solution:


- UCM 15 now enables MFA for RTMT logins (along with username / password based auth) leveraging SSO flows,
- No changes to existing admin experience for enabling SSO for RTMT
- User X509 login certificates imported onto the platform trust store where RTMT is to be deployed
- User certificate is selected from RTMT Client machine trust store and presented to IdP for authentication

Benefits

- Phishing resistant cryptographic technique avoiding use of only passwords for authentication and access.
- Protects against password breach / compromise.
- Additional layer of security
- Suitable for use in classified systems

Supported Release: UCM 15


CUCM support of VG 410



Supported Releases:

- Cisco UCM: 15, 14SU3 onwards

Webex Cloud-Connected UC (CCUC)



A suite of Webex® cloud services that provide enhanced business and operational insights to improve administrative productivity

- Analytics
- Operations Dashboard
- Troubleshooting
- Certificate Management
- Web RTMT
- Rich Presence for Webex App
- Borderless CTI
- Touchless Provisioning for Webex App
- Migrations & Deployment Insights
- CCUC Directory Service - Azure AD Support
- Microsoft Teams Integration
 - Call History
 - Presence Sync - Webex <-> Microsoft
 - Voicemail (CUC)

Webex Calling for Microsoft Teams Integration

15

Call Tab

Access dial pad, contact search and speed dials

Dialpad

Access to dialpad to key in numbers

Add Speed dial

Click to add up to 25 speed dial cards

Contact Search


Search for personal and corporate contacts

Azure AD
Contacts

Outlook 365
Contacts

Contact Resolution

Resolves the incoming call identifier to Azure AD



Call/Search Input

Enter a number, SIP address or type a name to search for Azure AD/Outlook contact

Bi-directional Presence

Display your on UCM call presence to your contacts and see their call presence too

Call Forwarding

See your call forwarding status at a single glance

Voicemail

Access and play back the voicemail

Call

Select number and call contact

Call History

See history of incoming/outgoing/missed calls


Webex Cloud-Connected UC (CCUC) required
Supported Releases

- UCM – 15, 12.5 SU7+ , 14 SU3+
- CUC – 15, 12.5, 14 SU3

MS Teams: Bi-directional Presence Sync


15

User's presence status on either application (MS Teams / Webex App) will now be kept in sync with the other application for the below presence states:




Rich Presence: User's Phone Presence in Webex App

- Integrate User's IP phone off-hook/on-hook status with Webex app presence
- Accurate real-time presence information for contacts
- Enables users to determine best communication mode
- Webex Cloud-Connected UC (CCUC) required
- Supported Releases :
 - Cisco UCM: 15, 12.5 SU7+, 14SU3+
 - Webex app: all releases



DND Sync from Webex app to IP Phone and vice-versa



- Sync User's IP phone DND status with Webex app and vice-versa
- DND status is cleared on all devices when DND expires
- Supported on CTI mode and Shared lines
- Webex Cloud-Connected UC (CCUC) required
- Supported Releases:
 - Cisco UCM: 15, 12.5 SU7+, 14SU3+
 - Webex app: all releases

Borderless CTI End user experience

Benefits


- Webex App CTI application functionalities available remotely, no VPN connection required

Key Features

- Desk phone control of 88xx/7xx, CE, DX from Webex App remotely
- CTI applications such as receive incoming enterprise calls, making/disconnect/Hold/Retrieve calls among other applications.
- Webex Cloud-Connected UC (CCUC) required

Supported Releases:



- Cisco UCM: 15, 14SU2 onwards
- Webex App v42.7 and higher



Touchless Webex App Provisioning for UCM

User can self-provision the Webex® App in UCM

- No admin intervention required
- Avoids over provisioning of devices for Webex App
- Minimizes impact on cluster scale & licensing
- Control Hub based policy control
- Enable Jabber® to Webex App migration
- Webex Cloud-Connected UC (CCUC) required
- Supported Releases:
 - CUCM 15, 11.5+, 12.5+ and 14+
 - Expressway X14.0.2+
 - Webex app 41.10 and higher



CCUC Directory Service: Azure AD Integration

Synchronize users from cloud-based directory such as Azure AD into on-premise UC infrastructure


- Webex CI integrates with Azure AD using SCIM to sync the users
- CCUC Directory Service will sync users from Webex CI into CUCM and Unity Connection
- Webex Cloud-Connected UC (CCUC) Required

Benefits


- Ubiquitous Identity and Access management while moving directory to Cloud
- Reduction in TCO
- Enables migration options – incremental to full cloud native

Supported Releases

- 12.5 SU4 and 14 or later



CER IPv6 Subnet based phone/client location tracking support



- Track device locations using IPv6 Subnets
- Map physical location to IPv6 Subnet
- Define a combination of IPv4 & IPv6 Subnets in CER
- Support for IPv6 registrations to CUCM
- IP Phones, Desk/Room EPs, and wired soft-client support
- IPv6 On-Prem ERL support
- IPv6 Off-Prem ERL support (e.g. VPN Subnet or Expressway IP)
- Cisco and 3rd party phone support
- Cisco networking infrastructure not required

• **Supported Version:** 15 SU1


The screenshot shows the Cisco Emergency Responder Administration web interface. The main heading is "Cisco Emergency Responder Administration" with the subtitle "For Cisco Unified Communications Solutions". The navigation bar includes links for System, ERL, Phone Tracking, ERL Membership, User Management, Reports, Tools, and Help. The current page is "Configure IP Subnet".

The "Configure IP Subnet" page has a "Status" section with the text "Please enter information for the new IP Subnet". Below this is the "Add New IP Subnet" section, which contains the following fields and options:

- Subnet ID ***: 2001:db8:0:1:256:2bff:fe05:9797
- Prefix ***: 128 (1 address) (dropdown menu)
- Do not track phones under this IP subnet**: ☐
- Location**: MH1
- ERL Name ***: er11

At the bottom of the form are buttons for "Insert" and "Cancel Changes". A note at the bottom states: "* Indicates required item. Note: Please enter a valid IPv6 format in Subnet ID: X₁:X₂:X₃:X₄:X₅:X₆:X₇:X₈ where X₁₋₈ represents a four digit hexadecimal value."

Common Call History for UCM Calling on Webex App



With local call history, when users are not signed in Webex app calls placed/received on other devices are not seen once they sign in again. The result is inconsistency across the devices

With this feature, users will get the synchronized call history from other devices to Webex app registered to UCM. They will be able to see calls made on other devices once they sign in back to Webex App.

Specific Platform releases/dates:

- Webex App on Desktop and mobile, 44.11
- UCM 14 SU4 / 15 SU2

Pre-requisite: Webex Cloud-Connected UC (CCUC),

Who can configure/provision requirements:

IT admin can turn on required options thru' CCUC on Control Hub.

Unity Connection SpeechView Transcription Service Migration to Webex in-house Transcription Service

15 SU2

Requires
Urgent
Action

See [Field Notice FN74144](#) (published Jun 28, 2024).

Affects Unity Connection versions 12.5 and older, 14 SU3/older and 15 SU1/older.

Voicemail message transcription WILL STOP WORKING after December 30, 2024.

- Due to EOL of 3rdparty service backend dependency.
- **No support extension** (date is independent of CUC release EOL)

Admin Experience (after above date, w/o action)

- **Timeout error** on Unity Connection config pages for SpeechView Transcription.

User Experience (after above date, w/o action)

- **Timeout error** in user inbox instead of a transcript.
- Voicemail media will be delivered, but without Transcription.

Solution Available

- Cisco has replaced 3rdparty service backend with in-house Cisco Webex service backend.
- Customers must...
 1. **Upgrade** Unity Connection to **14 SU4** or **15 SU2**
 2. **Onboard** to Cisco Webex Cloud-Connected UC (CCUC)
 3. Enable voicemail transcription in CCUC Service



Call to Action = customers get current or go cloud ASAP.


For more information

[Technote](#) for upgrade/migration


SpeechView – What's Changing – Details 1/2

3rd party service used for transcription is shutting down end Dec'24.

No further extension.




SpeechView – What's Changing – 2/2



Cisco UC - TLS 1.3 support

Solution level support for TLS 1.3 protocol from Rel 15 SU2 onwards



Benefits

- Improved Security - TLS 1.3 more secured than TLS 1.0, 1.1 and 1.2.
- Improved performance - Shorter handshake mechanism
- Simplified Cipher Suites - Use of simple and stronger Cipher suites

Salient Features

- Solution is backward compatible with older TLS version
- End to end support at solution level.
- Support applicable to both inbound & outbound connections.

UCM Calling Multiline on Webex App mobile

Enables enterprise power users to handle multiple calls simultaneously, increasing efficiency and productivity

Key Features


- Enhanced User Experience
- Up to 8 lines supported
- Android , iOS devices (mobiles and tablet)

Specific Platform releases/dates:


- Webex App on mobile 44.12
- UCM :15 SU2 (in Preview)

Caveats/Limitations on feature:

- Max 2 calls on the devices
- Basic mid-call functions for Executive / Admin shared line case
- Other mid-call functions & tablet will be delivered later, No CUCM update is needed



Support for Tertiary CTI Manager and Fallback for Cisco TSP



Problem Statement

There is no TSP service available for TAPI clients when both CTI manager-1 and CTI manager-2 are unavailable or are not reachable


Benefits

- Improves availability and resiliency of CTI Manager for TAPI
- Falls back to the primary CTI manager when it becomes available / reachable

Specific Platform releases

UCM 15 SU2

Optimize MTP Insertion in IPV4 / IPV6 Deployment



Specific Platform releases :
UCM 15 SU2

Problem Statement

MTP is allocated when

- SIP Trunk configured with IP Addressing Mode as IPv4 and IPv6.
- “IP Addressing Mode Preference for Media” configuration is set to default – IPv4

Benefits

- The determination to allocate MTP is based on the offer / answer of the SIP negotiation. Earlier, this was based on Enterprise parameter configuration
- This result in better utilization of MTP resources and prevent allocation when not necessary.

Key Features

Supported Call flows

- SIP trunk to SIP Line.
- SIP Trunk to SIP Trunk.

Smart Receiver as method of transport for Smart Licensing in UCM Calling



Offline



CUCM



Direct Access



Cisco Smart
Software Manager (CSSM)



On-Premises

Smart Call Home (SCH) as method of transport is End of Life and replaced by Smart Receiver based transport

Key Features

- Smart Receiver is HTTPS based
- New install supported with Smart Receiver only
- Upgraded or Migrated system will be supported with Smart Receiver provided system is able to connect to endpoint URL of Smart Receiver automatically.
- If the system is not able to connect to Smart Receiver endpoint URL, then admin would need to manually configure and migrate to Smart Receiver based transport.
- Pre and Post upgrade checks are provided

Minimum release support:

- Cisco UCM : 14 SU4, 15 SU2
- CER : 15 SU2
- CUC : 15 SU3

New Meraki Switch support for Cisco Emergency Responder



Switch Port Tracking:

CER can track phones and endpoints within the enterprise down to the switchport.

Individual Cisco switch models need to be supported in CER as we test that the switch SNMP is correctly parsed by CER.


The following new **Cisco Meraki** models have been added to CER:

MS130 series -

MS130-8
MS130-8P
MS130-8P-I
MS130-8X
MS130-12X
MS130-24
MS130-24P
MS130-24X
MS130-48
MS130-48P
MS130-48X

C9300-M series -

C9300-24T-M (Previously supported)
C9300-24P-M
C9300-24U-M
C9300-48P-M
C9300-48U-M



Release: CER 15SU2

Please refer to the [CER release notes](#) for a full list of supported switch models.




USGV6 R1 Certification for CUCM

As per [Federal Acquisition Regulation \(FAR\) - Case 2005-041](#), IPv6 compliance is mandatory for all US Government (USG) agencies.

To meet this requirement the [National Institute of Standards and Technology](#) (NIST) created the USGv6 certification program.

UCM 15 SU2 is USGV6 R1 certified

DODIN APL Certification



Target Release:
UCM, IM&P, CUC, CER – 15 SU2
Expressway – 15.2
CUBE: 17.15.1
Timeframe: Q4CY24




Note – DoDIN APL certified : UCM,
IM&P, CUC, CER Rel 15

The Defense Information Systems Agency maintains the DOD Information Network (DODIN) Approved Products List (APL) process, as outlined in [DOD Instruction 8100.04](#) on behalf of the Department of Defense.

This process provides a single, consolidated list of products that affect communication and collaboration across the DoDIN and those that have met cybersecurity and interoperation certification requirements.

The DoDIN APL is an acquisition decision support tool for DoD organizations interested in procuring equipment to add to the DISN to support their mission. The DoDIN APL is managed by the Approved Products Certification Office (APCO).

CUBE WebSocket-based Media forking for Cloud Speech Services – GCM cipher support



Feature: CUBE supports GCM Cipher when using WebSockets to fork media in a Cisco Unified Contact Center Enterprise (UCCE) solution deployment with Cloud Speech Service

Benefits: More secure TLS connection to Contact Center deployments for Cloud Speech Services.

Supported Release: Available with IOS XE 17.12.1a, 15 August 2023.

CUBE NAT Traversal using RTP keepalives

Problem Summary:

- Cisco voice solution including CUBE and UCM can be deployed behind a NAT router.
- When a PSTN user A calls an enterprise user B who has setup call forward to an external PSTN user C, the call between A & C will get established, but audio will not flow through.


Solution:

- A configurable option is provided in CUBE to periodically send the payload-free RTP keepalive packets to keep the pinholes open for media to flow through.

Benefits:

- Enhanced calling experience that allows PSTN user A to talk to user C when call is forwarded from enterprise user B.
- Provides an additional option beyond STUN based mechanisms.

Supported Release: CUBE 17.13




Expressway CE1300 appliance

Latest CE1x00 appliance model

- Refreshes prior CE1200 (M5, LDoS Oct CY28 / EOL14929).
- Provides Edge services to on-prem-Collaboration for Hybrid Work.
- Bare-metal / non-virtualized to satisfy critical customer DMZ security concerns.
- All in an easy to plan/design/quote/deliver *appliance* solution.

CE1300 hardware & software

- Leverages UCS C220 M6S, but is NOT a general-purpose “server”, NOT a UCS convenience quoting bundle.
- SED’s for encryption at rest (factory load defaults to encryption disabled; see Install Guide for how to enable).
- Field Recovery Mechanism updated from SD card to M.2 device-based.
- Only supports Expressway X14.3.1 or later. No other applications. No older versions.
- See [X14.3.1 Release Notes](#) and [CE1300 Install Guide](#) for other details.



Bare-metal install w/ BIOS customizations



EXPWY-1300-K9



Business Edition 6000/7000 – latest shipping appliances (M6)

Models, List Pricing, Specs.

Business Edition 7000

For 500+ users

BE7000H (M5)

BE7H-M5-K9

List Price \$50,000



2RU Rack (C240 M5SX)
2S/14C/2.60 GHz
192GB RAM
24x300GB 12G SAS
2x10GbE, 8x1GbE

BE7000M (M5)

BE7M-M5-K9

List Price \$30,000



2RU Rack (C240 M5SX)
1S/14C/2.60 GHz
96GB RAM
14x300GB 12G SAS
2x10GbE, 8x1GbE

BE7000H (M6)

BE7H-M6-K9

List Price \$55,000



2RU Rack (C240 M6SX)
1S/28C/2.60 GHz
192GB RAM
24x600GB 12G SAS
10x10GbE

BE7000M (M6)

BE7M-M6-K9

List Price \$34,000



2RU Rack (C240 M6SX)
1S/16C/2.90 GHz
96GB RAM
16x600GB 12G SAS
10x10GbE

Single BE7M M6

Business Edition 6000

For max 1000 users

BE6000H (M5)

BE6H-M5-K9

List Price \$22,000



1RU Rack (C220 M5SX)
2S/10C/2.20 GHz
64GB RAM
8x300GB 12G SAS
2x10GbE, 4x1GbE

BE6000M (M5)

BE6M-M5-K9

List Price \$12,000



1RU Rack (C220 M5SX)
1S/10C/2.20 GHz
48GB RAM
6x300GB 12G SAS
2x10GbE

BE6000H (M5) does NOT
have 1:1 M6 replacement!

Pair of BE6M M6

BE6000 (M6)

BE6K-M6-K9

List Price \$13,500



1RU Rack (C220 M6S)
1S/10C/2.30 GHz
64GB RAM
6x600GB 12G SAS
2x10GbE

BE6K/7K M6 - what ships?


Calling

CC

Edge

Mgmt

Collaboration Application Suites



Preloaded suite of
(unlicensed) apps with...

...files for CSR 14 versions

...files for CSR 12.7/8 versions

Flex subscription sold separately (A-FLEX-3 for Webex Suite or On-prem Calling)

Virtualization Software vmware

- Preinstalled version ESXi 7.0 U1 that is UNLICENSED.
- License for ESXi always sold separately or customer-provided.
- Unboxes in "esxi evaluation mode" with application files in datastore.

BIG CHANGE!

Appliance Hardware

- Fixed configurations derived from transformed UCS C220 M5SX->M6S /C240 M5SX->M6SX
- Unboxes with disks formatted, RAID configured, latest BIOS/FW/drivers at build time.



Latest.

Next update Kree4

webex

BE6000 Preload File Summary: <https://www.cisco.com/c/en/us/support/unified-communications/business-edition-6000-version-14/model.html#ReleaseandCompatibility>

BE7000 Preload File Summary: <https://www.cisco.com/c/en/us/support/unified-communications/business-edition-7000-version-14/model.html#ReleaseandCompatibility>

Hardware Configurations:

https://www.cisco.com/c/dam/en/us/td/docs/voice_ip_comm/uc_system/virtualization/cisco-collaboration-infrastructure.html#HW_Example