



The bridge to possible

Jabber to the Webex App

Best Practices for a Successfully Migrating

Steven Fly, Technical Marketing Engineer,
Technical Leader
BRKCOL-2062

CISCO *Live!*

#CiscoLive

Cisco Webex App


Questions?


Use Cisco Webex App to chat with the speaker after the session

How

- 1 Find this session in the Cisco Live Mobile App
- 2 Click “Join the Discussion”
- 3 Install the Webex App or go directly to the Webex space
- 4 Enter messages/questions in the Webex space

Webex spaces will be moderated by the speaker until June 7, 2024.






Agenda

- Transition of Jabber Workloads
- Migration Tools
- Migration Best Practices
 - Pre-Migration Activities
 - Migration Prep Activities
 - Migration Activities
- Conclusion
- Additional Info

Icon Guidelines

The following icons are used to indicate the Collaboration workloads, deployments and apps referenced throughout this presentation




★ = Best Practice Recommendation



* FFM = Full Featured Meetings

Transition of Jabber Workloads



Recommend a 3-Phase Approach

Migration Ready



Pre-Migration

Prepare Webex Org and UC environment for migration, setup base org functionality, and verify access to Webex services

- Webex Org setup
- Licensing, User Provisioning
- Enable analytics
- Network readiness
- Software upgrades

Migration Prep

Define/Configure workload services, app deployment plan and develop migration plan/schedule

- Messaging, meeting and calling services & features
- UCM user/contact extraction
- Users, Client versions
- Integration requirements
- Planning & Testing
- PoC/Pilot


Migration



Migration of users and soft client and decommission of on-premises servers

- End user adoption & training
- Migration communication
- Migrate users, clients/apps & contacts
- Decommission existing on-premise UC infrastructure

Jabber Workloads Migrating to Webex App




- Calling (UCM)
 - Stay with UCM on-prem for calling platform
- Messaging
 - UCM IM&P → Webex
- Meetings
 - Webex
 - WDA → Webex App*

*Majority of existing customers and all new customers are using the Webex App for Meetings since end of CY21

UCM Calling Migration Journey


- Jabber → Webex App
- Stay on UCM On-prem



UCM Calling: High-Level Transition Map


0

Cisco Jabber




1

Cisco Webex



Note: This map is a visual representation of the workload transition(s), highlighting the primary architectural changes during the deployment.

UCM Calling: Migration Journey





UCM Calling: Readiness Checklist

Checks	Required
Production Webex Org	✓
Required Licenses Available in UC Applications	✓
Network Connectivity (to Webex) – Protocols, Ports, Bandwidth	✓
Security / InfoSec Approvals	✓
CUCM / CUC Authentication Method	✓
Verify Internal and External Voice Domains are the Same	✓
Validate DNS Configurations	✓
Verified Domain(s) <i>(Best Practice)</i>	●
Claimed Domain(s) <i>(Best Practice)</i>	●
Claim Users <i>(Best Practice)</i>	●
Auto License Templates <i>(Best Practice)</i>	●
SSO Enabled <i>(Best Practice)</i> Webex CUCM Expressway ¹ Unity Connection ²	● ● ● ●

¹ SSO required on Expressway if enabled on CUCM for Mobile and Remote Access (MRA)

² SSO required on CUC if enabled on CUCM

Checks	Required
User Provisioning – Webex	✓
Directory Sync <i>(Best Practice)</i> Webex – Directory Connector (AD), SCIM (Azure AD, Okta), CCUC, API CUCM Unity Connection	● ● ●
Users' Phone Numbers Configured in Control Hub	✓
UC Analytics Enabled CCUC Jabber Telemetry	● ○
Software Versions ³ CUCM Expressway Unity Connection (align with CUCM version)	✓ ✓ ✓
SSO OAuth w/ Refresh Token Flow <i>(Best Practice)</i> CUCM Expressway Unity Connection	● ● ●
MRA for remote users	○

³ Minimum:

* CUCM: 11.5(1)SU3 / 12.5(1) --or-- 11.5(1)SU8 / 12.5(1)SU3 (for iOS)

* Expressway: X8.11.4 / X12.5.0

CUCM 12.5(1) or later required for secure calling (SIP OAuth) – signaling and media


CUCM 12.5(1)SU4 or later & Expressway X14.0 or later – best mobile SSO experience

UCM Calling: Migration Prep Considerations

- Review Jabber User Personas
 - Calling only, Calling + Messaging only, Full UC, etc.
 - Required Webex App Clients
 - Desktop (Win and Mac)
 - Mobile (iOS and Android)
 - VDI
 - Linux
 - 3rd Party App cross-launch (Protocol Handlers)
 - Jabber Integrations
 - Webex Users/Calling Settings
 - UC Profiles, Calling licenses, Org Calling settings, Client settings, etc.
- Review On-prem UC Configurations
 - CUCM – End user configs, ILS, Home cluster, Jabber XML Config, Service Profiles, Security Profiles, Push Notifications, etc.
 - Expressway – Zones, Call routing, etc.
 - Unity
 - Deployment Options for Each Client Type
 - User driven
 - Admin software push
 - Deployment Plan
 - POC – feature validation/testing, deployment testing, etc.
 - Pilot – size, success criteria
 - Production rollout plan – flash or phased
 - User/Solution Acceptance Test Plan

Messaging Migration Journey


- Jabber → Webex App
- CUCM IM&P → Webex



Messaging: High-Level Transition Map


0

Cisco Jabber




1

Cisco Webex



Note: This map is a visual representation of the workload transition(s), highlighting the primary architectural changes during the deployment.

Messaging: Migration Journey





Messaging: Readiness Checklist

Checks	Required
Production Webex Org ¹	✓
Required Licenses Available in Webex	✓
Network Connectivity (to Webex) - Protocols, Ports, Bandwidth	✓
Security / InfoSec Approvals	✓
Verify Domain(s) <i>(Best Practice)</i>	●
Claim Domain(s) <i>(Best Practice)</i>	●
Claim Users <i>(Best Practice)</i>	●
Auto License Templates <i>(Best Practice)</i>	●

¹ Consider Data Residency (which Webex datacenter stores customer's data)

Checks	Required
SSO Enabled <i>(Best Practice)</i> Webex	●
User Provisioning - Webex	✓
Directory Sync <i>(Best Practice)</i> Webex - Directory Connector (AD), SCIM (Azure AD, Okta), CCUC, API	●
UC Analytics Enabled CCUC Jabber Telemetry	● ○
XMPP or SIP Federation	○
Hybrid Messaging Services ²	○
Centralize IM&P clusters	○


² May be desired for phased migrations

Messaging: Migration Prep Considerations

- Jabber User Personals
 - Messaging only, Calling only, Full UC, etc.
 - Identify if any Jabber only features are configured
 - Persistent Chat Rooms
 - Managed File Transfer
 - Etc...
 - Webex App Client Requirements
 - Desktop (Win and Mac)
 - Mobile (iOS and Android)
 - VDI
 - Linux
 - 3rd Party App Cross-launch (Protocol Handlers)
 - Jabber Integrations
- Webex Messaging Feature/Service Requirements
 - Message Retention
 - Content Management - including 3rd party ECM (Enterprise Content Management) integrations
 - External Messaging - Allow/Block messaging capabilities with external domains
 - Deployment Options
 - User driven
 - Admin software push
 - Deployment Plan
 - POC - feature validation/testing, deployment testing, etc.
 - Pilot - size, success criteria
 - Production rollout plan - flash or phased
 - User/Solution Acceptance Test Plan

Meetings Update Journey


- Webex Meetings Desktop App (WDA) → Webex App
- Stay on Webex Meetings



Meetings: High-Level Transition Map


0

Webex Meetings App



1


Webex App



<10 customers left to update

Note: This map is a visual representation of the workload transition(s), highlighting the primary architectural changes during the deployment.

Meetings: Migration Journey



* Or migrate Site Admin managed Webex Sites to Control Hub managed



Meetings: Readiness Checklist

Checks	Required
Production Webex Org ¹	✓
Required Licenses Available in Webex	✓
Network Connectivity (to Webex) – Protocols, Ports, Bandwidth	✓
Security / InfoSec Approvals	✓
Webex Meeting Site(s) Version ²	✓
Webex Site & User Linking ³	✓
Verify Webex Desktop App (WDA) Version ⁴	✓

¹ Consider Data Residency (which Webex datacenter stores customer's data)

² Webex Meetings site must be on 40.10 or later (latest version recommended)

³ For Site Administration sites, Webex Meetings site(s) and Webex Meeting users must be linked to Webex Control Hub

⁴ WDA 41.2 or later (latest version recommended)

Checks	Required
Verify Domain(s) <i>(Best Practice)</i>	●
Claim Domain(s) <i>(Best Practice)</i>	●
Claim Users <i>(Best Practice)</i>	●
Auto License Templates <i>(Best Practice)</i>	●
SSO Enabled <i>(Best Practice)</i> Webex ⁵	●
User Provisioning – Webex	✓
Directory Sync <i>(Best Practice)</i> Webex – Directory Connector (AD), SCIM (Azure AD, Okta), CCUC, API	●
Hybrid Calendar Services <i>(Best Practice)</i>	●


⁵ **Highly** recommend to enable SSO on Control Hub if SSO is enabled on Site Admin managed sites before updating. This is to avoid possible different authentication methods for users.



Meetings: Update Prep Considerations

- Webex App Client Requirements
 - Desktop (Win and Mac)
 - Mobile (iOS and Android)
 - VDI
 - Linux
 - Verify Users' Meetings License Assignments
 - Host, Attendee, None (Basic Meetings)
 - Verify Org is enabled for the "Full Feature Meeting" Experience
 - Review Meeting data retention Requirements
 - Deployment Options
 - User driven
 - Admin software push
- Deployment Plan
 - POC – feature validation/testing, deployment testing, etc.
 - Pilot – size, success criteria
 - Production rollout plan – flash or phased
 - User/Solution Acceptance Test Plan
 - Calendar Service Options (Outlook, In-App)
 - Understand Video Mesh Implications (if applicable)
 - Productivity Tools and Webex Scheduler NOT impacted but update.
 - Note: Productivity Tool EOL (last release: June 2022)
 - Migrate to Webex Scheduler

Migration Tools



Webex Control Hub – Migration Tools

SERVICES

- Updates & Migrations
- Messaging
- Meeting
- Calling
- Vidcast
- Connected UC
- Hybrid

Updates & Migrations

Update to the new Webex

Migrate Jabber to the new Webex

Enable Jabber users with Unified CM calling for Webex app.

How this works

- ✓ Enable messaging via Webex app. (Only applies to users with Unified CM calling)
- ✓ Auto assign users with calling behaviour and UC manager profile.
- ✓ Continue using calling on your enterprise.

Get started

Migrate Enterprise phones to Multiplatform (MPP) firmware

Convert and assign your Enterprise phones to existing Webex users/workspaces.

How this works

- ✓ Automate phone migration license creation and delivery.
- ✓ Auto-register your devices to Webex calling.

Get started

Migrate Calling from UCM platforms to Cisco Webex Calling

Move your users, numbers, phones and Jabber messaging to Webex.

How this works

- ✓ Transform and import your UCM configuration to Webex Calling.
- ✓ Enable users with Webex app for messaging and Webex Calling.
- ✓ Automate phone migration license creation and delivery.
- ✓ Auto-register your devices to Webex Calling.

Get started

Migrate Personal Contacts to Webex App

Move any personal contacts saved on your user's Jabber contact list.

How this works

- ✓ Encrypted personal contacts will be migrated for users already added to Webex.

Get started

Unified CM upgrade utilities

User/contact synchronization

Synchronization of endusers and organizational contacts from Unified CM to Webex.


Get started

Migration Insights

You have to onboard your org to use this service from Onboarding page under Connected UC.

Get Started

Webex Control Hub – Jabber Migration Tools



Individual or Groups of Users

<https://developer.webex.com/>

webex for Developers

DocumentationBlogSupportResources

Compliance

Webhooks

Webex APIs

Admin

Overview

Admin APIs

Authentication

Guides

Reference

Webex Calling Beta

Webex Calling

Webex for Broadworks

Webex for Wholesale

Webex for UCM

Contact Center

Admin Overview

Manage Webex users, licenses, and hybrid services programmatically with the Webex Admin APIs.

What's possible with Admin APIs

The Webex APIs include several APIs that allow administrators to programmatically perform administrative actions such as provisioning a user or assigning a license to a user. By automating administration, user management and provisioning can be performed from an existing tool, rather than using the [Webex Control Hub](#).

Using these APIs, an admin can, for example:

- Create a user
- Update a user
- View license usage of an organization
- View available roles of an organization
- Manage Hybrid Services licenses and users
- View information about Hybrid Clusters or Hybrid Connectors



If your organization uses the [Cisco Directory Connector](#) to synchronize Webex user accounts with Active Directory accounts, then you cannot *create* or *delete* Webex users using the [People API](#). Additionally, the People API will not allow you to *update* any attributes of your existing users that are being synchronized by the Directory Connector.


[illegible]

CISCO *Live!*


Webex Control Hub Migration Tool Considerations

1. Looking for Jabber and Webex App usage & insights before/during/after the migration?
 - Deploy CCUC¹
 - Optionally deploy Jabber Telemetry
2. Is Director Connector, Azure AD or SCIM deployed to sync users to Control Hub?
 - The 'User/Contact Synchronization' tool is **not** applicable for **users**, but can still be **used for Org Contacts**
3. Planning a phased user migration?
 - Use the 'Migrate Jabber to the new Webex' Control Hub tool
4. How are user contacts being migrated?
 - **By End-user** → Use Jabber XML file to enable end-users to migrate their own Jabber contacts/preferences
 - **By Admin** → Use the 'Migrate Personal Contacts to Webex App' Control Hub tool to migrate end-users' Jabber contacts for them (users must configure their own preferences in the Webex App)

Migration Best Practices



Pre-Migration Activities



Webex Org Setup Best Practices

Pre-Migration

Webex Org Setup

- **Create/Verify Production Webex Org**
- **Add/Verify Licenses**

Analytics Deployment

- Cloud-Connected UC
- *Jabber Telemetry*

Webex Control Hub Setup

- Verify/Claim Domain(s)
- Claim Users
- Auto License Templates
- Deploy SSO
- **User Provisioning**
- Directory Sync
- Directory Connector, SCIM
- CCUC
- Manual, CSV
- API
- **Configure Users' Phone Numbers**

Network & Security Readiness


- **Validate Network Connectivity**
- **Security & InfoSec Approvals**
- **Verify/Update Internal/External Voice Domains**
- **Validate DNS SRV Records**

Applications Readiness (CUCM, Expwy, & CUC Servers)

- **Verify Licenses**
- **Software Versions (CUCM, Expwy, CUC)**
- **Authentication Method (CUCM / CUC)**
- Deploy SSO
- SSO OAuth w/ Refresh Token Flow Config (CUCM, Expwy, CUC)
- *MRA Deployment*

Production Org & Data Residency Selection

- Use Production Org for all migrations
[Get Started with Cisco Webex Control Hub](#)
- ★ Data residency selected at service setup
- Identifies location/region Org's data is stored



Customer Information

Legal Company Name ⓘ

Administrator Email

Administrator email that you enter will be used to determine whether there is an existing customer account.

Business Vertical

Select a business vertical

Country or region for determining data residency region

United States of America

United Kingdom

United States Minor Outlying Islands

United States of America

Uruguay

Uzbekistan

Venezuela

Next

Data Residency Regions

Webex services and user-generated content	US	EU	Canada	UK	Japan	Australia
Meetings*	✓	✓	✓	✓	✓	✓
Common application data and identities	✓	✓	✓			
Messaging	✓	✓				
Calling**	✓	✓	✓	✓	✓	✓
Encryption keys	✓	✓	✓			
Hybrid Services (data security, calling, calendar, directory, video mesh, and messages)	✓	✓	✓	✓	✓	✓
Webex Contact Center***	✓	✓	✓	✓	✓	✓

Data residency in Webex

Data Residency Verification

★ Verify Webex Org's Data Locations

The screenshot displays the Webex Admin Center interface. On the left, a sidebar menu is visible with the following items: MANAGEMENT, Users, Groups, Workspaces, Devices, Apps, Account (highlighted with a red box), and Organization Settings. The main content area is titled 'Data Locations' (also highlighted with a red box). It contains a table with the following data:

Data Type	Covered Data	Data Location
✓ Meetings	Recordings, transcripts, files, meeting titles, attendee names and emails, and user profiles in Webex site administration portal	United States
cb14301a.webex.com	United States	
Messaging	Messages, files, avatars, spaces, and organization metadata	United States
Common application data	All Webex identity platform data, such as full user profiles, user groups, and other organization settings	United States

Content Storage & Data Location

- Messaging Data
 - Webex App – Messages, files, whiteboards
- Meeting Data:
 - Site data, recordings, transcripts
 - Stored based on time zone selected during Webex Meeting site provisioning
 - [Where are the Webex Data Centers and iPOP Locations?](#)
 - [European Union data migration for Webex sites in Control Hub](#)
- Common Application Data:
 - User profiles/identities, authentication data, analytics data, encryption keys and billing data

Webex Licenses

★ Verify the licenses, quantities and expiry date

- Acquired through Webex subscription
- **Required** to assign Webex services to users

[View License Usage in Cisco Webex Control Hub](#)

The screenshot shows the 'Account' page in the Cisco Webex Control Hub. The 'Subscriptions' tab is selected. The table below lists the assigned licenses across all subscriptions.

Assigned licenses across all subscriptions	
Messaging	Advanced Messaging Assigned licenses 10/50
Meeting	Advanced Space Meetings Assigned licenses 10/50
	Webex Meetings Suite Assigned licenses 10/50
	Real-Time Translations Assigned licenses 0/50
	Webex Assistant for Meetings Assigned licenses 10/50
Calling	Webex Calling Professional Assigned licenses 0/50 Workspaces Assigned licenses 0/50 Cisco Calling Plan Assigned licenses 0/50 Webex Go Usage: 0/50 Attendant Console Assigned licenses 0/5
Webex Devices	Webex Room Systems Assigned licenses 0/20

* UCM licenses are still assigned/applied on CUCM/Unity. Control Hub **does not** show the UCM Calling licenses.

Analytics Best Practices

Pre-Migration

Webex Org Setup

- Create/Verify Production Webex Org

Analytics Deployment

- Cloud-Connected UC
- Jabber Telemetry

Webex Control Hub Setup

- Verify/Claim Domain(s)
- Claim Users
- Auto License Templates
- Deploy SSO
- User Provisioning
- Directory Sync
- Directory Connector, SCIM
- CCUC
- Manual, CSV
- API
- Configure Users' Phone Numbers

Network & Security Readiness

- Validate Network Connectivity
- Security & InfoSec Approvals
- Verify/Update Internal/External Voice Domains
- Validate DNS SRV Records

Applications Readiness (CUCM, Expwy, & CUC Servers)

- Verify Licenses
- Software Versions (CUCM, Expwy, CUC)
- Authentication Method (CUCM / CUC)
- Deploy SSO
- SSO OAuth w/ Refresh Token Flow Config (CUCM, Expwy, CUC)
- MRA Deployment

UC Analytics



¹ Recommended Activity
² Optional Activity

★ Cloud-Connected UC¹

- Collects data from UCM, IM&P and CUC

Jabber Telemetry²

- Collects data from Jabber clients*

* See Reference slides for more details

- Insights into current UC deployment & usage
 - Active Users, Client Versions, OS Versions
 - Calls - Volume, Types, Experience
 - Messages - Sent, Types
 - Asset Usage
 - Call Traffic Analysis & Locations
 - Trunk Utilization
- Data Insights for Migration planning
- Analytics before/during/after migration
- Day-to-day operational capabilities
- (Enable) Tools to assist with migration & on-going operations

CCUC Key Features

Service Management		
Changes to these settings will take a short time to take effect.		
Analytics	☒	Enabled
Borderless CTI *	☒	Enabled
Directory Service *	☒	Enabled
Certificate Management	☒	Enabled
Operational Metrics * #	☒	Enabled
Presence Status Sync *	☐	Disabled
Webex app Provisioning for Unified CM Calling *	☒	Enabled
Centralized Call History *	☐	Disabled
Deployment Insights *	☒	Enabled

- [What's New in Webex Cloud-Connected UC](#)
- [Webex Cloud-Connected UC](#)
- [Analytics for Your Webex Cloud-Connected UC](#)

UCM Calling and Messaging Analytics

(call quality, traffic analysis, trunk usage, device usage, message analysis)

Webex App Borderless CTI

(enduser controls IP phone via WxApp CTI over MRA... not VPN)

Cloud Directory Service for on-premise UCM

(synch cloud active directory, e.g. Azure AD, via WbxIdentify to on-premise UC apps)

UC App Certificate Management

(centralize management, view/distribute/update, across UC apps/clusters)

Ops Dashboard with WebRTMT

(near-real-time view in Control Hub of last hour's call status with web-based RTMT tool for deeper stats and troubleshooting)

Troubleshooting

(CX CSA integration for SDL logs in Control Hub)

Also requires Webex Serviceability Connector

User/Device Presence Status

(UCM-registered phone call status synced to WxApp presence and/or Microsoft Teams client presence)

Touchless WxApp (auto-)provisioning

(enduser self-provisioning of the WxApp for UCM calling)

Centralized Call History

(consolidation of call history for UCM phones with the WxApp)

"Migration" to Webex

(understand Jabber usage, enable Control Hub tools to assist with Jabber to WxApp Migration)

Jabber Telemetry

- Enables insights into the Jabber client usage patterns (messages and calls)
- Primarily for Messaging and UCM Calling migrations
- Provides data to assist with Jabber user migration planning
- Reference Links:
 - [Analytics for Your Cloud Collaboration Portfolio](#) (see “Jabber” tab)
 - [Feature Configuration for Cisco Jabber 12.8 – Telemetry with Cisco Jabber Analytics](#)
 - [Feature Configuration for Cisco Jabber 14.0 – Telemetry with Cisco Jabber Analytics](#)

Webex Control Hub Best Practices

Pre-Migration

Webex Org Setup

- Create/Verify Production Webex Org

Analytics Deployment

- Cloud-Connected UC
- Jabber Telemetry

Webex Control Hub Setup

- Verify/Claim Domain(s)
- Claim Users
- Auto License Templates
- Deploy SSO
- **User Provisioning**
- Directory Sync
- Directory Connector, SCIM
- CCUC
- Manual, CSV
- API
- **Configure Users' Phone Numbers**

Network & Security Readiness

- Validate Network Connectivity
- Security & InfoSec Approvals
- Verify/Update Internal/External Voice Domains
- **Validate DNS SRV Records**

Applications Readiness (CUCM, Expwy, & CUC Servers)

- Verify Licenses
- Software Versions (CUCM, Expwy, CUC)
- Authentication Method (CUCM / CUC)
- Deploy SSO
- SSO OAuth w/ Refresh Token Flow Config (CUCM, Expwy, CUC)
- MRA Deployment

User Compliance

Ensure users adhere to Enterprise's Security Policies

1. Verify Domains

Domains

Add, verify, or claim domains for added security in your organization. Find out more about the add, verify, and claim domain process [here](#).

Domain	Status	
cb104.dc-01.com	● verified	⋮
example.org	● pending	⋮

Add manually

Retrieve verification token

Verify domain

Claim verified domain

Release domain

Remove domain

Verify Domain

Before you verify

example.org

you must copy and paste this DNS verification token to the TXT record section to prove that you own the domain:

cisco-ci-domain-verification=43a93a3d06a1e8fcd2d0b7f81e052634a942e4a1d17404826e71eb2d59dcba18

[Learn more](#) about how to enter the DNS verification token.

Close Verify

User Compliance

Ensure users adhere to Enterprise's Security Policies

1. Verify Domains

2. Claim Domains

Domains

Add, verify, or claim domains for added security in your organization. Find out more about the add, verify, and claim domain process [here](#).

Domain	Status	
cb104.dc-01.com	● verified	⋮
example.org	● verified	⋮

Add manually

Retrieve verification token

Verify domain

Claim verified domain

Release domain

Remove domain

Claim Domain

Claim a domain if you want new users with that domain to automatically be created within your organisation. You must [convert existing users](#) into your organisation before you claim the domain:

company.org

We recommend configuring [auto licence templates](#) before claiming your domain, so new users are assigned licences when they're created.

Close Claim

User Compliance ★

Ensure users adhere to Enterprise's Security Policies

1. Verify Domains

2. Claim Domains

3. Claim Users

*** New User Management Experience (Jun/Jul '24)**

The screenshot displays the Cisco Duo 'Users' management interface. At the top, there are tabs for 'Users', 'Licenses', and 'Contacts'. Below these are sub-tabs for 'Users', 'External users', and 'External administrators'. A search bar and a 'Filter' button are present. A table lists users with columns for 'First / Last name', 'Email', 'Status', and 'Administrator role'. Three users are visible: Adele Vance, Admin User, and Alex Wilber. A red box highlights the 'Add users' button in the top right corner. A dropdown menu is open from this button, showing options: 'Claim Users', 'Manage user by CSV', and 'Enable Directory Connector'. Below the main interface, a 'Claim users' modal window is shown. It has a progress bar at the top with 'Select potential claims' and 'Claim users' steps. The main heading is 'Step 1: Select how to claim users'. The modal contains two options: 'Selectable list' (for less than 101 potential claims) and 'CSV bulk edit' (for bulk potential claims). A note states: 'Note that all claims are irreversible. When you claim a user, you'll send them an activation email.' At the bottom right of the modal are 'Cancel' and 'Next' buttons.

“Verify” & “Claim” Domain(s)

★ Verify Domain(s)

- Identify domain(s) belonging to Webex Org – who “owns” the domain(s)
- Enables Admins to claim existing Webex users* from other Orgs

★ Claim Domain(s)

- Ensures new users* are automatically added to your Org, including self sign-up Webex App users
 - Existing Webex users not impacted
- Allows for Admins to manage Webex services for all users in the Enterprise
- [Manage your Domains - Add, Verify and Claim](#)
- [Prevent Users from Self-Registering with your Domain](#)

* Using your Enterprise email domain(s)

“Verified” vs “Claimed”

	Verified Domain	Claimed Domain
Process	Control Hub, DNS based validation (TXT record)	Control Hub, Verify 1 st then Claim
Exclusive	Associate domain to Org, Domain users <u>can</u> exist in and can be added to other organizations	Domain Users <u>cannot</u> be added to other organizations, Domain users existing prior to claim are not affected
Sideboarding (self-registration or exiting users inviting new users)	Domain users can be sideboarded into organization	Sideboarding into organization, can be disabled* Directory Connector: No sideboarding!
Conversion	Domain users can be converted from other consumer organizations (Delayed conversion if email domain is not verified nor claimed)	
Directory Sync	Can add users from domain	Can add users from domain

* [Prevent-Users-from-Self-Registering-with-your-Domain](#)

Claim Users

- Ensures all Enterprise users have:
 - Consistent experience
 - Same capabilities
 - Adhere to Enterprise security policies
- Move existing Webex users* from other Orgs into your Org
...including from the “free” consumer Org

Reference Links:




- [Claim Users to Your Organization \(Covert Users\)](#)
- [Disable Delayed Claim for Your Organization](#)

* Using your Enterprise email domain(s)

Webex Licenses

Assigning Webex services to users

- Divided up by Webex Service
- Select licenses for all services you want to assign



Auto License Templates ★

- Simplify user onboarding
 - New users automatically licensed
 - Can also be applied to Existing Users

Management > Users > Licenses

Apply scope



Future users



Existing users




Preserve licenses for existing users

When enabled, existing users will keep the assigned licenses from the previous assignment.

- Assign/manage Webex licenses at:
 - Org level --and/or-- Group level
- Reference Links:
 - [Set Up Automatic License Assignment Templates in Cisco Webex Control Hub](#)


Org-based Template

- Single template for entire Org
- License assignments apply to ALL users
- Any new user added to the Org will be automatically assigned these licenses




Group-based Templates

- Multiple templates
- Template per Group (Synced or Webex)
- License assignment applied to users in group
- New users added to group are automatically assigned the licenses of that group



- ❖ Works with Groups synced to Webex via:
 - Directory Connector ✓
 - Azure AD Wizard ✓
- ❖ Also works with Webex Groups
 - Groups created in Control Hub ✓



User Authentication

Basic Authentication


- Email & Webex password
- Optional integration with Duo for MFA



CISCO *Live!*

★ Single Sign On (SSO)

- Any auth type supported by the IDP
- MFA
- Common user identity across all services/ platforms



SSO: Webex Control Hub


★ Enable on Webex Org for Best user experience

- Single set of credentials for ALL Webex services
- If enabled for Jabber users today (maintain existing user experience)
- If enabled for Webex Meetings (Site Admin) today (maintain existing user experience)

Site Admin	Control Hub	Webex app Experience
Basic Authentication	Basic Authentication	Password is linked
SSO Enabled	Basic Authentication	SSO login
SSO Enabled	SSO Enabled	SSO login (RECOMMENDED)
Basic Authentication	SSO Enabled	Not Supported

- Reference Links:
 - [Single Sign-On Integration in Control Hub](#)
 - [Configure Single Sign-On for Cisco Webex Site](#) *(Meetings workload only)*
 - [Control of activation emails in Control Hub](#) *(Requires SSO with Directory Connector)*

SSO: Simplify User Experience



- Webex App can connect to multiple services and platforms (*Cloud and on-prem*)

- Allows for **single** authentication, granting user access to the different platforms' services:
 - Webex Services: Webex App & Webex Meetings
 - UC Services: CUCM, CUC & Expressway (MRA)
- **OAuth w/ Refresh Token Flow**
 - Allows for fewer user logins


Single Sign On (SSO)

- SAML 2.0 based (SP initiated form-based REDIRECT/POST authorization code authorization flow)
- Validated configuration guides for:
 - Active Directory Federation Services (ADFS)
 - Duo
 - F5 Big-IP
 - Google Apps
 - Microsoft Azure
 - OKTA
 - PingFederate
 - Shibboleth
 - SimpleSAML

Links to configuration guides for IdPs listed on this page:

<https://help.webex.com/en-us/article/lfu88u/Single-Sign-On-Integration-in-Control-Hub>

Webex OAuth Token Management



* Requires Webex Pro Pack

- Webex service issues the Webex App an OAuth Refresh token at login
- The Refresh token is stored securely on the device and used each time the App needs to fetch a new Access token
- Once the Refresh token expires, the user will need to **re-authenticate**

★ Consider settings best for your environment


- Note: Previously Auto Extend was set to 'On', now default is 'Off'
- Default Webex Refresh token = 60 days
 - Consider the UCM default Refresh token setting (60 days)

User Activation with SSO

- **Default:** New users receive validation email to activate
 - User validates activation
 - User sets their password
 - User provides some personal details

★ **Recommended:** New users **automatically activated**
(no user intervention)

- Directory Connector + **SSO** + disable automatic activation emails
 - Validation of user activation not required if domain is associated with given organization (domain is verified)
 - Setting password is not required with SSO
 - Providing user details is not required with Directory Connector




Automatic activation emails

Turn on to send automatic emails to your new users. Without activation emails, users can't set up their accounts.

Turn off and manually send activation emails yourself by triggering them from the Users section. You can also choose to send your own activation email.



Webex User Provisioning



webex Control Hub

Search

Users

Users Licenses Contacts

Users Deleted users External users External administrators

Search by name or email or Filter 10 users

First / Last name	Email	Status
Adam McKenzie	amckenzie@cb143.dc-01.com	Verified
Anita Perez	aperez@cb143.dc-01.com	Active
Charles Holland	cholland@cb143.dc-01.com	Active
Eric Steele	esteele@cb143.dc-01.com	Active
Kellie Melby	kmelby@cb143.dc-01.com	Active

Webex User Attributes

- **avatar**
- buildingName
- **c**
- departmentNumber
- **displayName**
- ds-pwp-account-disabled
- emails.type-work
- employeeNumber
- employeeType
- externalID
- facsimileTelephoneNumber
- givenName
- jabberID
- l
- locale
- **manager**
- **mobile**
- o
- ou
- phoneNumbers;type-work_extension
- physicalDeliveryOfficeName
- postalCode
- preferredLanguage
- pronoun
- sipAddresses;type-enterprise
- sn
- st
- street
- **telephoneNumber**
- timezone
- **title**
- **uid***

Deployment Guide for Directory Connector:
[Active Directory and Cloud attributes](#)

* = Required
Bold = Recommended

Webex User Provisioning

- Users **must** be in Webex Control Hub to consume Webex services
- Users **must** be in the Webex Directory service to be searchable

★ Critical to maintain an up-to-date and accurate Webex user directory

❖ User provisioning is **IMPORTANT** for the correct user experience of the Webex App

- Reference Links:

[Ways to add users to your Control Hub organization](#)

[Add Users Manually in Control Hub](#)


[Edit Service Licenses in Control Hub for Individual Users](#)

[Add Multiple Users in Control Hub with the CSV Template](#)

[Modify Users in Control Hub with the CSV Template](#)

[People API](#)

Webex App User/Contact Search & Resolution




- Webex App will perform directory queries against the Webex Directory Search Service
 - User Search
 - User Resolution
 - Phone Number Resolution
 - Avatar Display

★ Ensure all necessary users and user attributes are imported/synced to Webex via user provisioning process

- UCM Calling does **NOT** search CUCM UDS or LDAP

User's Phone Number for Calling

- ★ Work number must be configured in Control Hub to call via directory search (click-to-call)
 - ❖ Webex App supports user's work number and work extension*



- ★ UCM Calling:
 - Users' work number **must** be based on UCM dial-plan
 - E-164
 - Extension dialing
 - Site dialing
 - Add/Update via user provisioning method
 - Recommend syncing UCM/CUC and Webex from same source

* See the *Directory Sync Comparison* reference for which options support work extension

Configure Users' Phone Numbers

- Add/Update phone number for individual users or multiple users
- Add/Update via Control Hub UI, Control Hub CSV import or Webex APIs
- Options available to synchronize phone numbers with users (see Directory Sync)
- Reference Links:
 - [Change Users' Phone Numbers](#)
 - [People API](#)
 - [Deployment Guide for Cisco Directory Connector](#)
(see “Map User Attributes” and “Active Directory and Cloud Attributes” sections)
 - [Synchronize Azure Active Directory Users into Control Hub](#)
(see “Map User Attributes from Azure to Webex” section)
 - [Synchronize Okta Users into Cisco Webex Control Hub](#)

Webex User Provisioning Options

★ = Recommended

★ Microsoft Environments

★ Non-Microsoft Environments

Secondary Considerations

Additional Options

Method	Description
Directory Connector	Automatic method for creating, updating and deactivating user accounts and groups via Active Directory or AD LDS
Azure AD Wizard	Automatic method for creating, updating and deactivating user accounts via Entra ID
SCIM (e.g. Okta)	Automatic method for creating, updating and deactivating user accounts via Okta <i>(or Entra ID)</i>
CUCM User <u>Sync</u> ¹ /Import	Create Webex user accounts based on CUCM end-users
CSV file	Admin can create and update users by importing a CSV file into Control Hub. Bulk user management.
API	Admin can create, update delete and list users by using Webex API's. Use own or 3 rd party scripts/tools for user management
SAML JIT	Automatic account creation based on SSO login
Manual	Admin can use Control Hub to manage individual user accounts
Self Registration	User can self register to create their Webex account in a claimed org
Social Login	Automatic account creation via sign in to third party service for claimed domain (Apple, Google, Facebook, Microsoft)
Meetings Site User Linking	Automatically link Site Admin user accounts to Control Hub

¹ Requires CCUC



Webex User Provisioning – Comparison

Directory Sync Options

¹ Recommended over Azure AD App (SCIM)

² Most user attributes available with AD Directory Connector

	Sync from MS AD* Director Connector	Sync from Entra ID Azure AD Wizard ¹	Sync from Entra ID Azure AD App (SCIM)	Sync from Okta Okta (SCIM)
Moves, Adds, Changes	++ Automatic – Based on sync schedule	++ Automatic – Immediate in Control Hub	++ Automatic – Immediate in Control Hub	++ Automatic – Immediate in Control Hub
Ease of use	– Initial setup required with on-prem Windows Server	++ All configurations done in Control Hub	+ Setup in Control Hub and Azure AD	+ Setup in Control Hub and Okta tenant
Infrastructure Requirements	o Directory Connector	++ None	++ None	++ None
Flexibility	+ Customization possible (groups, avatars, attribute mapping) ²	+ Customization possible (groups, avatars, attribute mapping)	o Limited attributes (attribute mapping; no groups or avatars)	– Minimum attributes possible (~8 attributes; no attribute mapping, groups or avatars)
Integration into business processes	Yes, if users are managed by Active Directory	None	None	None

++ Highly Positive Impact
+ Positive Impact

o Neutral Impact

– Negative Impact
-- Highly Negative Impact

* On-prem

Webex User Provisioning – Comparison

Other Options

	Manual Provisioning	Control Hub Tool	Bulk Provisioning (CSV)	API
Moves, Adds, Changes	-- Users one-by-one	o Multiple users	+ Multiple users	++ Multiple users (based on integration)
Ease of use	++	+ Initial setup to configure	o Process setup (data source, data format, ..)	-- Learning curve, requires DevOps to integrate
Infrastructure Requirements	++ None	o CCUC	+ CSV files	-- Servers for coding and integration
Flexibility	++	o Customization possible (users, groups & org contacts)	+ Managing CSV file	++ Increased API for more options
Integration into business processes	None	None	Possibly limited integration via customized data export/import	Tight integration possible

++ Highly Positive Impact
+ Positive Impact

o Neutral Impact

- Negative Impact
-- Highly Negative Impact

Directory Sync ★

- **SIMPLIFY** Webex user provisioning and management
- Directory → Webex:
 - MS AD => [Directory Connector](#)
 - MS Entra ID => [Azure AD Wizard](#)
 - [Okta](#), [Azure AD App](#)* => ~~SCIM~~ [SCIM 2.0](#)
- Cloud Directory → Webex → CUCM
 - Sync Webex Common Identify (CI) users to CUCM/CUC via CCUC¹
- Sync Webex, CUCM and CUC users from same directory source

¹ [Webex Cloud-Connected UC Directory Service support for Unified CM](#)
[Webex Cloud-Connected UC Directory Service support for Unity Connection](#)


*Recommend Azure AD Wizard

Directory Sync – Comparison

1 SCIM 2.0 2 Entra/Azure Logs 3 SCIM 2.0 API 4 Manual

Functions / Features	(AD) Directory Connector	Azure AD Wizard App	Entra ID Application ¹	Okta (Cisco Webex Identity SCIM 2.0) ¹
Sync Users (Create, Delete, Update)	✓	✓	✓	✓
Allows local Webex user creation	✗	✓	✓	✓
Filter/Select users or groups-of-users to sync	✓	✓	✓	✓
Soft-Delete/Recover Inactive User	✓	✓	✓	✓
Sync Groups	✓	✓	🕒 (2H CY24) ³	✓
Sync Avatar	✓	✓	✗	✗
Attribute Sync/Mapping	✓ (30)	✓ (15)	✓ (15)	✓ (29)
2 nd Work Number/Extension Attribute	✓	✗	✗	🕒 TBD ³
Full & Incremental sync options	✓	✗	In Entra ID	✗
Manual/Force sync option	✓	✗	In Entra ID	✓
On-Demand User Provisioning	✗	✓	In Entra ID	✓
Dry-Run (pre-check)	✓	✓	✗	🕒 TBD
Sync report	✓	✓ ²	✓ ²	✓
Support multiple sync source	✗	✓	✓	✓
Exclusive sync source/Single source of truth	✓	🕒 (2H CY24) ³	🕒 (2H CY24) ³	🕒 (2H CY24) ³
Sync Room Objects	✓	✓	✗	NA
Domain Verification	✗	✓	✓	✗
User's Manager	✓	✓	✗	✗
Sync Org Contacts	✓	✗	✗	✗
Multiple Emails	✓	🕒 (2H CY24) ⁴	✗	🕒 TBD ³

User Management Tools



Webex Control Hub

❖ Directory Sync for Users
(Recommended)

❖ Alternate Options¹

① Sync Users from UCM on-premise²

[Synchronize User and Organizational Contacts](#)

② Import Users using CSV file^{3,4}

[Migrate Users to Webex](#)

¹ Not required if using Directory Sync


² Requires CCUC

³ CUCM BAT Export

⁴ CCUC **cannot** be deployed

Option 1 Sync Users

- * Requires CCUC
- * Directory Sync is NOT deployed






User Management Tools

Option 1: Synchronize Users

Webex Control Hub



User/contact synchronization

Synchronization of endusers and organizational contacts from Unified CM to Webex.

Get Started

User/contact synchronization

Learn more

Enable synchronization of endusers and organizational contacts from Unified CM to Webex.

Note: We have detected Cloud-Connected UC but not Directory connector for your organization. Both users and contacts will be imported automatically using Cloud-Connected UC in the pending for synchronization card. To read more about benefits of using Directory connector [click here](#).

Prerequisite

- ☒ Onboard all the Unified CM clusters to Cloud-Connected UC to enable the import. [Know more](#)
- ☒ Set your preferences for the synchronization and click on Save and proceed button [Go to settings](#)

User Management Tools

Option 1: Synchronize Users

Unified CM enduser list
Settings to synchronize from the Unified CM enduser list to Webex.

Rules to identify contacts and users

Custom

Unified CM endusers may contain both users and contacts. You must set the rules to separate contacts from the users.

☐ Synchronize all records as contacts

☐ Synchronize all records as users

☒ Custom

If any of the checked statement is true, the tool will classify Unified CM enduser record as a contact. Rest of the identities will be considered as users

☒ Not synced from LDAP server to Unified CM database. ⓘ

☐ Manager user ID is missing.

☐ No device associated.

☐ Department is missing

☐ Department ID contains

Enter comma separated strings like: dep

☐ User ID contains

Enter comma separated strings like: use

Import

User

Import users ☒

Import contact ☐

Select the cluster *

StandAloneCluster - cucm1.d... ▾

Periodic audit

Every 1 days at 11:59:02 PM (GMT -05:00) America/Chicago

Enable audit ⓘ ☒

Set time

Every days at

User Management Tools

Option 1: Synchronize Users

Unified CM enduser list
Settings to synchronize from the Unified CM enduser list to Webex.

Rules to identify contacts and users
Custom
Unified CM endusers may contain both users and contacts. You must set the rules to separate contacts from the users.
☐ Synchronize all records as contacts.

LDAP Server

Settings to synchronize from the LDAP server to Webex

LDAP Periodic sync ☒

Periodic synchronization ⓘ Every days at ⓘ (GMT -06:00) America/Chicago ▼

Cluster configuration
None
Required

Add Configuration

LDAP credentials configured in the unified CM will be used to create the filter.

Cluster name * ▼

Configuration * ▼

Enable audit ⓘ ☐

Set time
Every days at ⓘ (GMT -05:00) America/Chicago ▼

User Management Tools

Option 1: Synchronize Users (from Unified CM enduser list)

Logs

Synchronization

Users

Contacts

Date range

Start date

Start time

→

End date

End time

2 Logs

Status	Last updated on	Total contacts	Failed contacts	Total users	Failed users	Initiated by	Type	System failure
Completed	Jan 12, 2023 03:27 PM	0	0	10	0	Charles Holland	Unified CM Manual Sync	N/A

Logs

Synchronization

Users

Contacts

Q Search

Filter

10 Logs

Date range

Start date

Start time

→


End date

End time

Name	Updated on	Status	Reason of failure	Email ID	User ID	Mobile number	Telephone number	Primary Extension
Adam McKenzie	Jan 12, 2023 03:27 PM	Synced	None	amckenzie@cb143.dc-01.com	amckenzie		+1 972 555 6016	6016
Anita Perez	Jan 12, 2023 03:27 PM	Synced	None	aperez@cb143.dc-01.com	aperez		+1 972 555 6017	6017
Charles Holland	Jan 12, 2023 03:27 PM	Synced	None	cholland@cb143.dc-01.com	cholland		+1 972 555 6018	6018
Eric T. Steele	Jan 12, 2023 03:27 PM	Synced	None	esteele@cb143.dc-01.com	esteele		+1 919 555 6099	6099

Option 2 Import Users



- * Directory Sync and CCUC are NOT deployed
- * Uses BAT Export from CUCM





User Management Tools


Option 2: Import Users



User Management Tools

Option 2: Import Users

Webex Control Hub



User/contact synchronization

Synchronization of endusers and organizational contacts from Unified CM to Webex.

[Get started](#)

[Learn more](#)

Contacts from Unified CM to Webex.

Currently not supported. You can synchronize users from unified CM to Webex.

Prerequisite

Set your preferences for the synchronization and click on Save and proceed button. [Go to settings](#)

Latest synchronization

No users/contacts are synced.

Pending for synchronization

UCM User (BAT) Export File

Drag and drop .tar file here or [browse for files](#) to import Unified CM BAT file. See [file download instructions](#)

Pending for synchronization

Your file import is being processed, it will continue even if this modal is closed. [Click to cancel import to start over.](#)

User Management Tools

Option 2: Import Users

^ Pending for synchronization

Synchronization in progress for 2 identities

Total imported ⓘ	Contact to be synced ⓘ	Contact already in Webex ⓘ	User to be synced ⓘ	User already in Webex ⓘ
12	0	0	4	8

ⓘ Displays the users/contacts imported using BAT file from United CM enduser list and categorized by your preferences.

Review for sync

^ Latest synchronization

Synchronized contact ⓘ	Failed contact ⓘ	Synchronized user ⓘ	Failed user ⓘ
0	0	2	0

ⓘ Synchronization started on May 29, 2024 | 12:47 AM

View all logs

User Management Tools

Option 2: Import Users

Logs Export list

Filter 10 Logs

Name	Updated on	Status	Reason of failure	Email ID	User ID	Mobile number	Telephone number	Primary Exten
Monica Cheng	May 29,2024 12:48 ...	Synced		mcheng@cb233.dc-01.com	mcheng		+1 408 555 6020	6020
Adam McKenzie	May 29,2024 12:48 ...	Synced		amckenzie@cb233.dc-01.com	amckenzie		+1 972 555 6016	6016

Network & Security Best Practices

Pre-Migration

Webex Org Setup

- **Create/Verify Production Webex Org**

Analytics Deployment

- Cloud-Connected UC
- Jabber Telemetry

Webex Control Hub Setup

- Verify/Claim Domain(s)
- Claim Users
- Auto License Templates
- Deploy SSO
- **User Provisioning**
- Directory Sync
- Directory Connector, SCIM
- CCUC
- Manual, CSV
- API
- **Configure Users' Phone Numbers**

Network & Security Readiness


- **Validate Network Connectivity**
- **Security & InfoSec Approvals**
- **Verify/Update Internal/External Voice Domains**
- **Validate DNS SRV Records**

Applications Readiness (CUCM, Expwy, & CUC Servers)

- **Verify Licenses**
- **Software Versions (CUCM, Expwy, CUC)**
- **Authentication Method (CUCM / CUC)**
- Deploy SSO
- SSO OAuth w/ Refresh Token Flow Config (CUCM, Expwy, CUC)
- *MRA Deployment*

Network & Security Requirements

User Quality of Experience




- On-Prem Users:
 - Verify network requirements (ports, protocols, firewall rules, whitelist URLs, bandwidth, etc.)
- VPN Users:
 - [Optimize AnyConnect Split Tunnel for Cisco Webex](#)
- Remote/Mobile Users:
 - Deploy MRA for UC voice services
- **Critical** to work with InfoSec & Security teams early

Network Connectivity

- Ensure the Enterprise network allows for the appropriate protocols, ports, bandwidth and security policies to allow the Webex App to connect to the Webex cloud services
- Reference Links:
 - [Network Requirements for Webex, Webex Meetings, and Cisco Jabber](#)
 - [Network Requirements for Webex Services](#)
 - [How Do I Allow Webex Meetings Traffic on My Network?](#)
 - [Bandwidth Planning in your Cisco Webex Meetings Environment White Paper](#)
 - [Cisco Webex Hybrid Services Bandwidth Management](#)
 - [Cisco Webex Network Test](#)

Webex Network Requirements Tool


Select Services & Features



Webex Network Requirements

Available Services
Select which services and subservices you would like to deploy.

- ☒ Webex App ⓘ
- ☐ Webex Calling For Devices ⓘ
- ☐ Webex Edge For Devices ⓘ



Available Services
Select which services and subservices you would like to deploy.

Webex App ⓘ ☒ Reset

☒ Add Service
All Webex App deployment network requirements. - Updated 2023-06-27

Core App Services ⓘ

- ☒ Performance Tracking
- ☒ User Guidance
- ☒ Google Push Notifications
- ☒ Certificate Validation
- ☒ General App Services
- ☒ Apple Push Notifications
- ☒ Connectivity Test

Calling ⓘ

- ☐ Webex Calling
- ☒ Call On Webex
- ☒ Unified CM Calling (Including Dedicated Instance)

Additional Services ⓘ

- ☐ Shortcuts and Embedded Apps
- ☐ People Insights

Messaging ⓘ

Selected Services
Confirm your selected services and generate when ready. Generate >

Webex App ⓘ

Core App Services ⓘ

- Performance Tracking
- User Guidance
- Google Push Notifications
- Certificate Validation
- General App Services
- Apple Push Notifications
- Connectivity Test

Calling ⓘ

- Call On Webex
- Unified CM Calling (Including Dedicated Instance)

<https://help.webex.com/nrt>

- Select services the Webex App users will consume
- Generate report

Webex Network Requirements Tool

Results

<https://help.webex.com/nrt>

- Review network requirements for your deployment
- Download report

Details

< Back Download ▾

Webex App
All Webex App deployment network requirements.

Calling
Calling

> Call On Webex

Unified CM Calling (Including Dedicated Instance)


Protocol_and_port	Function	Source	Destination_address	Description
TCP 8443	Discovery and Login	Ephemeral	Any Unified CM or Expressway-E Node	Used during service discovery and login to Unified CM or Expressway-E
TCP 6972 (Secure TFTP), TCP 6970 (Non Secure TFTP)	Config Download	Ephemeral	Any Unified CM Node	App connectivity to TFTP server to download device and user config files
TCP 5061 (Expressway-E and Unified CM), TCP 5060 (Non Secure SIP on Unified CM only)	SIP Connectivity	Ephemeral	Any Unified CM or Expressway-E Node	Webex App will connect to Unified CM or Expressway-E via SIP for softphone functionality
TCP 2748	CTI Connectivity	Ephemeral	Any Unified CM Node	Webex App will connect to the Unified CM CTI service when running in deskphone control mode
UDP 16384 to 32766	Softphone Media (Audio, Video, Screen Share)	Ephemeral	ANY (media is routed directly to the other party)	UDP media port range to send audio, video and screen share traffic to other parties (including other App users, deskphone, video endpoints and conference resources)

> Core App Services
[MANDATORY] The Webex App will require access to specific services in all deployments. e.g. login, directory, search, presence etc



Webex Network Requirements Tool

Download Results



Cisco Webex Public

Webex Network Requirements Guide - Generated On: 2024/05/27

2

Webex App

Calling - Call On Webex

Protocol_and_port	Ip_address_range	Function	Source
UDP 5004	66.114.160.0/20, 20.50.235.0/24, 66.163.32.0/19, 20.53.87.0/24, 69.26.160.0/19, 20.57.87.0/24, 114.29.192.0/19, 20.68.154.0/24, 150.253.128.0/17, 20.76.127.0/24, 170.72.0.0/16, 20.108.99.0/24, 170.133.128.0/18, 23.89.0.0/16, 173.39.224.0/19, 40.119.234.0/24, 173.243.0.0/20, 44.234.52.192/26, 207.182.160.0/19, 52.232.210.0/24, 209.197.192.0/19, 62.109.192.0/18, 210.4.192.0/20, 64.68.96.0/19, 216.151.128.0/19	Call On Webex Media	Ephemeral

Calling - Unified CM Calling (Including Dedicated Instance)

Protocol_and_port	Function	Source	Destination_address	Description
TCP 8443	Discovery and Login	Ephemeral	Any Unified CM or Expressway-E Node	Used during service discovery and login to Unified CM or Expressway-E
TCP 6972 (Secure TFTP), TCP 6970 (Non Secure TFTP)	Config Download	Ephemeral	Any Unified CM Node	App connectivity to TFTP server to download device and user config files
TCP 5061 (Expressway-E and Unified CM), TCP 5060 (Non Secure SIP on Unified CM only)	SIP Connectivity	Ephemeral	Any Unified CM or Expressway-E Node	Webex App will connect to Unified CM or Expressway-E via SIP for softphone functionality
TCP 2748	CTI Connectivity	Ephemeral	Any Unified CM Node	Webex App will connect to the Unified CM CTI service when running in deskphone control mode
UDP 16384 to 32766	Softphone Media (Audio, Video, Screen Share)	Ephemeral	ANY (media is routed directly to the other party)	UDP media port range to send audio, video and screen share traffic to other parties (including other App users, deskphone, video endpoints and conference resources)

Validate Voice Domains

DNS

- ★ Configure DNS SRV and A records for service discovery
 - DNS records should already be in place from Jabber deployment, but still **VERIFY**

Internal/External Voice Domains

- ★ **Must be the same**
 - Can have multiple voice domains for different groups of users
 - But **must** be the same internally and externally for each group

Voice Services Domain:

RHS of email address entered when logging into the Webex App or domain name specified by admin in Control Hub using [UC Manager Profiles](#)

DNS Discovery:

Webex App sends 2 DNS SRV queries to locate Unified CM or Expressway-E

_cisco-uds._tcp.**cb130.dc-01.com**

_collab-edge._tls.**cb130.dc-01.com**

Validate Voice Domains

Reference Links:

- [*Cisco Collaboration Solution Analyzer*](#)
 - Use the “SRV checker” to check your public domains for the correct service records
- [*UC Manager Profiles in Cisco Webex Control Hub*](#)
- [*Deploying Calling in Webex App \(Unified CM\) – Configure DNS SRV Records*](#)

Application Readiness Best Practices

Pre-Migration

Webex Org Setup

- **Create/Verify
Production
Webex Org**

Analytics Deployment

- Cloud-
Connected
UC
- *Jabber
Telemetry*

Webex Control Hub Setup

- Verify/Claim
Domain(s)
- Claim Users
- Auto License
Templates
- Deploy SSO
- **User
Provisioning**
- Directory Sync
- Directory
Connector,
SCIM
- CCUC
- Manual, CSV
- API
- **Configure
Users' Phone
Numbers**

Network & Security Readiness

- **Validate
Network
Connectivity**
- **Security &
InfoSec
Approvals**
- **Verify/Update
Internal/
External
Voice
Domains**
- **Validate DNS
SRV Records**

Applications Readiness (CUCM, Expwy, & CUC Servers)

- **Verify
Licenses**
- **Software
Versions
(CUCM,
Expwy, CUC)**
- **Authentication
Method
(CUCM / CUC)**
- Deploy SSO
- SSO OAuth w/
Refresh Token
Flow Config
(CUCM,
Expwy, CUC)
- *MRA
Deployment*

UC Premise Software

Unified CM, Unity Connection, Expressway

Upgrade to version(s) that provide required admin/user experience and meets all security requirements

- **Minimum:**

UCM: 11.5(1)SU3 or 12.5(1)

Expressway: X8.11.4 or X12.5.0

Unity: Same version as UCM servers

- **Secure Calling – signaling & media (SIP OAuth):**

UCM: 12.5(1) or later



Best Desktop, Mobile & User Experience (including SSO):

UCM: 14.0(1)SU3+ –or– 15.0(1)SU1+

- Minimum :12.5(1)SU3+ for iOS Push Notifications
- IP Phone/Webex Presence Sync

Expressway: X14+ or X15+

Unity: Same version as UCM servers

- **MRA failover:**

UCM: 14.0 or later

Expressway: X14.0 or later

UC Premise Authentication

Unified CM, Unity Connection

- **Must** use the same authentication method
 - Legacy SSO
 - OAuth SSO
 - Non-SSO
- **Must** use the same user credentials

UC Premise SSO

Unified CM, Unity Connection, Expressway

★ Enable for **Best** user experience

- Single set of credentials for **ALL UC services**
- **Required on Expressway for Mobile and Remote Access (MRA) if enabled on CUCM**
- **Required on CUC if enabled on CUCM**

★ Use **same** IdP as Webex Org – single login to Webex App and UC services

- Reference Links:
 - SAML SSO Deployment Guide for Cisco Unified Communications Applications: [Release 12.5\(1\)](#), or [Release 14](#)
 - Mobile and Remote Access Through Cisco Expressway Deployment Guide: [X12.7](#), or [X14.0.1](#) (“SAML SSO Configuration” section)
 - Cisco Unity Connection – Quick Start Guide for SAML SSO Access: [11.x](#), or [12.x](#)
 - [SSO SAML Configurations](#) & [Configure SAML SSO on Cisco Unified Communications Manager with ADFS 3.0](#)

UC Premise SSO OAuth Token Refresh

Unified CM, Unity Connection, Expressway

★ Enable for best user login experience

- Reference Links:

(Note: The following links reference Jabber documents but they also apply to the Webex App)

- [System Configuration Guide for Cisco Unified Communications Manager, Release 12.0\(1\)](#)

See “[Configure Refresh Logins for Cisco Jabber](#)” in the “Cisco Jabber Configuration Task Flow” section

- [Deploying OAuth with Cisco Collaboration Solution Release 12.0](#)

For CUCM see “Enabling Unified CM & IM&P” section on page 15

For Unity see “Enabling Unity Connection” section on page 15

* Parameter for both CUCM and CUC is ‘OAuth with Refresh Login Flow’

Auto Renewal of Refresh Token for Webex App

Unified CM



- Webex App can auto extend the UCM OAuth refresh token
 - Never expires as long as Webex App is active within token's 50% timeline


- **Requirements:**

- Unified CM 15.0+, 14.0 SU3 (with [COP file](#)), 14.0 SU4+
 - New enterprise parameter (enabled by default)


Auto Renew Refresh Token *	Enabled
--	---------

- Expressway X14.3.1+
- For more information, see:
 - [Common Enterprise Parameters table](#) in the [System Configuration Guide for Cisco Unified Communications Manager](#)
 - [OAuth Framework section](#) in the [Security Guide for Cisco Unified Communications Manager](#)

Migration Prep Activities



UCM Configuration Best Practices



- Review Jabber Users Collab Workloads

- Webex App Client Requirements

- Protocol Handler Integration

- Jabber Integrations

- Configure Webex Users/ Calling Settings

- Verify CUCM/ Expy Configs

- Webex App Update Schedule

- Webex App Deployment Options


- Develop Migration Plan

- Develop Acceptance Test Plan


- Stage Webex App Installation File

- POC/Pilot

Unified CM User Identity



User Login/Email = **cholland@cb130.dc-01.com**



End User Configuration

Save X Delete + Add New Revoke Refresh Token

Status: Ready

User Information

User Status	Active Enabled LDAP Synchronized User
User ID*	cholland
Self-Service User ID	6018
PIN	
Confirm PIN	
Last name*	Holland
Middle name	
First name	Charles
Display name	Charles Holland
Title	Product Manager
Directory URI	cholland@cb130.dc-01.com
Telephone Number	+19725556018
Home Number	
Mobile Number	
Pager Number	
Mail ID	cholland@cb130.dc-01.com
Manager User ID	mkumar
Department	Engineering
User Locale	< None >

Edit Credential

- Webex App will use the users Webex identity as the Unified CM user identity (**userID or email**)
- ★ Configure each user's Unified CM email attribute as the email address matching their Webex ID

Home Cluster Discovery:

<https://ucm1-clusters1.tmedemo.com:8443/cucm-uds/clusterUser?username=cholland> (compares to CUCM User ID)

<https://ucm1-clusters1.tmedemo.com:8443/cucm-uds/clusterUser?email=cholland@cb130.dc-01.com> (compares to CUCM Mail ID)

CUCM Device for the Webex App

- Same device types as Jabber

Device Type	Platform
Windows / Mac	CSF
Linux	CSF
VDI	CSF
iPad / Android Tablet	TAB
Chromebook	TAB
iPhone	TCT
Android Phone	BOT

- Reuse for the Webex App (no changes required)


☐		Device Name(Line) ^	Description
☐		BOTCHOLLAND	Charles Holland - X6018 - Jabber for Android
☐		CTIRDcholland	Charles Holland - X6018 - Extend and Connect
☐		TABCHOLLAND	Charles Holland - X6018 - Jabber for Tablet
☐		TCTCHOLLAND	Charles Holland - X6018 - Jabber for iPhone
☐		UCSFCHOLLAND	Charles Holland - X6018 - Jabber for Windows

CUCM Certificates

- Webex App validates server certificate from CUCM
 - **WILL NOT** prompt user to accept an untrusted certificate

★ Configure Unified CM with certificates that the Webex App can validate


- CA root that signed the tomcat certificate (preferred)
- Self-signed trusted certificate (must be deployed to the OS in advance)
- Laptop OS (Windows or MacOS) needs to know/have certs



* See the [Certificate requirements](#) section in the *Deployment guide for Calling in Webex App (Unified CM)*

CUCM Certificates

- Workaround:
 - Services > Calling > Client Settings > Unified CM Settings



CUCM Configurations

- Review [Deployment guide for Calling in Webex App \(Unified CM\)](#) for CUCM features/capabilities with the Webex App
 - Push Notifications
 - Moving a Call to a Meeting
 - Emergency Calling (E911 or RedSky)
 - Multiline / Multi Call Window
 - Move Call to Mobile
 - Appendix
 - Supported Jabber Config XML policy parameters
 - Calling protocol handlers
 - Etc...

Jabber Config XML Policy Parameters

- Feature Parameters
- Customized Parameters
- Jabber to Webex App Migration Parameters

Policy parameters		
Reference the following tables for the policy parameters. These parameters let you control specific client functionality in Webex App.		
• Feature parameters • Customization parameters • Jabber to Webex App migration parameters		
Feature parameters		
Parameter	Description and Values	Supported platforms
CucmCallBargeMode	Parameter: CucmCallBargeMode • OFF (default)—The barge button does not show in the Webex App. • BARGE—The barge initiator sends a barge invite, and the barge target acts as a conference server. Example: <code><CucmCallBargeMode>BARGE</CucmCallBargeMode></code>	
E911EdgeLocationWhiteList	Parameter: E911EdgeLocationWhiteList Specifies a whitelist of up to 30 Service Set IDs (SSIDs) separated by a semicolon. You must configure this parameter when the E911EdgeLocationPolicy parameter is set to true. Then the client monitors users who connect to the corporate network through Expressway for Mobile and Remote Access network. Example: <pre><EnableE911EdgeLocationPolicy>true</EnableE911EdgeLocationPolicy> <E911EdgeLocationWhiteList>SSID1;SSID2</E911EdgeLocationWhiteList></pre>	Desktop and mobile
EnableCallPark	Parameter: EnableCallPark Specifies whether the call park feature is available in the client. To access the call park feature, users can choose the More option in the call window. • true (default)—Call park is enabled. • false—Call park is disabled. There is no call park option under the More button.	Desktop
EnableCallPickup	Parameter: EnableCallPickup Specifies if a user can pickup a call in their call pickup group. • true—Enables call pickup. • false—Disables call pickup (default).	Desktop and mobile
EnableE911EdgeLocationPolicy	Parameter: EnableE911EdgeLocationPolicy Specifies if the client uses the wireless location monitoring service when users connect to the corporate network through Expressway for Mobile and Remote Access. • true—Webex App monitors wireless location over MRA. You must also configure the E911EdgeLocationWhiteList parameter with Service Set IDs (SSIDs). You can configure a list of up to 30 SSIDs, separated by a semicolon. • false—Webex App doesn't monitor wireless location (default). Example: <pre><EnableE911EdgeLocationPolicy>true</EnableE911EdgeLocationPolicy> <E911EdgeLocationWhiteList>SSID1;SSID2</E911EdgeLocationWhiteList></pre>	Desktop and mobile
EnableE911OnPremLocationPolicy	Parameter: EnableE911OnPremLocationPolicy Specifies if the client uses wireless location monitoring service in an on-premises deployment. • true—Webex App always monitors wireless location when connected on-premises.	Desktop and mobile

Unified CM Discovery Best Practices

- **Voice Services Domain**

- Keep it simple – try to use the Webex/email domain as the Voice Services Domain. Remember, the _cisco-uds and _collab-edge SRV domains, do not need to be the same as the Unified CM/Expressway domains

- **Certificate Validation**

- Webex App will validate a TLS certificate from each Expressway/Unified CM/Unity Connection node it connects to. Ensure that the certificates installed on each of these services is trusted i.e. CA signed

- **Webex and Unified CM User Identity**

- Webex App will use the users Webex identity as the Unified user identity (userID or email). Ensure that the Unified CM email attribute is populated for each user (with the email address matching the Webex identity)

- **Authentication**


- SSO enable both the Webex Org and Expressway/Unified CM/Unity Connection (using the same IDP!). Without this, users will have multiple login prompts when signing into the app. For Webex App on mobile deployments, ensure Unified CM is 12.5(1)su4 and later, Expressway X14 and later (SSO redirect URI)

- **Unified CM OAuth Refresh Token Flow**

- Enable OAuth Refresh token flow on Unified CM. User will not need to reauthenticate to Unified CM for defined period of token (default = 60 days). Allows admin to enable secure SIP calling (SIP OAuth)

See https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cloudCollaboration/wbxt/ucmcalling/unified-cm-wbx-teams-deployment-guide.pdf

App Deployment Best Practices



* See [BRKCOL-2198: Deploying the Webex App to your Organization](#) for more information

Webex App Supported Platforms



Desktop

Windows

Windows 10
Windows 11

MacOS

MacOS 10.13 and later
Intel CPU
Apple M1 CPU

Linux

Red Hat EL 8.2, 8.3
Ubuntu 18.04, 20.04, 22.04

Web App

Last 2 major releases
Chrome
Firefox
Edge
Safari



Mobile

iOS/iPadOS

iPhone7 and later
iOS 13.7 and later
Various iPad Releases

Android


8.0 and later

ChromeOS

(Android app emulated on
ChromeOS)

* [Webex App support policy](#)¹ Slow (released every 4 months) – only available upon request

Webex App Release Cycle



- New major release delivered monthly
 - Typically first Tuesday of the month¹
 - App auto update may take a few days to occur
 - App version based on date
 - Year : 44.x.x.xxxx (44 = 2024)
 - Month : 44.1.x.xxxxx (1 = Jan)
 - Build : 44.1.0.28423


Update Management



Recommend updating monthly

- Desktop Update Schedule: Control Hub
- Mobile Update Schedule: App Store Setting

VDI Deployment Overview




Virtual Desktop

1. VDI Agent (e.g. Citrix Agent, VMware Horizon Agent etc)
2. Webex App for VDI (or bundled installer)

Thin Client

1. VDI Client (e.g. Citrix Workspace, VMware Horizon Client, AVD RDP Client)
2. Webex App and Webex Meetings VDI plugins (or bundled installer)

Release Plan and Support




- Webex App for VDI
 - Released every second month
 - Beta every other month

- Webex App VDI Plugin
 - Released every second month
 - Backward compatible with Webex App for VDI for n-3 versions (6 months)

- Webex Meetings VDI Plugin
 - Released every 4 months
 - Backward compatible with Webex App for VDI for n-2 versions (8 months)
 - Release 43.6 will be backward compatible with all future versions of the Webex App for VDI.
- Webex Meetings VDI plugin functionality will be consolidated into the Webex VDI plugin

Webex App for Windows & VDI


User Install



- User downloads the .exe installer from Webex.com
- User runs the installer
- Webex App is installed to **USER PROFILE**
`C:\users\userID\AppData\Local\CiscoSparkLauncher`
- Admin permissions **NOT** required

<https://www.webex.com/downloads.html>

Admin Install



Recommended
for VDI

- Admin installs app using the MSI installer via a deployment tools (e.g. SCCM)*
 - `msiexec /i webex.msi ALLUSERS=1 /quiet`
- Webex App installed to `C:\Program Files\Cisco Spark\`
- Admin permissions **ARE** required, but not for updates

<https://help.webex.com/en-us/article/nw5p67g/Webex-App-%7C-Installation-and-automatic-upgrade>

* Recommend using the default deployment locations



Webex App for Windows Installation

Installer Switches

Switch	Purpose
ALLUSERS=1	Admin install to C:\Program Files\Cisco Spark\
ACCEPT_EULA=true	Automatically accept EULA so user does not have to
AUTOSTART_WITH_WINDOWS=true	App auto starts on Windows login. User cannot change within the app
DEFAULT_THEME="Light"	Sets theme to light. User can set their preference in the app
DELETEUSERDATA=1	Removes all existing cache if app is already installed
INSTALLWV2=1	Installs Microsoft WebView2 embedded browser
EMAIL=\$mail	Prepopulates the Webex App with user UPN for login. Restricts access to the app current Windows user only
ENABLEOUTLOOKINTEGRATION=1	Enables Outlook integration at install time (registry key). Admin permissions required. On by default




Webex App for VDI Installation


Installer Switches

Switch	Purpose	Values
ALLUSERS=1	Admin install to "Program Files"	1
ENABLEVDI=2	Auto detect if Webex App is running in VDI	(1, 2)
AUTOUPGRADEENABLED=1	Webex App in VDI will auto update every 2 months	(0, 1)
ROAMINGENABLED=1	User config/cache is stored AppData\Roaming (for non persistent VDI session)	1
FORCELOCKDOWN=LockWhenCompatible	Locks the Meetings Component if its compatible with the Meeting site. Only applies to the Bundled installer	LockWhenCompatible, NeverUpdate
ACCEPT_EULA=true	Auto accept software license on behalf of user	n/a
EMAIL=\$mail	Retrieve the users email from LDAP at sign in time. This email will be used for the Webex App. User cannot override this without admin rights	\$mail, \$userPrincipalName, EMAIL=
AUTOSTART_WITH_WINDOWS=true	Webex App auto starts on login to Windows	true, false
DEFAULT_THEME="Dark"	Sets Webex App to run in dark theme (default)	Dark, Light
DELETEUSERDATA=0	Preserve user App database at install time	0, 1
INSTALLWV2=1	Install Microsoft Web View 2 at App install time	n/a
ENABLEOUTLOOKINTEGRATION=1	Enable Webex App presence and click2x integration with Outlook	0, 1

Migration Prep Activities




Migration Best Practices




- End User Comms/Training
 - **Migrate Users**
 - **Jabber to Webex App**
 - Acceptance Testing
 - Migrate User/Org Contacts
 - Update Protocol Handlers for 3rd Party App Cross-Launch
- Remove Jabber from Users' Devices

User Contact Migration



User Contact Migration


- Migrating users' Jabber contacts
 - Normal Contacts (IM&P Contacts)
 - Custom Contacts (Non-Presence Contacts)
- Migration Options:
 1. End-user driven
 - [Configure Users to Move Jabber Contacts and Common Settings to Webex](#)
 - [Jabber | Move Contacts and Common Settings to Webex](#)
 2. Admin driven
 - [Migrate Personal Contacts to Webex](#)



Jabber Contacts

User Contact Migration

Option 1: End-user Driven Migration



User Contact Migration Options

Option 1: End-user Driven Migration

- Admin enables for Users
- Users migrates their Jabber **contacts** and **common preferences** to the Webex App

Note: Webex App must be installed on user's laptop prior to starting the migration

Contacts:

- Directory Contacts
- Custom Contacts and photos
- XMPP Federated Contacts

Preferences:

- Chat notification settings (including mute all)
- Call notification settings (including mute all)
- Audio device and video device selection (except for VDI)
- Video preferences for incoming calls (start with video or no video)

User Contact Migration Options

Option 1: End-user Driven Migration

UC Service

System ▾ Call Routing ▾ Media Resources ▾ Advanced Features ▾ Device ▾ Application ▾ User Management ▾ Bulk Administration ▾ Help ▾

UC Service Configuration Related Links: Back To Find/List ▾ Go

Save

Status
Add successful

UC Service Information
UC Service Type: Jabber Client Configuration (jabber-config.xml)
Product Type: **Jabber**
Name*: dCloud_Jabber2WxApp_Config
Description: Jabber-Config File

Jabber Configuration Parameters

Section	Parameter	Parameter Description	Value	Operations
Options ▾	EnableSaveChatHistoryToExchange	Enables client to save chat history automatically	true	
Options ▾	AllowUserCustomTabs	Allows user create custom embedded tabs	true	
Options ▾	EnableBridgeConferencing	Enables bridge conferencing	true	
Policies ▾	EnableSIPURIDialling	Enables SIP URI dialling	true	
Policies ▾	selfcareURL	Defines the URL for the Self Care Portal	https://cucm1.dcloud.cisco	
Policies ▾	WebexTeamsDownloadURL		<WebexTeamsDownloadURL	
Policies ▾	EnableJabber2TeamsMigration		true	
Directory ▾	UdsPhotoUriWithToken	Specifies a photo URI with a directory attribute	http://ed1.dcloud.cisco.co	
-- Not Selected -- ▾	-- Not Selected --			

Section	Multipart Parameter	Parameter Description	Value	Operations
-- Not Selected -- ▾	-- Not Selected -- ▾ -- Not Selected -- ▾ -- Not Selected -- ▾			

Save


- Add migration parameters ([EnableJabber2TeamsMigration](#) and [WebexTeamsDownloadURL](#)) to the UC Service profile on UCM:
 - Use existing UC Service
 - ★ Create a [new](#) UC Service

User Contact Migration Options

Option 1: End-user Driven Migration

- Configure the 'Jabber Client Configuration Profile' with the new UC Service
 - Recommend creating a new Service Profile

Service
Profile



Jabber Client Configuration (jabber-config.xml) Profile


Common dCloud_Jabber2WxApp_Config ▼

Desktop <None> ▼

Mobile <None> ▼

- Apply the new Service Profile to users as you migrate them

End User
Configuration



Service Settings

☒ Home Cluster

☒ Enable User for Unified CM IM and Presence (Configure IM and Presence in the associated UC Service Profile)

☐ Include meeting information in presence(Requires Exchange Presence Gateway to be configured on CUCM IM and Presence server)


[Presence Viewer for User](#)

UC Service Profile dCloud_Service-Profile_Jabber2WxApp ▼ [View Details](#)


User Contact Migration Options

Option 1: End-user Driven Migration

User Initiated Migration



Start Migration




- Migration automatically starts for user (5 minutes to 3 hours after user signs into Jabber)
- User can also initial the migration

User Contact Migration Options


Option 1: End-user Driven Migration

Sign into Webex



Webex App **MUST** already be installed on the user's laptop

Missing Contacts




Contacts **not** already users in Webex Control Hub

User Contact Migration Options


Option 1: End-user Driven Migration

Webex App with Contacts



User Contact Migration

Option 2: Admin Driven Migration



User Contact Migration Options

Option 2: Admin Driven Migration

- Webex Admin migrates Jabber contacts for the users using **Control Hub tools**
- Migrates contacts only
 - Common preferences are **NOT** migrated

User Contact Migration Option

Option 2: Admin Driven Migration

Export Presence Contacts *

The screenshot shows the Cisco Unified Communications Manager (UCM) Bulk Administration interface. The 'Bulk Administration' menu is open, showing the path: Bulk Administration > Contact List > Export Contact List. The 'Export Contact List' option is highlighted. Below the menu, the 'Export Contact List Options' section shows 'All users in the cluster' selected. The 'All users in the cluster' section shows a list of 14 users, with the first user, 'amckenzie@cb104.dc-01.com', highlighted. The table below lists the details for these users.

IM Address	User ID	Last Name	Manager	Department	Presence Redundancy Group
amckenzie@cb104.dc-01.com	amckenzie	McKenzie	mkumar	Spark	DefaultCUPSSubcluster
aperez@cb104.dc-01.com	aperez	Perez	tbard	Spark	DefaultCUPSSubcluster
bstoker@cb104.dc-01.com	bstoker	Stoker		Sales	DefaultCUPSSubcluster
cholland@cb104.dc-01.com	cholland	Holland	mkumar	Engineering	DefaultCUPSSubcluster
dnewman@cb104.dc-01.com	dnewman	Newman		Sales	DefaultCUPSSubcluster
jli@cb104.dc-01.com	jli	Li	tbard	Sales	DefaultCUPSSubcluster
jsmith@cb104.dc-01.com	jsmith	Smith		Sales	DefaultCUPSSubcluster
knelby@cb104.dc-01.com	knelby	Melby		Spark	DefaultCUPSSubcluster
mcheng@cb104.dc-01.com	mcheng	Cheng		Spark	DefaultCUPSSubcluster
mkumar@cb104.dc-01.com	mkumar	Kumar		Engineering	DefaultCUPSSubcluster
nfox@cb104.dc-01.com	nfox	Fox		Engineering	DefaultCUPSSubcluster
tadams@cb104.dc-01.com	tadams	Adams		TAC	DefaultCUPSSubcluster
tbard@cb104.dc-01.com	tbard	Bard		Engineering	DefaultCUPSSubcluster
whitman@cb104.dc-01.com	whitman	Whitman	tbard	Sales	DefaultCUPSSubcluster

- Exports IM&P Contacts
- Use filters to export subset of users' contacts

* From UCM IM&P Server

User Contact Migration Option

Option 2: Admin Driven Migration

Export Non-Presence Contacts*

The screenshot shows the Cisco Unified CM IM and Presence Administration web interface. The 'Bulk Administration' menu is open, and the 'Non-presence Contact List' option is selected. The 'Export Non-presence Contact List' option is highlighted in the sub-menu. The main content area shows the 'Non-presence Contact List Export' form with fields for File Name, File Format, Job Description, and Run Immediately/Run Later options.

Cisco Unified CM IM and Presence Administration
For Cisco Unified Communications Solutions

System ▾ Presence ▾ Messaging ▾ Application ▾ **Bulk Administration ▾** Diagnostics ▾ Help ▾

Non-presence Contact List Export

Submit

Status
Status: Ready

Non-presence Contact List Export

File Name*
File Format: IM and Presence Non-presence Contact List Format [\(View File Format\)](#)

Job Information

Job Description

☒ Run Immediately ☐ Run Later (To schedule and activate this job, use Job Scheduler page.)

Submit


- Exports Non-presence Contacts for **ALL** IM&P users
- Only required if any Jabber users have added Custom Contacts

* From UCM IM&P Server

User Contact Migration Option

Option 2: Admin Driven Migration

Webex Control Hub



Migrate Personal Contacts to Webex App

Move any personal contacts saved on your user's Jabber contact list.

How this works

- ✓ Encrypted personal contacts will be migrated for users already added to Webex.


Get started

** Warning: Running tool multiple times for the same user's contacts will cause duplicate contacts in their Webex App*


User Contact Migration Option

Option 2: Admin Driven Migration

Import Options



Import Contacts CSV File



- Generic Personal Contacts
For importing contacts from third-party sources ([Import Personal Contacts from Third Party Sources](#))

Repeat process for Non-Presence Contacts (if required)

User Contact Migration Option

Option 2: Admin Driven Migration

Import of Normal Contacts

^ Import on-premise data

Total imported contacts ⓘ

57

Webex users of contacts ⓘ

6

Contacts to be migrated ⓘ

47

⚠ 10 Warnings

Migrated contacts ⓘ

0

Contact Type: Normal ⓘ

Review for sync

Import of Non-Presence Contacts

^ Import on-premise data

Total imported contacts ⓘ

3

Webex users of contacts ⓘ

1

Contacts to be migrated ⓘ

3

Migrated contacts ⓘ

0

Contact Type: Custom ⓘ

Review for sync

User Contact Migration Option

Option 2: Admin Driven Migration

Import Status

^ Track migration progress


Search Filter by status 2 tasks

Task name	Modified by	Status	Date started	Users	Contacts	Success	Errors	
Migrate-JabberNonPresence-Co...	Charles Holland	Completed	Jan 25,20...	1	3	3		↓
Jabber-ContactList	Charles Holland	Completed	Jan 25,20...	6	47	47		


User Contact Migration Option

Option 2: Admin Driven Migration

Contacts in Webex App



Org Contact Migration




Org Contact Migration

- All users can search for and call Organizational contacts (e.g. HR, IT Support, etc.)
- Webex Admin manages (add/modify/delete) the organizational contacts
- Migration Options:
 - Import (CSV file)
[Manage organization contacts in Control Hub](#)
 - Sync (from UCM or LDAP/AD)¹
[Synchronize User and Organizational Contacts](#)

¹ Requires CCUC

Org Contact Migration


Option 1: Import




Migrate Org Contacts

Option 1: Import

Webex Control



Contacts Page



[Download CSV template](#)

Import Contacts

[illegible]

Migrate Org Contacts

Option 1: Import

Contacts Page

Users


Users Licenses **Contacts**

Search Filter 2 contacts Manage contacts

☐	Name	Contact	Source
☐	Bob's Steakhouse	+1 (972) 555-1234 +1 more	Webex
☐	Taxi Service	+1 (800) 55-4121 +1 more	Webex

Org Contact Migration

Option 2: Sync via CCUC



Migrate Org Contacts


Optional Activity

¹ Requires CCUC

Option 2: Sync¹

Contact Sync

Webex Control Hub



User/contact synchronization

Synchronization of endusers and organizational contacts from Unified CM to Webex.

Get started

Migrate Org Contacts

Option 2: Sync¹

Optional Activity

¹ Requires CCUC

Set Sync Preferences

User/contact synchronization

[Learn more](#)

Enable synchronization of endusers and organizational contacts from Unified CM to Webex.

Note: We have detected Cloud-Connected UC but not Directory connector for your organization. Both users and contacts will be imported automatically using Cloud-Connected UC in the pending for synchronization card. To read more about benefits of using Directory connector [click here](#).

^ Prerequisite

- ☒ Onboard all the Unified CM clusters to Cloud-Connected UC to enable the import. [Know more](#)
- ☒ Set your preferences for the synchronization and click on Save and proceed button. [Go to settings](#)

Service Management

Changes to these settings will take a short time to take effect.

Analytics	☒ Enabled
Borderless CTI	☒ Disabled
Directory Service	☒ Disabled
Certificate Management	☒ Enabled
Operational Metrics #	☒ Disabled
Presence Status Sync	☒ Disabled
Webex app Provisioning for Unified CM Calling	☒ Disabled
Centralized Call History	☒ Disabled
Deployment Insights	☒ Enabled

Config Sync Settings

Unified CM enduser list

Settings to synchronize from the Unified CM enduser list to Webex.

Rules to identify contacts and users	Custom
Import	Contact
Import users	☒
Import contact	☒
Select the cluster *	StandAloneCluster - cucm1....
Periodic audit	Off

-- OR --

LDAP Server

Settings to synchronize from the LDAP server to Webex

LDAP Periodic sync ☒

Periodic synchronization ⓘ Every 3 days at 3:48 PM (GMT -06:00) America/Chicago

Cluster configuration 1 configuration

StandAloneCluster - cucm1.dcloud.cisco.com	use Unified CM LDAP search configuration
--	--

+ Add Configuration

* Requires the 'Deployment Insights' CCUC service to be enabled

CISCO Live!


Migrate Org Contacts

Option 2: Sync¹

Optional Activity

¹ Requires CCUC

AD Contacts



Migrate Org Contacts

Option 2: Sync¹

Optional Activity

¹ Requires CCUC

^ Status

 Automated synchronization is enabled. To pause upcoming synchronizations disable the user/contact import or disable audit in the settings.

[View synchronization logs](#)

Synchronization
Task Status

Logs								
Synchronization	Users	Contacts						
 Date range	1/26/2024	10:00 AM	→	1/26/2024	11:59 PM	1 Logs		
Status	Last updated on	Total contacts	Failed contacts	Total users	Failed users	Initiated by	Type	System failure
Completed	Jan 26, 2024 11:41 ...	2	0	0	0	Charles Holland	LDAP Periodic Sync	N/A

Contacts
Sync Status

Logs								
Synchronization	Users	Contacts						
 Search	Filter		▼	2 Logs				
 Date range	Start date	Start time	→	End date	End time			
Display name	Synced on	Status	Reason of failure	ID	Email	Phone number	URI	Source
Fly Airlines	Jan 26, 2024 11:41 AM	Synced	None	CN=Fly Airlines,...	iflyy@flyairlines.com	+1 (800)-555-43...		LDAP
Sally's Catering	Jan 26, 2024 11:41 AM	Synced	None	CN=Sally Cateri...		+1(972) 555-8394		LDAP

Migrate Org Contacts

Option 2: Sync¹

Optional Activity


¹ Requires CCUC

Contacts Page

The screenshot shows the Cisco Contacts Page. On the left is a sidebar with 'MONITORING' (Analytics, Troubleshooting, Reports) and 'MANAGEMENT' (Users, Groups, Locations, Workspaces). The 'Users' item in the Management section is highlighted with a red box. The main content area is titled 'Users' and has three tabs: 'Users', 'Licenses', and 'Contacts'. The 'Contacts' tab is selected and highlighted with a red box. Below the tabs is a search bar and a 'Filter' button. A status indicator shows '4 contacts'. A table displays the contact information with columns for Name, Contact, and Source. The table contains four rows: 'Bob's Steakhouse' (Webex), 'Taxi Service' (Webex), 'Fly Airlines' (LDAP), and 'Sally's Catering' (LDAP). The rows for 'Fly Airlines' and 'Sally's Catering' are highlighted with a red box, as is the 'LDAP' source column for these two rows.

Name	Contact	Source
Bob's Steakhouse	+1 (972) 555-1234 +1 more	Webex
Taxi Service	+1 (800) 55-4121 +1 more	Webex
Fly Airlines	+1 (800)-555-4359 +1 more	LDAP
Sally's Catering	+1(972) 555-8394	LDAP


User Migration Best Practices



Two Settings for User Migration*

* Complete when you are ready to migrate user(s) from Jabber to the Webex App

1. Enable UCM Calling licenses for user




- This can be set with Auto License templates (Recommended)

Two Settings User Migration*


* Complete when you are ready to migrate user(s) from Jabber to the Webex App

2. Configure user's Calling Behavior

- UC Voice Services Domain
- Configure after adding UCM Calling license for use
- Apply at:
 - Org Level, Group Level or User Level




User Migration Options



User Migration Options

Option 1: Manually Configure Individual Users

- Configure an individual user



One at a time 😞

User Migration Options

Option 1: Manually Configure Individual Users

The screenshot displays the Cisco Webex user management interface for a user named Anita Perez. The interface is divided into several sections:

- Header:** Shows the user's profile picture, name "Anita Perez", status "Active", and email "aperez@cb104.dc-01.com". An "Actions" dropdown menu is visible.
- Navigation Tabs:** Includes "Summary" (highlighted with a red box), "Profile", "General", "Meetings", "Calling", "Messaging", "Hybrid Services", "Devices", and "Vidcast".
- User details:** A table with the following information:

Field	Value
Name	Anita Perez
Email	aperez@cb104.dc-01.com
Location	None
Preferred Email Language	English - American English
Name Labels	Status: Not enrolled Organization Setting: Off
- Groups:** A message states "This user isn't a member of any group." with a button "Add to Webex groups".
- Licenses:** A table showing the user's assigned licenses:

License Type	Details
Messaging	Basic Messaging Advanced Messaging
Meeting	Basic Space Meetings Advanced Space Meetings Webex Assistant for Meetings Webex Meetings Suite cb10401.webex.com Host Account
Calling	Call on Webex (1-1 call, non-PSTN) Register to Unified Communications Manager (UCM)

On the left side, there is a sidebar with "MONITORING" (Analytics, Troubleshooting, Reports) and "MANAGEMENT" (Users, Groups) sections. The "Users" section is currently selected.

User Migration Options

Option 1: Manually Configure Individual Users

The image displays two screenshots of the Cisco Webex user management interface, illustrating the process of manually configuring individual users for migration.

Left Screenshot: User Management Overview

- Navigation Menu:** Includes MONITORING (Analytics, Troubleshooting, Reports) and MANAGEMENT (Users, Groups).
- User Profile:** Anita Perez, Active, aperez@cb104.dc-01.com.
- Tabs:** Summary, Profile, General, Meetings, Calling, Messaging, Hybrid Services, Devices, Vidcast.
- User details:** Name (Anita Perez), Email (aperez@cb104.dc-01.com), Location (None), Preferred Email Language (English - American English), Name Labels (Status: Not enrolled | Organization Setting: Off).
- Groups:** This user isn't a member of any group. Add to Webex groups.
- Licenses:** Includes Messaging, Meeting, and Calling licenses. Edit Licenses.


Right Screenshot: User Profile - Calling Tab

- User Profile:** Anita Perez, Active, aperez@cb104.dc-01.com.
- Tabs:** Summary, Profile, General, Meetings, **Calling**, Messaging, Hybrid Services, Devices, Vidcast.
- Calling template applied:** None.
- Configuration Sections:**
 - Cisco Webex SIP Address: aperez@cb10401.calls.webex.com
 - Primary Work Number: +19725556017
 - Client Settings
 - In-call feature access
 - Microsoft Teams integration
 - Calling Behavior** (highlighted with a red box)
 - Unified Communications Manager settings
 - Allow auto-provisioning for Webex (toggle off)

User Migration Options

Option 2: Configure Multiple Users in Bulk

- Configure multiple users at one time with CSV file



The screenshot displays the Cisco Unified Communications Manager (CUCM) Administration console. The left sidebar contains a navigation menu with the following items: Users, Groups, Locations, Workspaces, Devices, Apps, Account, Security, Organization Settings, SERVICES, Updates & Migrations, Messaging, Meeting, **Calling** (highlighted with a red box), Vidcast, Connected UC, and Hybrid. The main content area is titled 'Calling' and features a top navigation bar with tabs: Numbers, Virtual Lines, Call Routing, Managed Gateways, Features, PSTN, Service Settings, and **Client Settings** (highlighted with a red circle). Below the tabs, there are two sub-tabs: **Settings** and Templates. The 'Settings' sub-tab is active, showing the 'Calling Behavior' section. This section includes the 'Unified CM Users' option, where 'Use UC Manager Profile for calling' is selected (indicated by a blue dot) and a dropdown menu shows 'UCM_Profile'. Below this, there is an unchecked checkbox for 'Open Cisco Jabber from the Webex app'. At the bottom of the section, there is a 'Bulk manage' button (highlighted with a red circle) and a description: 'Export Unified Communication user data to a .csv file, edit, and upload to make changes.' Below this, there is another unchecked checkbox for 'Open third-party app from Webex'.

User Migration Options

Option 2: Configure Multiple Users in Bulk ★


- Configure multiple users at one time with CSV file

The screenshot displays the Cisco Unified Communications Manager (CUCM) interface. On the left is a navigation sidebar with categories: Users, Groups, Locations, Workspaces, Devices, Apps, Account, Security, and Organization Settings. Under 'SERVICES', 'Calling' is selected. The main panel is titled 'Calling' and contains sub-sections: Numbers, Virtual Lines, Settings (selected), and Templates. Below these is the 'Calling Behavior' section. A modal dialog box titled 'Manage Unified Communications User Data' is open in the foreground. It has a close button (X) in the top right corner. The dialog contains two main sections: 'Download CSV data' and 'Upload CSV data'. The 'Download CSV data' section includes a dropdown menu set to 'All Locations' and two buttons: 'Download Data' (highlighted with a red circle) and 'Download .csv template' (also highlighted with a red circle). The 'Upload CSV data' section includes a text prompt 'Upload the modified .csv file to apply all changes made to the user calling data.' and a large dashed rectangular area for file upload. Inside this area is an upward-pointing arrow and the text 'Drag and drop a file to upload or' above a 'Choose a file' button. At the bottom left of the dialog is a link 'View import history/tasks'. At the bottom right are 'Cancel' and 'Upload' buttons.

User Migration Options

Option 2: Configure Multiple Users in Bulk

- Configure multiple users at one time with CSV file



User ID/Email (Required)	Calling Behavior	Calling Behavior UC Manager Profile	On-Prem UCM Calling	Effective Calling Behavior	Calling Behavior Source	UCM Profile Source
amckenzie@cb233.dc-01.com	USE_ORG_SETTINGS	UCM_Profile	TRUE	NATIVE_SIP_CALL_TO_UCM	ORG	ORG
aperez@cb233.dc-01.com	USE_ORG_SETTINGS		FALSE	NATIVE_SIP_CALL_TO_UCM	ORG	ORG
cholland@cb233.dc-01.com	USE_ORG_SETTINGS		FALSE	NATIVE_SIP_CALL_TO_UCM	ORG	ORG
esteele@cb233.dc-01.com	NATIVE_SIP_CALL_TO_UCM_W_USER_EMAIL_DOMAIN		TRUE	NATIVE_SIP_CALL_TO_UCM	USER	USER
kmelby@cb233.dc-01.com	NATIVE_SIP_CALL_TO_UCM		TRUE	NATIVE_SIP_CALL_TO_UCM	USER	USER
mcheng@cb233.dc-01.com	USE_ORG_SETTINGS		FALSE	NATIVE_SIP_CALL_TO_UCM	ORG	ORG
rbarretta@cb233.dc-01.com	USE_ORG_SETTINGS		FALSE	NATIVE_SIP_CALL_TO_UCM	ORG	ORG
rfilice@cb233.dc-01.com	USE_ORG_SETTINGS		FALSE	NATIVE_SIP_CALL_TO_UCM	ORG	ORG
smauk@cb233.dc-01.com	USE_ORG_SETTINGS		FALSE	NATIVE_SIP_CALL_TO_UCM	ORG	ORG
tbard@cb233.dc-01.com	USE_ORG_SETTINGS		FALSE	NATIVE_SIP_CALL_TO_UCM	ORG	ORG

User Migration Options

Option 3: Configure Groups of Users ★

- Configure multiple users via Groups
- Create Group (Webex or Synced) for users who will use UCM Calling


The screenshot shows the Cisco UCM Groups configuration interface. On the left is a navigation sidebar with sections: Overview, Alerts center, MONITORING (Analytics, Troubleshooting, Reports), and MANAGEMENT (Users, Groups, Locations, Workspaces, Devices, Apps, Account, Security, Organization Settings). The 'Groups' option is highlighted with a red box. The main content area is titled 'Groups' and shows a specific group named 'UCM_Users' with 0 members and 'Created in Webex'. Below this are tabs for Overview, Members, and Assignments. The 'Overview' tab is active, displaying a form for 'Basic information'. The form fields are: Name (UCM_Users), Description (empty text area), Source (Webex), Webex ID (8ecce530-ef90-48f9-9420-0dd7b25c4c11), Usage (Policy), and Last Modified (5/28/24). An 'Action' dropdown menu is visible in the top right corner.

Basic information	
Name *	UCM_Users
Description	
Source ⓘ	Webex
Webex ID ⓘ	8ecce530-ef90-48f9-9420-0dd7b25c4c11 ⓘ
Usage ⓘ	Policy
Last Modified	5/28/24

User Migration Options

Option 3: Configure Groups of Users ★

- Configure multiple users via Groups
 - Create Group (Webex or Synced) for users who will use UCM Calling
 - Assign Licenses to the Group



User Migration Options

Option 3: Configure Groups of Users ★

- Configure multiple users via Groups

- Create Group (Webex or Synced) for users who will use UCM Calling
- Assign Licenses to the Group

Group licenses assignment

Select the licenses you want to assign to your users.

- Messaging** 1
 - Subscription: Register to Unified Communications Manager (UCM)
 - ☒ Register to Unified Communication Manager (UCM)
- Meeting** 1
 - Subscription: Call on Webex (1:1 call, non-PSTN)
 - ☒ Call on Webex (1:1 call, non-PSTN)
- Calling** 2
 - Subscription: Enterprise Trial - 11/02/2023
 - ☐ Webex Calling
 - ☐ Professional

Apply scope

- ☒ Future users
- ☐ Existing users


Cancel Save

User Migration Options

Option 3: Configure Groups of Users ★

- Configure multiple users via Groups

- Create Group (Webex or Synced) for users who will use UCM Calling
- Assign Licenses to the Group
- Add Members (users) when ready to migrate
 - Individually or with **NEW** Bulks CSV



User Migration Options

Option 3: Configure Groups of Users



- Configure Calling Behavior via Template (*optional, if needed*)

- Create Calling Template

The screenshot displays the Cisco Unified Communications Manager (CUCM) Administration console. On the left sidebar, under the 'SERVICES' section, the 'Calling' option is highlighted with a red box. The main content area is titled 'Calling' and features two tabs: 'Service Settings' and 'Client Settings', with the latter being selected and also highlighted with a red box. Below these tabs, there are sub-tabs for 'Settings' and 'Templates', with 'Templates' being the active tab and highlighted with a red box. The 'Templates' tab shows a table with the following data:

Template name	Rank	Description	Last modified	
UCM-Calling	1		May 28, 2024	...

At the top right of the 'Templates' section, there is a 'How templates work' link, a 'Rank' button, and a 'Create template' button. The 'Rank' button is also highlighted with a red box.


User Migration Options

Option 3: Configure Groups of Users



- Configure Calling Behavior via Template (*optional, if needed*)

- Create Calling Template
- Configure Calling Behavior




User Migration Options

Option 3: Configure Groups of Users ★

- Configure Calling Behavior via Template (*optional, if needed*)

- Create Calling Template
- Configure Calling Behavior
- Apply Template to Group



User Migration Options

Option 4: Webex Control Hub Tool¹ ★

Webex Control Hub

The screenshot shows the Webex Control Hub interface. On the left is a navigation sidebar with sections: Overview, MONITORING, ANALYTICS, MANAGEMENT, and SERVICES. The 'SERVICES' section is expanded, showing a list of services: Updates & Migrations, Messaging, Meeting, Calling, Vidcast, Connected UC, and Hybrid. A red arrow points from the 'Updates & Migrations' option in the sidebar to a detailed panel on the right. This panel is titled 'Migrate Jabber to the new Webex' and includes instructions on enabling Jabber users with Unified CM calling for the Webex app. It also lists 'How this works' with three steps: enabling messaging via the Webex app, auto-assigning users with calling behavior, and continuing to use calling on the enterprise. A 'Get started' button is at the bottom of the panel.

webex Control Hub

SERVICES

- Updates & Migrations
- Messaging
- Meeting
- Calling
- Vidcast
- Connected UC
- Hybrid

Migrate Jabber to the new Webex

Enable Jabber users with Unified CM calling for Webex app.

How this works

- ✓ Enable messaging via Webex app. (Only applies to users with Unified CM calling)
- ✓ Auto assign users with calling behaviour and UC manager profile.
- ✓ Continue using calling on your enterprise.

Get started

- Update group of users' Licensing and Calling Behavior via Webex Control Hub tool

¹ Requires CCUC

User Migration Options

Option 4: Webex Control Hub Tool¹



User Counts/
Create Task

▼ Step 1: Review update prerequisites (4) ←

▲ Step 2: Review user counts ←

Migrated users ⓘ
0

Users in UCM ⓘ
12

UCM users in CI ⓘ
8


UCM users not in CI ⓘ
4
[Download list](#)

▲ Step 3: Migrate Jabber to Webex app

0 tasks

Task name	Last Modified	Modified by	Status	Start time	Us...	Errors	Cluster name
-----------	---------------	-------------	--------	------------	-------	--------	--------------

Task
Flow




¹ Requires CCUC

User Migration Options


Option 4: Webex Control Hub Tool¹



User's License After Migration




User's Calling Settings After Migration



Verify Migrated Users

CCUC

Recommended Activity



Verify Migrated Users


CCUC

Recommended Activity

Filter by 'Endpoint Series'

Select timeframe

Download CSV Report



Number of
Jabber & Webex
App users

Verify Migrated Users

CUCM

- Unified CM Administration: *Device > Phone*

Jabber Device

Phone Type	
Product Type:	Cisco Unified Client Services Framework
Device Protocol:	SIP
Real-time Device Status	
Registration:	Registered with Cisco Unified Communications Manager cucm1.dcloud.cisco.com
IPv4 Address:	198.18.1.39
Active Load ID:	Jabber_for_Windows-14.0.0.55563
Download Status:	None

Docker tool to extract Active Load ID from UCM RIS database:

- Raw data extract
- Uses AXL SOAP

https://hub.docker.com/r/omerilyas1/c_e_t

Webex App Device

Phone Type	
Product Type:	Cisco Unified Client Services Framework
Device Protocol:	SIP
Real-time Device Status	
Registration:	Registered with Cisco Unified Communications Manager cucm1.dcloud.cisco.com
IPv4 Address:	198.18.1.37
Active Load ID:	Webex_for_Windows-43.9.0.27194
Download Status:	None

Verify Migrated Users

CUCM

- Device's Endpoint Model stored in Unified CM's real-time database (RIS)
- Data is **not** persistent
 - Unused devices removed after a set time (Default = 3 days)
 - Duration can be changed via UCM Service Parameter: (System > Service Parameters)

Select Server and Service

Server*


Service*

All parameters apply only to the current server except parameters that are in the cluster-wide group(s).

Cisco RIS Data Collector (Active) Parameters on server cucm1.dcloud.cisco.com--CUCM Voice/Video (Active)

Parameter Name	Parameter Value
Clusterwide Parameters (Parameters that apply to all servers)	
RIS Cluster TCP Port *	2555
RIS Client TCP Port *	2556
RIS Client Timeout *	30
RIS Cleanup Time of the Day *	22:00
RIS Unused Cisco CallManager Device Store Period *	3
RIS Unused CTI Records Storage Period *	1
RIS Maximum Number of Unused CTI Records *	3000


Decommission



- End User Comms/Training
- **Migrate Users**
 - **Jabber to Webex App**
- Acceptance Testing
- Migrate User/Org Contacts
- Update Protocol Handlers for 3rd Party App Cross-Launch
- Remove Jabber from Users' Devices
- Archive Persistent Chat History
- Decommission IM&P Servers


App and Sever Decommission

- Remove applications from users' devices
 - Jabber - Laptop, Mobile
 - WDA - Laptop
- Decommission UC servers not required post-migration:
 - IM&P
 - Archive persistent chat



* Only 1 soft client can be logged into UCM phone services at a time

Conclusion



Key Take Aways

- Start connecting your on-prem UCM to Webex
 - Complete Pre-Migration activities
- No one size fits all
 - Identify the critical activities for your Org
- Start addressing longer activities today (SSO, User Directory Sync, etc.)
- Leverage tools and Cisco/Cisco Partner services

Complete Your Session Evaluations



Complete a minimum of 4 session surveys and the Overall Event Survey to be entered in a drawing to **win 1 of 5 full conference passes** to Cisco Live 2025.



Earn 100 points per survey completed and compete on the Cisco Live Challenge leaderboard.



Level up and earn **exclusive prizes!**



Complete your surveys in the **Cisco Live mobile app**.

Continue your education

- Visit the Cisco Showcase for related demos
- Book your one-on-one Meet the Engineer meeting
- Attend the interactive education with DevNet, Capture the Flag, and Walk-in Labs
- Visit the On-Demand Library for more sessions at www.CiscoLive.com/on-demand

Contact me at: sfly@cisco.com via email or the Webex App

Cisco Live US 2024

Recommended Sessions

- BRKCOL-2007: Authentication, Authorization and Provision for Cisco Collaboration
- BRKCOL-2198: Deploying the Webex App to your Organization
- BRKCOL-3009: Troubleshooting UCM Calling in Webex App Like a TAC Engineer
- BRKCOL-3117: Troubleshooting Webex Authentication and Provisioning

* If you missed these sessions, access them from the [Cisco Live On-Demand Library](#)

Cisco Live On-Demand

Past Collaboration Sessions

Cisco Live:
On-Demand Library
(2024 Amsterdam,
2023 Melbourne)

On-Demand Library

Explore a free collection of on-demand sessions from our global Cisco Live events.

Filters

Clear

Collaboration x

2024 Amsterdam x

2023 Melbourne x

Search

Q

76 sessions

2024 Amsterdam

Event

☒ 2024 Amsterdam
 ☒ 2023 Melbourne
 ☐ 2023 Las Vegas
 ☐ 2023 Amsterdam
 ☐ 2022 Melbourne
 ☐ 2022 Las Vegas
 ☐ 2021 Digital
 ☐ 2020 Digital APJC
 ☐ 2020 Digital

Agile Management of Webex Calling - There's an API for that - BRKCOL-3015

Event: 2024 Amsterdam

Johannes Krohn, Principal Technical Marketing Engineer, Cisco Systems, Inc. - **Hall of Fame Elite Speaker**

Webex Calling offers a number of ways to manage the solution. Individual configuration of characteristics in Control Hub complemented by bulk provisioning of features and finally: public Webex APIs. The session covers everything from brief...

Show more

Authentication, Authorization and Provisioning for Cisco Collaboration - BRKCOL-2007

Event: 2024 Amsterdam

Cisco Live Collaboration Learning Maps

<https://www.ciscolive.com/emea/learn/technical-education/learning-maps/collaboration.html>

Cisco Contact Center & CPaaS

Learn about Webex Contact Center and Webex Connect and how both revolutionize the customer experience. Understand how digital channels, AI and APIs can be used to optimize the customer experience for both Cloud and premise solutions as well as the transitioning from premise contact center to the cloud.

[Explore Learning Map](#)

Cloud Collaboration Design and Deployment

Learn about the design and deployment aspects of Webex Calling and Webex Contact Center for those who want to expand their knowledge from beginner to expert.

[Explore Learning Map](#)

Collaboration Infrastructure and Security

Learn about core collaboration technical concepts, privacy, security, identity for beginners and experts alike, discussing concepts, provisioning and zero trust models for anyone who is looking for a better understanding of Collaboration concepts.

[Explore Learning Map](#)

Collaboration Migration to the Cloud

Learn about migration options, design and best practices for migrating Collaboration workloads to the cloud.

[Explore Learning Map](#)

Collaboration Solutions and Integrations

Learn about Collaboration solutions, innovation, workspace design, integration with Cisco Meraki/Security/Visibility platforms as well as 3rd parties, and application design.

[Explore Learning Map](#)

The Power of AI in Collaboration

Learn how applying AI technologies responsibly in collaboration solutions improves the user and end customer experience, increases agent and knowledge worker productivity, and makes users more productive.

[Explore Learning Map](#)

Meetings and Video Design, Troubleshooting, and Endpoints

Learn about cloud meetings best practices, integrations with corporate services and other meeting platforms, vertical use cases, video endpoints and customization, offering a holistic overview of meeting and endpoint design.

[Explore Learning Map](#)



Collaboration Migration to the Cloud

Learn about migration options, design and best practices for migrating Collaboration workloads to the cloud.

[Download Learning Map](#)

START

Monday, June 3 | 9:30 a.m.
[BRKCOL-2062](#)
Best Practices for a Successful Migration from Jabber to the Webex App

Monday, June 3 | 1:00 p.m.
[BRKCOL-2491](#)
Successful Migrations from Unified CM to Webex Calling

Tuesday, June 4 | 10:30 a.m.
[BRKCOL-2064](#)
Migrating IP phones from Unified Communications Manager (on-premises) to Webex Calling (cloud) by a TAC Engineer

Tuesday, June 4 | 2:30 p.m.
[BRKCOL-2094](#)
Webex Edge Connect Design and Deployment for Webex Meetings and Calling and Dedicated Instance

Wednesday, June 5 | 10:30 a.m.
[IBOCOL-2010](#)
Cloud Connected UC: The Bridge to Migrate Your On-Premises Solution to Webex Calling

Thursday, June 6 | 9:30 a.m.
[IBOCOL-2420](#)
Calling Migrations: an Interactive Session to Share Experiences, Ideas, Solutions, and Best Practices

FINISH

Thursday, June 6 | 1:00 p.m.
[BRKCOL-1020](#)
Migrating the Premise Contact Center to the Cloud



The bridge to possible

Thank you

CISCO *Live!*

#CiscoLive