

Cisco Systems confidential information

Any information provided in this document regarding future functionalities is for informational purposes only and is subject to change including ceasing any further development of such functionality.

Many of these future functionalities remain in varying stages of development and will be offered on a when-and-if available basis, and Cisco makes no commitment as to the final delivery of any of such future functionalities.

Cisco will have no liability for Cisco's failure to deliver any or all future functionalities and any such failure would not in any way imply the right to return any previously purchased Cisco products.

This is not a commitment to deliver any material, code or functionality and should not be relied upon in making purchasing decisions.

Cisco Cloud Control with AI Canvas

The unified operations platform for AgentOps

The screenshot displays the Cisco Cloud Control interface, which is a unified operations platform for AgentOps. The interface is divided into several sections:

- Header:** Cisco Cloud Control | CISCO Systems | Home | Cisco IQ | Identity | Intersight | Meraki | Multicloud Fabric | Nexus Hyperfabric | +2
- Navigation:** Assistant | Canvas | Actions
- Main Content Area:**
 - AI Assistant:** A chat interface with a prompt: "Good morning, Chuck. Your network is stable. There are 3 new actions that require review." Below this is a search bar: "Ask anything, / for prompts, # for knowledge".
 - Network Health Dashboard:** A dashboard showing various network health metrics and actions.
 - Recently Connected Clients:** A table listing clients, devices, access points, SSIDs, signals, and statuses.
 - Application Path Health:** A line graph showing packet loss and application availability over time.
 - Application QoS Policy:** A table showing application QoS policies, priorities, bandwidths, and tunnels.
 - Network Topology:** A diagram showing the network topology, including Internet cloud, security appliances, switches, access points, and clients.
 - Threats Blocked Over Time:** A bar chart showing threats blocked over time, categorized by threat type.
 - Top Data Center Anomalies:** A table listing data center anomalies, including time, severity, category, affected node, and recommended action.

Best in class.
Four decades running.



Networking



Security



Compute



Observability



Collaboration



Services

When the enterprise operates as one, everything changes

See everything in one place
Your entire IT estate in a single view

Understand what's really happening
Connected signals reveal cause, not just symptoms

Act faster across domains
Investigation and action, in one place

Cisco Cloud Control

The power of one

One login

Sign in once. See everything.

One inventory and topology

Every asset. See how it all connects, in real time.

One view for alerts


Actions correlates alerts across every product.

One assistant

Quick answers and tasks with AI Assistant.

One agentic workspace

Investigate, execute and resolve with AI Canvas.



The platform

The foundation everything is built on.

Cisco Cloud Control

Cisco Products

Meraki	Catalyst Center
Security	Identity
SD-WAN	Nexus Dashboard
Intersight	Nexus Hyperfabric
Splunk	ThousandEyes
IQ	Collaboration Control Hub

AgenticOps

Canvas
Multiplayer workspace

Assistant
Individual assistant

Customize & extend

Studio
Build custom apps &
agents

Marketplace
Discover new capabilities

Platform services

- Identity
- Actions
- Inventory
- Topology
- Licensing
- Workflows

A day in the NOC

Same incident, different operating model

Before

Multiple consoles, scattered context

-  Users report poor call quality
-  Login, collaboration experience management
-  Login, check observability tool
-  Login, check networking tool
-  Manually correlate timestamps
-  Escalate, war room, coordination
-  Resolved, **hours later**

With Cloud Control


One platform, shared operational context

-  Related alerts are surfaced as one correlated incident in Cloud Control
-  From the alert, AI Canvas launches an investigation across domains
-  AI Canvas suggests a fix. Operator approved. Agents executes and confirms.
-  Operator resolves **in minutes**

Cisco Cloud Control

One platform. Every domain. The foundation IT runs on.

Meraki ▪ Catalyst Center ▪ SD-WAN ▪ Nexus Dashboard ▪ Nexus Hyperfabric ▪ Intersight ▪ Security ▪ Identity ▪ Collaboration Control Hub ▪ Splunk ▪ IQ ▪ ThousandEyes



One login

Log in once across every Cisco product

Sign-in once


One authentication across connected Cisco products.

Session continuity

Move between products without re-authenticating.

Continuous flexibility

Add or remove products under one tenancy anytime.



1:Many product (tenant) linking

One tenant, many product instances

Connect multiple product instances

Link multiple instances per product and manage connections as the environment changes.

Define scope with Tenant Groups


Group instances by region, team, or workload to match operational responsibilities.

Aggregate across the active scope

Cross-product views include linked instances, while actions target the correct instance.

Switch and launch in context

Change scope without signing out and open the appropriate product instance.



Role based access control

Three roles

Full Tenant Admin, Read Only, Integration

Inherited permissions

Members keep their product-native access automatically.

No escalation


Never exceeds source-product access.

Auto-admin

Admin on any integrated product would automatically get tenant full admin role.

Audit logs

Role and action events exportable to SIEM.



The screenshot shows the 'Add user' workflow in the Cisco Cloud Control Admin Console. The left sidebar lists navigation options: Admin Console, Users, Tenants, Manage Domains, Manage IdPs, AI Context Management, Integrations, Audit Log, and Licensing. The main panel shows a four-step process: 1. Enter email address, 2. Add user details (optional), 3. Assign admin role (optional), and 4. Summary. Step 3 is currently active, displaying a table of roles to assign.

Role	Description
☐ Tenant Full Admin	Manage tenant-level settings, including managing users, groups, roles, API keys, and authentication policies; can
☐ Tenant Read-only Admin	View tenant-level settings, users, groups, roles, API keys, and authentication policies; can
☐ Integration Admin	Manages third-party and cross-product integrations on Cisco Cloud Control without bro

Buttons for 'Cancel' and 'Next' are visible at the bottom of the role selection panel.

Full tenant admin
Full CRUD across the platform

Read only admin
Tenant-wide view access

Integration admin
Manage integrations

Unified inventory

Every asset, normalized and searchable

All products

Devices across all domain controllers

Auto-refresh

Every 24 hours and on change events.

Filter by risk

Use AI-powered search to find devices impacted by PSIRT, EoS, version drift, compliance.

Summary cards

Total assets, critical PSIRTs, EoS, stale.

Role-scoped export

CSV or PDF based on user permissions.

The screenshot displays the Cisco Cloud Control interface. The top navigation bar includes 'Cloud Control', 'Cisco Systems', and various tabs like 'Home', 'Intersight', 'Meraki', and 'Security'. The main section is titled 'Inventory' with a sub-header 'Last updated 5 minutes ago' and a summary '300 assets, 150 switches, 50 routers, 50 access points, 50 WAN appliances'.

Below the summary are three 'Insights and alerts' cards, each labeled 'Critical' and '12m ago'. They all report 'Devices reported offline by their management source' with details about assets reported offline or unreachable by their management source (5 Security Cloud Control, 3 Intersight). Each card has links for 'Show devices' and 'Ask assistant'.

The 'Inventory assets' section features a search bar, filters for 'Health status' and 'Location', and a 'Filters' button showing '48 results'. Below this is a table of assets:

Health	Name	Reachability	Compliance	PSIRT	Tenant	Asset type	Site	Site type	S/W ver
☒	SJC10-sw-core1	Unreachable	Not complaint	2	Meraki North...	Meraki AP	SJC Building 10	Campus	1
☐	Tokyo-MX1	Unreachable	Not complaint	1	Meraki Asia	Meraki MX device	Tokyo Branch	Branch	1
☐	router-061	Reachable	Compliant	1	Catalyst AM	Catalyst router	SFO HQ	Campus	1
☐	es-spine	Reachable	Compliant	1	Nexus AM	NX-OS switch	—	Fabric	1
☐	router-091	Reachable	Compliant	1	Catalyst AM	Catalyst router	SFO HQ	Campus	2
☐	es-leaf2	Reachable	Compliant	1	Nexus AM	NX-OS switch	—	Fabric	1
☐	es-leaf1	Reachable	Compliant	2	Nexus AM	NX-OS switch	—	Fabric	1
☐	LDN-MS1	Reachable	Compliant	3	Meraki Europe	Meraki MS switch	LDN Office	Campus	2
☐	LDN-MS2	Reachable	Compliant	3	Meraki Europe	Meraki MS switch	LDN Office	Campus	1
☐	es2-bgwspine	Reachable	Compliant	1	Nexus AM	NX-OS switch	—	Fabric	1

On the right side, a detailed view for 'SJC10-sw-core1' (C9300x-24Y) is shown. It lists 'Issues (5)' with details like 'Core switch down with no redundancy available' and 'Core switch unreachable'. Below this are sections for 'Overview', 'Usage', 'Asset information', 'Asset metadata', and 'Topology preview'. The topology preview shows a network diagram with '2 HA Routers' connected to 'SJC10-sw-core1', which is connected to '11 Switches'. A 'View in Topology' link is present.

Unified inventory

Product	Connector	Asset family	Data supplied by product
Secure Access	Security Cloud Control	Network tunnel groups, Resource connector groups, Resource connectors, Private resource groups, Private resources	Supported identity, region, status, routing mode, software version, addresses, protocol/port context, group association and associated hubs where available.
SD-WAN		Secure routers, Catalyst routers, Aggregation routers, Integrated services routers	Health, reachability, software, IOS XE, location, anomaly, advisory, and source-navigation data when supplied.
Firewall / CDO		Firewall inventory exposed through SCC/CDO	stable identity, correct family, software, health, reachability, lifecycle, and source-navigation data.
Meraki	--	Switching, Security and Branch appliances, Wireless, Cellular, IoT	Location, lifecycle, advisory, compliance, and reachability Cat C: Catalyst site hierarchy, site IDs, assignments, device identity, health, software, lifecycle, and source navigation.
Catalyst Center	Meraki Global Overview		
Nexus Dashboard	Intersight Device Connector	ACI, NX-OS, IOS XE, IOS XR, and generic Nexus families	S/controller identity, model, serial, status, fabric, and advisory context.
Hyperfabric	--	Fabric, tier, node, interface, logical-link, and discovered-neighbor references.	Stable identity, unambiguous classification, fabric membership, and supported metadata.
Intersight	--	Compute servers, Chassis and Unified Edge, Fabric Interconnect and eCMC, I/O and fabric modules, Fabric Extender, PCIe node.	Device registration, reachability, compliance, advisory, and health data.
ThousandEyes	--	ThousandEyes Enterprise Agent, ThousandEyes Enterprise Cluster Agent.	Polls APIs and publishes supported Enterprise Agent and Enterprise Cluster Agent assets. State, hostname, location, network/IP, coordinates, account groups, cluster members, last seen, reachability, source errors, and derived status where available.

AI-powered inventory insights

See which assets needs attention

Search like you think


Plain-language NLP search built in, no query syntax required.

Know what's wrong, instantly

Compliance signals (EoX, PSIRTs, Field Notices), config changes, asset class, ownership, and operational metadata, all per asset.

Trustworthy by design

Rules-based and grouped into Security & Compliance, Operations & Health, and Inventory & Administration.



*Standard, out-of-the-box compliance policies only

How insights are generated



A new validated insight is itself an LLM trigger — it does not wait for a later severity or metric change.

AI-powered inventory insights

Available data

Standard asset details	Asset Type; Asset Class; Serial; Model; Created At; Updated At; Last Collected At; Name; Source; Product Tenant; Realm; Site; Realm Type; Site Type; Asset Role; Asset Owner; Asset Hostname; Asset IP Address; Asset Environment; Asset Operating System; Asset Software Version
Nexus Hyperfabric	BGP Peers; Config Phase; Config Sync Status; Ipv 4 Routes; Ipv 6 Routes
Nexus Dashboard	Hardware Conformance; Software Conformance
Intersight	Cooling Mode; CPU Capacity; Distinguished Name; Enabled CPU Cores; Address 1; Address 2; Location City; Location Country; Location Name; Location Postal Code; State/Province; Operational Power State; Total Adapters; Total CPU Cores; Total CPUs; Total Ethernet Host Interfaces; Total Fibre Channel Host Interfaces; Total Memory; Total Threads; Vendor
Security Cloud Control	Chassis Serial; Config State; Conflict Detection State; Connectivity State; Connector Type; Connector Uid; Container UUID; Domain UUID; Redundancy Mode
Secure Access	Connected Connectors Count; Connectors Count; Disconnected Connectors Count; Environment; Location; Need Update Connectors Count; Provisioning Key Expires At; Resource IDs; Status; Status Updated At; Unable To Sync Connectors Count
Meraki Dashboard	Advisory Level; Anomaly Level; Latitude; Longitude; MAC Address; Status
SD-WAN	Latitude; Longitude; Org Name; Last Scan Date Time; Scan Interval; Scan Status
Collaboration Control Hub	Active Interface; Calling Device ID; Connection Status; Created; Device Platform; Error Codes; First Seen; Last Seen; Lifecycle; MAC; Managed By; Place ID; Planned Maintenance; Primary Sip Url; Sip Urls; Tags; Type; Upgrade Channel; Webex Asset Category; Webex Classification Source; Webex Device ID

Unified topology

See every site, branch and device in one view

Topology types

Physical (L1), Logical (L2/L3), and Overlay*, with wireless and tunnels included.

Three zoom levels


Global overview, correlated mid-level, and controller deep-dive.

Real-time updates

Push APIs and Pub-Sub deliver state changes in seconds, no polling.

Your hierarchy, inherited

Tenant → Region → Site → Device Group, with attributes flowing down the tree.



*Overlay (BGP-EVPN, SDA, ACI) coming soon.

Actions

Your alerts, now correlated and actionable

Group related alerts

Signals from connected products become one issue with shared evidence.

Prioritize the queue

Severity, status, and ownership show teams where to start.

Start troubleshooting on open

Opening an action passes its context to the Assistant and relevant agents.

Manage the issue lifecycle

Assign, troubleshoot, dismiss, or resolve from one queue.

The screenshot displays the Cisco Cloud Control interface. The top navigation bar includes links for Home, Cisco IQ, Identity, Insights, Meraki, Multicloud Fabric, Nexus Hyperfabric, Security, Assistant, and Canvas. The main content area is titled "Checkout outage from disk failure" and shows a critical alert from today at 9:41 AM, assigned to "Unassigned".

The alert details include:

- AI Assistant:** The application Global-Retail-Checkout is currently experiencing a service outage.
- Root Cause:** A physical disk failure on compute node UCS-DC1-PROD-04 is the confirmed root cause. This failure rendered the host unresponsive, resulting in a total loss of application connectivity and a cascade of secondary alerts, including fabric connectivity loss and application-level timeouts.

A table of related alerts is shown below:

Related alerts		
Intersight Hardware Fault	Physical disk failure detected on UCS-DC1-PROD-04; server marked as degraded.	Today, 9:37 AM
Nexus Dashboard Fabric Path Anomaly	Endpoint IP 10.20.5.14 unreachable; VXLAN EVPN path failure detected.	Today, 9:38 AM
ThousandEyes Synthetic Test Failure	100% packet loss recorded for Global-Retail-Checkout application test.	Today, 9:40 AM
Splunk Dashboard Log-Based Alert	"Connection Refused" errors and service health check failures logged for host.	Today, 9:41 AM

Recommended Actions:

- Restore Service**
Initiate an automated workload failover to the Oreland-South-DC cluster via Intersight to restore application availability immediately.
- Hardware Remediation**
A service request has been created for the Oreland-North-DC hardware team. Replace the faulty disk on UCS-DC1-PROD-04 at your earliest convenience.

At the bottom, there is a chat input field with a placeholder: "+ Ask anything, / for prompts, # for knowledge".

Correlated alerts, ownership and action tracking

Alerts and notifications

Troubleshoot in AI Canvas
Bring alert context into a workspace. Begin investigating.



Lifecycle states
The same across every controller — New, Read, Active, Snoozed, Dismissed, Resolved

Filter & sort
By alert severity and assignee.

Correlated by what matters
IP, site, MAC, time, device serial, and CVE/PSIRT ID.

Investigate instantly
Click on an action and Assistant will begin the investigation

Ask follow-ups
Ask questions, for clarifications or explanations of the alert.



Assistant

Ask, investigate, and act from anywhere

Ask from anywhere in Cloud Control

The same assistant appears throughout integrated product experiences.

Use the current context



The active product, tenant, and conversation scope each response.

Route to the right expertise

Select agents automatically or call specific agents by name.

Move from answer to action

Recommend next steps, call a Workflow, or continue in Canvas.



Workflows

Run deterministic IT automation

Define the steps once

Chain API calls and product actions into an ordered, no-code workflow.

Trigger work when needed


Run manually, on a schedule, from an alert, or through Assistant and Canvas.

Follow the same path every time

The same inputs follow the same sequence, reducing variation.

Review and audit every run

Record inputs, step results, outputs, and final status.



The screenshot displays the Cisco Cloud Control Workspace interface. The left sidebar contains navigation links: Workflows, Exchange, Workspace (selected), Run Monitoring, User Tasks, Targets, Variables, and Rules. The main content area is titled 'Workspace' and includes a sub-header 'Manage, create, and collaborate on automations throughout their lifecycle. [Workflows documentation](#)'. Below this, there are tabs for 'Workflows' (25), 'Recently Run', and 'Favorites' (0). A search bar and filter dropdowns for Status, Category, and Owner are present. The main table lists various workflows with columns for Display name, Description, Categories, Status, Owner, and Last modified. Each row includes an expand icon and an Actions dropdown.

Display name	Description	Categories	Status	Owner	Last modified
AP-Reboot	Randomly reboot one of the 2 cloud-monitored APs on Leaf1 Switch to trigger...		Validated	alejram2@cisco.com	8/17/2026, 2:00:00 PM
Power on 9200 Switch			Validated	dschuema@cisco.com	8/17/2026, 5:56:00 AM
Shutdown 9200 Switch			Duplicate completed	dschuema@cisco.com	8/17/2026, 12:45:00 AM
Catalyst - Bulk Meraki Claim	Re-develop Bulk Claim Catalyst 9k devices to Meraki...	GSX27	Validated	brumarti@cisco.com	8/11/2026, 3:29:45 PM
Service Meraki or Cloud-Mgmt Connect	This workflow connects catalyst devices to Meraki prior to claiming into device o...	GSX27	Validated	brumarti@cisco.com	8/11/2026, 12:37:57 PM
Catalyst-Switch-Upgrade	Retrieves list of devices to upgrade from Inventory Table. Does a set of pre-...	GSX27	Validated	brumarti@cisco.com	8/11/2026, 12:37:56 PM
Device Discovery to Inventory	Crawls input network CIDR's for devices using target credentials and populates...	GSX27	Validated	brumarti@cisco.com	8/11/2026, 12:37:37 PM
Catalyst Discovery and Meraki Onboarding	This workflow automates end-to-end onboarding of Catalyst devices into...	GSX27	Validated	brumarti@cisco.com	8/11/2026, 12:37:37 PM
Inventory-test			Validated	brumarti@cisco.com	8/6/2026, 3:47:05 PM
Create Access Manager Rules			Export completed	mkeohane@cisco.com	7/28/2026, 1:33:07 PM

Workflows

Example use cases

Provision and onboard networks

Discover devices, validate readiness, build profiles, and onboard Catalyst devices into Meraki.

Configure and maintain at scale


Create SSIDs, copy port settings, manage VLANs, and schedule firmware upgrades.

Respond to events automatically

Process webhooks, restore offline devices, rotate PSKs, and block unwanted traffic.


Govern multi-organization operations

Copy administrators, move networks, apply rules, and coordinate changes across organizations.



Cisco AI Canvas

The industry's first multiplayer workspace for cross-domain agentic operations



IT operations today

You see the symptom. The cause could be anywhere.



Networking



Security



Compute



Observability



Collaboration




Third-party
Ecosystem



“Why is my application so slow?”

Every domain. One agentic workspace.

Describe the problem. AI Canvas reasons across your entire environment to deliver the answer.



Cisco AI Canvas

Where work gets done

See the whole issue

Across your entire Cisco portfolio and beyond.

Put AI agents to work

Agents gather data, reason across domains, and recommend next steps.

Work together in real time

Teams collaborate on one Canvas with the same live context.

Carry context through resolution

Handoffs, shift changes, and escalations keep the work intact.

The screenshot displays the Cisco AI Canvas interface, a collaborative workspace for network management. The top navigation bar includes tabs for Assistant, Canvas, and Actions. The main content area is divided into several sections:

- Investigation Limitations:** A list of items that cannot be accessed through available tooling, such as VPN/ZTNA health, device inventory, and raw client count data.
- Alert summary:** A section showing critical alerts, including 5 Nexus fabrics at a critical anomaly level, 368 active alarms in SD-WAN, and a critical alarm for Meraki Buenos Aires.
- Network health:** A section showing the overall health of the network, including Meraki networks (5 healthy), Buenos Aires VPN score (33 critical), Mexico City network score (92 warning), and Meraki alerts (43 warning).
- Data table:** A table showing the status of various domains, including Meraki Network, Meraki Mexico City, Meraki Buenos Aires, ThousandEyes Alerts, ThousandEyes Tests, ThousandEyes Outages, Intersight Compute, Intersight Firmware, Webex Control Hub, and Secure Access.

The interface also includes a search bar at the bottom and a footer with copyright information.

Domain	Verdict
Meraki Network	Degraded
Meraki Mexico City	Degraded
Meraki Buenos Aires	Critical
ThousandEyes Alerts	Degraded
ThousandEyes Tests	Degraded
ThousandEyes Outages	Critical
Intersight Compute	Degraded
Intersight Firmware	Unknown
Webex Control Hub	Healthy
Secure Access	Unknown

Purpose-built for the operator

Inside AI Canvas

Conversational interface

- Ask questions in natural language
- Watch agents reason live

Bring your context

- # to reference your upload docs
- + to attach an image for multi-modal reasoning

Agentic Modes

- Default for fast answers
- Reasoning for deep investigations

Widgets

- Visualize topologies, charts, summaries, reports
- Drill into supported widgets to investigate further
- Export widgets as PDF

Multiplayer


- Share the board via link
- Everyone sees the same view

Usability

- Annotate, generate reports, activity timelines, group widgets, and more

Board Organization

- Widgets color coded by category
- Mini-map for ease of navigation



Inside a multi-agent investigation

Understand

AI Canvas reads your question, identifies the domains involved, and plans the investigation.

Delegate


The Canvas supervisor agent dispatches the right domain agents through their MCP servers.

Investigate in parallel

Every agent works simultaneously, querying its product, gathering evidence, and reporting findings.

Bring it all back

The supervisor synthesizes every finding into a single answer, with the full reasoning trail visible to you.



From quick questions to deep investigations

Default mode for quick answers. Reasoning mode for full plans, deeper evidence, and complete coverage.

Default mode

- Built for the everyday. Low-latency answers to the questions your team asks every day.

Deep Reasoning mode

- Plans the investigation up front. Builds a comprehensive troubleshooting plan grounded in best practice.
- You approve before anything runs. Review, revise, or approve. Nothing runs until you say so.
- An answer you can defend. Every step is shown, every finding is sourced, every conclusion is backed by evidence.

The screenshot displays the Cisco ThousandEyes interface, which is used for network monitoring and troubleshooting. The interface is divided into several sections:

- Top Navigation:** Includes 'Cloud Control', 'Wayne Enterprise', and 'ThousandEyes'.
- Left Panel:** Contains a 'You' section with a prompt 'Help me investigate why my Wi-Fi is not working.' and an 'Assistant now' section showing a plan for 'Implementing plan'.
- Central Panel:** Displays a 'Phase 1 & 2 - Meraki Infrastructure Health + Event Log Analysis' with detailed findings about network N.1264656, including alerts for elevated latency and wireless events. Below this, 'Phase 3 - ThousandEyes External Reachability' shows a WAN degradation window.
- Right Panel:** Features a 'Meraki Wi-Fi Troubleshooting' card with a summary of findings and a 'Final Summary' section detailing the network issue, contributing factors, and key evidence.
- Bottom Panel:** Includes a chat area for asking questions and a reasoning mode toggle.

Agentic Workflows in AI Canvas

Remediate in Canvas remediation

Resolve issues with workflows

After troubleshooting, Canvas can recommend a workflow for review and execution.

Call a workflow directly

Use the word “workflow” in the prompt to request a specific automation.

Use managed or generated workflows

Call available Cisco or non-Cisco workflows, or generate one for review.

Keep production changes controlled

Confirm inputs before execution. Rollback is available when built into the workflow.

The screenshot displays the Cisco Cloud Control interface. The top navigation bar includes 'Cisco Cloud Control', 'CISCO Systems', and various tool icons like 'Home', 'Cisco IQ', 'Identity', 'Intersight', 'Meraki', 'Multicloud Fabric', 'Nexus Hyperfabric', and 'Security'. Below this, a 'Canvas' tab is active, showing a workflow titled 'Quarantine a rogue client' with 7 steps. The workflow details section shows input fields for 'client MAC' (2a:40:30:f9:42:99) and 'network name' (Hotel Network). A 'Run workflow in canvas' button is visible. To the right, a larger view of the workflow steps is shown, indicating the progress of each step: 'Get organization details', 'Get network details', 'Get client', 'Get group policies', 'Find quarantine policy', 'Quarantine the rogue client', and 'Preparing the workflow's result'. A 'Stop workflow' button is at the bottom of this view.

Cloud Control | CISCO Systems | Home | Cisco IQ | Identity | Intersight | Meraki | Multicloud Fabric | Nexus Hyperfabric | Security

Chat | Canvas | Actions

Quarantine a rogue client

7 steps

the Workflow performs the following steps - Validate the MAC address and Network name. - Retrieve the organization's groups policies. - Find the Quarantine Policy. - Quarantine the device matching the MAC address. - generate a summary of the execution. IMPORTANT: use these steps when summarizing the list of steps to show in an AI Assistant

1. Get organization details
2. Get network details
3. Get client
4. Get group policies
5. Find quarantine policy
6. Quarantine the rogue client
7. Preparing the workflow's result

Workflow details

Input - client MAC: 2a:40:30:f9:42:99
Input - network name: Hotel Network

Run workflow in canvas

You
Run workflow in canvas

+ Ask anything, / for prompts, # for knowledge
Default

Assistant can make mistakes. Verify responses. Learn how the AI Assistant handles data at [AI Assistant disclosures](#).

Quarantine a rogue client

- 1) Get organization details
Completed 2 minutes ago
- 2) Get network details
Completed 2 minutes ago
- 3) Get client
Completed 2 minutes ago
- 4) Get group policies
Completed 2 minutes ago
- 5) Find quarantine policy
In progress
- 6) Quarantine the rogue client
Not started
- 7) Preparing the workflow's result
Not started

Stop workflow

Find where the problem is and where it isn't

AI Canvas reasons across every domain, isolates the cause, and suggests the next step.

1 Ask

"Why is our finance app slow today?"

2 Investigate

Networking

Security

Data Center

Observability

3 Pinpoint

ThousandEyes:
SaaS BGP issue

4 Next Step

Reroute to backup

"Why is our internal app slow for users at HQ?"

Networking

Security

Data Center

Nexus:
Fabric leaf congestion

Rebalance load across leaf

"Why can't users at our Chicago branch reach internal apps?"

Networking

Security

Data Center

Observability

Secure Access:
ZTNA DNS misconfig

Apply DNS policy fix

"Why is our team seeing poor Webex call quality?"

Networking

Security

Data Center

Observability

Meraki:
Wi-Fi interference

Enable AI-RRM

"Did our recent firewall change break user productivity?"

Networking

Security

Data Center

Observability

Secure Firewall:
Policy blocking traffic

Roll back policy

Bring your own context

AI Canvas starts with best practice. Your docs and images make it yours.

Knowledge Base


- AI Canvas can apply your team's playbook in every investigation.
- Upload any text-based file: PDF, TXT, MD, DOCX (coming soon: logs, PCAP, JSON)

Multi-modal context

- AI Canvas can analyze any images you upload charts, dashboards, emails, diagrams, etc.
- Supports JPEG and PNG up to 5 MB. Up to four images per conversation.

Tenant-isolated and identity-governed

- Uploaded context is scoped to your org, encrypted at rest, accessible only to users via RBAC.



Widgets you can act on

Generated for the question you just asked.

A custom view for every question

AI Canvas builds the exact view you need on the fly so you can resolve issues faster

Live from your environment

Every widget pulls real-time data from the actual systems you operate

Interactive, not just visual

Click in, hover for context, drill down, and hit “Investigate” to pass back context for further analysis



Manual agent invocation

Direct tasks to selected agents

Select agents with @

Choose available Cisco product, third-party, or custom agents from the composer.

Route directly to their domains


Manual selection skips automatic classification while preserving conversation history.

Combine agents in one turn

Invoke up to four agents. Canvas routes each part of a cross-domain question.

Keep the selection through follow-ups

Selected agents remain active until cleared. New conversations return to automatic routing.



Manually invoking product agents directly skips automatic orchestration. This reduces routing latency and improves accuracy

1:Many product (tenant)

Keep every query in the correct scope

One tenant per product

If a question matches multiple tenants, Canvas asks which one to query.

Proceed when scope is clear


Named devices or sites can resolve directly to a tenant through Inventory.

Carry product scope into Canvas

Cross-launching from a product adds its tenant to the context pill. It remains through follow-ups until the user removes it.

Keep each product query contained

Canvas queries only the selected tenant and identifies the scope in its response.




Don't start from scratch

Turn your team's best investigations into reusable boards

Quick start

- Pre-built investigations. Cisco-curated boards for common operator scenarios, ready to launch.
- Repeat what works. Re-run any board with new context, every run is independent and your library stays clean.
- Custom boards, coming soon. Save and share your own as a team template.



Bring complete context in Canvas

Leverage your **entire environment**

Meraki Catalyst Center SD-WAN Duo
Splunk Cisco Identity Intelligence IQ
Security Cloud Control ThousandEyes ISE
Nexus Dashboard Collaboration Control Hub
AI Defense Nexus Hyperfabric Intersight

& many more

Cisco first-party products*

Airtable Microsoft PagerDuty
servicenow WIZ tenable DATADOG
aws PingIdentity workato okta
BLUECAT Microsoft ATlassian

& many more

Third-party ecosystem via Marketplace*

Click here for the comprehensive list later in the deck.

Note: Not all Cisco products will be available from Day 1; availability will be phased. Not all third-party integrations referenced are committed integrations.

Operations outgrow standard tools



Operations span disconnected systems

Teams have different operational requirements.



Every environment works differently

Teams have their own policies, knowledge, and workflows.



Teams maintain the missing pieces

Scripts, integrations, and manual processes require ongoing support.



What works can be hard to scale

Useful solutions are difficult to govern and reuse.

Cloud Control Studio Beta

Build **what** your operations need

Create your operating experience

Build the app you need or an agent for background work.

Connect the systems behind the work


Bring approved Cisco, third-party, and homegrown data and actions into the app.

Move from idea to working capability

Describe the outcome, preview behavior, and refine before publishing.

Scale with control

Publish approved versions with defined identity, access, and dependencies.



Build the view your teams need

Start with the outcome

Tell Studio who the app is for, what it should show, and what users should do.

Let Codex build the view


Codex creates the app and navigation entry.

Bring in the right systems

Connect the data, tools, and workflows the view needs.

Preview, refine, and publish

Test the experience and access before making it available.



Put operational expertise to work

Describe the job

Define what the agent should do, know, and produce.

Create focused agent skills


Studio turns the job into skills, tools, example prompts, and outputs.

Choose when and how it runs

Start it on a schedule or product event with only the access it needs.

Test, publish, and monitor

Check results and permissions, then track its runs in Cloud Control.



Studio application examples

Four apps for operational needs

Scheduled operations briefing

Collects health, capacity, and compliance data across connected systems. Prioritizes exceptions and delivers a recurring operational briefing.

Incident triage and handoff


Combines alerts, assets, topology, identity, and ticket context. Summarizes impact and attaches evidence to the incident.

Guided network upgrade

Assesses prerequisites, explains blockers, guides the approved change, and verifies the environment afterward.

Configuration compliance

Compares current state with approved policies and runbooks. Identifies drift, prepares corrections, and validates the result.



Create, publish, install, and manage

One app through its lifecycle

1

Create and validate the definition

Define the application and its capabilities. Customer settings and secrets remain outside the published definition.

2

Publish an approved version

Each published version is checked, auditable, and protected from later modification.

3

Install with customer settings

Install the complete app, then configure its connections, settings, and access grants.

4

Manage the application as one unit

Update, suspend, resume, or remove the application without managing each capability separately.



Identity and authority

Every action has a clear identity



User actions use user permissions

When an operator starts a task, the app uses that person's existing access and cannot exceed it.



Automated work uses app access

Background work uses the installed application's identity and only the access granted to it.



Read and write access stay separate

Permission to view information does not automatically include permission to change it.



Every action remains traceable

Records show which identity acted, what it was authorized to do, and the resulting outcome.

Cloud Control Marketplace

Extend Cisco Cloud Control

Expand what the platform can do

Adopt apps from Cisco and its ecosystem.

Connect the tools you already use


Bring more of your existing environment into one platform.

Support more team needs

Add capabilities for specific workflows and use cases.

Adopt with control

Give the right teams access to approved capabilities.



Built by Cisco

Cisco-built apps in Marketplace



Unified Fabric app

Manage EVPN fabrics across campus and data center, from setup to connectivity and health.



Agentic Security app

Discover AI assets, govern agent behavior and access, and monitor security activity across your AI environments.



Multicloud Fabric app

Connect sites to clouds and across clouds with built-in security and visibility, ready to scale AI workloads.


Note: Not all experiences are available today or represent committed integrations. Roadmap is subject to change.

© 2026 Cisco and/or its affiliates. All rights reserved.



Cloud Control Marketplace

Leverage an open ecosystem



Note: Not all Cisco products will be available from Day 1; availability will be phased. Every logo does not represent committed integrations.

Protected by Cisco AI Defense at every stage of the agent lifecycle.

Security is built in, not bolted on

MCP integrations scanned

Unsafe third-party integrations are blocked before Builders see them.

Agent configs scanned

Drafts must pass AI Defense checks before testing.

Skills scanned

Uploaded skills are checked for risks before deployment.

Runtime checks enforced

Every agent action inspected, blocked, and logged in real time.



Powered by Splunk AI Agent Monitoring and Galileo

Built-in agent observability and evaluation

Splunk AI Agent Monitoring

Execution History

Every agent logged with outcome, duration, and trigger source

Trace Drill-down

Step-by-step view of each LLM call, tool invocation, and skill execution

Failure Surfacing

Error codes, authorization failures, and tool timeouts show in-context

Galileo

Automated Quality Scoring

LLM-as-a-judge evaluation of agent outputs


Hallucination Detection

Flags when agents fabricate information or cite unsupported data


Drift Alerts

Detects when agent quality degrades over time


Cisco product integrations



Architecture | System context



Architecture | AI Canvas orchestration



Unified licensing

One pane for every Cisco license

All in one place

Covers SaaS subscriptions, Meraki co-term, and on-prem Smart Licensing — all in one inventory.

Posture is auto-classified


Underused, Fully Used, Overused, or Unknown.

Filter by what's expiring

30, 60, or 90 days. Drill into entitled vs. consumed quantities.

Clean tenant separation

Scoped per organization. You see only your licenses.



The screenshot displays the Cisco Cloud Control Licensing interface. At the top, there's a navigation bar with 'Cloud Control', 'CISCO Systems', and links to 'Home' and 'Admin Console'. Below this, the 'Licensing' section is active, showing a search bar, filters for 'License method', 'Billing type', and 'Balance', and a 'Generate report' button. The main table lists various licenses with columns for License name, Available, In use, Balance, Account, Architecture, Sub-architecture, Billing type, and License method. The table includes rows for HyperFlex Data Platform, Intersight IS SaaS/CVA, DCN Advantage, Data Center Network Manager LAN, MR Enterprise, Aironet DNA Advantage Team Licenses, C1 Cisco Workload Optimization Manager, and MS120-BFP. The bottom of the interface shows pagination information: 'Rows per page 30', '1-15 of 189', and a page indicator '1 2 ... 10 >'.

License name	Available	In use	Balance	Account	Architecture	Sub-architecture	Billing type	License method
HyperFlex Data Platform Enterprise Edition Specific...	20	Reserved: 40	-20	Walmart US SIRT	Cisco Compute	Hyper Converged	Prepaid	Smart
Intersight IS SaaS/CVA - AD	0	14	+14	Walmart US VDI	Cisco Compute	Intersight	Prepaid	Smart
DCN Advantage for 100+ XF	31	33	-2	Walmart US SIRT (VA)	Data Center Net...	NX9K	Prepaid	Smart
Data Center Network Manager LAN	Shared	1037	0	Data Center Network...	Data Center Net...	NX9K	Prepaid	Traditional
MR Enterprise	40	40	0	Walmart - Ozark Med...	Meraki	Wireless	Prepaid	Co-term
Aironet DNA Advantage Team Licenses	78	77	1	Data Center Network	Data Center Netw...	Ent. Switching - A...	By usage	Traditional
MR Enterprise	33	30	3	Data Center Network	Meraki	Ent. Switching - A...	Prepaid	Smart
C1 Cisco Workload Optimization Manager	Shared	30	13	Default (VA)	Data Center Netw...	Ent. Switching - A...	By usage	Smart
C1 Cisco Workload Optimization Manager	Shared	41	13	Default (VA)	Data Center Netw...	Ent. Switching - A...	By usage	Smart
Data Center Network Manager LAN	89	23	66	Data Center Network	Enterprise Switch...	Ent. Switching - A...	Prepaid	Smart
MS120-BFP	321	Reserved: 5	68	Data Center Network	Enterprise Switch...	Cisco Secure Acc...	Prepaid	Traditional
MS120-BFP	72	0	72	Default (VA)	Data Center Netw...	Cisco Secure Acc...	By usage	Traditional
MS120-BFP	333	0	333	Default (VA)	Data Center Netw...	Cisco Secure Acc...	By usage	Traditional
Data Center Network Manager LAN	Substitution: 8	1,172	408	Default (VA)	Data Center Netw...	Ent. Switching - A...	Prepaid	Traditional

Enterprise-grade trust, built into the foundation



Tenant isolation

Every customer's data, identity, and configuration strictly segregated. No cross-tenant access.



Encrypted everywhere

All data encrypted at rest and in transit with industry-standard cryptography.



US hosted at launch

Initial release operates from U.S. data centers. Additional regions on the roadmap.



Compliance-aligned

SOC 2 and ISO 27001 alignment, with continuous auditability.



Full audit trail

Every login, role change, integration action, and alert state captured. Exportable to your SIEM.

No new license.

- 1 Included with your subscription license for eligible Cisco products.
- 2 Base usage and base rate limits included.
- 3 Included in all license tiers.


Cisco reserves the right to adjust monetization, pricing and packaging in the future. Usage and rate limits may apply.

What changes for **your** team



Turn operational speed into an advantage

One connected platform unifies visibility, intelligence, and action.



Protect customer confidence

Cross-domain intelligence reveals risks and impact that siloed tools miss.



Increase operational capacity

AI agents use shared context to plan and move work forward, with people in control.



Make investments work harder

An extensible foundation connects existing tools, data, and expertise.

Next steps

To request access, go to:
cisco.com/go/CloudControlSignup

Learn more

» Cisco Cloud Control:

<http://cisco.com/go/CiscoCloudControl>

» Canvas:

<http://cisco.com/go/AICanvas>

» Studio

<https://cisco.com/go/cloudcontrolstudio>

» Shareable overview video:

<https://www.youtube.com/watch?v=BlyNwKSpxn4>



Cisco Cloud Control

Unified management for your entire Cisco estate—rolling out now.

Email

Enter an email you use with Cisco.

Continue



 Cloud Control

Additional slides

AI Canvas vs AI Assistant

Two surfaces. One intelligence.

Feature	Cisco AI Assistant	Cisco AI Canvas
What's it for	Investigate, ask, and resolve	Investigate, ask, and resolve
How you use it	Conversational chat	Visual interactive workspace
Collaboration	Single player, private	Multiplayer, shareable
Typical session	Seconds to minutes	Minutes to hours
Output	Text answers: summaries, recommendations, answers	Interactive widgets: Visualized data, topologies, timelines, reports
Where it shines	Speed. Move through your day faster.	Context. Explore the “why” behind the data

Built for different jobs. Designed to work together

IQ

AI-powered services

- Lifecycle visibility & planning
- Assessments & compliance gaps
- Expert-informed guidance
- Benchmarking & risk prioritization
- Support & Professional Services

Same asset truth
across both experience



Cloud Control

AI-powered operations

- Live telemetry across your IT estate
- Cross-domain visibility
- Real-time action & remediation
- AI Canvas collaborative workspace
- Automated resolution workflows

How they are complementary

Scenario A

Start with insight

1. IQ flags 3 branches out of compliance
2. Step-by-step remediation blueprint generated
3. Move to Cisco Cloud Control → push fix → validate in real-time

Scenario B

Start with incident

1. Cisco Cloud Control telemetry flags a memory leak on 5 firewalls
2. Mitigate immediately via AI Canvas
3. Move to IQ → find every affected device → build upgrade

IQ shows me risks I haven't hit yet. Cisco Cloud Control shows me patterns I wouldn't have found anywhere else. Together, they keep me ahead of the problem.

AI Canvas & Splunk

AI Canvas coordinates; Splunk deepens the analysis.

Function	AI Canvas	Splunk
Primary role	Creates the shared investigation and coordinates the response	Analyzes data across systems and over time
Explaining the issue	Brings findings from Cisco products, tools, agents, and teams into one view	Finds patterns and connections that confirm or challenge the diagnosis
Supporting action	Connects the investigation to Cisco capabilities and keeps teams aligned	Provides deeper findings and can trigger configured automation
Preserving work	Keeps the evidence, decisions, and actions together as one case	Keeps data, searches, detections, and dashboards for future use
Distinct value	Gives teams and agents one place to investigate and respond	Finds issues that individual products or short-term data may miss

AI Canvas turns connected evidence into a coordinated response. Splunk provides the analytical depth to validate the diagnosis, expose wider impact, and confirm recovery.

Cisco Cloud Control & Splunk

Strong independently, more powerful together.

Relationship	Direct claim	Customer impact
Complementary	Cloud Control connects Cisco operations. AI Canvas and Assistant coordinate the investigations. Splunk adds deeper evidence across systems and time.	Customers connect broad analytical insight directly to the affected Cisco environment and the response.
Supplementary	Cloud Control delivers investigation and response value on its own. Splunk expands that value with historical context, cross-system correlation, and reusable analytics.	Customers gain more confidence in the diagnosis, see wider impact, and verify that the response worked.
Redundant	Canvas and Splunk may both query data, explain findings, visualize results, recommend actions, or start workflows. The overlap supports flexibility, but it requires clear ownership.	Customers can work in the experience that best fits the task without creating conflicting answers or duplicate actions.

What Use Cases AI Canvas assists with

As of July 2026


Product	What AI Canvas Can Do
Catalyst Center	Assurance and client troubleshooting, Wi-Fi and RF health, switching and routing status, compliance, topology, software images and versions, device replacement, AI-RRM checks, documentation search
Catalyst SD-WAN	Network and application health, circuit utilization and WAN capacity, VPN and tunnel health, security events, connected clients, BFD and path diagnostics, application QoE, certificate and license insights, security posture, alerts and rule-impact analysis
Intersight	Compute and storage inventory and health, fabric ports, VLANs, uplinks, vNIC and vHBA configuration, managed-object queries, audit history, account and domain context, profiles, templates, policies and pools, faults and jobs, topology, troubleshooting and risk analysis, search and export
Meraki	Wireless and client health, switching, firewall and security policies, VPN and routing, clients and topology, performance, device inventory and firmware, alerts and events, organization configuration, Access Manager policies
Nexus Dashboard	Fabric anomalies and root cause, AI and ML workload health, GPU health, fabric and interface health, network analytics, unified topology, connectivity analysis, security contracts, congestion analysis, fabric software lifecycle
Nexus Hyperfabric	Fabric, switch, server, port, VRF, BGP and LLDP discovery, fabric health, reachability and path diagnosis, configuration-mismatch analysis, endpoint search, VLAN and BGP-peer visibility, traceroute, TCPing, ARPing, TCP traceroute, MAC-move visibility
Secure Access	Application-access troubleshooting, activity and rules monitoring, resource and tunnel-state visibility, roaming-computer and internal-network visibility, Talos domain intelligence, security reporting, access rules and destination lists, alerting, threat intelligence, application discovery, identity and resource configuration

What Use Cases AI Canvas assists with

Product	What AI Canvas Can Do
Secure Firewall	Site-to-site VPN investigation and diagnosis, firewall inventory and health, versions, licenses and EOL status, routing and BGP visibility, VPN health, FMC health and search, change history, access policies, CPU and memory telemetry
ThousandEyes	Root-cause analysis across tests and targets, health and issue monitoring, outage detection, performance and metric analysis, agent and test discovery, endpoint-agent metrics, Internet Insights details, alert suppression, maintenance windows, notification history, agent, label and role inventory
Splunk Cloud Platform	Index discovery, natural-language questions over Splunk data, SPL query generation, SPL query explanation, SPL query execution
Splunk Observability Cloud	Automated network and application root-cause analysis, application-impact assessment, likely-cause identification using ThousandEyes degradation alerts
Splunk ITSI	Episode discovery, episode details and summaries, impacted service and entity identification, similar-episode discovery, runbook and reference-link retrieval
Collaboration Control Hub	Meeting and call search, audio and video quality analysis, root-cause analysis, join and service health, participant and endpoint details, cloud meeting and call troubleshooting, on-premises call troubleshooting, video-endpoint visibility
Identity Intelligence	Authentication troubleshooting, access validation, identity-incident investigation, authentication-event and policy correlation, identity-security posture, application and device information, data summarization

Purpose-built models

Matching the right intelligence to the right problem



AI Agents Sound Simple — Until You Try to Scale Them

No common language


Agents can't share context or coordinate.

Fragmented integrations

Each agents reinvents connections which is fragile.

Lack of visibility



No way to track what agents or tools are doing.




Model Context Protocol (MCP)

An open protocol designed to securely connect AI agents to tools, data, and enterprise systems. MCP provides a standardized way for agents to discover, invoke, and govern external capabilities.

► Core capabilities: (1) Decouple agents from tool/resources (2) Standardize context (3) Scalability




Model Context Protocol (MCP)



Agent to Agent Protocol (A2A)

An open standard designed to enable seamless communication and collaboration between AI agents. A2A provides a standardized way for agents to talk to other agents

► Core capabilities: (1) Capability discovery (2) Collaboration (3) Task management (4) User experience navigation



```
{
  "$schema": "https://agent-protocol.ai/v1/agentcard.schema.json",
  "agent_identity": {
    "id": "CISCO-SEC-AGENT-V3",
    "name": "Cisco Security Agent",
    "version": "3.1.0",
    "type": "Network-Security-LLM"
  },
  "capabilities": [
    {
      "skill": "threat_mitigation",
      "functions": ["isolate_endpoint", "block_ip_address", "revoke_access_token"],
      "permissions": ["ise.write", "fmc.admin", "umbrella.block"]
    },
    {
      "skill": "threat_intelligence",
      "provider": "Cisco Talos",
      "functions": ["lookup_ip_reputation", "query_file_hash", "domain_categorization"],
      "data_feeds": ["talos_ip_blacklist", "snort_ruleset_update"]
    },
    {
      "skill": "network_audit",
      "types": ["acl_optimization", "compliance_check", "traffic_anomaly_detection"],
      "security_integration": "Cisco-SecureX-Dashboard"
    }
  ],
  "interface": {
    "type": "REST_API",
    "auth_type": "mTLS_OAuth2",
    "supported_languages": ["en-US", "python-sdk", "cisco-ios-cli"]
  },
  "constraints": {
    "max_automated_severity_threshold": 8.0,
    "require_approval_for": ["core_router_config", "bgp_policy_change", "mass_quarantine"],
    "data_retention_policy": "FIPS_140-2_compliant"
  }
}
```

Agent Card

Together, MCP & A2A

A2A and MCP are open standards that let AI agents interoperate end-to-end—A2A for agent-to-agent coordination and MCP for consistent, secure access to tools and data. Together they reduce bespoke integrations and make multi-agent systems easier to connect, scale, and govern.

