ECG Report Evaluation Summary

Reference pool (RTLP English translations, validated_by_human, placeholders excluded): 12040 records (of 16247 RTLP-covered, 239 excluded as placeholders). Records evaluated in this run: 30.

Aggregate scores (mean)

BLEU	ROUGE-1	ROUGE-2	ROUGE-L	BERTScore F1
0.63	0.067	0.003	0.049	0.725

Note: BLEU/ROUGE compare exact surface-form overlap with a much shorter, telegraphic reference report; BERTScore (semantic similarity) should be weighted more heavily - see evaluation_interpretation.md for the full caveat.

Worst-scoring records (by BERTScore F1)

record_id	BERTScore F1	Generated text	Reference report
13416_lr	0.663	The ECG analysis indicates a heart rate of approximately 69.5 bpm with a standard deviation of 1.2 bpm, and an average RR interval of 863.6 ms with a standard deviation of 14.9 ms. The mean QRS duration was 70.8 ms with a standard deviation of 28.7 ms. There is a 41% probability of myocardial infarc	sinus rhythm a-v block i left type
10220_lr	0.690	The ECG shows a normal rhythm with a mean heart rate of 64.8 bpm and a duration of 10 seconds. The QRS duration is approximately 58 ms, with a standard deviation of 15.4 ms. No ST/T changes were detected.	sinusrhythm normal ekg
16977_lr	0.691	The ECG trace duration is 10 seconds, with an estimated mean heart rate of 73 bpm and a RR interval of approximately 824 milliseconds. The QRS complexes are detected at a rate of 12 per second, with a mean QRS duration of 69.2 milliseconds, and a standard deviation of 38.4 milliseconds. The embeddin	sinus rhythm. minor non-specific st segment depression in v4,5,6.
17761_lr	0.696	The ECG analysis indicates a duration of 10 seconds, with 10 QRS complexes detected and an estimated mean heart rate of 59.7 bpm. The RR interval is 1006.7 ms long with a standard deviation of 33.3 ms, with a mean QRS duration of 75.0 ms and a standard deviation of 35.8 ms. An embedding model predic	sinusrhythm position type normal normal ecg
13896_lr	0.698	The ECG analysis reveals a duration of 10 seconds, with an estimated heart rate of 90.7 bpm and a mean RR interval of 661.4 ms. The QRS duration is approximately 52.7 ms, with a standard deviation of 4.4 ms. The model predicts a high probability of myocardial infarction (MI), while the probability o	sinus rhythm left electric shaft non-specific t-change

Best-scoring records (by BERTScore F1)

record_id	BERTScore F1	Generated text	Reference report
08838_lr	0.767	The ECG analysis indicates a normal rhythm with an estimated heart rate of 67 bpm, a mean RR interval of 892 ms and QRS duration of 100ms. The embedding models suggest a low probability of ST/T change, conduction disturbance or hypertrophy.	sinus rhythm left hypertrophy possible
16692_lr	0.760	The ECG analysis indicates a heart rate of approximately 67 bpm with a mean RR interval of 890 ms and a QRS duration around 67 milliseconds, along with an embedding probability suggesting a possible myocardial infarction.	sinus rhythm left type qrs (t) abnormal inferior infarct age indeterm.

08686_lr	0.757	The ECG analysis reveals an irregular rhythm with a mean heart rate of 81.6 bpm, and a RR interval duration of approximately 957 ms. The QRS duration is around 143.6 ms, with a standard deviation of 38.4 ms. The embedding model suggests a high probability (85%) of conduction disturbance, a moderate	rhythm is atrial tachycardia (rate = 190/min) with variable av block. premature ventricular contraction(s). non-specific intraventricular block.
04147_lr	0.755	The ECG analysis shows a rhythm with a mean heart rate of 63 bpm and an estimated duration of 10 seconds, with a normal embedding probability of 68%. The QRS duration is approximately 60 ms, which falls within the expected range. The presence of hypertrophic cardiomyopathy is only suspected.	sinus rhythm. prolonged pr interval. otherwise normal ecg.
08608_lr	0.752	The ECG tracing shows a duration of 10 seconds with 17 QRS complexes and an estimated mean heart rate of 102 bpm. The RR interval is approximately 587 ms with a standard deviation of 20 ms, indicating a slightly irregular rhythm. The QRS duration averages 122 ms with a standard deviation of 59 ms. A	sinus tachycardia location type normal qrs (t) abnormal anteroseptal infarct probably old inferior infarct probably old