



Documentation

1. Copy Folder db, nginx, php. serta file .env dan docker-compose .yml dari pert5 ke folder uts
2. ubah isi .envnya menjadi



```
1 COMPOSE_PROJECT_NAME=esgul
2 REPOSITORY_NAME=uts
3 IMAGE_TAG=latest
```

3. build docker dengan cara docker compose up -d --build



```
git commit -m "upload srs"
[main 440dd70] upload srs
 1 file changed, 0 insertions(+), 0 deletions(-)
 rename uts/analisa/{Software Requirements Specification (SRS).pdf => Software Requirements Specification (SRS) .pdf} (94%)

git push
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 12 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (10/10), 323.71 KiB | 1.19 MiB/s, done.
Total 10 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), completed with 2 local objects.
To github.com:Anraaa/pemweb.git
 c7aa270..440dd70 main -> main

~/Perkuliah/Semester 4/PemWeb/uts/analisa git:(main)±1 (0.007s)
..

~/Perkuliah/Semester 4/PemWeb/uts git:(main)±1 (0.008s)
mkdir docs

~/Perkuliah/Semester 4/PemWeb/uts git:(main)±1 (0.008s)
ls
analisa/ db/ docker-compose.yml docs/ nginx/ php/

~/Perkuliah/Semester 4/PemWeb/uts git:(main)±5
docker compose up -d --build
WARN[0000] /home/anraaa/Perkuliah/Semester 4/PemWeb/uts/docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] Building 0.0s (0/1)
[+] Running 0/1
[+] Building 1.5s (1/2)
=> [pemweb internal] load build definition from Dockerfile
=> => transferring dockerfile: 5.26kB
=> [pemweb internal] load metadata for docker.io/library/php:8.3-fpm
docker:desktop-linux
0.0s
0.0s
1.5s
```

```

~/Perkuliahann/Semester 4/PemWeb/uts git:(main)±5 (3.29s)
docker compose up -d --build
=> CACHED [pemweb 21/39] RUN chmod 0044 /etc/cron.d/laravel-schedule
=> CACHED [pemweb 22/39] ADD ./local.int /usr/local/etc/php/conf.d
=> CACHED [pemweb 23/39] RUN echo '#!/bin/bash\n/usr/local/bin/php /var/www/vendor/bin/dep "$@"' > /usr/bin/dep
=> CACHED [pemweb 24/39] RUN chmod +x /usr/bin/dep
=> CACHED [pemweb 25/39] RUN echo '#!/bin/bash\n/usr/local/bin/php /var/www/artisan "$@"' > /usr/bin/art
=> CACHED [pemweb 26/39] RUN chmod +x /usr/bin/art
=> CACHED [pemweb 27/39] RUN echo '#!/bin/bash\n/usr/local/bin/php /var/www/artisan migrate "$@"' > /usr/bin/migrate
=> CACHED [pemweb 28/39] RUN chmod +x /usr/bin/migrate
=> CACHED [pemweb 29/39] RUN echo '#!/bin/bash\n/usr/local/bin/php /var/www/artisan migrate:fresh --seed' > /usr/bin/fresh
=> CACHED [pemweb 30/39] RUN chmod +x /usr/bin/fresh
=> CACHED [pemweb 31/39] RUN echo '#!/bin/bash\n/usr/local/bin/php /var/www/artisan config:clear\nvar/www/vendor/bin/phpunit -d memory_limit=2G --stop-on-error --' > /usr/bin/test
=> CACHED [pemweb 32/39] RUN chmod +x /usr/bin/test
=> CACHED [pemweb 33/39] RUN echo '#!/bin/bash\n/usr/local/bin/php /var/www/artisan config:clear\nvar/www/vendor/bin/phpunit -d memory_limit=2G --stop-on-error --' > /usr/bin/phpunit
=> CACHED [pemweb 34/39] RUN chmod +x /usr/bin/phpunit
=> CACHED [pemweb 35/39] RUN rm -r /var/lib/apt/lists/*
=> CACHED [pemweb 36/39] WORKDIR /var/www
=> CACHED [pemweb 37/39] COPY ./docker-entrypoint.sh /usr/local/bin/
=> CACHED [pemweb 38/39] RUN chmod +x /usr/local/bin/docker-entrypoint.sh
=> CACHED [pemweb 39/39] RUN ln -s /usr/local/bin/docker-entrypoint.sh /
[+] [pemweb] exporting to image
=> exporting layers
=> writing image sha256:84c5d5c97523adbf68b28ef7b0c1577b7093be88f5056bfa412e95eee1a9efde
=> naming to docker.io/library/pemweb_php:latest
[+] [pemweb] resolving provenance for metadata file
[+] [nginx_pemweb internal] load build definition from Dockerfile
=> transferring dockerfile: 168B
[+] [nginx_pemweb internal] load metadata for docker.io/library/nginx:stable-alpine
[+] [nginx_pemweb internal] load .dockercfgignore
=> transferring context: 2B
[+] [nginx_pemweb 1/3] FROM docker.io/library/nginx:stable-alpine@sha256:aed99734248e851764f1f2146835ecad42b5f994081fa6631cc5d79240891ec9
=> CACHED [nginx_pemweb 2/3] RUN apk add --no-cache bash
=> CACHED [nginx_pemweb 3/3] RUN apk add --no-cache tzdata
[+] [nginx_pemweb] exporting to image
=> exporting layers
[+] Running 5/5image sha256:56514e31188bd2512b08ed161f741e6791de40e98bd168f9a76ea029aa137d61
✓ Service pemweb      Built
✓ Service nginx_pemweb Built
✓ Container db_pemweb Started
✓ Container pemweb    Started
✓ Container nginx_pemweb Started

~/Perkuliahann/Semester 4/PemWeb/uts git:(main)±5
docker compose ps

```

4. masuk ke bash dengan cara docker exec -it pemweb bash

```

~/Perkuliahann/Semester 4/PemWeb/uts git:(main)±5 (3.29s)
docker compose up -d --build
=> CACHED [pemweb 24/39] RUN chmod +x /usr/bin/dep
=> CACHED [pemweb 25/39] RUN echo '#!/bin/bash\n/usr/local/bin/php /var/www/artisan "$@"' > /usr/bin/art
=> CACHED [pemweb 26/39] RUN chmod +x /usr/bin/art
=> CACHED [pemweb 27/39] RUN echo '#!/bin/bash\n/usr/local/bin/php /var/www/artisan migrate "$@"' > /usr/bin/migrate
=> CACHED [pemweb 28/39] RUN chmod +x /usr/bin/migrate
=> CACHED [pemweb 29/39] RUN echo '#!/bin/bash\n/usr/local/bin/php /var/www/artisan migrate:fresh --seed' > /usr/bin/fresh
=> CACHED [pemweb 30/39] RUN chmod +x /usr/bin/fresh
=> CACHED [pemweb 31/39] RUN echo '#!/bin/bash\n/usr/local/bin/php /var/www/artisan config:clear\nvar/www/vendor/bin/phpunit -d memory_limit=2G --stop-on-error --' > /usr/bin/test
=> CACHED [pemweb 32/39] RUN chmod +x /usr/bin/test
=> CACHED [pemweb 33/39] RUN echo '#!/bin/bash\n/usr/local/bin/php /var/www/artisan config:clear\nvar/www/vendor/bin/phpunit -d memory_limit=2G --stop-on-error --' > /usr/bin/phpunit
=> CACHED [pemweb 34/39] RUN chmod +x /usr/bin/phpunit
=> CACHED [pemweb 35/39] RUN rm -r /var/lib/apt/lists/*
=> CACHED [pemweb 36/39] WORKDIR /var/www
=> CACHED [pemweb 37/39] COPY ./docker-entrypoint.sh /usr/local/bin/
=> CACHED [pemweb 38/39] RUN chmod +x /usr/local/bin/docker-entrypoint.sh
=> CACHED [pemweb 39/39] RUN ln -s /usr/local/bin/docker-entrypoint.sh /
[+] [pemweb] exporting to image
=> exporting layers
=> writing image sha256:84c5d5c97523adbf68b28ef7b0c1577b7093be88f5056bfa412e95eee1a9efde
=> naming to docker.io/library/pemweb_php:latest
[+] [pemweb] resolving provenance for metadata file
[+] [nginx_pemweb internal] load build definition from Dockerfile
=> transferring dockerfile: 168B
[+] [nginx_pemweb internal] load metadata for docker.io/library/nginx:stable-alpine
[+] [nginx_pemweb internal] load .dockercfgignore
=> transferring context: 2B
[+] [nginx_pemweb 1/3] FROM docker.io/library/nginx:stable-alpine@sha256:aed99734248e851764f1f2146835ecad42b5f994081fa6631cc5d79240891ec9
=> CACHED [nginx_pemweb 2/3] RUN apk add --no-cache bash
=> CACHED [nginx_pemweb 3/3] RUN apk add --no-cache tzdata
[+] [nginx_pemweb] exporting to image
=> exporting layers
[+] Running 5/5image sha256:56514e31188bd2512b08ed161f741e6791de40e98bd168f9a76ea029aa137d61
✓ Service pemweb      Built
✓ Service nginx_pemweb Built
✓ Container db_pemweb Started
✓ Container pemweb    Started
✓ Container nginx_pemweb Started

~/Perkuliahann/Semester 4/PemWeb/uts git:(main)±5
docker exec -it pemweb bash
root@pemweb:/var/www/html# Ctrl Shift I to generate


```

5. create project laravel filament (fila-starter kit) dengan cara composer create-project --prefer-dist raugadh/fila-starter .

```
docker exec -it permweb bash
root@permweb:/var/www/html# composer create-project --prefer-dist raugadh/fila-starter .
Creating a "raugadh/fila-starter" project at "./"
Installing raugadh/fila-starter (v2.1.1)
As there is no 'unzip' nor '7z' command installed zip files are being unpacked using the PHP zip extension.
This may cause invalid reports of corrupted archives. Besides, any UNIX permissions (e.g. executable) defined in the archives will be lost.
Installing 'unzip' or '7z' (21.0.1+) may remediate them.
- Downloading raugadh/fila-starter (v2.1.1)
```

6. Setelah fila-starter dibuat, konfigurasi .env didalam folder src/ seperti dibawah ini

7. Setelah itu migrasi agar database uts_pemwebnya dibuat



```

~/Perkuliahinan/Semester 4/PemWeb/uts git:(main)±5
docker exec -it pemweb bash
  public/css/filament/forms/form.css
  public/css/filament/support/support.css
  public/css/hasnayeen/themes/default.css
  public/css/hasnayeen/themes/dracula.css
  public/css/hasnayeen/themes/nord.css
  public/css/hasnayeen/themes/sunset.css
  public/css/JoaopauloIndev/filament-edit-profile/filament-edit-profile-styles.css
  public/css/nixplus/filament-progressbar/filament-progressbar-styles.css
  public/css/filament/filament/app.css

[INFO] Successfully published assets!
[INFO] Configuration cache cleared successfully.
[INFO] Route cache cleared successfully.
[INFO] Compiled views cleared successfully.
[INFO] Successfully upgraded!

118 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
Found 1 security vulnerability advisory affecting 1 package.
Run "composer audit" for a full list of advisories.
> @php artisan key:generate --ansi

[INFO] Application key set successfully.

> @php -r "file_exists('database/database.sqlite') || touch('database/database.sqlite');"
> @php artisan migrate --graceful --ansi


[WARN] SQLSTATE[HY000] [2002] Connection refused (Connection: mariadb, SQL: select exists (select 1 from information_schema.tables where table_schema = schema() and table_name = 'migrations' and table_type in ('BASE TABLE', 'SYSTEM VERSIONED')) as `exists`).

root@pemweb:/var/www/html# php artisan migrate
[WARN] The database 'uts_pemweb' does not exist on the 'mysql' connection.

Would you like to create it?
  • Yes / ○ No

```

8. lakukan perintah php artisan storage:link, php artisan key:generate serta atur izin akses dengan cara chown -R www-data:www-data storage/* dan chown -R www-data:www-data bootstrap/*



```

~/Perkuliahinan/Semester 4/PemWeb/uts git:(main)±5
docker exec -it pemweb bash
[INFO] Application key set successfully.

> @php -r "file_exists('database/database.sqlite') || touch('database/database.sqlite');"
> @php artisan migrate --graceful --ansi

[WARN] SQLSTATE[HY000] [2002] Connection refused (Connection: mariadb, SQL: select exists (select 1 from information_schema.tables where table_schema = schema() and table_name = 'migrations' and table_type in ('BASE TABLE', 'SYSTEM VERSIONED')) as `exists`).

root@pemweb:/var/www/html# php artisan migrate
[WARN] The database 'uts_pemweb' does not exist on the 'mysql' connection.

Would you like to create it?
  • Yes

[INFO] Preparing database.
Creating migration table ..... 19.03ms DONE
[INFO] Running migrations.

0001_01_000000_create_users_table 69.12ms DONE
0001_01_01_000001_create_cache_table 25.03ms DONE
0001_01_01_000002_create_jobs_table 58.39ms DONE
2025_04_12_082932_create_permission_tables 258.99ms DONE
2025_04_12_083218_create_activity_log_table 81.07ms DONE
2025_04_12_083219_add_event_column_to_activity_log_table 82.54ms DONE
2025_04_12_083220_add_batch_uuid_column_to_activity_log_table 28.31ms DONE
2025_04_12_083341_add_themes_settings_to_users_table 45.81ms DONE

root@pemweb:/var/www/html# php artisan storage:link
[INFO] The [public/storage] link has been connected to [storage/app/public].
root@pemweb:/var/www/html# php artisan key:generate
[INFO] Application key set successfully.

root@pemweb:/var/www/html# chown -R www-data:www-data storage/*
root@pemweb:/var/www/html# chown -R www-data:www-data bootstrap/*
root@pemweb:/var/www/html#

```

9. atur izin shield dengan cara php artisan shield:generate --all

```

Warpify subshell Ctrl + I
~/Perkuliahinan/Semester 4/PemWeb/uts git:(main)±5
docker exec -it pemweb bash

Would you like to create it? [Yes]
[INFO] Preparing database.
Creating migration table ..... 19.03ms DONE
[INFO] Running migrations.

0001_01_01_000000_create_users_table ..... 69.12ms DONE
0001_01_01_000001_create_cache_table ..... 25.03ms DONE
0001_01_01_000002_create_jobs_table ..... 58.39ms DONE
2025_04_12_082932_create_permission_tables ..... 258.99ms DONE
2025_04_12_083218_create_activity_log_table ..... 81.07ms DONE
2025_04_12_083219_add_event_column_to_activity_log_table ..... 82.54ms DONE
2025_04_12_083220_add_batch_uuid_column_to_activity_log_table ..... 28.31ms DONE
2025_04_12_083341_add_themes_settings_to_users_table ..... 45.81ms DONE

root@pemweb:/var/www/html# php artisan storage:link
[INFO] The [public/storage] link has been connected to [storage/app/public].
root@pemweb:/var/www/html# php artisan key:generate
[INFO] Application key set successfully.

root@pemweb:/var/www/html# chown -R www-data:www-data storage/*
root@pemweb:/var/www/html# chown -R www-data:www-data bootstrap/*
root@pemweb:/var/www/html# php artisan shield:generate --all
[INFO] The "--al" option does not exist.

root@pemweb:/var/www/html# php artisan shield:generate --all
[INFO] Which panel do you want to generate permissions/policies for?
> • admin

```

10. jalankan php artisan db:seed untuk data dummy pada akun admin (DatabaseSeedernya tidak diubah apa apa)

```

Warpify subshell Ctrl + I
~/Perkuliahinan/Semester 4/PemWeb/uts git:(main)±5
docker exec -it pemweb bash

+-----+-----+-----+
| # | Resource | Policy | Permissions |
+-----+-----+-----+
| 1 | Activity | ActivityPolicy.php | view_activity,
|   |           |          | view_any_activity,
|   |           |          | create_activity,
|   |           |          | update_activity,
|   |           |          | delete_activity,
|   |           |          | delete_any_activity |
| 2 | Role     | RolePolicy.php | view_role,
|   |           |          | view_any_role,
|   |           |          | create_role,
|   |           |          | update_role,
|   |           |          | delete_role,
|   |           |          | delete_any_role |
| 3 | User     | UserPolicy.php | view_user,
|   |           |          | view_any_user,
|   |           |          | create_user,
|   |           |          | update_user,
|   |           |          | delete_user,
|   |           |          | delete_any_user |
+-----+-----+-----+
[INFO] Successfully generated Page Permissions for:
+-----+-----+
| # | Page | Permission |
+-----+-----+
[INFO] Successfully generated Widget Permissions for:
+-----+-----+
| # | Widget | Permission |
+-----+-----+
| 1 | Awcodes\Overlook\Widgets\OverlookWidget | widget_OverlookWidget |
| 2 | App\Filament\Admin\Widgets\LatestAccessLogs | widget_LatestAccessLogs |
+-----+-----+
root@pemweb:/var/www/html# php artisan db:seed
[INFO] Seeding database.
root@pemweb:/var/www/html#

```

11. Testing login akun admin pada DatabaseSeeder.php pada localhost/admin/login

The screenshot shows a web application interface titled "ChieldHealth". On the left, there's a sidebar with a "Dashboard" button highlighted in blue. Under "Administration", there are three items: "Users" (with a count of 1), "Roles", and "Activity Log". The main content area has a title "Dashboard" and a section titled "Latest Access Logs". It lists the following events:

Type	Event	Description	User	Logged At
Access	Login	Admin logged in	Admin	May 19, 2025 15:48:51
Access	Login	Admin logged in	Admin	May 19, 2025 15:47:36
Resource	Created	User Created	User #1	May 19, 2025 15:47:24
Resource	Created	Role Created	Role #1	May 19, 2025 15:46:36

12. Generate model, seeder, dan migrasi yang diperlukan pada SRS

```
~/Perkuliahan/Semester 4/PemWeb/uts git:(main)±5
docker exec -it pemweb bash
# user@user: /userPolicy.php | view_user, view_any_user, create_user, update_user, delete_user, delete_any_user ✓
INFO Successfully generated Page Permissions for:
# | Page | Permission |
# | Widget | Permission |
INFO Successfully generated Widget Permissions for:
# | Widget | Permission |
1 | Awcodes\Overlook\Widgets\OverlookWidget | widget_OverlookWidget
2 | App\Filament\Admin\Widgets\LatestAccessLogs | widget_LatestAccessLogs
root@pemweb:/var/www/html# php artisan db:seed
INFO Seeding database.
root@pemweb:/var/www/html# php artisan make:model Pasien -ms
INFO Model [app/Models/Pasien.php] created successfully.
INFO Migration [database/migrations/2025_05_19_155058_create_pasiens_table.php] created successfully.
INFO Seeder [database/seeders/PasienSeeder.php] created successfully.
root@pemweb:/var/www/html# php artisan make:model Imunisasi -ms
INFO Model [app/Models/Imunisasi.php] created successfully.
INFO Migration [database/migrations/2025_05_19_155104_create_imunisasi_table.php] created successfully.
INFO Seeder [database/seeders/ImunisasiSeeder.php] created successfully.
root@pemweb:/var/www/html#
```

13. tambahkan role pada migrasi user

```

1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9     /**
10      * Run the migrations.
11      */
12     public function up(): void
13     {
14         Schema::create('users', function (Blueprint $table) {
15             $table->string('name');
16             $table->string('email')->unique();
17             $table->timestamp('email_verified_at')->nullable();
18             $table->enum('role', ['super_admin', 'petugas'])->default('petugas'); //update role disini
19             $table->string('password');
20             $table->rememberToken();
21             $table->timestamps();
22         });
23
24         Schema::create('password_reset_tokens', function (Blueprint $table) {
25             $table->string('email')->primary();
26             $table->string('token');
27             $table->timestamp('created_at')->nullable();
28         });
29
30         Schema::create('sessions', function (Blueprint $table) {
31             $table->string('id')->primary();
32             $table->foreign('user_id')->nullable()->index();
33             $table->text('user_agent')->nullable();
34             $table->longText('payload');
35             $table->integer('last_activity')->index();
36         });
37
38     }
39
40     /**
41      * Reverse the migrations.
42      */
43     public function down(): void
44     {
45         Schema::dropIfExists('users');
46         Schema::dropIfExists('password_reset_tokens');
47         Schema::dropIfExists('sessions');
48     }
49 }
50
51
52

```


14. lakukan php artisan migrate:fresh agar migrasi yang telah diubah akan terupdate

```

root@pemweb:~# docker exec -it pemweb bash
+-----+
root@pemweb:/var/www/html# php artisan db:seed
[INFO] Seeding database.
root@pemweb:/var/www/html# php artisan make:model Pasien -ms
[INFO] Model [app/Models/Pasien.php] created successfully.
[INFO] Migration [database/migrations/2025_05_19_155058_create_pasiens_table.php] created successfully.
[INFO] Seeder [database/seeders/PasienSeeder.php] created successfully.
root@pemweb:/var/www/html# php artisan make:model Imunisasi -ms
[INFO] Model [app/Models/Imunisasi.php] created successfully.
[INFO] Migration [database/migrations/2025_05_19_155104_create_imunisasi_table.php] created successfully.
[INFO] Seeder [database/seeders/ImunisasiSeeder.php] created successfully.
root@pemweb:/var/www/html# php artisan migrate:fresh
Dropping all tables ..... 115.18ms DONE
[INFO] Preparing database.
Creating migration table ..... 14.02ms DONE
[INFO] Running migrations.
0001_01_01_000000_create_users_table ..... 63.31ms DONE
0001_01_01_000001_create_cache_table ..... 23.50ms DONE
0001_01_01_000002_create_jobs_table ..... 53.33ms DONE
2025_04_12_082932_create_permission_tables ..... 272.11ms DONE
2025_04_12_083218_create_activity_log_table ..... 71.57ms DONE
2025_04_12_083219_add_event_column_to_activity_log_table ..... 23.66ms DONE
2025_04_12_083220_add_batch_uuid_column_to_activity_log_table ..... 23.19ms DONE
2025_04_12_083341_add_themes_settings_to_users_table ..... 41.71ms DONE
2025_05_19_155058_create_pasiens_table ..... 9.41ms DONE
2025_05_19_155104_create_imunisasi_table ..... 11.06ms DONE


```

15. isi migrasi pasien sesuai dengan SRS



```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('pasiens', function (Blueprint $table) {
            $table->string('nik')->unique();
            $table->string('name');
            $table->date('tanggallahir');
            $table->enum('jenis_kelamin', ['L', 'P']);
            $table->text('alamat');
            $table->string('nohp');
            $table->string('idcard')->nullable();
            $table->foreignId('petugas_id')->constrained('users');
            $table->timestamps();
        });
    }
    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('pasiens');
    }
};
```

16. isi migrasi imunisasi sesuai dengan SRS



```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('imunisasi', function (Blueprint $table) {
            $table->id();
            $table->foreignId('pasien_id')->constrained();
            $table->enum('jenis_vaksin', ['BCG', 'Polio', 'DPT', 'Hepatitis B', 'Campak']);
            $table->date('tanggali');
            $table->enum('status', ['terselesai', 'selesai'])->default('selesai');
            $table->timestamps();
        });
    }
    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('imunisasi');
    }
};
```

17. Update model user dan jangan lupa tambahkan relasi seperti yang dijelaskan pada SRS

```

00000 create_users_table.php 2025_05_19_155058_create_pasiens_table.php 2025_05_19_155104_create_imunisasi_table.php
src > app > Models > User.php > User
1
2
3 namespace App\Models;
4
5 // use Illuminate\Contracts\Auth\MustVerifyEmail;
6 use Filament\Models\Contracts\FilamentUser;
7 use Filament\Models\Contracts\HasAvatar;
8 use Filament\Panel;
9 use Illuminate\Database\Eloquent\Factories\HasFactory;
10 use Illuminate\Foundation\Auth\User as Authenticatable;
11 use Illuminate\Notifications\Notifiable;
12 use Spatie\Permission\Traits\HasRoles;
13
14 class User extends Authenticatable implements FilamentUser, HasAvatar
15 {
16     /**
17      * The attributes that are mass assignable.
18      *
19      * @var list<string>
20      */
21     protected $fillable = [
22         'avatar_url',
23         'name',
24         'email',
25         'role', //update role disini
26         'password',
27     ];
28
29     /**
30      * The attributes that should be hidden for serialization.
31      *
32      * @var list<string>
33      */
34     protected $hidden = [
35         'password',
36         'remember_token',
37     ];
38
39     /**
40      * Get the attributes that should be cast.
41      *
42      * @return array<string, string>
43      */
44     protected function casts(): array
45     {
46         return [
47             'email_verified_at' => 'datetime',
48             'password' => 'hashed',
49         ];
50     }
51
52     public function pasien()
53     {
54
55     }
56
57 }

```



```

00000 create_users_table.php 2025_05_19_155058_create_pasiens_table.php 2025_05_19_155104_create_imunisasi_table.php
src > app > Models > User.php > User
14 class User extends Authenticatable implements FilamentUser, HasAvatar
15 {
16     use HasFactory,HasRoles, Notifiable;
17
18     /**
19      * The attributes that are mass assignable.
20      *
21      * @var list<string>
22      */
23     protected $fillable = [
24         'avatar_url',
25         'name',
26         'email',
27         'role', //update role disini
28         'password',
29     ];
30
31     /**
32      * The attributes that should be hidden for serialization.
33      *
34      * @var list<string>
35      */
36     protected $hidden = [
37         'password',
38         'remember_token',
39     ];
40
41     /**
42      * Get the attributes that should be cast.
43      *
44      * @return array<string, string>
45      */
46     protected function casts(): array
47     {
48         return [
49             'email_verified_at' => 'datetime',
50             'password' => 'hashed',
51         ];
52     }
53
54     public function pasien()
55     {
56         return $this->hasMany(Pasien::class, 'petugas_id');
57     }
58
59
60     public function getFilamentAvatarUrl(): ?string
61     {
62         if ($this->avatar_url) {
63             return asset('storage/' . $this->avatar_url);
64         } else {
65             $hash = md5(strtolower(trim($this->email)));
66
67             return 'https://www.gravatar.com/avatar/' . $hash . '?d=mp&r=g&s=250';
68         }
69     }
70 }

```

18. Update model pasien sesuai dengan SRS

```
<?php  
namespace App\Models;  
use Illuminate\Database\Eloquent\Model;  
class Pasien extends Model  
{  
    protected $table = 'pasiens'; // karena Laravel defaultnya 'pasiens'  
    protected $fillable = [  
        'nik', 'nama', 'tanggal_lahir', 'jenis_kelamin',  
        'alamat', 'nama_ortu', 'foto', 'petugas_id'  
    ];  
    protected $casts = [  
        'tanggal_lahir' => 'date'  
    ];  
    public function petugas()  
    {  
        return $this->belongsTo(User::class, 'petugas_id');  
    }  
    public function imunisasi()  
    {  
        return $this->hasMany(Imunisasi::class);  
    }  
}
```

19. Update model Imunisasi sesuai dengan SRS

```
<?php  
namespace App\Models;  
use Illuminate\Database\Eloquent\Factories\HasFactory;  
use Illuminate\Database\Eloquent\Model;  
class Imunisasi extends Model  
{  
    use HasFactory;  
    protected $fillable = [  
        'pasien_id', 'jenis_vaksin', 'tanggal', 'status'  
    ];  
    protected $casts = [  
        'tanggal' => 'date'  
    ];  
    public function pasien()  
    {  
        return $this->belongsTo(Pasien::class);  
    }  
}
```

20. lakukan update seeder sesuai dengan SRS

DatabaseSeeder.php

```
<?php  
namespace Database\\Seeders;  
use App\\Models\\User;  
// use Illuminate\\Database\\Console\\Seeds\\WithoutModelEvents;  
use Illuminate\\Database\\Seeder;  
  
class DatabaseSeeder extends Seeder  
{  
    /**  
     * Seed the application's database.  
     */  
    public function run(): void  
    {  
        // User::factory(10)->create();  
        $this->call([  
            RoleSeeder::class,  
            UserSeeder::class,  
            PasienSeeder::class,  
            ImunisasiSeeder::class,  
        ]);  
    }  
}
```

The screenshot shows the VS Code interface with the DatabaseSeeder.php file open in the editor. The Explorer sidebar on the right lists various files and folders related to the project, including migrations and seeders.

UserSeeder.php

```
<?php  
namespace Database\\Seeders;  
use Illuminate\\Database\\Console\\Seeds\\WithoutModelEvents;  
use Illuminate\\Database\\Seeder;  
use App\\Models\\User;  
  
class UserSeeder extends Seeder  
{  
    /**  
     * Run the database seeds.  
     */  
    public function run(): void  
    {  
        User::create([  
            'name' => 'Super Admin',  
            'email' => 'admin@demo.com',  
            'password' => bcrypt('password'),  
            'role' => 'super_admin',  
        ]);  
  
        User::create([  
            'name' => 'Petugas 1',  
            'email' => 'petugas1@demo.com',  
            'password' => bcrypt('password'),  
            'role' => 'petugas',  
        ]);  
  
        User::create([  
            'name' => 'Petugas 2',  
            'email' => 'petugas2@demo.com',  
            'password' => bcrypt('password'),  
            'role' => 'petugas',  
        ]);  
    }  
}
```

The screenshot shows the VS Code interface with the UserSeeder.php file open in the editor. The Explorer sidebar on the right lists various files and folders related to the project, including migrations and seeders.

PasienSeeder.php

```

src > database > seeders > PasienSeeder.php > ...
1  <?php
2
3  namespace Database\Seeders;
4
5  use Illuminate\Database\Seeder;
6  use App\Models\User;
7  use App\Models\Pasien;
8  use Faker\Factory as Faker;
9
10 class PasienSeeder extends Seeder
11 {
12     public function run(): void
13     {
14         $faker = Faker::create();
15
16         $petugasIds = User::where('role', 'petugas')->pluck('id')->toArray();
17
18         if (count($petugasIds) < 2) {
19             echo "Minimal harus ada 2 petugas";
20             return;
21         }
22
23         for ($i = 0; $i < 10; $i++) {
24             // Pasien 0-4 ke petugasIds[0], pasien 5-9 ke petugasIds[1]
25             $petugasId = $i < 5 ? $petugasIds[0] : $petugasIds[1];
26
27             Pasien::create([
28                 'nik' => $faker->unique()->numerify('#####'),
29                 'name' => $faker->name(),
30                 'tanggal_lahir' => $faker->date('Y-m-d', '2005-01-01'),
31                 'jenis_kelamin' => $faker->randomElement(['L', 'P']),
32                 'alamat' => $faker->address(),
33                 'nama_ortu' => $faker->name('male'),
34                 'foto' => null,
35                 'petugas_id' => $petugasId,
36             ]);
37         }
38     }
39 }

```

ImunisasiSeeder.php

```

src > database > seeders > ImunisasiSeeder.php > ...
1  <?php
2
3  namespace Database\Seeders;
4
5  use Illuminate\Database\Seeder;
6  use App\Models\Pasien;
7  use App\Models\Imunisasi;
8
9  class ImunisasiSeeder extends Seeder
10 {
11     public function run(): void
12     {
13         $jenisVaksin = ['BCG', 'Polio', 'DPT', 'Hepatitis B', 'Campak'];
14
15         Pasien::take(5)->each(function ($pasien) use ($jenisVaksin) {
16             foreach (array_slice($jenisVaksin, 0, rand(3, 5)) as $vaksin) {
17                 Imunisasi::create([
18                     'pasien_id' => $pasien->id,
19                     'jenis_vaksin' => $vaksin,
20                     'tanggal' => $pasien->tanggal_lahir->copy()->addMonths(rand(1, 12)),
21                     'status' => 'selesai',
22                 ]);
23             });
24         });
25     }
26 }

```

RoleSeeder.php

```

src > database > seeders > RoleSeeder.php > ...
2
3 namespace Database\Seeders;
4
5 use Illuminate\Database\Console\Seeds\WithoutModelEvents;
6 use Illuminate\Database\Seeder;
7 use App\Models\User;
8 use Spatie\Permission\Models\Role;
9
10
11 class RoleSeeder extends Seeder
12 {
13     /**
14      * Run the database seeds.
15     */
16     public function run(): void
17     {
18         Role::firstOrCreate(['name' => 'super_admin', 'guard_name' => 'web']);
19         Role::firstOrCreate(['name' => 'petugas', 'guard_name' => 'web']);
20     }
21 }
22
23 }
24

```

The Explorer sidebar shows the following structure:

- src**
 - database
 - migrations
 - seeders
 - RoleSeeder.php
 - UserSeeder.php
 - PasienSeeder.php
 - seeder
 - DatabaseSeeder.php
 - ImunisasiSeeder.php
 - PasienSeeder.php
 - RoleSeeder.php
 - UserSeeder.php
 - database
 - database.sqlite
 - lang
 - public
 - resources
 - routes
 - storage
 - tests
 - vendor
 - .editorconfig
 - .env
 - .env.example
 - .gitattributes
 - .gitignore
 - artisan
 - bun.lock
 - composer.json
 - composer.lock
 - package.json

21. Lakukan php artisan migrate:fresh --seed agar migrasi dan seeder terbaru masuk ke database

```

root@pemweb:~# docker exec -it pemweb bash
INFO Compiled views cleared successfully.
INFO Successfully upgraded!
Generated optimized autoload files containing 9177 classes
root@pemweb:/var/www/html# php artisan migrate:fresh --seed
Dropping all tables ..... 114.95ms DONE
INFO Preparing database.
Creating migration table ..... 12.77ms DONE
INFO Running migrations.
0001_01_01_000000_create_users_table ..... 64.48ms DONE
0001_01_01_000001_create_cache_table ..... 21.83ms DONE
0001_01_01_000007_create_jobs_table ..... 51.41ms DONE
2025_04_12_082932_create_permission_tables ..... 219.41ms DONE
2025_04_12_083218_create_activity_log_table ..... 33.65ms DONE
2025_04_12_083219_add_event_column_to_activity_log_table ..... 22.98ms DONE
2025_04_12_083220_add_batch_uuid_column_to_activity_log_table ..... 24.99ms DONE
2025_04_12_083341_add_themes_settings_to_users_table ..... 40.34ms DONE
2025_05_19_155058_create_pasien_table ..... 49.24ms DONE
2025_05_19_155104_create_imunisasi_table ..... 58.70ms DONE

INFO Seeding database.
Database\Seeders\RoleSeeder ..... RUNNING
Database\Seeders\RoleSeeder ..... 30 ms DONE
Database\Seeders\UserSeeder ..... RUNNING
Database\Seeders\UserSeeder ..... 512 ms DONE
Database\Seeders\PasienSeeder ..... RUNNING
Database\Seeders\PasienSeeder ..... 27 ms DONE
Database\Seeders\ImunisasiSeeder ..... RUNNING
Database\Seeders\ImunisasiSeeder ..... 39 ms DONE

```

22. lakukan php artisan shield:generate --all agar super_admin mendapatkan hak aksesnya

23. Testing login menggunakan akun admin@demo.com

The screenshot shows the ShieldHealth application's dashboard. On the left, a sidebar menu is open under 'Administration' with options: 'Users' (3), 'Roles' (2), and 'Activity Log'. The main content area has a title 'Dashboard' and a card titled 'Users' showing a blue icon and the number '3'. Below this is a table titled 'Latest Access Logs' with columns: Type, Event, Description, Subject, User, and Logged At. The data in the table is as follows:

Type	Event	Description	Subject	User	Logged At
Access	Login	Super Admin logged in		Super Admin	May 19, 2025 17:10:30
Resource	Created	User Created		User # 3	May 19, 2025 17:09:22
Resource	Created	Role Created		Role # 1	May 19, 2025 17:09:21
Resource	Created	Role Created		Role # 2	May 19, 2025 17:09:21
Resource	Created	User Created		User # 1	May 19, 2025 17:09:21

On the right side, there is a user profile for 'Super Admin' with a sign-out button, and a search bar at the top right.

24. Generate multi panel untuk petugas

```

root@pemweb:/var/www/html# php artisan migrate:fresh
Dropping all tables ..... 116.45ms DONE
[INFO] Preparing database.
Creating migration table ..... 10.99ms DONE
[INFO] Running migrations.

0001_01_01_000000_create_users_table      . 57.15ms DONE
0001_01_01_000001_create_cache_table       . 18.15ms DONE
0001_01_01_000002_create_jobs_table        . 46.30ms DONE
2025_04_12_082932_create_permission_tables . 204.86ms DONE
2025_04_12_083218_create_activity_log_table. 32.47ms DONE
2025_04_12_083219_add_event_column_to_activity_log_table. 23.29ms DONE
2025_04_12_083220_add_batch_uuid_column_to_activity_log_table. 22.61ms DONE
2025_04_12_083341_add_themes_settings_to_users_table. 39.54ms DONE
2025_05_19_155058_create_pasien_table     . 47.24ms DONE
2025_05_19_155104_create_imunisasi_table  . 39.57ms DONE

root@pemweb:/var/www/html# php artisan make:filament-panel petugas
[INFO] Filament panel [app/Providers/Filament/PetugasPanelProvider.php] created successfully.

[WARN] We've attempted to register the PetugasPanelProvider in your [bootstrap/providers.php] file. If you get an error while trying to access your panel then this process has probably failed. You can manually register the service provider by adding it to the array.

root@pemweb:/var/www/html#

```

25. generate semua filament-resource pada panel admin

```

Warpify subshell Ctrl + I
Do not show again ×

~/Perkuliahan/Semester 4/PemWeb/uts git:(main)±5
docker exec -it pemweb bash
| # | Page | Permission |
| 3 | User | view_any_role,
|    |       | create_role,
|    |       | update_role,
|    |       | delete_role,
|    |       | delete_any_role ✓
|    |       | view_user,
|    |       | view_any_user,
|    |       | create_user,
|    |       | update_user,
|    |       | delete_user,
|    |       | delete_any_user ✓ |
+---+-----+-----+
[INFO] Successfully generated Page Permissions for:

| # | Widget | Permission |
| 1 | Awcodes\Overlook\Widgets\OverlookWidget | widget_OverlookWidget |
| 2 | App\Filament\Admin\Widgets\LatestAccessLogs | widget_LatestAccessLogs |
+-----+-----+-----+
root@pemweb:/var/www/html# php artisan make:filament-panel petugas
[INFO] Filament panel [app/Providers/Filament/PetugasPanelProvider.php] created successfully.

[WARN] We've attempted to register the PetugasPanelProvider in your [bootstrap/providers.php] file. If you get an error while trying to access your panel then this process has probably failed. You can manually register the service provider by adding it to the array.

root@pemweb:/var/www/html# php artisan make:filament-resource Pasien --generate --panel=admin
[INFO] Filament resource [app/Filament/Admin/Resources/PasienResource.php] created successfully.

root@pemweb:/var/www/html# php artisan make:filament-resource Imunisasi --generate --panel=admin
[INFO] Filament resource [app/Filament/Admin/Resources/ImunisasiResource.php] created successfully.

root@pemweb:/var/www/html#

```

26. testing pada akun admin@demo.com pada panel admin

The screenshot shows the ChieldHealth application's dashboard. On the left, a sidebar menu includes 'Dashboard' (selected), 'Imunisasi', 'Pasien', 'Administration' (expanded), 'Users' (with 3 items), 'Roles' (with 2 items), and 'Activity Log'. The main content area is titled 'Dashboard' and features a 'Users' section with a count of 3. Below it is a table titled 'Latest Access Logs' with columns: Type, Event, Description, Subject, User, and Logged At. The table contains six rows of log entries.

Type	Event	Description	Subject	User	Logged At
Access	Login	Super Admin logged in		Super Admin	May 19, 2025 18:06:41
Access	Login	Super Admin logged in		Super Admin	May 19, 2025 18:01:57
Resource	Created	Role Created	Role #1		May 19, 2025 18:01:39
Resource	Created	Role Created	Role #2		May 19, 2025 18:01:39
Resource	Created	User Created	User #1		May 19, 2025 18:01:39

27. Cek apakah Imunisasi dan Pasien sudah mendapatkan data dummy atau belum

The screenshot shows the ChieldHealth application's 'Imunisasi' list page. The sidebar menu is identical to the previous dashboard screenshot. The main content area is titled 'Imunisasi > List' and shows a table of vaccination records. A 'New Imunisasi' button is located in the top right corner of the table header. The table has columns: Pasien id, Jenis vaksin, Tanggal, and Status. Each row includes an edit link (Edit with a checkmark icon). The table shows 10 results out of 19 total.

Pasien id	Jenis vaksin	Tanggal	Status
1	BCG	Mar 1, 1983	selesai
1	Polio	Oct 1, 1982	selesai
1	DPT	Aug 1, 1982	selesai
2	BCG	Jan 17, 1999	selesai
2	Polio	Mar 17, 1999	selesai
2	DPT	Aug 17, 1998	selesai
2	Hepatitis B	Sep 17, 1998	selesai
2	Campak	Apr 17, 1998	selesai
3	BCG	Oct 8, 1983	selesai
3	Polio	Jul 8, 1984	selesai

Nik	Nama	Tanggal lahir	Jenis kelamin	Nama ortu	Foto	Petugas id
6096468756	Ms. Caleigh Boyle	Jul 1, 1982	L	Richie Altenwerth Jr.	2	<input checked="" type="checkbox"/> Edit
2753609889	Molly Schiller	Mar 17, 1998	P	Prof. Edmond Terry	2	<input checked="" type="checkbox"/> Edit
4468195969	Aditya Kirlin	Aug 8, 1983	L	Mr. Reuben Funk Sr.	2	<input checked="" type="checkbox"/> Edit
0858270470	Winifred Okuneva	Nov 5, 2000	L	Van Hansen	2	<input checked="" type="checkbox"/> Edit
0509594924	Aileen Altenwerth	Mar 26, 1974	L	Dr. Deontae Schuster	2	<input checked="" type="checkbox"/> Edit
1470387453	Amara Smitham MD	Mar 30, 1976	P	Mr. Cade Willms DVM	3	<input checked="" type="checkbox"/> Edit
9255022603	Archibald Rowe	Sep 25, 1988	P	Titus Eichmann	3	<input checked="" type="checkbox"/> Edit
1996287678	Miss Beaulah Lueilwitz	Oct 29, 1974	P	Andrew Lakin	3	<input checked="" type="checkbox"/> Edit
4180355283	Stevie Klocko III	Sep 13, 1985	P	Dr. Quinten Walker	3	<input checked="" type="checkbox"/> Edit
2497866736	Cordia Kihn	Oct 3, 1977	L	Dr. Riley Hammes DDS	3	<input checked="" type="checkbox"/> Edit

Showing 1 to 10 of 10 results

28. generate filament-resource untuk panel petugas


```

root@pemweb:~# docker exec -it pemweb bash
~/Perkuliahan/Semester 4/PemWeb/uts git:(main)±5
docker exec -it pemweb bash
+-----+-----+-----+
| # | Page | Permission |
+-----+-----+-----+
|   | update user,
|   | delete user,
|   | delete_any_user ✓ |
+-----+-----+-----+
[INFO] Successfully generated Page Permissions for:


+-----+-----+-----+
| # | Widget | Permission |
+-----+-----+-----+
| 1 | Awcodes\Overlook\Widgets\OverlookWidget | widget_OverlookWidget |
| 2 | App\Filament\Admin\Widgets\LatestAccessLogs | widget_LatestAccessLogs |
+-----+-----+-----+
root@pemweb:/var/www/html# php artisan make:filament-panel petugas
[INFO] Filament panel [app/Providers/Filament/PetugasPanelProvider.php] created successfully.
[WARN] We've attempted to register the PetugasPanelProvider in your [bootstrap/providers.php] file. If you get an error while trying to access your panel then this process has probably failed. You can manually register the service provider by adding it to the array.
root@pemweb:/var/www/html# php artisan make:filament-resource Pasien --generate --panel=admin
[INFO] Filament resource [app/Filament/Admin/Resources/PasienResource.php] created successfully.
root@pemweb:/var/www/html# php artisan make:filament-resource Imunisasi --generate --panel=admin
[INFO] Filament resource [app/Filament/Admin/Resources/ImunisasiResource.php] created successfully.
root@pemweb:/var/www/html# php artisan make:filament-resource Imunisasi --generate --panel=petugas
[INFO] Filament resource [app/Filament/Petugas/Resources/ImunisasiResource.php] created successfully.
root@pemweb:/var/www/html# php artisan make:filament-resource Pasien --generate --panel=petugas
[INFO] Filament resource [app/Filament/Petugas/Resources/PasienResource.php] created successfully.
root@pemweb:/var/www/html#

```

29. testing pada akun petugas1@demo.com untuk login pada panel petugas



30. cek pada imunisasi dan pasien



	Nik	Nama	Tanggal lahir	Jenis kelamin	Nama ortu	Foto	Petugas id
<input type="checkbox"/>	6096468756	Ms. Caleigh Boyle	Jul 1, 1962	L	Richie Altenwerth Jr.		2
<input type="checkbox"/>	2753609889	Molly Schiller	Mar 17, 1998	P	Prof. Edmond Terry		2
<input type="checkbox"/>	4468195969	Aditya Kirlin	Aug 8, 1983	L	Mr. Reuben Funk Sr.		2
<input type="checkbox"/>	0858270470	Winifred Okuneva	Nov 5, 2000	L	Van Hansen		2
<input type="checkbox"/>	0509954924	Aileen Altenwerth	Mar 26, 1974	L	Dr. Deontae Schuster		2
<input type="checkbox"/>	1470387453	Amara Smitham MD	Mar 30, 1976	P	Mr. Cade Willms DVM		3
<input type="checkbox"/>	9255022603	Archibald Rowe	Sep 25, 1988	P	Titus Eichmann		3
<input type="checkbox"/>	1998287678	Miss Beaulah Lueilwitz	Oct 29, 1974	P	Andrew Lakin		3
<input type="checkbox"/>	4180355283	Stevie Klocko III	Sep 13, 1985	P	Dr. Quinten Walker		3
<input type="checkbox"/>	2497866736	Cordia Kihn	Oct 3, 1977	L	Dr. Riley Hammes DDS		3

Showing 1 to 10 of 10 results



31. Enhance pada ImunisasiResource pada panel petugas agar mudah dibaca, sehingga akan menjadi pada seperti tampilan localhost di panel petugas

```

1 <?php
2
3 namespace App\Filament\Petugas\Resources;
4
5 use App\Filament\Petugas\Resources\ImunisasiResource;
6 use App\Models\Imunisasi;
7 use App\Models\Pasien;
8 use Filament\Forms;
9 use Filament\Forms\Form;
10 use Filament\Resources\Resource;
11 use Filament\Tables;
12 use Filament\Tables\Table;
13 use Illuminate\Database\Eloquent\Builder;
14 use Illuminate\Database\Eloquent\Model;
15
16 Class ImunisasiResource extends Resource
17 {
18     protected static ?string $model = Imunisasi::class;
19
20     protected static ?string $navigationIcon = 'heroicon-o-shield-check';
21
22     protected static ?string $modelLabel = 'Imunisasi';
23
24     protected static ?string $navigationLabel = 'Catatan Imunisasi';
25
26     protected static ?string $navigationGroup = 'Data Kesehatan';
27
28     public static function form(Form $form): Form
29     {
30         return $form
31             ->schema([
32                 Form::Components>Select::make('pasien_id')
33                     ->label('Nama Pasien')
34                     ->required()
35                     ->searchable()
36                     ->options([
37                         Pasien::where('petugas_id', auth()->id())
38                             ->pluck('nama', 'id')
39                     ])
40                     ->native(false),
41
42                 Form::Components>Select::make('jenis_vaksin')
43                     ->required()
44                     ->options([
45                         'BCG' => 'BCG',
46                         'Polio' => 'Polio',
47                         'DPT' => 'DPT',
48                         'Hepatitis B' => 'Hepatitis B',
49                         'Cmpak' => 'Cmpak',
50                     ])
51                     ->native(false),
52
53                 Form::Components>DatePicker::make('tanggal')
54                     ->required()
55                     ->maxDate(now())
56             ])
57         );
58     }
59
60     public static function route(): Route
61     {
62         return Route::resource('imunisasi', ImunisasiResource::class);
63     }
64
65     public static function title(): string
66     {
67         return 'Catatan Imunisasi';
68     }
69
70     public static function icon(): string
71     {
72         return 'heroicon-o-shield-check';
73     }
74
75     public static function breadcrumb(): Breadcrumb
76     {
77         return Breadcrumb::make('Catatan Imunisasi');
78     }
79
80     public static function footer(): Footer
81     {
82         return Footer::make('Footer Content');
83     }
84
85     public static function footerSecondary(): Footer
86     {
87         return Footer::make('Footer Secondary Content');
88     }
89
90     public static function footerTertiary(): Footer
91     {
92         return Footer::make('Footer Tertiary Content');
93     }
94
95     public static function footerQuaternary(): Footer
96     {
97         return Footer::make('Footer Quaternary Content');
98     }
99
100    public static function footerQuinary(): Footer
101    {
102        return Footer::make('Footer Quinary Content');
103    }
104
105    public static function footerSenary(): Footer
106    {
107        return Footer::make('Footer Senary Content');
108    }
109
110    public static function footerOctenary(): Footer
111    {
112        return Footer::make('Footer Octenary Content');
113    }
114
115    public static function footerNovenary(): Footer
116    {
117        return Footer::make('Footer Novenary Content');
118    }
119
120    public static function footerDecenary(): Footer
121    {
122        return Footer::make('Footer Decenary Content');
123    }
124
125    public static function footerElevenary(): Footer
126    {
127        return Footer::make('Footer Elevenary Content');
128    }
129
130    public static function footerTwelveary(): Footer
131    {
132        return Footer::make('Footer Twelveary Content');
133    }
134
135    public static function footerThirteenary(): Footer
136    {
137        return Footer::make('Footer Thirteenary Content');
138    }
139
140    public static function footerFourteenary(): Footer
141    {
142        return Footer::make('Footer Fourteenary Content');
143    }
144
145    public static function footerFifteenary(): Footer
146    {
147        return Footer::make('Footer Fifteenary Content');
148    }
149
150    public static function footerSixteenary(): Footer
151    {
152        return Footer::make('Footer Sixteenary Content');
153    }
154
155    public static function footerSeventeenary(): Footer
156    {
157        return Footer::make('Footer Seventeenary Content');
158    }
159
160    public static function footerEighteenary(): Footer
161    {
162        return Footer::make('Footer Eighteenary Content');
163    }
164
165    public static function footerNineteenary(): Footer
166    {
167        return Footer::make('Footer Nineteenary Content');
168    }
169
170    public static function footerTwentyary(): Footer
171    {
172        return Footer::make('Footer Twentyary Content');
173    }
174
175    public static function footerTwentyoneary(): Footer
176    {
177        return Footer::make('Footer Twentyoneary Content');
178    }
179
180    public static function footerTwentytwoary(): Footer
181    {
182        return Footer::make('Footer Twentytwoary Content');
183    }
184
185    public static function footerTwentythreeary(): Footer
186    {
187        return Footer::make('Footer Twentythreeary Content');
188    }
189
190    public static function footerTwentyfourary(): Footer
191    {
192        return Footer::make('Footer Twentyfourary Content');
193    }
194
195    public static function footerTwentyfiveary(): Footer
196    {
197        return Footer::make('Footer Twentyfiveary Content');
198    }
199
200    public static function footerTwentysixary(): Footer
201    {
202        return Footer::make('Footer Twentysixary Content');
203    }
204
205    public static function footerTwentysevenary(): Footer
206    {
207        return Footer::make('Footer Twentysevenary Content');
208    }
209
210    public static function footerTwentyeightary(): Footer
211    {
212        return Footer::make('Footer Twentyeightary Content');
213    }
214
215    public static function footerTwentynineary(): Footer
216    {
217        return Footer::make('Footer Twentynineary Content');
218    }
218
219    public static function footerTwentytowary(): Footer
220    {
221        return Footer::make('Footer Twentytowary Content');
222    }
223
224    public static function footerTwentytowoneary(): Footer
225    {
226        return Footer::make('Footer Twentytowoneary Content');
227    }
228
229    public static function footerTwentytowtwoary(): Footer
229    {
230        return Footer::make('Footer Twentytowtwoary Content');
231    }
231
232    public static function footerTwentytowthreeary(): Footer
233    {
234        return Footer::make('Footer Twentytowthreeary Content');
235    }
235
236    public static function footerTwentytowfourary(): Footer
237    {
238        return Footer::make('Footer Twentytowfourary Content');
239    }
239
240    public static function footerTwentytowfiveary(): Footer
241    {
242        return Footer::make('Footer Twentytowfiveary Content');
243    }
243
244    public static function footerTwentytowsixary(): Footer
245    {
246        return Footer::make('Footer Twentytowsixary Content');
247    }
247
248    public static function footerTwentytowsevenary(): Footer
249    {
250        return Footer::make('Footer Twentytowsevenary Content');
251    }
251
252    public static function footerTwentytoweightary(): Footer
253    {
254        return Footer::make('Footer Twentytoweightary Content');
255    }
255
256    public static function footerTwentytownineary(): Footer
257    {
258        return Footer::make('Footer Twentytownineary Content');
259    }
259
260    public static function footerTwentytowtowary(): Footer
261    {
262        return Footer::make('Footer Twentytowtowary Content');
263    }
263
264    public static function footerTwentytowtowoneary(): Footer
265    {
266        return Footer::make('Footer Twentytowtowoneary Content');
267    }
267
268    public static function footerTwentytowtowtwoary(): Footer
269    {
270        return Footer::make('Footer Twentytowtowtwoary Content');
271    }
271
272    public static function footerTwentytowtowthreeary(): Footer
273    {
274        return Footer::make('Footer Twentytowtowthreeary Content');
275    }
275
276    public static function footerTwentytowtowfourary(): Footer
277    {
278        return Footer::make('Footer Twentytowtowfourary Content');
279    }
279
280    public static function footerTwentytowtowfiveary(): Footer
281    {
282        return Footer::make('Footer Twentytowtowfiveary Content');
283    }
283
284    public static function footerTwentytowtowsixary(): Footer
285    {
286        return Footer::make('Footer Twentytowtowsixary Content');
287    }
287
288    public static function footerTwentytowtowsevenary(): Footer
289    {
290        return Footer::make('Footer Twentytowtowsevenary Content');
291    }
291
292    public static function footerTwentytowtoweightary(): Footer
293    {
294        return Footer::make('Footer Twentytowtoweightary Content');
295    }
295
296    public static function footerTwentytowtownineary(): Footer
297    {
298        return Footer::make('Footer Twentytowtownineary Content');
299    }
299
300    public static function footerTwentytowtowtowary(): Footer
301    {
302        return Footer::make('Footer Twentytowtowtowary Content');
303    }
303
304    public static function footerTwentytowtowtowoneary(): Footer
305    {
306        return Footer::make('Footer Twentytowtowtowoneary Content');
307    }
307
308    public static function footerTwentytowtowtowtwoary(): Footer
309    {
310        return Footer::make('Footer Twentytowtowtowtwoary Content');
311    }
311
312    public static function footerTwentytowtowtowthreeary(): Footer
313    {
314        return Footer::make('Footer Twentytowtowtowthreeary Content');
315    }
315
316    public static function footerTwentytowtowtowfourary(): Footer
317    {
318        return Footer::make('Footer Twentytowtowtowfourary Content');
319    }
319
320    public static function footerTwentytowtowtowfiveary(): Footer
321    {
322        return Footer::make('Footer Twentytowtowtowfiveary Content');
323    }
323
324    public static function footerTwentytowtowtowsixary(): Footer
325    {
326        return Footer::make('Footer Twentytowtowtowsixary Content');
327    }
327
328    public static function footerTwentytowtowtowsevenary(): Footer
329    {
330        return Footer::make('Footer Twentytowtowtowsevenary Content');
331    }
331
332    public static function footerTwentytowtowtoweightary(): Footer
333    {
334        return Footer::make('Footer Twentytowtowtoweightary Content');
335    }
335
336    public static function footerTwentytowtowtownineary(): Footer
337    {
338        return Footer::make('Footer Twentytowtowtownineary Content');
339    }
339
340    public static function footerTwentytowtowtowtowary(): Footer
341    {
342        return Footer::make('Footer Twentytowtowtowtowary Content');
343    }
343
344    public static function footerTwentytowtowtowtowoneary(): Footer
345    {
346        return Footer::make('Footer Twentytowtowtowtowoneary Content');
347    }
347
348    public static function footerTwentytowtowtowtowtwoary(): Footer
349    {
350        return Footer::make('Footer Twentytowtowtowtowtwoary Content');
351    }
351
352    public static function footerTwentytowtowtowtowthreeary(): Footer
353    {
354        return Footer::make('Footer Twentytowtowtowtowthreeary Content');
355    }
355
356    public static function footerTwentytowtowtowtowfourary(): Footer
357    {
358        return Footer::make('Footer Twentytowtowtowtowfourary Content');
359    }
359
360    public static function footerTwentytowtowtowtowfiveary(): Footer
361    {
362        return Footer::make('Footer Twentytowtowtowtowfiveary Content');
363    }
363
364    public static function footerTwentytowtowtowtowsixary(): Footer
365    {
366        return Footer::make('Footer Twentytowtowtowtowsixary Content');
367    }
367
368    public static function footerTwentytowtowtowtowsevenary(): Footer
369    {
370        return Footer::make('Footer Twentytowtowtowtowsevenary Content');
371    }
371
372    public static function footerTwentytowtowtowtoweightary(): Footer
373    {
374        return Footer::make('Footer Twentytowtowtowtoweightary Content');
375    }
375
376    public static function footerTwentytowtowtowtownineary(): Footer
377    {
378        return Footer::make('Footer Twentytowtowtowtownineary Content');
379    }
379
380    public static function footerTwentytowtowtowtowtowary(): Footer
381    {
382        return Footer::make('Footer Twentytowtowtowtowtowary Content');
383    }
383
384    public static function footerTwentytowtowtowtowtowoneary(): Footer
385    {
386        return Footer::make('Footer Twentytowtowtowtowtowoneary Content');
387    }
387
388    public static function footerTwentytowtowtowtowtowtwoary(): Footer
389    {
390        return Footer::make('Footer Twentytowtowtowtowtowtwoary Content');
391    }
391
392    public static function footerTwentytowtowtowtowtowthreeary(): Footer
393    {
394        return Footer::make('Footer Twentytowtowtowtowtowthreeary Content');
395    }
395
396    public static function footerTwentytowtowtowtowtowfourary(): Footer
397    {
398        return Footer::make('Footer Twentytowtowtowtowtowfourary Content');
399    }
399
400    public static function footerTwentytowtowtowtowtowfiveary(): Footer
401    {
402        return Footer::make('Footer Twentytowtowtowtowtowfiveary Content');
403    }
403
404    public static function footerTwentytowtowtowtowtowsixary(): Footer
405    {
406        return Footer::make('Footer Twentytowtowtowtowtowsixary Content');
407    }
407
408    public static function footerTwentytowtowtowtowtowsevenary(): Footer
409    {
410        return Footer::make('Footer Twentytowtowtowtowtowsevenary Content');
411    }
411
412    public static function footerTwentytowtowtowtowtoweightary(): Footer
413    {
414        return Footer::make('Footer Twentytowtowtowtowtoweightary Content');
415    }
415
416    public static function footerTwentytowtowtowtowtownineary(): Footer
417    {
418        return Footer::make('Footer Twentytowtowtowtowtownineary Content');
419    }
419
420    public static function footerTwentytowtowtowtowtowtowary(): Footer
421    {
422        return Footer::make('Footer Twentytowtowtowtowtowtowary Content');
423    }
423
424    public static function footerTwentytowtowtowtowtowtowoneary(): Footer
425    {
426        return Footer::make('Footer Twentytowtowtowtowtowtowoneary Content');
427    }
427
428    public static function footerTwentytowtowtowtowtowtowtwoary(): Footer
429    {
430        return Footer::make('Footer Twentytowtowtowtowtowtowtwoary Content');
431    }
431
432    public static function footerTwentytowtowtowtowtowtowthreeary(): Footer
433    {
434        return Footer::make('Footer Twentytowtowtowtowtowtowthreeary Content');
435    }
435
436    public static function footerTwentytowtowtowtowtowtowfourary(): Footer
437    {
438        return Footer::make('Footer Twentytowtowtowtowtowtowfourary Content');
439    }
439
440    public static function footerTwentytowtowtowtowtowtowfiveary(): Footer
441    {
442        return Footer::make('Footer Twentytowtowtowtowtowtowfiveary Content');
443    }
443
444    public static function footerTwentytowtowtowtowtowtowsixary(): Footer
445    {
446        return Footer::make('Footer Twentytowtowtowtowtowtowsixary Content');
447    }
447
448    public static function footerTwentytowtowtowtowtowtowsevenary(): Footer
449    {
450        return Footer::make('Footer Twentytowtowtowtowtowtowsevenary Content');
451    }
451
452    public static function footerTwentytowtowtowtowtowtoweightary(): Footer
453    {
454        return Footer::make('Footer Twentytowtowtowtowtowtoweightary Content');
455    }
455
456    public static function footerTwentytowtowtowtowtowtownineary(): Footer
457    {
458        return Footer::make('Footer Twentytowtowtowtowtowtownineary Content');
459    }
459
460    public static function footerTwentytowtowtowtowtowtowtowary(): Footer
461    {
462        return Footer::make('Footer Twentytowtowtowtowtowtowtowary Content');
463    }
463
464    public static function footerTwentytowtowtowtowtowtowtowoneary(): Footer
465    {
466        return Footer::make('Footer Twentytowtowtowtowtowtowtowoneary Content');
467    }
467
468    public static function footerTwentytowtowtowtowtowtowtowtwoary(): Footer
469    {
470        return Footer::make('Footer Twentytowtowtowtowtowtowtowtwoary Content');
471    }
471
472    public static function footerTwentytowtowtowtowtowtowtowthreeary(): Footer
473    {
474        return Footer::make('Footer Twentytowtowtowtowtowtowtowthreeary Content');
475    }
475
476    public static function footerTwentytowtowtowtowtowtowtowfourary(): Footer
477    {
478        return Footer::make('Footer Twentytowtowtowtowtowtowtowfourary Content');
479    }
479
480    public static function footerTwentytowtowtowtowtowtowtowfiveary(): Footer
481    {
482        return Footer::make('Footer Twentytowtowtowtowtowtowtowfiveary Content');
483    }
483
484    public static function footerTwentytowtowtowtowtowtowtowsixary(): Footer
485    {
486        return Footer::make('Footer Twentytowtowtowtowtowtowtowsixary Content');
487    }
487
488    public static function footerTwentytowtowtowtowtowtowtowsevenary(): Footer
489    {
490        return Footer::make('Footer Twentytowtowtowtowtowtowtowsevenary Content');
491    }
491
492    public static function footerTwentytowtowtowtowtowtowtoweightary(): Footer
493    {
494        return Footer::make('Footer Twentytowtowtowtowtowtowtoweightary Content');
495    }
495
496    public static function footerTwentytowtowtowtowtowtowtownineary(): Footer
497    {
498        return Footer::make('Footer Twentytowtowtowtowtowtowtownineary Content');
499    }
499
500    public static function footerTwentytowtowtowtowtowtowtowtowary(): Footer
501    {
502        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowary Content');
503    }
503
504    public static function footerTwentytowtowtowtowtowtowtowtowoneary(): Footer
505    {
506        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowoneary Content');
507    }
507
508    public static function footerTwentytowtowtowtowtowtowtowtowtwoary(): Footer
509    {
510        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtwoary Content');
511    }
511
512    public static function footerTwentytowtowtowtowtowtowtowtowthreeary(): Footer
513    {
514        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowthreeary Content');
515    }
515
516    public static function footerTwentytowtowtowtowtowtowtowtowfourary(): Footer
517    {
518        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowfourary Content');
519    }
519
520    public static function footerTwentytowtowtowtowtowtowtowtowfiveary(): Footer
521    {
522        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowfiveary Content');
523    }
523
524    public static function footerTwentytowtowtowtowtowtowtowtowsixary(): Footer
525    {
526        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowsixary Content');
527    }
527
528    public static function footerTwentytowtowtowtowtowtowtowtowsevenary(): Footer
529    {
530        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowsevenary Content');
531    }
531
532    public static function footerTwentytowtowtowtowtowtowtowtoweightary(): Footer
533    {
534        return Footer::make('Footer Twentytowtowtowtowtowtowtowtoweightary Content');
535    }
535
536    public static function footerTwentytowtowtowtowtowtowtowtownineary(): Footer
537    {
538        return Footer::make('Footer Twentytowtowtowtowtowtowtowtownineary Content');
539    }
539
540    public static function footerTwentytowtowtowtowtowtowtowtowtowary(): Footer
541    {
542        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowary Content');
543    }
543
544    public static function footerTwentytowtowtowtowtowtowtowtowtowoneary(): Footer
545    {
546        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowoneary Content');
547    }
547
548    public static function footerTwentytowtowtowtowtowtowtowtowtowtwoary(): Footer
549    {
550        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtwoary Content');
551    }
551
552    public static function footerTwentytowtowtowtowtowtowtowtowtowthreeary(): Footer
553    {
554        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowthreeary Content');
555    }
555
556    public static function footerTwentytowtowtowtowtowtowtowtowtowfourary(): Footer
557    {
558        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowfourary Content');
559    }
559
560    public static function footerTwentytowtowtowtowtowtowtowtowtowfiveary(): Footer
561    {
562        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowfiveary Content');
563    }
563
564    public static function footerTwentytowtowtowtowtowtowtowtowtowsixary(): Footer
565    {
566        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowsixary Content');
567    }
567
568    public static function footerTwentytowtowtowtowtowtowtowtowtowsevenary(): Footer
569    {
570        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowsevenary Content');
571    }
571
572    public static function footerTwentytowtowtowtowtowtowtowtowtoweightary(): Footer
573    {
574        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtoweightary Content');
575    }
575
576    public static function footerTwentytowtowtowtowtowtowtowtowtownineary(): Footer
577    {
578        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtownineary Content');
579    }
579
580    public static function footerTwentytowtowtowtowtowtowtowtowtowtowary(): Footer
581    {
582        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowary Content');
583    }
583
584    public static function footerTwentytowtowtowtowtowtowtowtowtowtowoneary(): Footer
585    {
586        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowoneary Content');
587    }
587
588    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtwoary(): Footer
589    {
590        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtwoary Content');
591    }
591
592    public static function footerTwentytowtowtowtowtowtowtowtowtowtowthreeary(): Footer
593    {
594        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowthreeary Content');
595    }
595
596    public static function footerTwentytowtowtowtowtowtowtowtowtowtowfourary(): Footer
597    {
598        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowfourary Content');
599    }
599
600    public static function footerTwentytowtowtowtowtowtowtowtowtowtowfiveary(): Footer
601    {
602        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowfiveary Content');
603    }
603
604    public static function footerTwentytowtowtowtowtowtowtowtowtowtowsixary(): Footer
605    {
606        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowsixary Content');
607    }
607
608    public static function footerTwentytowtowtowtowtowtowtowtowtowtowsevenary(): Footer
609    {
610        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowsevenary Content');
611    }
611
612    public static function footerTwentytowtowtowtowtowtowtowtowtowtoweightary(): Footer
613    {
614        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtoweightary Content');
615    }
615
616    public static function footerTwentytowtowtowtowtowtowtowtowtowtownineary(): Footer
617    {
618        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtownineary Content');
619    }
619
620    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowary(): Footer
621    {
622        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowary Content');
623    }
623
624    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowoneary(): Footer
625    {
626        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowoneary Content');
627    }
627
628    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowtwoary(): Footer
629    {
630        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowtwoary Content');
631    }
631
632    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowthreeary(): Footer
633    {
634        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowthreeary Content');
635    }
635
636    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowfourary(): Footer
637    {
638        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowfourary Content');
639    }
639
640    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowfiveary(): Footer
641    {
642        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowfiveary Content');
643    }
643
644    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowsixary(): Footer
645    {
646        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowsixary Content');
647    }
647
648    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowsevenary(): Footer
649    {
650        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowsevenary Content');
651    }
651
652    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtoweightary(): Footer
653    {
654        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtoweightary Content');
655    }
655
656    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtownineary(): Footer
657    {
658        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtownineary Content');
659    }
659
660    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowtowary(): Footer
661    {
662        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowtowary Content');
663    }
663
664    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowtowoneary(): Footer
665    {
666        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowtowoneary Content');
667    }
667
668    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowtowtwoary(): Footer
669    {
670        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowtowtwoary Content');
671    }
671
672    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowtowthreeary(): Footer
673    {
674        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowtowthreeary Content');
675    }
675
676    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowtowfourary(): Footer
677    {
678        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowtowfourary Content');
679    }
679
680    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowtowfiveary(): Footer
681    {
682        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowtowfiveary Content');
683    }
683
684    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowtowsixary(): Footer
685    {
686        return Footer::make('Footer Twentytowtowtowtowtowtowtowtowtowtowtowtowsixary Content');
687    }
687
688    public static function footerTwentytowtowtowtowtowtowtowtowtowtowtowtowsevenary(): Footer
689    {
690        return Footer::make('Footer Twentytowtowtowtowt
```

The screenshot shows a web browser window for the ChieldHealth application. The URL is `localhost/petugas/imunisasi`. The page title is "Imunisasi". On the left sidebar, there are links for "Dashboard" and "Pasien". Under "Data Kesehatan", there is a section titled "Catatan Imunisasi". The main content area displays a table titled "Imunisasi" with the following columns: "Nama Pasien", "Jenis vaksin", "Tanggal", and "Status". The table contains 10 rows of data. At the top right of the table, there is a "New Imunisasi" button. Below the table, there is a search bar and a pagination control showing "Showing 1 to 10 of 19 results" and "Per page 10". The status column for all entries is "selesai". The bottom of the screen shows a standard Linux desktop taskbar with various icons.

disini, petugas1 maupun petugas2 tidak bisa menghapus data

The screenshot shows a web browser window for the ChieldHealth application. The URL is `localhost/petugas/imunisasi/create`. The page title is "Create Imunisasi". The left sidebar has the same structure as the previous screenshot. The main content area has a form with fields for "Nama Pasien", "Jenis vaksin", "Tanggal", and "Status". Each field has a dropdown menu with the placeholder "Select an option". At the bottom right of the form, there are three buttons: "Cancel", "Create & create another", and "Create". The "Create" button is highlighted with an orange border. The bottom of the screen shows a standard Linux desktop taskbar.

32. Enhance pada PasienResource pada panel petugas agar mudah dibaca, sehingga akan menjadi pada seperti tampilan localhost di panel petugas

```

1 <?php
2
3 namespace App\Filament\Petugas\Resources;
4
5 use App\Filament\Petugas\Resources\PasienResource\Pages;
6 use App\Models\Pasien;
7 use Filament\Forms;
8 use Filament\Forms\Form;
9 use Filament\Resources\Resource;
10 use Filament\Tables;
11 use Filament\Tables\Table;
12 use Illuminate\Database\Eloquent\Builder;
13 use Illuminate\Support\Str;
14
15 class PasienResource extends Resource
16 {
17     protected static ?string $model = Pasien::class;
18
19     protected static ?string $navigationIcon = 'heroicon-o-user-group';
20
21     protected static ?string $modelLabel = 'Pasien';
22
23     protected static ?string $navigationLabel = 'Data Pasien';
24
25     protected static ?string $navigationGroup = 'Manajemen Data';
26
27     protected static ?int $navigationSort = 1;
28
29     public static function form(Form $form): Form
30     {
31         return $form
32             --schema([
33                 Forms\Components\Section::make('Identitas Pasien')
34                     --schema([
35                         Forms\Components\FileUpload::make('foto')
36                             --label('Foto Pasien')
37                             --image()
38                             --directory('pasien-photos')
39                             --maxSize(2048) // 2MB
40                             --columnsSpanFull(),
41
42                         Forms\Components\TextInput::make('nik')
43                             --label('NIK')
44                             --required()
45                             --unique(ignoreRecord: true)
46                             --length(16)
47                             --minLength(16)
48                             --mask('9999999999999999'),
49
50                         Forms\Components\TextInput::make('nama')
51                             --required()
52                             --maxLength(255),
53
54                         Forms\Components\DatePicker::make('tanggal_lahir')
55                             --required()
56                     ])
57             ]);
58     }
59 }

```

Foto	NIK	Nama	Usia	JK	Orang Tua
	1470387453	Amara Smitham MD	49 tahun	Perempuan	Mr. Cade Willms DVM
	9255022603	Archibald Rowe	36 tahun	Perempuan	Titus Eichmann
	1998287678	Miss Beaulah Lueiwitz	50 tahun	Perempuan	Andrew Lakin
	4180355283	Stevie Klocko III	39 tahun	Perempuan	Dr. Quinten Walker
	2497866736	Cordia Kihn	47 tahun	Laki-laki	Dr. Riley Hammes DDS

Screenshot of a web application titled "Create Pasien - ChildHealth" showing a form for creating a patient record.

The URL in the browser is `localhost/petugas/pasiens/create`.

The page title is "Create Pasien".

The left sidebar shows navigation links: Dashboard, Data Kesehatan, Catatan Imunisasi, Manajemen Data, and Data Pasien (highlighted).

The main form is divided into sections:

- Identitas Pasien**: Fields include "Foto Pasien" (with a placeholder "Drag & Drop your files or Browse"), "NIK*" (text input), "Nama*" (text input), "Tanggal lahir*" (date input), and "Jenis kelamin*" (dropdown menu).
- Data Orang Tua**: Fields include "Nama Orang Tua*" (text input) and "Alamat*" (text area).

At the bottom right are buttons: "Cancel", "Create & create another", and a highlighted "Create" button.

33. Cek apakah data pasien yang ditangani oleh 2 petugas itu berbeda? disini saya akan memberikan perbandingannya
petugas 1

The screenshot shows the ChieldHealth application interface. The top navigation bar includes links for 'Dashboard', 'Pasien', 'List', and 'New Pasien'. The main content area is titled 'Pasien' and displays a table of patient records. The columns are labeled 'Foto', 'NIK', 'Nama', 'Usia', 'JK', and 'Orang Tua'. The table contains 5 rows of data. At the bottom of the table, there is a search bar and a 'Per page' dropdown set to 50.

Foto	NIK	Nama	Usia	JK	Orang Tua
MB	6096468756	Ms. Caleigh Boyle	42 tahun	Laki-laki	Richie Altenwerth Jr.
MS	2753609889	Molly Schiller	27 tahun	Perempuan	Prof. Edmond Terry
AH	4468195969	Aditya Kirlin	41 tahun	Laki-laki	Mr. Reuben Funk Sr.
WO	0858270470	Winifred Okuneva	24 tahun	Laki-laki	Van Hansen

This screenshot is identical to the one above, showing the ChieldHealth application's patient list page. It displays the same 5 rows of patient data in the table, indicating that no new users have been added since the previous screenshot.

34. Cek users, pasien, dan imunisasi apakah sesuai dengan data dummy yang disebutkan pada SRS

users @ uts_pemweb (wsl-localhost) - Table

	id	avatar_url	name	email	email_verified_at	password	role	remember_token	created_at	updated_at	theme
1	(null)	Super Admin	admin@demo.com	(null)	(null)	\$2y\$12\$Ag0DD026hUEAmTp...	super_admin	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39	sunset
2	(null)	Petugas 1	petugas1@demo.com	(null)	(null)	\$2y\$12\$gjNClDGryJmMtHQ...	petugas	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39	sunset
3	(null)	Petugas 2	petugas2@demo.com	(null)	(null)	\$2y\$12\$gqQeGRWAdmLyRv1...	petugas	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39	sunset

pasien @ uts_pemweb (wsl-localhost) - Table

	id	nik	nama	tanggal_lahir	jenis_kelamin	alamat	nama_ortu	foto	petugas_id	created_at	updated_at
1	6096468756	Mrs. Caleigh Boyle	1982-07-01	L	6718 Ondricka Track Apt. 030...	Richie Altenwerth Jr.	(null)	(null)	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39
2	2753609889	Molly Schiller	1998-03-17	P	22538 Lucile Center...	Prof. Edmond Terry	(null)	(null)	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39
3	4468195969	Aditya Kirlin	1983-08-08	L	60737 Hettie Ports Apt. 314...	Mr. Reuben Funk Sr.	(null)	(null)	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39
4	0858270470	Winifred Okuneva	2000-11-05	L	7840 Blanda Prairie...	Van Hansen	(null)	(null)	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39
5	0509594924	Aileen Altenwerth	1974-03-26	L	99905 Madelyn Ford Apt. 839...	Dr. Deonate Schuster	(null)	(null)	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39
6	1470387453	Amara Smitham MD	1976-03-30	P	5009 Hubert Burg...	Mr. Cade Willens DVM	(null)	(null)	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39
7	9255022603	Archibald Rowe	1988-09-25	P	4067 Jazmin Forks...	Titus Etchmann	(null)	(null)	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39
8	1998287678	Miss Beaullah Luehwitz	1974-10-29	P	5625 Claude Park Suite 364...	Andrew Lakin	(null)	(null)	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39
9	4180355283	Stevie Klocko III	1985-09-13	P	27538 Halley Crest...	Dr. Quinten Walker	(null)	(null)	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39
10	2497866736	Cordia Kihn	1977-10-03	L	454 Pagat Mount Suite 247...	Dr. Riley Hammes DDS	(null)	(null)	(null)	2025-05-19 18:01:39	2025-05-19 18:01:39

MySQL Workbench Screenshot:

	id	pasien_id	jenis_vaksin	tanggal	status	created_at	updated_at
1	1	BCG	1983-03-01	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
2	1	Polio	1982-10-01	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
3	1	DPT	1982-08-01	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
4	2	BCG	1999-01-17	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
5	2	Polio	1999-03-17	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
6	2	DPT	1998-08-17	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
7	2	Hepatitis B	1998-09-17	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
8	2	Campak	1998-04-17	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
9	3	BCG	1983-10-08	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
10	3	Polio	1984-07-08	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
11	3	DPT	1983-09-08	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
12	4	BCG	2001-03-05	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
13	4	Polio	2001-03-05	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
14	4	DPT	2001-04-05	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
15	4	Hepatitis B	2001-02-05	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
16	5	BCG	1974-07-26	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
17	5	Polio	1974-11-26	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
18	5	DPT	1974-11-26	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	
19	5	Hepatitis B	1974-12-26	selesai	2025-05-19 18:01:39	2025-05-19 18:01:39	

35. Untuk tampilan mobile bisa dicek ketika sudah bisa diakses secara public, namun pada tahap implementasi kali ini hanya diimplementasi pada dekstop (laptop/pc). Namun laravel 12 dan filament v3 (fila-starter kit) sudah mendukung untuk tampilan mobile, sumber gemini ai

Google Search Results for "apakah laravel filament sudah mendukung mobile untuk aksesibilitasnya?":

Apakah Laravel Filament Sudah Mendukung Mobile Untuk Aksesibilitasnya?

Yah, **Laravel Filament** memang mendukung penggunaan mobile untuk aksesibilitasnya. Meskipun secara bawaan Filament dirancang untuk tampilan web, terdapat beberapa cara untuk membuat aplikasi berbasis Filament menjadi responsif dan dapat digunakan di perangkat mobile.

Cara Mendukung Mobile:

- Rancang dengan Responsif:**
Pastikan desain UI/UX aplikasi Anda berbasiskan Filament dirancang dengan prinsip responsif, yaitu dapat menyesuaikan ukuran dan tampilan secara otomatis sesuai dengan perangkat yang digunakan, termasuk perangkat mobile.
- Gunakan Komponen Filament yang Responsif:**
Filament menyediakan berbagai komponen yang sudah dirancang responsif, seperti tabel, formulir, dan tombol. Gunakan komponen-komponen ini untuk membangun antarmuka yang dapat diakses dengan mudah di berbagai perangkat, termasuk mobile.
- Membuat Komponen Mobile Khusus (Jika Perlu):**
Jika ada kebutuhan khusus, Anda dapat membuat komponen mobile yang lebih disesuaikan dengan perangkat mobile.
- Menggunakan Framework Mobile (Jika Diperlukan):**
Jika aplikasi Anda memerlukan fitur-fitur mobile yang lebih kompleks (seperti geolokasi, face recognition), Anda dapat menggunakan Filament dengan framework mobile seperti Flutter.

Contoh:

- Sistem presensi pegawai yang dibangun menggunakan Laravel Filament dan Flutter dapat menggunakan data yang diinputkan di web melalui Filament dan ditampilkan dalam aplikasi mobile Flutter.

Penting:

- Pastikan untuk melakukan pengujian di berbagai perangkat mobile untuk memastikan aplikasi berbasis Filament Anda berjalan dengan baik dan mudah diakses.
- Perhatikan aksesibilitas untuk penguna yang memiliki kebutuhan khusus, seperti...