ωΝ Notes: 1. This module meets the USPS STD-4C requirements for installation defined below when the mailbox is This 4C mailbox can also be used for private applications. installed per the dimensions provided on this drawing. e. The USPS Arrow lock shall be positioned 36"- 48" AFF. At least one customer compartment shall be positioned less then 48" above finished floor (AFF). No parcel locker (interior bottom shelf) shall be positioned less than 15" AFF. No customer compartment (interior bottom shelf) shall be positioned less than 28" AFF. No patron (tenant) lock shall be positioned more than 67" AFF 37½" ACTUAL 17½" ACTUAL |--+ 16¼" R.O. + 0 **⊕** | ∘ ∘ | • ∘ • versatile™ 4C Mailbox, 4CADS-2P (TO BOTTOM SHELF) 15" FINISHED FLOOR 44)/4" (TO PARCEL LOCK) PRODUCT SERIES: VERSATILETM 4C FRONT LOAD MALBOX manufacturing company DEPTH 17" R.O. DESCRIPTION COMPARTMENT $14\frac{1}{8}$ " FROM FINISHED FLOOR COMPARTMENT CHART TO BOTTOM OF R.O. 36¾6" R.O. DRAWING NUMBER SCALE MODEL 4CADS-2P 4CADS-2PCS COMPARTMENT SIZE 17" H x 12" W x 15" D NONE REV LAST REV DATE DRAWN BY QTY.

The rough opening width for multi-unit 4C installations = (the sum of all actual unit widths) - 1%".