```
48
      set1 = \{1,2,3,4,5\}
      print(set1)
49
50
51
      # Q2
52
   set1.add(6)
53
     print(set1)
54
55
     # 03
56
     set1.remove(3)
      print(set1)
57
58
PROBLEMS
                     DEBUG CONSOLE
           OUTPUT
                                      TERMINAL
anselbiju@ansels-MacBook-Air DSML_Python % /usr/
. ру
\{1, 2, 3, 4, 5\}
\{1, 2, 3, 4, 5, 6\}
{1, 2, 4, 5, 6}
anselbiju@ansels-MacBook-Air DSML_Python %
```

```
s = (1,2,3,4)
   61
   62
           print(s)
   63
   64
           # 02
           print(len(s))
   65
  PROBLEMS
                  OUTPUT
                                DEBUG CONSOLE
                                                       TERMINAL
anselbiju@ansels-MacBook-Air DSML_Python % /usr/loc
  (1, 2, 3, 4)
o anselbiju@ansels-MacBook-Air DSML_Python %
  18
      # 01
       import random
       list1 = [random.randint(1, 10) for n in range(5)]
       print(list1)
  21
 PROBLEMS
           OUTPUT
                    DEBUG CONSOLE
                                   TERMINAL
                                             PORTS
                                                    SEARCH ERROR
 /usr/local/bin/python3 /Users/anselbiju/Documents/DSML Python/assignment 2.py
anselbiju@ansels-MacBook-Air DSML_Python % /usr/local/bin/python3 /Users/anselbiju/
 [1, 2, 8, 5, 9]
anselbiju@ansels-MacBook-Air DSML_Python % /usr/local/bin/python3 /Users/anselbiju/
 [4, 4, 10, 4, 4]
anselbiju@ansels-MacBook-Air DSML_Python % /usr/local/bin/python3 /Users/anselbiju/
 .py
[4, 10, 9, 9, 8]
o anselbiju@ansels-MacBook-Air DSML_Python %
```

```
24
      # Q2
      list1.append(10)
25
      list1.append(20)
26
      list1.append(30)
27
      print(list1)
28
29
PROBLEMS
            OUTPUT
                      DEBUG CONSOLE
                                                  PORTS
                                       TERMINAL
anselbiju@ansels-MacBook-Air DSML_Python % /usr/local/
.py [5, 9, 4, 9, 5]
[5, 9, 4, 9, 5, 10, 20, 30]
anselbiju@ansels-MacBook-Air DSML_Python %
```

```
30
      # Q3
      for i in list1:
31
           print(i)
32
PROBLEMS
            OUTPUT
                       DEBUG CONSOLE
                                         TERMINAL
anselbiju@ansels-MacBook-Air DSML_Python % /usr,
. py
[6, 9, 2, 2, 5]
[6, 9, 2, 2, 5, 10, 20, 30]
9
2
2
5
10
20
30
anselbiju@ansels—MacBook—Air DSML_Python %
```

```
# topic : Dictionary Exercise.
      # Q1
      dictnary1 ={'name': 'ansel', 'age':24, 'address': 'america'}
 38
      print(dictnary1)
PROBLEMS
           OUTPUT
                     DEBUG CONSOLE
                                      TERMINAL
                                                 PORTS
                                                          SEARCH ERROR
anselbiju@ansels-MacBook-Air DSML_Python % /usr/local/bin/python3 /Users/ansel
{'name': 'ansel', 'age': 24, 'address': 'america'}
anselbiju@ansels—MacBook—Air DSML_Python %
      # 02
42
      dictnary1['phone'] = '1234567890'
43
      print(dictnary1)
PROBLEMS
           OUTPUT DEBUG CONSOLE
                                     TERMINAL
                                                PORTS
                                                         SEARCH ERROR
anselbiju@ansels-MacBook-Air DSML_Python % /usr/local/bin/python3 /Users/anselb
.py
{'name': 'ansel', 'age': 24, 'address': 'america', 'phone': '1234567890'}
anselbiju@ansels-MacBook-Air DSML_Python %
```