


Deploying Adobe Reader 11018

By Harvansh Singh

Table of Contents


CREATE A PACKAGE FOR ADOBE READER: -	2
DEPLOY THE PACKAGE: -	2

Create a Package for Adobe Reader: -

Go to the given link and open	https://get.adobe.com/reader/enterprise/												
Click on download for window x64 or 64 bit O.S.													
<p>Keep the setup file in a folder and create bat file with below command line.</p> <p>@echo off</p> <p>Set InstallDir=%~dp0</p> <p>Start %InstallDir%\Installfiles\AdbeRdr11018_en_US_Silent.exe /S</p>	 <table><thead><tr><th>Name</th><th>Date modified</th><th>Type</th><th>Size</th></tr></thead><tbody><tr><td>Installfiles</td><td>11/22/2016 5:27 PM</td><td>File folder</td><td></td></tr><tr><td>Install.bat</td><td>11/22/2016 5:28 PM</td><td>Windows Batch File</td><td>1 KB</td></tr></tbody></table>	Name	Date modified	Type	Size	Installfiles	11/22/2016 5:27 PM	File folder		Install.bat	11/22/2016 5:28 PM	Windows Batch File	1 KB
Name	Date modified	Type	Size										
Installfiles	11/22/2016 5:27 PM	File folder											
Install.bat	11/22/2016 5:28 PM	Windows Batch File	1 KB										

Deploy the Package: -

Copy Adobe Reader source file and keep on remote location.



The screenshot shows a Windows File Explorer window with the title 'Adobe Reader 11018'. The address bar displays the path: This PC > Local Disk (C:) > Software Package > Adobe Reader 11018. The left sidebar contains the 'Favorites' section with links to Desktop, Downloads, and Recent places. The main content area displays a table of files and folders.


Name	Date modified	Type	Size
Installfiles	11/22/2016 5:27 PM	File folder	
Install.bat	11/22/2016 5:28 PM	Windows Batch File	1 KB

Deploying Adobe Reader 11018 with Current Branch 1511


Created by Harvansh Singh

Website: - <https://social.technet.microsoft.com/Profile/harvansh%20singh>

Go to SCCM Console on Software Library and right click on Create Package. Select Create Package.



Fill the name and provide the source location of Package. Click on Next.




Thanks,
Harvansh Singh

Deploying Adobe Reader 11018 with Current Branch 1511

Created by Harvansh Singh


Website: - <https://social.technet.microsoft.com/Profile/harvansh%20singh>

Select Standard Program and click on Next.



The screenshot shows the 'Create Package and Program Wizard' window, specifically the 'Program Type' step. The left sidebar contains a list of steps: Package, Program Type (selected), Standard Program, Requirements, Summary, Progress, and Completion. The main area is titled 'Choose the program type that you want to create' and contains three radio button options: 'Standard program' (selected), 'Program for device', and 'Do not create a program'. Below each option is a brief description. At the bottom right, there are four buttons: '< Previous', 'Next >', 'Summary', and 'Cancel'.

Fill the details as per requirement and click on Next.



The screenshot shows the 'Create Package and Program Wizard' window, specifically the 'Standard Program' step. The left sidebar contains a list of steps: Package, Program Type, Standard Program (selected), Requirements, Summary, Progress, and Completion. The main area is titled 'Specify information about this standard program' and contains several input fields and checkboxes. The fields are: 'Name' (Adobe Reader), 'Command line' (Install.bat), 'Startup folder' (empty), 'Run' (Normal), 'Program can run' (Only when a user is logged on), 'Run mode' (Run with administrative rights), 'Allow users to view and interact with the program installation' (unchecked), 'Drive mode' (Runs with UNC name), and 'Reconnect to distribution point at log on' (unchecked). At the bottom right, there are four buttons: '< Previous', 'Next >', 'Summary', and 'Cancel'.

Thanks,
Harvansh Singh

Deploying Adobe Reader 11018 with Current Branch 1511

Created by Harvansh Singh

Website: - <https://social.technet.microsoft.com/Profile/harvansh%20singh>

Select the OS type where you want to deploy the package. Click on Next.

The screenshot shows the 'Requirements' step of the 'Create Package and Program Wizard'. The left sidebar has a tree view with 'Requirements' selected. The main area is titled 'Specify the requirements for this standard program'. It contains several options: 'Run another program first' (unchecked), 'Always run this program first' (unchecked), and 'Platform requirements'. Under 'Platform requirements', 'This program can run on any platform' is selected. Below this is a list of operating systems with checkboxes, including 'All Windows RT', 'All Windows RT 8.1', 'All Windows 10 (32-bit)', 'All Windows 10 (64-bit)', 'All Windows 7 (64-bit)', 'All Windows 8 (64-bit)', 'All Windows 8.1 (64-bit)', 'Windows Embedded 8 Industry (64-bit)', 'Windows Embedded 8 Standard (64-bit)', and 'Windows Embedded 8.1 Industry (64-bit)'. At the bottom, there are fields for 'Estimated disk space' (set to 'Unknown') and 'Maximum allowed run time (minutes)' (set to '120'). Navigation buttons at the bottom include '< Previous', 'Next >', 'Summary', and 'Cancel'.

Verify all the details and click on Next.

The screenshot shows the 'Summary' step of the 'Create Package and Program Wizard'. The left sidebar has a tree view with 'Summary' selected. The main area is titled 'Confirm the settings'. It displays a 'Details' box with the following information: General (Name: Adobe Reader 11018, Description, Version: 11018, Publisher: Adobe, Language: English, Source files: \\socmlab\\Software Package\\Adobe Reader 11018, Always obtain files from the source folder), Program Type: Standard Program, Program (Name: Adobe Reader, Command line: Install.bat, Start in, Run: Normal, Run mode: Run with administrative rights, Program can run: Only when a user is logged on, Drive mode: Runs with UNC name), and Requirements (Platforms supported: Any, Maximum allowed runtime(minutes): 120). At the bottom, a message states 'To change these settings, click Previous. To apply the settings, click Next.' Navigation buttons at the bottom include '< Previous', 'Next >', 'Summary', and 'Cancel'.


Thanks,
Harvansh Singh

Deploying Adobe Reader 11018 with Current Branch 1511


Created by Harvansh Singh

Website: - <https://social.technet.microsoft.com/Profile/harvansh%20singh>

Click on Close after wizard completed.



Go to Packaged and verify that Adobe Reader is available.



Thanks,
Harvansh Singh

Deploying Adobe Reader 11018 with Current Branch 1511

Created by Harvansh Singh

Website: - <https://social.technet.microsoft.com/Profile/harvansh%20singh>

Right Click on Adobe Reader and deploy it.

Packages 5 items

Search

Icon	Name	Programs	Manufacturer	Version
	User State Migration Tool for Windows 10	0	Microsoft Corpo...	10.0.10586.0
	Mozilla Firefox Deployment	1	Mozilla	50.0
	Configuration Manager Client Piloting Package	0	Microsoft Corpo...	
	Adobe Reader 11018	1	Adobe	11018
	Configuration Manag		Microsoft Corpo...	

Adobe Reader 11018

Package Properties

Package ID:
Manufacturer:
Version:
Language:

Manage Access Accounts
Create Prestaged Content File
Create Program
Export
Refresh F5
Delete Delete
Deploy
Distribute Content
Update Distribution Points
Move
Set Security Scopes
Properties

0 Targeted (Last Update: 11/)

Select the collation where you want to deploy it. Click on Next.

Deploy Software Wizard

General

General

Content

Deployment Settings

Scheduling

User Experience

Distribution Points

Summary

Progress

Completion

Specify general information for this deployment

Software: Adobe Reader 11018 (Adobe Reader) Browse...

Collection: Test Deployment Browse...

☐ Use default distribution point groups associated to this collection

☐ Automatically distribute content for dependencies

Comments (optional):

< Previous Next > Summary Cancel


Thanks,
Harvansh Singh

Deploying Adobe Reader 11018 with Current Branch 1511

Created by Harvansh Singh


Website: - <https://social.technet.microsoft.com/Profile/harvansh%20singh>

Click on Add button to select the D.P. and click on Next.



The screenshot shows the 'Content' tab of the 'Deploy Software Wizard'. The left sidebar contains a list of tabs: General, Content (selected), Deployment Settings, Scheduling, User Experience, Distribution Points, Summary, Progress, and Completion. The main area is titled 'Specify the content destination'. It contains a section 'Distribution points or distribution point groups that the content has been distributed to:' with a table that is currently empty, showing only headers 'Name' and 'Type'. Below this is a text box stating 'There are no items to show in this view.' Further down, there is a section 'Additional distribution points, distribution point groups, and the distribution point groups that are currently associated with collections to distribute content to:'. This section includes a 'Filter...' input field, a search icon, and a table with columns 'Name', 'Description', and 'Associations'. The table contains one entry: 'SCCMLAB.LAB.COM' with the description 'Distribution point'. To the right of the table are 'Add' and 'Remove' buttons. At the bottom of the wizard are buttons for '< Previous', 'Next >', 'Summary', and 'Cancel'.


Select the Purpose Available or Required mode. Click on Next.



The screenshot shows the 'Deployment Settings' tab of the 'Deploy Software Wizard'. The left sidebar contains a list of tabs: General, Content, Deployment Settings (selected), Scheduling, User Experience, Distribution Points, Summary, Progress, and Completion. The main area is titled 'Specify settings to control how this software is deployed'. It contains two dropdown menus: 'Action:' set to 'Install' and 'Purpose:' set to 'Available'. Below these is a checkbox labeled 'Require administrator approval if users request this application', which is currently unchecked. At the bottom of the wizard are buttons for '< Previous', 'Next >', 'Summary', and 'Cancel'.


Thanks,
Harvansh Singh

Scheduled the available and expire time then click on Next.



The screenshot shows the 'Deploy Software Wizard' window with the 'Scheduling' tab selected. The left sidebar contains a list of tabs: General, Content, Deployment Settings, Scheduling (highlighted), User Experience, Distribution Points, Summary, Progress, and Completion. The main area is titled 'Specify the schedule for this deployment'. It contains a text box explaining that the program will be available as soon as it has been distributed to the content servers unless it is scheduled for a later time. Below this, there are two sections: 'Schedule when this deployment will become available:' and 'Schedule when this deployment will expire:'. Each section has a date and time picker (11/22/2016 and 2:52 AM) and a checkbox for 'UTC'. There are also buttons for 'New...', 'Edit...', and 'Delete'. Below these is a section for 'Assignment schedule' with a text box stating 'There are no items to show in this view.' and a 'Rerun behavior' dropdown menu set to 'Always rerun program'. At the bottom, there are buttons for '< Previous', 'Next >', 'Summary', and 'Cancel'.

Select the Software installation and click on Next.




The screenshot shows the 'Deploy Software Wizard' window with the 'User Experience' tab selected. The left sidebar contains a list of tabs: General, Content, Deployment Settings, Scheduling, User Experience (highlighted), Distribution Points, Summary, Progress, and Completion. The main area is titled 'Specify the user experience for the installation of this software on the selected devices'. It contains a section for 'Notification settings' with a checkbox for 'Allow users to run the program independently of assignments'. Below this is a section for 'When the scheduled assignment time is reached, allow the following activities to be performed outside the maintenance window:' with checkboxes for 'Software installation' and 'System restart (if required to complete the installation)'. There is also a section for 'Write filter handling for Windows Embedded devices' with a checkbox for 'Commit changes at deadline or during a maintenance window (requires restarts)'. A note states: 'If this option is not selected, content will be applied on the overlay and committed later.' At the bottom, there are buttons for '< Previous', 'Next >', 'Summary', and 'Cancel'.

Deploying Adobe Reader 11018 with Current Branch 1511

Created by Harvansh Singh


Website: - <https://social.technet.microsoft.com/Profile/harvansh%20singh>

Select Download content from Distribution Point and run locally.
Click on Next.



The screenshot shows the 'Deploy Software Wizard' window, specifically the 'Distribution Points' step. The left sidebar contains a list of steps: General, Content, Deployment Settings, Scheduling, User Experience, Distribution Points (highlighted), Summary, Progress, and Completion. The main area has a title bar with a green arrow icon and the text 'Distribution Points'. Below the title bar is a section titled 'Specify how to run the content for this program according to the type of boundary the client is connected to'. It contains two dropdown menus, both set to 'Download content from distribution point and run locally'. Below these are two checkboxes: 'Allow clients to share content with other clients on the same subnet' (checked) and 'Allow clients to use a fallback source location for content' (unchecked). At the bottom are buttons for '< Previous', 'Next >', 'Summary', and 'Cancel'.

Click on Next.



The screenshot shows the 'Deploy Software Wizard' window, specifically the 'Summary' step. The left sidebar contains a list of steps: General, Content, Deployment Settings, Scheduling, User Experience, Distribution Points, Summary (highlighted), Progress, and Completion. The main area has a title bar with a green arrow icon and the text 'Summary'. Below the title bar is a section titled 'Confirm the settings for this new deployment'. It contains a 'Details' section with a list of settings: General (Software: Adobe Reader 11018 (Adobe Reader), Collection: Test Deployment (Member Count: 4), Use default distribution point groups associated to this collection: Disabled, Automatically distribute content for dependencies: Disabled), Deployment Settings (Action: Install, Purpose: Available, Allow clients to use a metered Internet connection to download content: Disabled), Scheduling (Schedule when this deployment will become available: Disabled, Schedule when this deployment will expire: Disabled, Rerun behavior: Always rerun program), User Experience (Allow users to run the program independently of assignments: Enabled, Software installation: Enabled, System restart (if required to complete the installation): Disabled, Allow task sequence to run for client on the Internet: Disabled, Commit changes at deadline or during a maintenance window (requires restarts): Enabled), and Distribution Points (Select the deployment option to use when a client is connected within a fast (LAN) network boundary: Download content from distribution point and run locally). At the bottom are buttons for '< Previous', 'Next >', 'Summary', and 'Cancel'.


Thanks,
Harvansh Singh

Deploying Adobe Reader 11018 with Current Branch 1511

Created by Harvansh Singh

Website: - <https://social.technet.microsoft.com/Profile/harvansh%20singh>


Wait till wizard completed then click on close.



Go to software Center and verify that Adobe Reader is on available mode.

Select the Adobe Reader and click on Install.

Note: - If you were selected as a Required mode then Package will install automatically.



Thanks,
Harvansh Singh