```
MariaDB [40527530]> SELECT Round(AVG(qu)) AS items FROM (SELECT sum(Quantity) as qu from order_item GROUP by order_id) order_item;
+-----+
| items |
+-----+
| 6 |
+-----+
```

```
MariaDB [40527530]> SELECT Concat(restaurant.NAME, restaurant.address) AS restaurant,
   -> food item.NAME AS item,
   -> food item.price
   -> FROM restaurant
   -> JOIN food item
   -> ON restaurant.id = food item.restaurant id
   -> WHERE food_item.price > 10
   -> AND restaurant.NAME LIKE 'krispy kreme%';
                                                        item
 restaurant
                                                                                               price
 Krispy Kreme - Edinburgh Lothian Road49 Lothian Road |
                                                       6 Assorted Doughnuts
                                                                                               12.95
 Krispy Kreme - Edinburgh Lothian Road49 Lothian Road | Original Glazed Dozen
                                                                                               14.95
 Krispy Kreme - Edinburgh Lothian Road49 Lothian Road | Original Glazed Double Dozen
                                                                                               23.95
 Krispy Kreme - Edinburgh Lothian Road49 Lothian Road | Sharer Dozen
                                                                                               17.95
 Krispy Kreme - Edinburgh Lothian Road49 Lothian Road | Original Glazed & Sharer Double Dozen | 24.95
 Krispy Kreme - Edinburgh Lothian Road49 Lothian Road
                                                                                               27.95
                                                       Sharer Double Dozen
```

```
MariaDB [40527530]> SELECT restaurant.name AS restaurant, food item.name AS item FROM food item
    -> JOIN restaurant ON restaurant.id= food item.restaurant id
    -> where food item.id NOT in ( SELECT food item id FROM order item) AND (restaurant.name LIKE 'greg%'
    -> OR restaurant.name LIKE 'starbucks%');
 restaurant
                                             item
 Starbucks - Edinburgh - Waverley Steps
                                              Cinnamon Swirl
 Starbucks - Edinburgh - The Cube
                                              Strawberry & Cream Cake
 Starbucks - Edinburgh - The Cube
                                              Rainbow Veg & Bean Protein Pot (plant based)
 Starbucks - Edinburgh - The Cube
                                              Hickory Ham & Cheese Toastie
 STARBUCKS® - Edinburgh - Canongate
                                              Pain au Chocolat
 Starbucks - Edinburgh- Middle Meadow Walk
                                              Oat & Raisin Cookie
 Starbucks - Edinburgh- Middle Meadow Walk
                                              Tomato & Mozzarella Panini
 Starbucks - Edinburgh - Haymarket Station
                                              Cheese and Marmite™ Panini
 Greggs - Edinburgh, Forrest Road
                                              Porridge (GF) Original
 Greggs - Edinburgh, Newington
                                              Breakfast Omelette Baguette
```

```
MariaDB [40527530]> SELECT ROUND((COUNT(orders.id)*100)/(SELECT COUNT(orders.id) FROM orders
-> JOIN restaurant ON restaurant.id=orders.restaurant_id
-> WHERE NAME="chennai's Marina"),2) AS on_time FROM orders
-> JOIN restaurant ON restaurant.id=orders.restaurant_id
-> WHERE NAME="chennai's Marina" AND actual_delivery_time<=estimated_delivery_time;
+-----+
| on_time |
+------+
| 48.47 |
```