

SELECTORS

Universal Selector	-	*{ }
ID Selector	-	#id{ }
Class Selector	-	.class{ }
Type Selector	-	h1, h2 ,h3{ }
Adjacent Sibling Selector	-	h1 + p { }
Child Selector	-	ul > li { }
General Sibling Selector	-	h1 ~ p{ }
Descendant Selector	-	p a{ }
Attribute Selector	-	div [attribute = "Value"]

PSEUDO SELECTORS & ELEMENTS

- Mouse Over Selector - `a:hover`
- Active Link Selector - `a:active`
- Focus Selector - `input:focus`
- Visited Links Selector - `a:visited`
- Link Selector - `.class:link`
- Checked elements selector - `input:checked`
- Disabled elements selector - `input:disabled`
- Enabled elements selector - `input:enabled`
- Not a Specified Element Selector - `:not(p)`
- First Line Selector - `p::first-line`
- First Letter Selector - `p:: first-letter`

First Child Selector	-	<code>p:first-child</code>
Last Child Selector	-	<code>p:last-child</code>
Only Child Selector	-	<code>p:only-child</code>
:nth-child Selector	-	<code>p:nth-child</code>
First Element of its Parent Selector	-	<code>p:first-of-type)</code>

Elements that have no Children Selector - `p:empty`

Before Element - `.class::before)`

After Element - `.class::after`